

University of New Mexico
UNM Digital Repository

Division of Mammals - Field Notes and Catalogs

Museum of Southwestern Biology

6-25-1991

Bolivia 1990-1991 Catalog

Luis Marcelo Lalles

Follow this and additional works at: https://digitalrepository.unm.edu/msb_mammals_field_notes

Recommended Citation

Lalles, Luis Marcelo. "Bolivia 1990-1991 Catalog." (1991). https://digitalrepository.unm.edu/msb_mammals_field_notes/147

This Article is brought to you for free and open access by the Museum of Southwestern Biology at UNM Digital Repository. It has been accepted for inclusion in Division of Mammals - Field Notes and Catalogs by an authorized administrator of UNM Digital Repository. For questions or technical help with UNM's Digital Repository, please contact disc@unm.edu.

Catalogue25 Junio 1990: Bolivia: Santa Cruz; Santa Rosa de la Roca61°27' W, 15°50' S

| | | | | | | |
|----------|----|----|------------------|--------------------|-------------------------|------------------------|
| MZ | 40 | ♂ | <i>EufRACTUS</i> | sp. | Loc. Km 162 de S. Ramón | |
| | | | | | + Et, skel only | NK-21002 NK-2018-20-42 |
| MZ | 41 | ♀ | <i>Artibeus</i> | | | 92-0-18-20 = 48gr |
| | | | | | + Endo, skel + Et | NK-21018 |
| MZ | 42 | ♀ | <i>Artibeus</i> | | | 85-0-12-19 = 50gr. |
| | | | | | + Endo, Skel + Et | NK-21015 |
| MZ | 43 | ♀ | <i>Artibeus</i> | | | 94-0-15-21 = 60gr |
| | | | | | + Endo, skel + Et | NK-21014 |
| 26/VI/90 | MZ | 44 | ♀ | <i>VampyrOps</i> | | 80-0-8-18 = 24gr |
| | | | | | + Endo, skel + Et | NK-21017 |
| MZ | 45 | ♂ | <i>VampyrOps</i> | | | 78-0-10-17 = 26 gr |
| | | | | | + Endo, skel + Et | NK-21009 |
| MZ | 46 | ♂ | <i>Artibeus</i> | | | 70-0-12-20 = 20gr |
| | | | | | + Endo, Skel + Et | NK-21008 |
| MZ | 47 | ♂ | | | | 104-0-13-26 = 52 gr |
| | | | | | + Endo, Skel, Et | NK-21007 |
| MZ | 48 | ♂ | <i>Ctenomis</i> | <i>boliviensis</i> | | 308-67-42-13 = 500gr |
| | | | | | + Endo + Skel + Et | NK-21020 |
| 27/VI/90 | MZ | 49 | ♂ | | | 59-9-12-13 = 11gr |
| | | | | | + Endo, Skel, Et | NK-21024 |
| MZ | 50 | ♂ | | | | 75-6-13-16 = 21gr. |
| | | | | | + Endo, Skel, Et | NK-21028 |
| MZ | 51 | ♀ | | | | 67-10-14-18 = 18gr |
| | | | | | + Endo + Et + Skel | NK-21022 |
| MZ | 52 | ♂ | | | | 73-0-16-18 = 21.5 gr |
| | | | | | + Endo, Et, skel | NK-21028 |

28 June 1990 Bolivia: Santa Cruz; Santa Rosa de La Roca
61°27'W 15°50'S

MZ 53

Endo, Et, Skull NK 21036 71-0-15-19 = 21 gr

10 July 1990: Bolivia: Santa Cruz; Cerro Itahuaticua 810 m.s.n.
19°48'S 63°31'W

MZ 54 *Ctenomys* NK 21240

Endo, Et, Skull 260-74-24-3 = 300 gr

MZ 55 *Ctenomys* 222-65-21-3 = 160 gr

Endo, Et, Skull NK 21260

MZ 55 *Oryzomys Colomus* NK 21277

Endo, Et, Skull 170-75-22-15 = 20 gr

MZ 56 *Oryzomys Colomus* NK 21274

Endo, Et, Skull 160-65-21-13 = 17 gr

MZ 57 *Ctenomys* NK

13 July 1990: Bolivia; ^{Chuquiaguaca} ~~Santa Cruz~~; 2 km de Monteagudo 1130 m.s.n.
19°49'S 63°19'W

MZ 57 ♀ *Ctenomys* NK 21338

Endo, Et, Skull 241-71-38-7 = 170 gr

MZ 58 ♀ *Ctenomys* NK 21336

Endo, Et, Skull 273-82-34-7 = 230 gr

MZ 59 *Calomys* NK 21359

Endo, Et, Skull 200-95-15-21 = 39 gr

MZ 60 ♂ *Oryzomys* NK 21372

Endo, Et, Skull 260-70-29-21 = 75 gr

MZ 61 ♂ *Calomys* NK 21382

Endo, Et, Skull 197-89-18-14 = 43 gr

MZ 62 ♂ *Akodon* NK 21389

Endo, Et, Skull 148-61-17-13 = 16 gr

M263 ♂ Akodon
+ Endo, Et, SKUL ONLY NK 21404 143-70-21-10 = 149g

M264 ♀ Akodon NK 21411
+ Endo, Et, SKUL 134-60-18-14 = 135g

M265 ♂ Bolomys NK 21416
+ Endo, Et, SKUL 197-89-18-15 = 40g
~~197-89-18-15 = 40g~~

M266 ♀ Ctenomys NK 21421
+ Endo, Et, SKUL 280-91-37-7 = 235g

M267 ♂ Bolomys NK 21445
+ Endo, Et, SKUL 190-88-28-19 = 45g

M268 ♀ Ctenomys NK 21457
+ Endo, Et, SKUL 239-69-30-7 = 163g

M269 ♂ Ratus NK 21458
+ Endo, Et, SKUL 385-196-33-21 = 228g

M270 ♂ Oxymicterus NK 21468
+ Et + SKUL 148-60-15-12 = 18.5g

M271 ♂ Akodon NK 21474
+ Et + SKUL 133-72-20-11 = 14.8g

M272 ♂ NK 21479
+ Et + SKUL 192-86-22-15 = 33.2g

M272 ♀ Calomys NK 21482
+ Et + SKUL 210-94-18-18 = 48g

M273 ♀
[160] [130?] - 21-18 = 40g

M274 ♂ Oxymicterus NK 21486
+ Et + SKUL 220-90-30-16 = 34.5g

M275 ♂ T (2 = 2x1) NK 21495
+ Et + SKUL 157-62-21-11 = 16.9g

20 June 1990 Bolivia: Santa Cruz; Santa Rosa de la Pequeña
61°27'W 15°50'S

MZ 53

Endo, Et, Skull

NK 21036 71-0-15-19 = 21 gr

12 July 1990: Bolivia: Santa Cruz; Cerro Itabiatunga 810 m
19°48'S 63°31'W

MZ 54 *Ctenomys*

NK 21240

Endo, Et, Skull

260-74-24-3 = 300 gr

MZ 55 *Ctenomys*

222-65-21-3 = 160 gr

Endo, Et, Skull

NK 21260

MZ 55 *Oryzomys Colomus*

NK 21277

Endo, Et, Skull

170-75-22-15 = 20 gr

MZ 56 *Oryzomys Colomus*

NK 21274

Endo, Et, Skull

160-65-21-13 = 17 gr

~~MZ 57 *Ctenomys*~~

~~NK~~

13 July 1990: Bolivia; ^{Chuguisaca} Santa Cruz; 2 km de Monteagudo 1130 m
19°49'S 63°19'W

MZ 57 *Ctenomys*

NK 21338

Endo, Et, Skull

241-71-38-7 = 170 gr

MZ 58 *Ctenomys*

NK 21336

Endo, Et, Skull

273-82-34-7 = 230 gr

MZ 59 *Calomys*

NK 21359

Endo, Et, Skull

200-75-15-21 = 39 gr

MZ 60 ♂ *Oryzomys*

NK 21372

Endo, Et, Skull

260-110-29-21 = 75 gr

MZ 61 ♂ *Calomys*

NK 21382

Endo, Et, Skull

197-89-19-14 = 42 gr

MZ 62 ♂ *Axodon*

NK 21389

Endo, Et, Skull

45-61-11-13 = 16 gr

5 de febrero 1991

Santa Cruz, I de Chaves San Ramón

Estancia Cestado 16°35'5 62°25'E

NK 55 ♂

MZ 76 166-68-12-19 ≅ 289g

NK 58 ♀ (7 semanas 5 fetos lod.)

MZ 77 270-141-31-21 ≅ 629g

NK Compete los Kanan toros de los machos y picos.

MZ 78 194. 295g

NK 59

6/III/91

MZ 79 ♀ 2/fetos a término 363-134-44-21 ≅ 232g

NK 64 ♀

MZ 80

214-140-22-16 ≅ 209g

7/III/91

NK 71 ♀

MZ 81

175-73-24-16 ≅ 309g

NK 74 ♀ Reunión pasada

MZ 82

215-81-23-21 ≅ 729g

NK 22791

Marcelo Lalles

24.XI.90 Bolivia, Santa Cruz, Depto de Chaves
Estancia Castedo 16°34'S 62°28'E

NK48 ♀
65-0-7-13: 6gr

NK49 ♀
45-6-13-6: 15gr

NK50 ♂
64-0-8-15: 21gr

NK51 ♂
67-0-10-13: 23.5gr

28/II/91 MZ 76 ♀ 94-0-18-23: 53gr MNR 100
Ati'beus

MZ 77 ♀ 95-0-16-22: 48gr MNR 101.

MZ 78 ♂ 63-0-13-19: 15gr MNR 102

MZ 79 ♀ 58-0-8-13: 12gr MNR 103

| | | |
|-----------------------|----------|---|
| M263 ♂ Akodon | NK 21404 | |
| + Endo, Et, SKUL ONLY | | 143-70-21-10 = 1 |
| M264 ♀ Akodon | NK 21411 | |
| + Endo, Et, SKUL | | 134-60-18-14 = 13.5g |
| M265 ♂ Bolomus | NK 21416 | |
| + Endo, Et, SKUL | | 197-89-18-15 = 40g 197-89-18-15 = 40g |
| M266 ♀ Ctenomys | NK 21421 | |
| + Endo, Et, SKUL | | 280-91-37-7 = 23.5g |
| M267 ♂ Bolomus | NK 21445 | |
| + Endo, Et, SKUL | | 190-88-25-19 = 45g |
| M268 ♀ Ctenomys | NK 21457 | |
| + Endo, Et, SKUL | | 239-69-30-7 = 163g |
| M269 ♂ Ratus | NK 21458 | |
| + Endo, Et, SKUL | | 385-196-33-21 = 228g |
| M270 ♂ Oxymycterus | NK 21468 | |
| + Et + SKUL | | 148-60-15-12 = 18.5g |
| M271 ♂ Akodon | NK 21474 | |
| + Et + SKUL | | 123-72-20-11 = 14.8g |
| M272 ♂ | NK 21479 | |
| + Et + SKUL | | 192-86-22-15 = 33.7g |
| M272 ♀ Calomys | NK 21482 | |
| + Et + SKUL | | 210-94-18-18 = 48g |
| M273 ♀ | | [160] [30?] - 21-18 = 40g |
| M274 ♂ Oxymycterus | NK 21486 | |
| Et + SKUL | | 220-90-30-16 = 34.5g |
| M275 ♂ T (x=2.1) | NK 21495 | |
| Et + SKUL | | 151-62-21-11 = 16.9g |

Cataloge

22 Mayo 1991

Bolivia: Santa Cruz Dept., 1 Km NE Est Cuevas Highway
Km 101 from Sta Cruz 63°44'W 18°11'S 1,300 elev.

NK 22745 ♀ *Neacomys*
MZ83 187-101-23-14 = 23 gr

23 Mayo 1991

NK 22758 ♀ *Akodon*
MZ84 135-65-22-16 = 16 gr

NK 22773 ♂ (Testis 6x4) *Neacomys*
MZ86 200-111-21-15 = 16 gr

NK 22784 ♂ (Testis 9x6) *Sturrisia*
MZ87 63-0-13-12 = 14 gr.

25 Mayo 1991

Bolivia: Santa Cruz Dept 6 Km. NE Quiñe
18°02'S 64°19'W elev. 1975

NK 22791 ♂ (Testis 2x1) *Anotis* (Est. Cuevas)
MZ 88 76-0-14-8 = 14 gr.

NK 22795 ♀ *Oryzomys* (Est. Cuevas)
MZ 89 225-111-30-21 = 27 gr.

NK 22803 ♀ *Rhipidomys* (Est. Cuevas)
MZ 90 274-143-28-22 = 49 gr

NK 22806 ♀ *Sylvilagus* (Est. Cuevas)
MZ 91 252-3-63-44 = 357 gr

26 Mayo 1991

NK 22821 ♀ *Calomys* (2 Km NE Quiñe 18°05'64"29'W 2180m)
MZ 93 154-82-22-16 = 13 gr

29 Mayo 1991

Bolivia: Santa Cruz Dept. Tinkusiri 17 Km. E. of Totora
17°46'S 65°02'W elev 2950

29 Mayo 1991

NK 22829 ♀

MZ 96 142-58-17-16 = 159g

30 Mayo 1991

NK 22838 ♀

MZ 97 163-65-17-14 = 249g

NK 22860 ♂ (Testis 6x3)

MZ 98 243-114-26-19 = 639g

31 Mayo 1991

NK 22865 ♂ (Testis 3x1) Microtus Alcohol

MZ 99 166-74-22-13 = 229g

NK 22866 ♂ (testis 4x2) Microtus SKUL, Alcohol

MZ 100 167-75-23-14 = 239g

NK — ♂ (testis 4x2) Microtus Alcohol

MZ 101 161-71-22-11 = 229g

NK — ♂ (testis 5x2) Microtus

MZ 102 162-74-21-13 = 179g

NK 22867 ♀ Philotis (5emb. 3R-2L 6x3)

MZ 103 221-112-25-21 = 49g

NK 22872 ♂ (Testis 6x2) Oligoryzomys

MZ 104 215-121-22-14 = 239g

NK 22895 ♀ Oximictes

MZ 105 220-86-25-16 = 59.5g

1º Junio 1991

Bolivia: Santa Cruz Dept. 11 Km NW by road Torrecillas

17°49'S 64°41'W elev. 2650 m.

NK 22908 ♂ (testis 5x3) Microtus

MZ 106 230-102-21-14 = 199g

NK 22913 ♂ (Testis 7x2) Dryzomys

MZ 107 280-143-32-23 = 559g

AMNH
264334

NK 22915 ♂ *Microtus* (testis 5x3)

MZ 108 179-76-22-14 = 23 gr

NK 22921 ♂ *Microtus* (Testis 5x3)

MZ 109 183-83-21-17 = 18 gr

NK 22929 ♂ *Oryzomys* (testis 3x2)

MZ 110 235-116-30-21 = 36 gr

NK 22939 ♂ *Microtus* (Testis 6x3)

MZ 111 200-90-25-19 = 28 gr

NK 22937 ♂ *Microtus* (testis 5x3)

MZ 112 177-86-21-16 = 17 gr

NK 22933 ♂ *Dymicterus* (Testis 3x2)

MZ 113 194-93-21-17 = 20 gr

NK 22938 ♂ *Microtus* (Testis 4x2)

MZ 114 195-94-22-15 = 22 gr

5 Junio 1991

Bolivia: Santa Cruz Dept. Rio Arizuna 7 Km SE of Arizuna

by road 18°20'S 64°13'W elev 1750 m.

NK 22954 ♀ *Sturnira*

MZ 115 65-0-13-13 = 14 gr

6 junio 1991

Bolivia: Santa Cruz Dept. 5.5 Km N. NE Vallegrande by road

18°25'S 64°08'W elev 1800m

NK 22956 ♀ *Ctenomys*

MZ 116 275-96-37-7 = 242 gr

NK 22964 ♂ *Phyllotis* (Testis 7x4) (7 Km S. Quinao)

MZ 117 260-136-31-27 = 51 gr.

NK 22967 ♀ *Rhipidomys*

MZ 118 325-178-27-23 = 84 gr

NK 22970 ♂ *Phyllotis* (testis 3x2)

MZ 119 262-136-33-27 = 61 gr

MZ 125 ♀ *Ctenomys*

NK 22994

240-81-34-6 = 2139r

MZ 20 ♀ (Embion 1R-1L)

NK 22999

268-78-36-6 = 2639r

AMNH
264554 MZ 127

♀ *Ctenomys*

NK 23016

275-78-34-7 = 2529r

NK 22971 ♀ *Phyllotis*
 MZ 120 (187) - (55) - 28 - 29 = 75 gr.

NK 22987 ♀ *Gracomys*
 MZ 121 225 - 11 - 26 - 22 = 35 gr

NK 22960 ♂ *Tadarida* (T6x4) 5.5 km N. NE Vallegrande
 MZ 122 102 - 36 - 8 - 12 = 10 gr

7 Junio 1991

NK 22995 ♀ *Ctenomys*
 MZ 123 230 - 73 - 28 - 7 = 182 gr

NK 22992 ♀ *Ctenomys*
 MZ 124 252 - 80 - 34 - 7 = 255 gr

NK 22994 ♀ *Ctenomys*
 MZ 125 240 - 81 - 34 - 6 = 213 gr

NK 22999 ♀ (Embrión 1R-1L) *Ctenomys*
 MZ 126 268 - 78 - 36 - 6 = 263 gr

NK 23016 ♀ *Ctenomys*
 MZ 127 275 - 78 - 34 - 7 = 252 gr

NKM 111 SR. *Akodón*
 MZ 128 190 - 80 - 23 - 20 = 36 gr.

NKM 110 SR *Akodón*
 MZ 128 186 - 81 - 26 - 21 = 40 gr.

29 Sept. 1991 Bolivia: Santa Cruz Depto. N de Chuquisaca
 San Ramón (Est. Castedo) 62°25' S, 16°35' W

NK 133 ♀ *Proechimys*
 MZ 129 365 - 160 - 44 - 17 = 222 gr