

OF MEDICAL MICROBIOLOGY

EDITORIAL

- Thank you and goodbye** 845–845
P. Borriello
- Welcome from Norman Fry and Kalai Mathee, new co-Editors-in-Chief for the *Journal of Medical Microbiology*** 846–846
N. K. Fry and K. Mathee

REVIEW

- Molecular mechanisms and epidemiology of resistance in *Streptococcus pneumoniae* in the Middle East region** 847–858
G. El Moujaber, M. Osman, R. Rafei, F. Dabboussi and M. Hamze

CLINICAL MICROBIOLOGY

- First description of methyltransferases in extensively drug-resistant *Klebsiella pneumoniae* isolates from Saudi Arabia** 859–863
B. Abdalhamid, N. Elhadi, S. Albusayan, K. Alsamman and R. Aljindan
- Staphylococcus epidermidis* lipoteichoic acid: exocellular release and *ltaS* gene expression in clinical and commensal isolates** 864–873
E. García-Gómez, J. F. T. Miranda-Ozuna, F. Díaz-Cedillo, E. A. Vázquez-Sánchez, S. Rodríguez-Martínez, J. Jan-Roblero, M. E. Cancino-Díaz and J. C. Cancino-Díaz
- The distribution of carbapenem- and colistin-resistance in Gram-negative bacteria from the Tamil Nadu region in India** 874–883
P. Manohar, T. Shanthini, R. Ayyanar, B. Bozdogan, A. Wilson, A. J. Tamhankar, R. Nachimuthu and B. S. Lopes
- Rapid detection of extended-spectrum- β -lactamase-producing *Enterobacteriaceae* in blood cultures using the ESBL NDP test in Cotonou, Benin** 884–887
D. Affolabi, F. Sogbo, G. Laleye, J. Orekan, F. Massou, A. Kehinde and S. Anagonou
- Evaluation of recombinant factor C assay for the detection of divergent lipopolysaccharide structural species and comparison with *Limulus* amoebocyte lysate-based assays and a human monocyte activity assay** 888–897
W. Abate, A. A. Sattar, J. Liu, M. E. Conway and S. K. Jackson
- Effect of involved *Aspergillus* species on galactomannan in bronchoalveolar lavage of patients with invasive aspergillosis** 898–904
M. Taghizadeh-Armaki, M. T. Hedayati, V. Moqarabzadeh, S. Ansari, S. Mahdavi Omran, H. Zarrinfar, S. Saber, P. E. Verweij, D. W. Denning and S. Seyedmousavi
- Evaluation of biofilm-specific antimicrobial resistance genes in *Pseudomonas aeruginosa* isolates in Farabi Hospital** 905–909
M. Saffari, S. Karami, F. Firoozeh and M. Sehat
- Rapid diagnosis of extrapulmonary tuberculosis with Xpert *Mycobacterium tuberculosis*/rifampicin assay** 910–914
Y. Li, Y. Pang, T. Zhang, X. Xian, X. Wang, J. Yang, R. Wang, M. Chen and W. Chen
-

| | |
|---|-----------|
| Distribution of <i>Chlamydia trachomatis</i> genotypes in neonatal conjunctivitis in Hungary | 915–918 |
| <i>E. Balla, F. Petrovay, T. Erdösi, A. Balázs, J. Henczkó, E. Urbán and G. G. G. Donders</i> | |
| <i>In vitro</i> synergistic effects of a short cationic peptide and clinically used antibiotics against drug-resistant isolates of <i>Brucella melitensis</i> | 919–926 |
| <i>Z. Mohammadi Azad, H. Moravej, M. Fasihi-Ramandi, F. Masjedian, R. Nazari, R. Mirnejad and M. Moosazadeh Moghaddam</i> | |
| Comparative study of isolates from community-acquired and catheter-associated urinary tract infections with reference to biofilm-producing property, antibiotic sensitivity and multi-drug resistance | 927–936 |
| <i>V. Bardoloi and K. V. Yogeesh Babu</i> | |
| Development and evaluation of a multiple-locus variable-number tandem-repeats analysis assay for subtyping <i>Salmonella</i> Typhi strains from sub-Saharan Africa | 937–945 |
| <i>N. P. Tau, A. M. Smith, J. R. Wain, A. Tarupiwa, K. J. Coulibaly, K. H. Keddy for GERMS-SA</i> | |
| Effective protection of mice against <i>Shigella flexneri</i> with a new self-adjuvant multicomponent vaccine | 946–958 |
| <i>Y. Pastor, A. Camacho, A. G. Gil, R. Ramos, A. L. de Ceráin, I. Peñuelas, J. M. Irache and C. Gamazo</i> | |
| Retention of virulence following colistin adaptation in <i>Klebsiella pneumoniae</i> is strain-dependent rather than associated with specific mutations | 959–964 |
| <i>M. E. Wand, L. J. Bock and J. M. Sutton</i> | |
| Cell surface physiology and outer cell envelope impermeability for hydrophobic substances in <i>Burkholderia multivorans</i> | 965–971 |
| <i>S. A. Ruskoski and F. R. Champlin</i> | |
| High prevalence of multidrug-resistant <i>Escherichia coli</i> isolates from children with and without diarrhoea and their susceptibility to the antibacterial activity of extracts/fractions of fruits native to Mexico | 972–980 |
| <i>M. d. J. Uribe-Beltrán, Y. P. Ahumada-Santos, S. P. Díaz-Camacho, C. A. Eslava-Campos, J. E. Reyes-Valenzuela, M. E. Báez-Flores, I. Osuna-Ramírez and F. Delgado-Vargas</i> | |
| MICROBIAL ECOLOGY AND HEALTH | |
| Is SpxA2 involved in hydrogen peroxide production and competence development in <i>Streptococcus sanguinis</i>? | 981–989 |
| <i>T. Li, M. Xu and L. Zheng</i> | |
| MICROBIAL EPIDEMIOLOGY | |
| Candidaemia in a tertiary care academic hospital in Italy. The impact of <i>C. parapsilosis</i> complex on the species distribution and antifungal susceptibility | 990–998 |
| <i>M. C. Ghezzi, G. Brunetti, V. Visconti, A. Giordano and G. Raponi</i> | |
| Molecular epidemiology of beta-lactamase producing nosocomial Gram-negative pathogens from North and South Indian hospitals | 999–1004 |
| <i>S. Khurana, P. Mathur, A. Kapil, C. Valsan and B. Behera</i> | |
| A high prevalence of beak and feather disease virus in non-psittacine Australian birds | 1005–1013 |
| <i>J. Amery-Gale, M. S. Marendá, J. Owens, P. A. Eden, G. F. Browning and J. M. Devlin</i> | |

| | |
|---|-----------|
| Evolutionary changes in the capsid P2 region of Australian strains of the norovirus GII.Pe_GII.4 <i>L. D. Bruggink, J. M. Moselen, J. A. Roberts and J. A. Marshall</i> | 1014–1022 |
| Minimum inhibitory concentration distributions for first- and second-line antimicrobials against <i>Mycobacterium tuberculosis</i> <i>R. M. Burke, J. Coronel and D. Moore</i> | 1023–1026 |
| ONE HEALTH | |
| Characterization of high level ampicillin- and aminoglycoside-resistant enterococci isolated from non-hospital sources <i>E. O. Ngbede, M. A. Raji, C. N. Kwanashie, J. K. P. Kwaga, A. A. Adikwu, N. A. Maurice and A. M. Adamu</i> | 1027–1032 |
| PATHOGENICITY AND VIRULENCE/HOST RESPONSE | |
| <i>Mycobacterium tuberculosis</i> hypoxic response protein 1 (Hrp1) augments the pro-inflammatory response and enhances the survival of <i>Mycobacterium smegmatis</i> in murine macrophages <i>C. Sun, G. Yang, J. Yuan, X. Peng, C. Zhang, X. Zhai, T. Luo and L. Bao</i> | 1033–1044 |
| Quantitative and structural analyses of the <i>in vitro</i> and <i>ex vivo</i> biofilm-forming ability of dermatophytes <i>R. S. N. Brilhante, E. E. M. Correia, G. M. d. M. Guedes, V. S. Pereira, J. S. de Oliveira, S. P. Bandeira, L. P. de Alencar, A. R. C. de Andrade, D. d. S. C. M. Castelo-Branco, R. d. A. Cordeiro, A. d. Q. Pinheiro, L. J. Q. Chaves, W. d. A. Pereira Neto, J. J. C. Sidrim and M. F. G. Rocha</i> | 1045–1052 |
| Hyperinvasiveness and increased intercellular spread of <i>Listeria monocytogenes</i> sequence type 1 are independent of listeriolysin S, internalin F and internalin J1 <i>S. Rupp, M. Bärtschi, J. Frey and A. Oevermann</i> | 1053–1062 |
| PREVENTION AND THERAPY | |
| Comparative analysis of the genomes of clinical isolates of <i>Mycobacterium avium</i> subsp. <i>hominissuis</i> regarding virulence-related genes <i>B. Jeffrey, S. J. Rose, K. Gilbert, M. Lewis and L. E. Bermudez</i> | 1063–1075 |
| Chemical composition and cytotoxicity of extracts of marjoram and rosemary and their activity against <i>Sporothrix brasiliensis</i> <i>S. B. Waller, I. M. Madrid, J. F. Hoffmann, T. Picoli, M. B. Cleff, F. C. Chaves, R. O. de Faria, M. C. A. Meireles and J. R. Braga de Mello</i> | 1076–1083 |