




UNIVERSITI PUTRA MALAYSIA

**A STUDY ON THE BIOLOGY AND STATUS OF THREADFIN BREEM
(FAMILY: NEMIPTERIDAE) WITH SPECIAL REFERENCE TO
N. PERONII CAUGHT IN WATERS OFF THE
TERENGGANU COAST**

MOHD ZAKI MOHD SAID

FPSS 1988 1

It is hereby certified that we have read this thesis entitled 'A Study on the Biology and Status of Threadfin Bream (Family: Nemipteridae) with Special Reference to N. Peronii Caught in Waters Off the Terengganu Coast' by Mohd. Zaki Mohd. Said, and in our opinion it is satisfactory in terms of scope, quality, and presentation as partial fulfilment of the requirements for the degree of Doctor of Philosophy




.....
SULAIMAN M. YASSIN, Ph.D.

Professor/Dean of Graduate Studies
Universiti Pertanian Malaysia
(Chairman Board of Examiners)



.....
SAUL B. SAILA, Ph.D.

Professor
The Graduate School of Oceanography
University of Rhode Island
U.S.A.
(External Examiner)



.....
JOHN M. GREEN, Ph.D.

Professor
Department of Biology and Marine Science
Memorial University of New Foundland
Canada
(External Examiner)



.....
HAJI MOHD. AZMI AMBAK, Ph.D.


Associate Professor/Dean
Faculty of Fisheries and Marine Science
Universiti Pertanian Malaysia
(Internal Examiner)



ABU KHAIR MOHAMMAD MOHSIN, Ph.D.
Associate Professor/Coordinator
Fisheries Biology Unit
Faculty of Fisheries and Marine Science
Universiti Pertanian Malaysia
(Internal Examiner/Supervisor)

This thesis was submitted to the Senate of Universiti
Pertanian Malaysia and was accepted as partial fulfilment of the
requirements for the degree of Doctor of Philosophy

Date: 21 JUL 1988



Prof. Dr. Sulaiman M. Yassin
Dean of Graduate School
Universiti Pertanian Malaysia
43400 UPM Serdang, Selangor
Malaysia

A STUDY ON THE BIOLOGY AND STATUS OF THREADFIN BREEM
(FAMILY: NEMIPTERIDAE) WITH SPECIAL REFERENCE TO N. PERONII
CAUGHT IN WATERS OFF THE TERENGGANU COAST

by

MOHD ZAKI MOHD SAID

A thesis submitted in partial fulfilment of the
requirements for the degree of Doctor of Philosophy
in the Faculty of Fisheries and Marine Science,
Universiti Pertanian Malaysia

May, 1988



Dedication

This work is dedicated to all the members in my family



ACKNOWLEDGEMENT

I would like to express my greatest appreciation to Dr. Abu Khair Mohammad Mohsin who has been very patient in the supervision of this study. I am also indebted to Dr. Mohd. Azmi Ambak, the Dean of the Faculty of Fisheries and Marine Science, for his comments and suggestions.

I wish to express my gratitude to Nelson Marshall of the University of Rhode Island for his advice on the scope of the study and to Dr. John Munro of ICLARM for securing funds from FAO for Length-Frequency analysis at ICLARM.

I am also expressing my thanks to Dr. Daniel Pauly for his help and advice in data analysis during my visit to ICLARM. Thanks also go to Dr. Harlem Lampe for his advice on some statistical analysis.

Thanks are also due to all the staff of the Faculty of Fisheries and Marine Science both in Serdang and Kuala Terengganu who have given support for the success of this study.

Finally, my thanks to UPM for the research funding and facilities for carrying out the research.



TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS.....	iii
TABLE OF CONTENTS.....	iv
LIST OF TABLES.....	xiii
LIST OF FIGURES.....	xvii
LIST OF PLATES.....	xxii
LIST OF APPENDICES.....	xxiii
LIST OF ABBREVIATIONS.....	xxiv
ABSTRACT.....	xxv
ABSTRAK.....	xxviii
CHAPTER 1 - INTRODUCTION.....	1
INTRODUCTION TO THE MALAYSIAN FISHERIES.....	1
STATUS OF MALAYSIAN FISHERIES.....	5
TRAWL FISHERY.....	8
STATE OF THE FISHERY RESOURCES.....	10
RESEARCH.....	12
OBJECTIVES.....	13
CHAPTER 2 - LITERATURE REVIEW.....	15
IDENTIFICATION AND DISTRIBUTION.....	16
Geographical Distribution.....	16
Spatial Distribution.....	19
FOOD AND FEEDING HABITS.....	21
LENGTH-WEIGHT RELATIONSHIP AND CONDITION FACTOR.....	24



	Page
REPRODUCTION.....	29
Stage I (immature ova):.....	33
Stage II (maturing ova):.....	33
Stage III (maturing ova):.....	33
Stage IV (mature ova):.....	33
Stage V (fully matured):.....	34
Stage VI (ripe):.....	34
AGE, GROWTH AND MORTALITY.....	36
FISHERY.....	44
CHAPTER 3 – THE STUDY AREA.....	50
INTRODUCTION.....	50
DESCRIPTION OF THE SUBAREAS.....	51
Inshore Region (Subarea I).....	51
Middle Region (Subarea II).....	53
Offshore Region (Subarea III).....	55
WEATHER AND SEA CONDITION.....	56
STATUS OF FISHERY INDUSTRY AROUND THE STUDY AREA.	57
CHAPTER 4 – MATERIALS AND METHODS.....	64
INSHORE REGION (Subarea I).....	64
MIDDLE REGION (Subarea II).....	66
OFFSHORE REGION (Subarea III).....	66
TAXONOMY AND SYSTEMATICS.....	68
LENGTH-WEIGHT RELATIONSHIP AND CONDITION FACTOR..	72



	Page
FOOD AND FEEDING HABITS OF <u>N. PERONII</u>	72
REPRODUCTIVE BIOLOGY OF <u>N. PERONII</u>	73
POPULATION DYNAMICS.....	74
FISHERY.....	75
CHAPTER 5 – TAXONOMY AND SYSTEMATICS.....	76
INTRODUCTION.....	76
MATERIALS AND METHODS.....	79
Collection of Specimens.....	79
Measurement and Count.....	80
Key to the Species of <u>Nemipterus</u>	80
The Description of the Species.....	80
The Morphometric and Meristic Characters.....	81
Variations in Growth of Morphometric Characters	85
Variations among Dominant Species.....	86
RESULTS AND DISCUSSION.....	88
General Description of the Genus, <u>Nemipterus</u> (Swainson), 1839.....	88
Key to the Species of <u>Nemipterus</u> Found off the Terengganu Coast.....	89
THE DESCRIPTION.....	93
<u>Nemipterus tolu</u>	93
Synonyms:.....	93
General Characters:.....	94
Live Colour:.....	96



	Page
<u>Nemipterus peronii</u>	97
Synonyms:.....	97
General Characters:.....	98
Live Colour:.....	99
<u>Nemipterus marginatus</u>	100
Synonyms:.....	100
General Characters:.....	100
Live Colour:.....	102
<u>Nemipterus delagoe</u> Smith.....	103
Synonyms:.....	103
General Characters:.....	103
Live Colour:.....	104
<u>Nemipterus hexodon</u> (Quoy & Gaimard).....	105
Synonyms:.....	105
General Characters:.....	106
Live Colour:.....	107
<u>Nemipterus tambuloides</u>	109
Synonyms:.....	109
General Characters:.....	110
Live Colour:.....	111
<u>Nemipterus japonicus</u>	114
Synonyms:.....	114
General Characters:.....	115
Live Colour:.....	116



	Page
<u>Nemipterus nemurus</u>	117
Synonyms:.....	117
General Characters:.....	118
Live Colour:.....	119
<u>Nemipterus mesoprion</u>	121
Synonyms:.....	121
General Characters:.....	122
Live Colour:.....	123
<u>Nemipterus bathybus</u>	124
Synonyms:.....	124
General Characters:.....	124
Live Colour:.....	126
SUMMARY.....	126
VARIATION IN GROWTH OF MORPHOMETRIC CHARACTERS...	129
VARIATION AMONG DOMINANT SPECIES.....	136
MERISTIC CHARACTERS.....	142
CHAPTER 6 – LENGTH-WEIGHT RELATIONSHIP AND CONDITION FACTOR.....	149
INTRODUCTION.....	149
MATERIALS AND METHODS.....	152
Length-weight Measurements.....	152
Treatment of the Data.....	154
Relationship of Various Lengths.....	155
Statistical Test.....	155



	Page
RESULTS AND DISCUSSION.....	158
Length-weight Relationship of <u>N. peronii</u>	158
Length-weight Relationship of <u>N. nemurus</u>	165
Length-weight Relationship of <u>N. marginatus</u> ...	167
Length-weight Relationship of <u>N. tambuloides</u> ..	169
Length-weight Relationship of <u>N. nematophorus</u> .	171
Length-weight Relationship of <u>N. bathybus</u>	173
Condition Factor of <u>N. peronii</u>	176
Relationship of Various Lengths.....	178
Middle Region.....	178
Inshore Region.....	178
Offshore Region.....	178
CHAPTER 7 – FOOD AND FEEDING HABITS OF <u>N. PERONII</u> ..	181
INTRODUCTION.....	181
MATERIALS AND METHODS.....	184
Collection of Specimens.....	184
Analysis of Food Items.....	185
Frequency of Occurance.....	185
RESULTS AND DISCUSSION.....	187
Food Composition.....	187
Food by Months.....	189
Food by Seasons.....	203
Food by Length Classes.....	211
Food by Sex.....	220



	Page
CHAPTER 8 – REPRODUCTIVE BIOLOGY OF <u>N. PERONII</u>	227
INTRODUCTION.....	227
MATERIALS AND METHODS.....	230
Sex Ratio.....	230
Fecundity.....	231
Time of Spawning.....	232
RESULTS AND DISCUSSION.....	232
Sex Ratio.....	232
Fecundity.....	237
Time of Spawning.....	244
Occurence of Mature Females.....	246
CHAPTER 9 – POPULATION DYNAMICS.....	248
INTRODUCTION.....	248
MATERIALS AND METHODS.....	250
<u>N. PERONII</u>	250
Estimation of Growth Parameters from Length Frequency Data.....	251
Estimation of Mortality.....	259
Selection Patterns.....	262
Recruitment Patterns.....	263
<u>N. NEMURUS</u> , <u>N. MARGINATURS</u> AND <u>N. TAMBULOIDES</u>	264
RESULTS AND DISCUSSION.....	265
<u>N. PERONII</u>	265
Growth.....	265



	Page
Mortality.....	271
Selection Patterns.....	277
Recruitment Patterns.....	281
<u>N. NEMURUS, N. MARGINATURS AND N. TAMBULOIDES</u>	281
CHAPTER 10 – FISHERY FOR NEMIPTERIDAE.....	292
INTRODUCTION.....	292
MATERIALS AND METHODS.....	296
Middle Region.....	296
Inshore Region.....	297
Offshore Region.....	297
RESULTS AND DISCUSSION.....	298
Middle Region.....	298
Catch Per Unit Effort (CPUE).....	298
Catch Composition of Threadfin Bream.....	300
Seasonal Variation in Catch.....	302
Percentage Composition of <u>N. Peronii</u>	305
Size Range of <u>N. Peronii</u>	306
Inshore Region.....	306
Composition and Catch Per Unit Effort (CPUE)..	310
Offshore Region.....	310
Catch Per Unit Effort (CPUE).....	312
Size Range of Nemipterus Species.....	314
Catch Composition of Threadfin Bream.....	322
Species Distribution.....	323



	Page
Species Occurrence.....	325
CHAPTER 11 – GENERAL DISCUSSION.....	328
TAXONOMY AND SYSTEMATIC.....	328
LENGTH-WEIGHT RELATIONSHIP AND CONDITION FACTOR..	333
FOOD AND FEEDING HABITS.....	335
REPRODUCTIVE BIOLOGY OF <u>N. PERONII</u>	338
POPULATION DYNAMICS.....	340
FISHERY.....	344
CHAPTER 12 – SUMMARY.....	348
BIBLIOGRAPHY.....	352
APPENDICES.....	362



LIST OF TABLES

Table	Description	Page
1	Parameters of the length-weight relationship in <u>Nemipterus</u> species taken from different localities.....	30
2	Summary of the spawning period (months) by species from different localities.....	37
3	Parameters of the von Bertalanffy growth formula (VBGF) for different <u>Nemipterus</u> species.....	43
4	Average catch per hour for 22 pelagic trawl hauls taken in the east coast of Peninsular Malaysia, 10th - 25th June, 1980.....	60
5	Average catch rates of dominant families in different depths taken in the east coast of Peninsular Malaysia, 10th - 25th, June, 1980.....	61
6	Weight and percentage of the total catch of major species of fish caught in the offshore region.....	63
7	Relevant statistics of the canonical discriminant functions.....	137
8	Standardized canonical discriminant function coefficients.....	139
9	Variation in some meristic characters of <u>N. bathybus</u>	143
10	Variation in some meristic characters of <u>N. tambuloides</u>	144
11	Variation in some meristic characters of <u>N. marginatus</u>	145
12	Variation in some meristic characters of <u>N. nematophorus</u>	146
13	Variation in some meristic characters of <u>N. nemurus</u>	147



Table	Description	Page
14	Variation in some meristic characters of <u>N. peronii</u>	148
15	Analysis of covariance between males and females <u>N. peronii</u> sampled from Middle Region (Redang group of islands).....	156
16	The monthly condition factor of males and females <u>N. peronii</u> during the study period, April 1982 to March 1983.....	177
17	Monthly frequency of occurrence of various food items in the stomach of <u>N. peronii</u> during the study period.....	190
18	Monthly occurrence of various food items by weight in the stomach of <u>N. peronii</u> during the study period.....	193
19	Monthly occurrence of various food items by number in the stomach of <u>N. peronii</u> during the study period.....	196
20	Monthly stomach fullness of <u>N. peronii</u> during the study period.....	200
21	Index of relative importance of the common food items in the diets of <u>N. peronii</u> during the study period.....	202
22	Index of relative importance of the common food items in the diets of <u>N. peronii</u> by seasons.....	210
23	The frequency of occurrence of various food items in stomachs of different length classes of <u>N. peronii</u>	212
24	The stomach fullness and the percentage of empty stomachs in different length classes of <u>N. peronii</u>	218
25	Index of relative importance of the common food item in the diet of <u>N. peronii</u> by length classes.....	219
26	The frequency of occurrence (%) of various food items in the stomachs of males, females and indeterminate <u>N. peronii</u>	221



Table	Description	Page
27	The percentge weight composition of various food items in the stomachs of males, females and indeterminates <u>N. peronii</u>	221
28	The composition by number (%) of various food items in the stomach of males, females and indeterminates <u>N. peronii</u> .	221
29	Index of relative importance of the common food items in the diets of <u>N. peronii</u> by sex.....	225
30	Monthly sex ratio of threadfin fish, <u>N. peronii</u> sampled from May 1982 to April 1983 off the Terengganu Coast.....	233
31	Sex ratio of threadfin fish, <u>N. peronii</u> in various length classes (midlengths), sampled from May 1982 to April 1983 off the Terengganu Coast.....	235
32	Fecundity of <u>N. peronii</u> in relation to standard length, body weight and ovary weight.....	238
33	The parameters of the relationship between total fecundity (F) and body weight (BW), standard length (SL) and ovary weight (OW) in <u>N. peronii</u> collected off the Terengganu Coast.....	242
34	Length-frequency data of combined samples of <u>N. peronii</u> sampled from March 1982 to April 1983.....	252
35	Length-frequency data of male samples of <u>N. peronii</u> sampled from March 1982 to April 1983 in Redang group of islands.....	253
36	Length-frequency data of female samples <u>N. peronii</u> sampled from March 1982 to April 1983 in Redang group of islands.....	254
37	ELEFEN 1 runs of female samples of <u>N. peronii</u>	256
38	ELEFEN 1 runs of male samples of <u>N. peronii</u>	257



Table	Description	Page
39	ELEFAN 1 runs of combined samples of <u>N. peronii</u>	258
40	Growth parameter values and related 'ELEFEN 1' outputs taken from length-frequency samples of <u>N. peronii</u>	266
41	Mean length of the different age groups of threadfin bream from the Offshore Region as determined from probability paper.....	289
42	The von Bertalanffy growth constant of threadfin bream from the Offshore Region...	289
43	Catch per trawl (kg/3-Hour) of the threadfin bream for 12-month study period from March 1982 to February 1983 from Redang group of islands (Middle Region)...	299
44	The percentage in the overall catch and the catch per unit effort of the threadfin bream caught in the inshore area during April to September 1983.....	311
45	Diurnal catch composition of <u>Nemipterus spp.</u>	313
46	Range of sizes of <u>Nemipterus</u> species from Terengganu coast.....	315
47	Catch composition by number and weight of <u>Nemipterus</u> species caught in the Offshore Region.....	324
48	Distribution of <u>Nemipterus</u> species in the survey area according to sampling stations.....	326
49	The table showing the locations and the number of species in the area.....	330



LIST OF FIGURES

Figure	Description	Page
1	Map showing Peninsular Malaysia, Sabah and Sarawak and adjacent seas.....	2
2	Map showing the study area S1=Subarea I, S2=Subarea II, S3 = Subarea III.....	52
3	Map showing Redang group of islands - Middle Region - Subarea II.....	54
4	Design of the trawl net used in Inshore Region.....	65
5	Design of the trawl net used in Middle Region.....	67
6	Design of the trawl net used in Offshore Region.....	69
7	Map showing the sampling stations in Subarea III (Offshore Region).....	70
8	Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. peronii</u>	130
9	Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. nemurus</u>	131
10	Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. bathybus</u>	132
11	Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. marginatus</u>	133
12	Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. tambuloides</u>	134



Figure	Description	Page
13	Graphs showing the relationship between several morphometric characters and standard length (a) and head length (b) for <u>N. nematophorus</u>	135
14	Territorial map showing the relationship between five species of <u>Nempiterus</u>	141
15	The relationship of length and weight of male <u>N. peronii</u> taken from the Middle Region.....	159
16	The relationship of length and weight of female <u>N. peronii</u> taken from the Middle Region.....	161
17	The relationship of length and weight of <u>N. peronii</u> taken from the Inshore Region..	164
18	The relationship of length and weight of <u>N. peronii</u> from Offshore Region.....	166
19	The relationship of length and weight of <u>N. nemurus</u> from the Offshore Region.....	168
20	The relationship of length and weight of <u>N. marginatus</u> from the Offshore Region....	170
21	The relationship of length and weight of <u>N. tambuloides</u> from the Offshore Region...	172
22	The relationship of length and weight of <u>N. nematophorus</u> from the Offshore Region..	174
23	Thge relationship of length and weight of <u>N. bathybus</u> from the Offshore Region.	175
24	Monthly frequency of occurrence of the various food items in the stomach of <u>N. peronii</u> during the study period.....	192
25	Monthly occurrence of various food items by weight for <u>N. peronii</u> expressed in percentge.....	195
26	Monthly occurrence of various food items by number for <u>N. peronii</u> expressed in percentage.....	197



Figure	Description	Page
27	Montly variation of the percentage of empty stomachs in <u>N. peronii</u>	199
28	Stomach fullness of <u>N. peronii</u> during the study period.....	201
29	The percentage frequency of occurrence of various food items in <u>N. peronii</u> during the monsoon and non-monsoon period.....	204
30	Weight composition of various items in the stomachs of <u>N. peronii</u> during monsoon and non-monsoon period.....	206
31	The percentage by number of various items in the stomachs of <u>N. peronii</u> during monsoon and non-monsoon period.....	207
32	Feeding intensity (%) of <u>N. peronii</u> during monsoon and post-monsoon period.....	209
33	The weight composition (%) of various food items in different length classes of <u>N. peronii</u>	214
34	The percentage by number of various food itemd in different length classes of <u>N. peronii</u>	215
35	Feeding intensity of juveniles males, females <u>N. peronii</u>	224
36	Relationship between fecundity and standard length of <u>N. peronii</u>	239
37	Relationship between fecundity and body weight of <u>N. peronii</u>	240
38	Relationship between fecundity and ovary weight of <u>N. peronii</u>	241
39	Graph showing the changes in the gonado-somatic index of the female fish during the study period.....	245
40	The percentage of mature females of <u>N. peronii</u> in vrious months during the study period.....	247



Figure	Description	Page
41	A restructured length frequency data of male <u>N. peronii</u> fitted with growth curve.	267
42	A restructured length frequency data of female <u>N. peronii</u> fitted with growth curve.....	268
43	A restructured length frequency data of combined samples of <u>N. peronii</u> fitted with growth curve.....	269
44	A length-converted catch curve of male <u>N. peronii</u>	274
45	A length-converted catch curve of female <u>N. peronii</u>	275
46	A length-converted catch curve of combined samples of threadfin for <u>N. peronii</u> ...	276
47	Selection pattern for male <u>N. peronii</u>	278
48	Selection pattern for female <u>N. peronii</u> ...	279
49	Selection patterns for combined samples of <u>N. peronii</u>	280
50	Patterns of recruitment of male <u>N. peronii</u>	282
51	Patterns of recruitment of female <u>N. peronii</u>	283
52	Patterns of recruitment of combined samples of <u>N. peronii</u>	284
53	Length-frequency and probability paper analysis of <u>N. nemurus</u>	285
54	Length-frequency and probability paper analysis of <u>N. marginatus</u>	286
55	Length-frequency and probability paper analysis of <u>N. tambuloides</u>	287
56	Percentage of <u>N. peronii</u> in the nempiterid catch and percentage of nempiterids in total catch.....	301



Figure	Description	Page
57	Monthly variation in percentage of threadfin fish in total catch of marine fishes for five-year period (1979–1983)...	303
58	Monthly variation in percentage of threadfin fish in total catch during the study period.....	304
59	Length–frequency distribution males of <u>N. peronii</u> sampled from Redang Group of Islands (Middle Region).....	307
60	Length–frequency distribution of females <u>N. peronii</u> sampled from Redang Group of Islands (Middle Region).....	308
61	Length–frequency distribution of combined samples <u>N. Peronii</u> sampled from Redang Group of Islands (Middle Region).....	309
62	Length–frequency distribution of <u>N. nematophorus</u> sampled from Offshore Area...	316
63	Length–frequency distribution of <u>N. bathybus</u> sampled from Offshore Area.....	317
64	Length–frequency distribution of <u>N. nemurus</u> sampled from Offshore Area.....	318
65	Length–frequency distribution of <u>N. peronii</u> sampled from Offshore Area.....	319
66	Length–frequency distribution of <u>N. marginatus</u> sampled from Offshore Area.....	320
67	Length–frequency distribution of <u>N. tambuloides</u> sampled from Offshore Area....	321
68	The probable phylogenetic lineage for nemipterids species.....	332

