



UNIVERSITI PUTRA MALAYSIA

**PRODUCTION, PROPERTIES AND APPLICATIONS OF
MYCELIUM-BOUND LIPASE OF A LOCALLY ISOLATED
STRAIN OF *ASPERGILLUS FLAVUS* LINK**

KAMARIAH LONG

FSMB 1997 13

**PRODUCTION, PROPERTIES AND APPLICATIONS OF
MYCELIUM-BOUND LIPASE OF A LOCALLY ISOLATED
STRAIN OF *ASPERGILLUS FLAVUS* LINK**

By

KAMARIAH LONG

**Dissertation submitted in fulfilment of the requirements for the
Degree of Doctor of Philosophy in the Faculty of Food Science and
Biotechnology, Universiti Putra Malaysia**

September 1997



" AL HAMDULLILLAH "

ACKNOWLEDGEMENTS

I wish to express my sincere appreciation and thanks to my supervisor, Assoc. Prof. Dr. Hasanah M. Ghazali of the Department of Biotechnology, Faculty of Food Science and Biotechnology for her guidance, encouragement throughout the course of my study and especially for her constructive suggestions during the preparation of the dissertation.

My heartfelt appreciation and gratitude go to my co-supervisor Prof. Christopher Bucke, Department of Biological Health and Sciences, Faculty of Engineering, University of Westminster, London United Kingdom for his generous advice and valuable comments of the work. His cooperation and support are always highly appreciated.

My thank and appreciation is also due to Assoc. Prof. Dr. Arbakariya Ariff of the Department of Biotechnology, Faculty of Food Science and Biotechnology, UPM for his support, advice and comments throughout this study. I am also grateful to Prof. Dr. Yaakob Che Man of the Department of Food Technology for his support and comments. My regard is due to my ex-committee members, Prof. Dr. Kamaruzaman Ampon, University of Sabah, Malaysia for giving me the encouragement during the early part of my study.



Acknowledgement is also due to the Government of Malaysia and Malaysia Agriculture Research and Development Institute (MARDI) for the Asia Development Bank scholarship and for granting me a study leave to carry out the Ph.D. programme. I am also grateful to the staff of the Department of Biological and Health Sciences, Faculty of Engineering, University of Westminster, London United Kingdom for allowing me to stay and use their library facilities.

I also wish to thank staff of the Department of Biotechnology and Department of Food Science, Faculty of Food Science and Biotechnology, especially Mr. Rosli Aslim, for their kind cooperation throughout my study. Special thank is also due to my lab mate Amy, Tee and Tri for their valuable friendships.

My deep appreciation is accorded to my dearest husband, En. Mohd. Ishak Adni, my children, Nawar, Nabil, Aisyah, Najid and my youngest sister Sha Sha, for the enormous amount of love, support and sacrifice they have given. Last but not least, I would like to express my indebtedness to my late mother who always encouraged me in my study, my father, sisters and brothers.



TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
LIST OF TABLES	xi
LIST OF FIGURES	xiv
LIST OF PLATES	xix
LIST OF ABBREVIATIONS	xx
ABSTRACT	xxii
ABSTRAK	xxv
 CHAPTER	
1 INTRODUCTION	1
2 LITERATURE REVIEW	
Properties of Lipase.....	7
Mechanism of Lipolysis.....	9
Lipase Selectivity.....	15
Lipase Assay System.....	20
Production of Microbial Lipase.....	24
Composition of Media.....	24
Coexistence of Lipase with Proteases.....	28
Mycelium-bound Lipase.....	29
Lipolytic Activity of <i>Aspergillus flavus</i>	39
Applications of Lipases in Fats and Oils Modification.....	41



3	ISOLATION OF LIPOLYTIC FUNGI USING COCONUT OIL AS A CARBON SOURCE	
	Introduction.....	53
	Materials and Methods	54
	Results and Discussion.....	59
	Isolation Using Coconut Oil Agar Medium.....	59
	Growth of Isolates in Liquid Culture.....	61
	Detection of Hydrolysis Products by Thin Layer Chromatography.	65
	Summary.....	68
4	PATTERN AND FACTORS INVOLVED IN THE PRODUCTION OF MYCELIUM-BOUND LIPASE OF A LOCALLY ISOLATED <i>ASPERGILLUS FLAVUS</i>	
	Introduction.....	70
	Materials and Methods.....	71
	Results and Discussion.....	74
	The Effect of Yeast Extract Concentration, Tween 80 and EDTA on the Production Pattern of Mycelium-bound and Free Lipase...	74
	Effect of Yeast Extract Concentration	74
	Effect of Tween 80.....	77
	Effect of EDTA.....	79
	The Effect of Medium Composition and Culture Conditions on the Growth and Production of Mycelium-bound Lipase.....	79
	Effect of Substrate.....	79
	Effect of Palm Olein Concentration.....	82
	Effect of Organic Nitrogen Source.....	85
	Time Course of Mycelium-bound Lipase with Different Incubation Temperature.....	87



	Effect of Agitation.....	87
	Effect of Initial pH of the Medium.....	90
	Summary.....	90
5	EXTRACTABILITY (PHYSICAL INSTABILITY) OF THE MYCELIUM-BOUND LIPASE AND STABILITY OF EXTRACTED LIPASE OF <i>ASPERGILLUS FLAVUS</i>	
	Introduction.....	93
	Materials and Methods.....	94
	Results and Discussion.....	102
	Effect of Defatting Agent on the Stability of Mycelium-bound Lipase.....	102
	Extractability of Mycelium-bound Lipase.....	104
	Extractability of Mycelium-bound Lipase with Different Extractants.....	110
	Extractability of Mycelium-bound Lipase at Different pHs and Concentrations of Tris-HCl Buffer.....	112
	Extractability of Mycelium-bound Lipase Against Agitation Rate..	115
	Effect of Freeze-drying and Storage at 4°C of Mycelia on the Extractability of Bound Lipase.....	117
	Separation of Co-extracted Proteases from Lipase.....	119
	Recovery of Lipase after Fractionation with Acetone.....	123
	Lipase Stability after Acetone Fractionation.....	123
	Summary.....	126
6	CHARACTERIZATION OF LIPASE FROM <i>ASPERGILLUS FLAVUS</i> AND ITS SUBSTRATE PREFERENCES	
	Introduction.....	128
	Materials and Methods.....	130



Results and Discussion.....	139
pH and Temperature Optima.....	139
Thermal Stability and pH Stability of Extracted Lipase.....	141
Effect of Calcium Chloride and EDTA.....	141
<i>K_m</i> and <i>V_{max}</i> Values.....	149
Activity of Lipase Towards Triglycerides and Vegetable Oils.....	149
Positional Specificities	153
Substrate Preferences of <i>A. flavus</i>	158
Hydrolysis of Vegetable Oils.....	163
Summary.....	163
7	
<i>IN-SITU</i> CROSS-LINKING OF <i>ASPERGILLUS FLAVUS</i>	
MYCELIUM-BOUND LIPASE: ACTIVITY, STABILITY AND	
PROPERTIES	
Introduction.....	167
Materials and Methods.....	168
Results and Discussion.....	174
Effect of <i>In-situ</i> Cross-linking of Mycelium-bound Lipase with	
Glutaraldehyde	174
Effect of <i>In-situ</i> Cross-linking of Mycelium-bound Lipase with	
Methylglyoxal.....	178
Effect of <i>In-situ</i> Cross-linking of Mycelium-bound Lipase with	
Ethylenediamine.....	181
Effect of Glutaraldehyde, Methylglyxoal and Ethylendiamine	
on the Activity of Free Lipase.....	181
Properties of Treated Mycelium-bound Lipase.....	184



	Batch Hydrolysis of Coconut Oil	186
	Operational Stability of Untreated and Glutaraldehyde Treated Mycelium-bound Lipase in Semi-continuous Packed Bed System..	189
	Summary.....	193
8	INTERESTERIFICATION OF VEGETABLE OILS BY MYCELIUM-BOUND LIPASE OF <i>ASPERGILLUS FLAVUS</i>	
	Introduction.....	195
	Materials and Methods.....	196
	Results and Discussion.....	201
	Acidolysis of Vegetable Oils.....	201
	Percent of Fatty acids Incorporated Into Vegetable Oils.....	201
	Triglyceride Profiles of Acidolysed Vegetable Oils.....	204
	Thermograms of Acidolysed Vegetable Oils.....	204
	Transesterification of Palm Olein.....	218
	Change in Triglyceride Profile	218
	Thermogram of Transesterified Palm Olein.....	221
	Fatty Acids Composition of Transesterified Palm Olein.....	223
	Effect of Adding Molecular Sieves on the Acidolysis Reaction of Palm Olein With Lauric Acid.....	223
	Percent of Lauric Acid Incorporated Into Palm Olein.....	223
	Heating Thermograms of Acidolysed Palm Olein.....	226
	Summary.....	230



9	GENERAL DISCUSSION AND CONCLUSIONS.....	232
	BIBLIOGRAPHY.....	242
	APPENDICES	273
	BIOGRAPHICAL SKETCH.....	280
	PAPERS PUBLISHED FROM THE THESIS.....	281



LIST OF TABLES

Table		Page
1	Comparison of Properties of Fungal Lipases.....	8
2	Assay for Determination of Lipase Activity.....	21
3	Medium Composition of Culture for Fungal Lipase.....	26
4	Macromolecular Component of Fungal Cell Walls.....	31
5	Synthesis and Hydrolysis Reaction using Mycelium-bound Lipase.....	38
6	Identification and Classification of Selected Lipolytic Fungi Isolated from Copra.....	62
7	Effect of Yeast Extract Concentration on the Production of Mycelium-bound and Free (Extracellular) Lipase.....	75
8	Effect of Yeast Extract on the Activity of Free Proteases.....	76
9	Effect of Tween 80 on the Production of Mycelium-bound and Free Lipase.....	78
10	Effect of EDTA on the Production of Mycelium-bound and Free (Extracellular) Lipase.....	80
11	Activity of Mycelium-bound Lipase Remained after Defatting with Organic Solvent.....	103
12	Extractability of Mycelium-bound Lipase (a) Acetone Defatted Mycelia (b) n-hexane Defatted Mycelia.....	106
13	Effect of Washing of n-Hexane Defatted Mycelia on Extractability of the Mycelium-bound Lipase.....	108



14	Extractability of n-Hexane Defatted Mycelium-bound Lipase.....	109
15	Extractability of Mycelium-bound Lipase with Different pHs.....	113
16	Effect of the Storage at 4°C and Freeze Drying on the Extractability of Mycelium-bound Lipase.....	118
17	Effect of Acetone Fractionation on the Activity of Lipase and Proteases.....	122
18	Recovery of Lipase after Ultrafiltration.....	124
19	Effect of EDTA and CaCl ₂ on the Activity of <i>Aspergillus flavus</i> Lipase.....	147
20	Effect of Metal Ions on the Stability of Extracted Lipase.....	148
21	Effect of using Different Substrates on the Activity of Mycelium-bound and Free Lipase.....	152
22	Transesterification of Homoacid Triglyceride using Mycelium-bound Lipase.....	159
23	Fatty acid of Unreacted and Acidolysed Coconut Oil.....	162
24	Hydrolysis Rate of Vegetable Oils by Mycelium-bound Lipase	164
25	Relative Percentages of Total Saturated and Unsaturated Fatty Acid Composition of Vegetable Oils.....	165
26	Effect of Glutaraldehyde Concentrations on the Activity and Stability of Mycelium-bound Lipase.....	175
27	Effect of Exposure Time of Glutaraldehyde on the Activity and Stability of Mycelium-bound Lipase.....	177
28	Effect of Methylglyoxal Concentrations on the Activity and Stability of Mycelium-bound Lipase.....	179



29	Effect of Exposure Time of Methylglyoxal on the Activity and Stability of Mycelium-bound Lipase.....	180
30	Effect of Ethylenediamine on the Activity and Stability of Mycelium-bound Lipase.....	182
31	Effect of Glutaraldehyde, Methylglyoxal, Ethylenediamine on the Activity of Extracted Lipase.....	183
32	Changes in the Fatty acid Composition of Acidolysed Vegetable Oils.....	202
33	Retention Times of Standard Diglycerides and Triglycerides.....	213
34	Melting Properties of Acidolysed Compared with Non-acidolysed Vegetable Oils.....	215
35	Rate of Transesterification of Triglycerides from Palm Olein.....	219
36	Fatty Acid Composition of Transesterified Palm Olein.....	224
37	Fatty Acid Composition of Palm Olein after Acidolysed with Lauric Acid: Effect of Adding Molecular Sieve at Various Times of Reaction.....	225
38	Effect of Sodium Azide on the Activity of Extracted Lipase.....	274



LIST OF FIGURES

Figure		Page
1	Interfacial Activation of Lipases.....	11
2	Model for Lipase Action on Soluble and Insoluble Substrate by Lipases that Undergo Conformational Changes upon Activation.....	12
3	Schematic Diagram Showing the Secondary Structure of <i>Rhizomucor miehei</i> Lipase.....	14
4	Representation of a Typical Membrane According to the Fluid-mosaic Model Proposed by Singer and Nicolson	32
5	Schematic Representation of Lipase-catalyzed Interesterification Reaction between a Triglyceride and a Free Fatty acid (a) General Reaction Net Work and (b) General Kinetic Mechanism.....	44
6	Products Formed by Interesterification of Mixtures of Fats.....	45
7	Biotransformation of Fats and Oils.....	46
8	Percentage of Lipid Materials Extracted from Culture Broth at Different Times of Incubation.....	63
9	Growth of Selected Isolates in Liquid Culture Broth Containing Coconut Oil with Time.....	64
10	Time Course for the Hydrolysis of Coconut Oil Based on the Formation of Free Fatty Acid.....	66
11	Effect of Carbon Source on Growth and Production of Mycelium-bound Lipase.....	81

12	Effect of Palm Olein Concentration on Growth and Production of Mycelium-bound Lipase.....	84
13	Effect of Organic Nitrogen Source on Growth and Production of Mycelium-bound Lipase.....	86
14	Effect of Incubation Temperature on (a) Growth and (b) Production of Mycelium-bound Lipase.....	88
15	Effect of Agitation on Growth and Production of Mycelium-bound Lipase.....	89
16	Effect of Initial pH on Growth and Production of Mycelium-bound Lipase.....	91
17	Extractability of Mycelium-bound Lipase with Different Extractants.....	111
18	Extractability of Mycelium-bound Lipase at Different Concentrations of Tris-HCl Buffer (pH 8.2).....	114
19	Extractability of Mycelium-bound Lipase against Agitation Rate.....	116
20	Storage Stability of Mycelium-bound and Extracted Lipase at 4°C.....	120
21	Storage Stability of Extracted Lipase Kept at 4°C in the Presence of EDTA (1 mM), PMSF (0.8 mM), and EDTA (1 mM) plus PMSF (0.8 mM).....	121
22	Storage Stability of Retentate Containing Lipase Kept at 4°C..	125
23	Temperature Profile of (a) Extracted Lipase, and (b) Mycelium-bound Lipase.....	140
24	pH Profile of (a) Extracted Lipase, and (b) Mycelium-bound Lipase.....	142



25	Thermal Stability of Extracted Lipase.....	143
26	pH Stability of Extracted Lipase.....	144
27	Effect of Calcium Chloride on Activity of (a) Extracted Lipase (b) Mycelium-bound Lipase.....	146
28a	Lineweaver-Burk Plot for Activity of Mycelium-bound Lipase on Coconut Oil.....	150
28b	Lineweaver-Burk Plot for Activity of Extracted Lipase on Coconut Oil.....	151
29	Effect of Extraction on the Activity of Mycelium-bound Lipase on Coconut Oil and Tributyrin.....	154
30	Transesterification Reaction of Triolein using Mycelium-bound Lipase after (a) 1 h, (b) 3 h, and (c) 24 h Reaction.....	157
31	Operation of Packed-bed Reactor (a) Untreated Mycelium-bound Lipase, and (b) 2% Glutaraldehyde-treated Mycelia.....	173
32	Temperature Profile of Extracted, Untreated and Treated Mycelium-bound Lipase.....	185
33	Thermal Stability of Extracted, Untreated and Treated Mycelium-bound Lipase at 50°C.....	187
34	Batch Hydrolysis of Coconut Oil using Treated and Untreated Mycelium-bound Lipase.....	188
35	Stability of Untreated Mycelium-bound Lipase after Repeated Use for Transesterification of Palm Olein.....	190
36	Stability of Treated Mycelium-bound Lipase after Repeated Use for Transesterification of Palm Olein.....	191

37	Triglyceride Profiles of Palm Olein Reacted with Lauric Acid (a) Control, and (b) Acidolysed Product.....	205
38	Triglyceride Profiles of Corn oil Reacted with Lauric Acid (a) Control, and (b) Acidolysed Product.....	206
39	Triglyceride Profiles of Soybean Oil Reacted with Lauric Acid (a) Control, and (b) Acidolysed Product.....	207
40	Triglyceride Profiles of Cottonseed Oil Reacted with Lauric Acid (a) Control, and (b) Acidolysed Product.....	208
41	Triglyceride Profiles of Rapeseed Oil Reacted with Lauric Acid (a) Control, and (b) Acidolysed Product.....	209
42	Triglyceride Profiles of Coconut Oil Reacted with Oleic Acid (a) Control, and (b) Acidolysed Product.....	210
43	Triglyceride Profiles of Coconut Oil Reacted with Palmitic Acid (a) Control, and (b) Acidolysed Product.....	211
44	Differential Scanning Calorimetry Heating Thermograms of (a) Palm Olein, and (b) Acidolysed Palm Olein.....	216
45	Differential Scanning Calorimetry Heating Thermograms of (a) Coconut Oil, (b) Acidolysed Coconut Oil with Oleic Acid, and (c) Coconut Oil with Palmitic Acid.....	217
46	Triglyceride Profiles of (a) Control, and (b) Transesterified Palm Olein.....	229
47	Differential Scanning Calorimetry Heating Thermograms of (a) Control , and (b) Transesterified Palm Olein.....	222
48	Effect of Adding Molecular Sieve on Hydrolysis of Palm Olein.....	227



49a	Differential Scanning Calorimetry Heating Thermograms of (a) Palm Olein, (b) Transesterified Palm Olein with Non Added Molecular Sieve, and Molecular Sieve Added after 4h (c).....	228
49b	Differential Scanning Calorimetry Heating Thermograms of Tranesterified Palm Olein with Molecular Sieve Added after (d) 10 h, (e) 24 h, and (f) 48 h.....	229
50	Gas Chromatogrphy of Fatty Acids Composition of (a) Palm Olein, (b) Cottonseed Oil, and (c) Rapeseed Oil.....	276
51	Gas Chromatography of Fatty Acids Composition (a) Grapeseed Oil, (b) Corn Oil, and (c) Sunflower Oil.....	277
52	Gas Chromatography of Fatty Acids Composition of (a) Soybean Oil, (b) Olive Oil and (c) Coconut Oil.....	278
53	Proposed Mechanism of Lipase-catalysed Transesterification of Two Homoacid Triglycerides.....	279



LIST OF PLATES

Plate		Page
1	a) <i>A. flavus</i> Link Colonies Grown on Coconut Oil Agar Medium b) Formation of Insoluble Blue Droplet Entrapped within the Agar underneath Positive Colonies.....	60
2	Thin Layer Chromatogram of the Products of Coconut Oil Hydrolysis by <i>F. solani</i> (F), <i>G. candidum</i> (G), <i>Ab. corymbifera</i> (A), <i>A. flavus</i> (B), <i>S. racemosum</i> (S) and Control (C).....	67
3	a) Formation of Insoluble Soap-like White Pellet, after 72 h Incubation at 30°C in Culture Containing Palm Olein b) Thin Layer Chromatogram of Melted Pellet (P), Palm Olein (C) and Oleic Acid (C1).	83
4	a) Thin Layer Chromatogram of the Products of Triolein Hydrolysis of using Extracted Lipase obtained from <i>A. flavus</i> Link. b) Thin Layer Chromatogram of the Product of Triolein Hydrolysis using Commercial Non-specific Lipase <i>Pseudomonas</i> sp. (A), <i>C. rugosa</i> (C) and 1,3-specific Lipase, <i>R. Miehei</i> (B).....	155
5	Dry Mycelia were Cut into Squares (a) Untreated Mycelia (b) 2% Gutaraldehyde-treated Mycelia.....	170



LIST OF ABBREVIATIONS

μg	microgram
mg	milligram
g	gram
mm	millimetre
cm	centimetre
mL	millilitre
L	litre
sec	second
min	minute
h	hour
μmol	micromole
mM	millimolar
M	molar
v/v	volume/volume
w/v	weight/volume
rev/min	revolution per minute
MW	molecular weight
sp	species
C ₆	caproic acid
C ₈	caprylic acid
C ₁₀	capric acid
C ₁₂	lauric acid
C ₁₄	myristic acid
C ₁₈	palmitic acid
C _{18:1}	oleic acid
C _{18:2}	linoleic acid
C _{18:3}	linolenic acid
OOO	trioleoyl glycerol
OOC	dioleoyl-capryl glycerol
OCC	dicapryl-oleoyl glycerol

CCC	tricapryl glycerol
OOL	dioleoyl-lauryl glycerol
OLL	dilauryl-oleoyl glycerol
LLL	trilauryl glycerol
LLM	dilauryl-myristoyl glycerol
LMM	dimyristoyl-lauryl glycerol
MMM	trimyristoyl glycerol
CCL	dicapryl-lauryl glycerol
CCLn	dicapryl-linoleoyl glycerol
CLnLn	dilinoleoyl-capryl glycerol
LnLnLn	trilinoleyl glycerol
OOP	dioleoyl palmitoyl glycerol
OPP	dipalmitoyl-oleoyl glycerol
PPP	tripalmitoyl glycerol
LLP	dilauryl-palmitoyl glycerol
LPP	dipalmitoyl-lauryl glycerol
OOLn	dioleoyl-linoleoyl glycerol
OLnLn	dilinoleoyl-oleoyl glycerol
HPLC	high performance liquid chromatography
GC	gas chromatography
DSC	differential scanning calorimetry
°C	degree celcius
EDTA	ethylenediamin tetraacetic acid
PMSF	phenylmethylsulfonyl fluoride
FAME	fatty acid methyl ester
PUFA	polyunsaturated fatty acid
%	percent
UFA	unsaturated fatty acid
SFA	saturated fatty acid
TG	triglyceride
DG	diglyceride
MG	monoglyceride
FA	fatty acid

Abstract of the Dissertation presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirements for the Degree of Doctor of Philosophy.

**PRODUCTION, PROPERTIES AND APPLICATIONS OF
MYCELIUM-BOUND LIPASE OF A LOCALLY ISOLATED STRAIN OF
ASPERGILLUS FLAVUS LINK**

By

KAMARIAH LONG

September 1997

Chairman : Assoc. Prof. Dr. Hasanah Mohd. Ghazali

Faculty : Food Science and Biotechnology

One of the most promising processes using lipase which will offer great potential application especially in term of cost reduction, is the use of mycelium-bound lipase (naturally immobilized lipase). However, there has been little work reported on the technology using mycelium-bound lipase (naturally immobilize) and work using it, is limited to a few microorganisms. This study was conducted with the aims to identifying a new source of mycelium-bound lipase, and consequently to study it's production, properties and applications.

Aspergillus flavus, isolated from copra meal, produces a lipase (EC 3.1.1.3) which is partly bound to the mycelium. The production of the mycelium-bound lipase is concomitant with growth, and declines when growth ceases. Maximum productivity of the enzyme is obtained when the culture is incubated at 30°C, an initial culture pH of 6.5 and with 2% (w/v) each of corn oil and yeast extract as carbon and organic nitrogen sources, respectively. Yeast extract affects not only the production of lipase



but also the secretion of proteases into the culture medium. The presence of EDTA improved the productivity of the mycelium-bound lipase by 26% although growth of *A. flavus* was inhibited by 11%. The addition of Tween 80, into culture medium, decreased the activity of mycelium-bound lipase.

The lipase that is bound to the mycelia has various degrees of binding. Twenty-eight percent of its' activity was easily released after washing n-hexane defatted mycelia with water. The rest was quite easily released by treating the mycelia with 0.05 M Tris-HCl buffer pH 8.2, at 35°C for 90 min, 200 rev/min. However, 7% is tightly bound and released only upon treatment with a lytic enzyme preparation from *Trichoderma harzianum* (Sigma L-2265). Non-polar solvents are better defatting agents. The mycelium-bound lipase of *A. flavus* is stabilised by cross-linking using glutaraldehyde, methylglyoxal or ethylenediamine. The treatment caused inactivation of the enzyme except for mycelia treated with methylglyoxal whose activity was enhanced by up to 48%. On the other hand, lipase from glutaraldehyde-treated mycelia is physically more stable than the lipase from methylglyoxal-treated mycelia. The stability of untreated and glutaraldehyde-treated mycelia-bound lipase in a semi-continuous packed-bed reactor was examined and it was found that the hydrolytic and synthesis activities of lipases decreased and after 6 cycles of use the activity remained unchanged (20 cycles)

The bound lipase, when released into solution, was unstable and lost almost all of its activity after 14 days storage at 4°C. The loss of activity of extracted lipase is due to inactivation by co-extracted proteases. The extracted enzyme has temperature and pH optima at 30°C and 8.0, respectively. The lipase could be separated from the

metallo-proteases by acetone fractionation. The apparent K_m value of extracted lipase (3.92 mg/mL) towards coconut oil was three times lower than that of the mycelium-bound lipase (11.76 mg/mL).

A. flavus mycelium-bound lipase demonstrates a high preference for hydrolytic activity towards low molecular weight TG and discriminates triunsaturated TG i.e. OOO. A greater discriminating degree of its lipase towards triolein was shown when the enzyme was reacted with low molecular weight triglycerides, and was less shown when reacted with PPP. Similar observations were noted when the mycelium-bound lipase was used to catalyse a reaction containing coconut oil with palmitic acid or oleic in n-hexane. The lipase displays a strong specificity towards the outer fatty acid of triglycerides (1,3 specific) and loses activity for tributyrin once it has been extracted. It hydrolyses coconut oil faster than palm olein, followed by corn oil, rapeseed oil, soybean oil and, cottonseed oil.

The ability of the mycelium-bound lipase to modify vegetable oils by incorporation of exogenous fatty acid into the triglycerides in medium containing n-hexane was studied. Reaction between cottonseed oil and lauric acid gave the highest percent of incorporation (18%) of the acid followed by soybean oil with lauric acid (16%) and coconut oil with oleic acid (16%). The degree of incorporation of lauric acid into palm olein and quality of the oil could be improved with the addition of molecular sieve at specific times of reactions. In all cases, there were increases in the concentrations of several existing triglycerides and the formation of new triglycerides. DSC analysis shows that the heating thermogram of acidolysed vegetable oils exhibit broad melting ranges.

