




UNIVERSITI PUTRA MALAYSIA

***DETECTION OF RAW PORK TARGETING PORCINE-SPECIFIC
MITOCHONDRIAL CYTOCHROME B GENE BY MOLECULAR BEACON PROBE
AND REAL-TIME POLYMERASE CHAIN REACTION***

MOHD HAZIM BIN MOHD YUSOP

IPPH 2012 4

**DETECTION OF RAW PORK TARGETING PORCINE-SPECIFIC
MITOCHONDRIAL CYTOCHROME B GENE BY MOLECULAR BEACON
PROBE AND REAL-TIME POLYMERASE CHAIN REACTION**



By

MOHD HAZIM BIN MOHD YUSOP

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia,
in Fulfilment of the Requirements for the Degree of Master of Science**

April 2012

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfillment of the requirement of the degree of Master of Science

DETECTION OF RAW PORK TARGETING PORCINE-SPECIFIC MITOCHONDRIAL CYTOCHROME B GENE BY MOLECULAR BEACON PROBE REAL-TIME POLYMERASE CHAIN REACTION

By

MOHD HAZIM BIN MOHD YUSOP

April 2013

Chairman: Professor Shuhaimi bin Mustafa, PhD

Institute: Halal Products Research Institute

A real-time polymerase chain reaction (PCR) assay with molecular beacon probe was developed for the detection of pork in raw states. The method combined the swine-specific primers and molecular beacon probe to specifically amplify a 119-bp fragment of porcine mitochondrial cytochrome *b* (mt-cyt *b*) gene. Mitochondrial genes are present in multiple copies and thus ensure available targets even in degraded samples. A pair of 18-nucleotide swine-cytb-specific primers were designed using Primer 3 Plus software. On the other hand, a 34-nt molecular beacon probe was designed using Beacon Designer 4 software. The porcine specificity of the primers and probe were checked by basic local alignment search tools (BLAST) to avoid mismatches with other species. A specificity test with 10 ng DNA of nine common meat providing land and aquatic species yielded a C_q value of 18.70±0.12 to 19.08±0.06 only with the pork DNA in a 40 cycle PCR reaction, demonstrating the swine specificity of the primers and probe. The swine-specificity was further confirmed in a binary mixture of pork and beef. The method detected 0.1% pork in

binary pork-beef mixture with a C_q of 25.79 ± 0.20 . A sensitivity test with 10-fold serial dilution revealed that the assay can determine 0.0001 ng of porcine DNA with a PCR efficiency of 96% with a good reproducibility, precision and high correlation coefficient ($r^2=0.9989$). The shorter length target (119-bp) and strong sensitivity and specificity suggest the method can be used for the routine analysis of pork adulteration in raw meats.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

**PENGESANAN DAGING BABI MENTAH MENSASARKAN GEN
SITOKROM B MENGGUNAKAN PROB PEMANCAR MOLEKUL MASA-
NYATA TINDAKAN RANTAI POLIMERASE**

Oleh

MOHD HAZIM BIN MOHD YUSOP

April 2012

Pengerusi: Professor Shuhaimi Mustafa, PhD

Institut: Penyelidikan Produk Halal

Kaedah tindak balas berantai polymerase masa sebenar (PCR) dengan menggunakan prob pemancar molekul telah dibangunkan untuk mengesan daging babi dalam keadaan mentah. Kaedah ini telah menggabungkan sepasang pencetus khas-babi dan prob pemancar molekul untuk mengamplifikasi secara khusus 119 pasangan bes gen mitokondria sitokrom *b* babi. Gen mitokondria hadir dalam salinan yang banyak seterusnya memastikan sasarannya tersedia walaupun dalam keadaan sampel yang hancur. Sepasang pencetus telah direka dengan menggunakan perisian Primer3 Plus manakala satu prob pemancar molekul pula telah direka dengan menggunakan perisian Beacon Designer 4. Spesifikasi kesemua pencetus dan prob telah diperiksa menggunakan BLAST untuk mengelakkan kesalahan padanan dengan spesies-spesies lain. Ujian spesifikasi menggunakan 10 ng DNA daripada sembilan jenis daging haiwan darat dan laut yang biasa dimakan telah menghasilkan nilai Cq (18.70 ± 0.12 hingga 19.08 ± 0.06) khusus untuk DNA babi sahaja, dalam 40 kitaran PCR secara tidak langsung menunjukkan spesifikasi primer-primer dan prob yang

jelas. Ujian spesifikasi pada babi seterusnya dipastikan menggunakan dwi-campuran daging babi dan lembu. Ujian ini berjaya mengesahkan sehingga 0.1% babi dalam dwi-campuran daging babi dan lembu dengan nilai C_q 25.79 ± 0.20 . Ujian sensitiviti menggunakan kaedah pencairan sehingga sepuluh kali mendapati DNA babi berjaya dikesan sehingga 0.0001 ng dengan kecekapan PCR sebanyak 96% dan pekali kolerasi yang tinggi ($r^2=0.9989$). Panjang sasarannya yang pendek (119 pasangan bes), dan sensitiviti serta spesifikasi yang kuat mencadangkan kaedah ini dapat digunakan dalam analisis rutin pencemaran daging babi dalam produk daging mentah.

ACKNOWLEDGEMENTS

I would like to express my most sincere gratitude and appreciation to my supervisory committee chairman, Associate Professor Dr. Shuhaimi bin Mustafa, for his valuable guidance, advice and constant encouragement throughout the course of my research study. His constructive criticisms and suggestions provided me with the strength and perseverance to complete this thesis despite several obstacles encountered throughout the period of this research, which at times seemed insurmountable. Appreciation also goes to the members of my supervisory committee, Allahyarham Professor Dato' Dr. Yaakob bin Che Man and Professor Dr. Abdul Rahman bin Omar for their support and invaluable suggestions to guide me during my study.

I wish to express my gratitude to all members of the Halal Products Research Institute, UPM especially to Mrs. Nur Fadhilah binti Khairil Mokhtar, Mr. Solehan Sanusi and Mr. Ahmad Faizal Hamidon for providing the research facilities and technical assistance during my graduate study.

I would like to acknowledge the financial support provided by Universiti Putra Malaysia (Grant No. Research University Grant Scheme: 91763) awarded to Associate Professor Dr. Shuhaimi bin Mustafa for this study. I would like also to give special thanks to Dr. Eakob (UNIMAP), Mrs. Lim Pei Ching (Eppendorf Malaysia representative), Mr. Farouk (KIMIA) and Mr. Syamsul Kamar Bin Muhamad @ Wahab (USIM) for technical help and support.

I am also greatly indebted to my beloved parents, sister and brother for their love, moral encouragement and support. Acknowledgement is also all due to all my friends and those who have given me the moral encouragement and support to complete my graduate study.

I certify that an Examination Committee has met on (26042012) to conduct the final examination of Mohd Hazim bin Mohd Yusop on his thesis entitled "Detection of Raw Pork Targeting Porcine-Specific Mitochondrial Cytochrome *b* Gene by Molecular Beacon Probe and Real-Time Polymerase Chain Reaction" in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulations 1981. The Committee recommends that the student be awarded the degree of Master of Science.

Members of the Examination Committee were as follows:

Amin Bin Ismail, PhD

Professor
Faculty of Medicine and Health Sciences
Universiti Putra Malaysia
(Chairman)

Fatimah Binti Abu Bakar, PhD

Professor
Faculty of Food Science and Technology
Universiti Putra Malaysia
(Internal Examiner)

Mohd Nasir Bin Mohd Desa, PhD

Lecturer
Faculty of Medicine and Health Sciences
Universiti Putra Malaysia
(Internal Examiner)

Abdul Munir Bin Abdul Murad, PhD

Associate Professor
Faculty of Science and Technology
Universiti Kebangsaan Malaysia
Malaysia
(External Examiner)

SEOW HENG FONG, PhD

Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Shuhaimi Bin Mustafa, PhD

Associate Professor
Faculty of Biotechnology and Biomolecular Science
Universiti Putra Malaysia
(Chairman)

Dato' Yaakob Bin Che Man, PhD

Professor
Faculty of Food Science and Technology
Universiti Putra Malaysia
(Member)

Abdul Rahman Omar, DVM, PhD

Professor
Institute of Bioscience
Universiti Putra Malaysia
(Member)


BUJANG BIN KIM HUAT, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

DECLARATION

I declare the thesis is my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously, and is not concurrently, submitted for any other degree at Universiti Putra Malaysia or at any other institution.



MOHD HAZIM BIN MOHD YUSOP

Date: 26 April 2012

TABLE OF CONTENTS

ABSTRACT	Page
ABSTRAK	II
ACKNOWLEDGEMENTS	IV
APPROVAL	VI
DECLARATION	VII
LIST OF TABLES	IX
LIST OF FIGURES	XII
LIST OF ABBREVIATIONS	XIII
	XIV

CHAPTER

1. INTRODUCTION

1.1	Research Background	1
1.2	Problem Statements	5
1.3	Study Objectives	5

2. LITERATURE REVIEW

2.1	Pork Adulteration in Halal Foods	6
2.2	Existing Methods to Identify Animal-Species in Foods and Feeds	8
2.2.1	Microscopic Methods	8
2.2.2	Lipid-Based Methods	8
2.2.3	Protein-Based Methods	9
2.2.4	DNA-Based Methods	16
2.3	Polymerase Chain Reaction (PCR)	26
2.3.1	Introduction of PCR	26
2.3.2	Principle of PCR	27
2.3.3	Cytochrome <i>b</i> Gene	29
2.3.4	Primer Design	30
2.3.5	Amplification Templates	32
2.3.6	Sensitivity of the PCR	33
2.3.7	Real-time PCR	33

2.3.8	Methods of Real-Time PCR	35
-------	--------------------------	----

3. MATERIALS AND METHODS

3.1	Primers and Molecular Beacon Design	43
3.2	Sample Preparation and DNA Extraction	44
3.2.1	Lysis of Tissue Samples	44
3.2.2	Precipitation of Total DNA	46
3.3	DNA Concentration Analysis	46
3.4	Real-Time PCR Assay	46
3.4.1	Thermal Denaturation Profile of Molecular Beacon	46
3.4.2	Optimization of Annealing Temperature, Primer and Probe Concentrations	47
3.4.3	Specificity, Efficiency and Sensitivity of the Molecular Beacon Probe	48

4. RESULTS AND DISCUSSION

4.1	DNA Concentration and Quality Analysis	50
4.2	Primers and Molecular Beacon Design	52
4.2.1	GC Contents and Lengths of the Primers and Molecular Beacon Probe	52
4.2.2	Primer and Probe Melting Temperatures and Amplicon Size	55
4.3	Real-Time PCR Assay	61
4.3.1	Optimization of Annealing Temperature	61
4.3.2	Optimization of Primers and Probe Concentration	63
4.3.3	Thermal Denaturation Profile of Molecular Beacon	66
4.3.4	Specificity Test	68
4.3.5	Sensitivity (Limit of Detection) and Efficiency	71

5. CONCLUSION AND RECOMMENDATION FOR FUTURE WORKS

5.1	Conclusion	77
5.2	Recommendation	77

REFERENCES
PUBLICATION

79
97



© COPYRIGHT UPM