

Synthesis of bulk $\text{FeTe}_{1-x}\text{Se}_x$ ($x = 0.1-0.5$) at ambient pressure

ABSTRACT

In this study, polycrystalline samples with nominal composition $\text{FeTe}_{1-x}\text{Se}_x$ ($x=0.1-0.5$) were synthesized by solid-state reaction method at ambient pressure. In order to minimize oxidation, argon gas flow was maintained throughout the heat treatment. The phase formation of $\text{FeTe}_{1-x}\text{Se}_x$ samples was checked by X-ray diffraction (XRD). The polycrystalline $\text{FeTe}_{1-x}\text{Se}_x$ samples were indexed to a tetragonal structure with space group of $P4/nmm$. The lattice parameters a - and c -axes shrink significantly with the substitution of Se. As shown by the scanning electron microscope (SEM) images, the samples developed a plate-like grain structure gradually with the increase of Se concentration. Measurements of temperature dependence of magnetic moment showed that the onset of superconducting transition temperature, T_c , increased with Se concentration. The T_c is about 10.6 and 13.5 K for $x=0.1$ and 0.5, respectively. All the samples exhibit ferromagnetic behavior as shown by the field-dependent magnetization measured at room temperature.

Keyword: Fe-based superconductor; Magnetic properties; Se substitution; Superconductivity