

## Structural and paramagnetic behavior of spinel NiCr<sub>2</sub>O<sub>4</sub> nanoparticles synthesized by thermal treatment method: effect of calcination temperature

### ABSTRACT

Spinel nickel chromite nanoparticles were synthesized using a simple thermal treatment method. The effect of calcination temperatures on the final properties of obtained materials was carefully examined using various characterization techniques. The infrared spectra of nickel chromite (NiCr<sub>2</sub>O<sub>4</sub>) revealed the characteristic bonds of metal-oxygen for Ni single bond O and Cr single bond O bands around 600 and 470 cm<sup>-1</sup>, respectively. The powder X-ray diffraction patterns exhibited the formation of normal spinel phase of NiCr<sub>2</sub>O<sub>4</sub> in the calcination process at temperature between 550 and 850 °C. From transmission electron micrographs, nanosized particles with average size of ~7664 nm were observed at calcination temperatures of 550-850 °C, respectively. The calcined samples at 750 and 850 °C exhibited paramagnetic behavior with g-factor values of 1.92 and 2.15, peak-to-peak line width of 25.59 and 117.02 Oe and resonance magnetic field of 342.04 and 306.49 Oe, respectively. Variation in the value of g-factor, peak-to-peak line width and resonance magnetic field can be attributed to the dipole-dipole and super exchange interactions.

**Keyword:** A. Nanostructures; C. Electron microscopy; C. Infrared spectroscopy; C. X-ray diffraction