

PROF. CLAUD BACHERT (Orcid ID : 0000-0003-4742-1665)

Article type : Original Article: Experimental Allergy and Immunology

Handling AE: Hans-Uwe Simon

Transfer of innovation on allergic rhinitis and asthma multimorbidity in the elderly (MACVIA-ARIA) - Reference Site Twinning (EIP on AHA)

European Innovation Partnership on Active and Healthy Ageing GARD research demonstration project

J Bousquet ^{1,2}, I Agache ³, MR Aliberti ⁴, R Angles ⁵, I Annesi-Maesano ⁶, JM Anto ⁷, S Arnavielhe ⁸, E Asayag ⁹, E Bacci ¹⁰, A Bedbrook ¹, C Bachert ¹¹, I Baroni ¹², BA Barreto ¹³, M Bedolla-Barajas ¹⁴, KC Bergmann ¹⁵, L Bertorello ¹⁰, M Bewick ¹⁶, T Bieber ¹⁷, S Birov ¹⁸, C Bindslev-Jensen ¹⁹, A Blua ²⁰, M Bochenska Marciniak ²¹, I Bogus-Buczynska ²¹, S Bosnic-Anticevich ²², I Bosse ²³, R Bourret ²⁴, C Bucca ²⁵, R Buonaiuto ²⁶, D Caiazza ²⁷, D Caillot ²⁸, DP Caimmi ²⁹, P Camargos ³⁰, G Canfora ³¹, V Cardona ³², AM Carriazo ³³, C Cartier ³⁴, G Castellano ³⁵, NH Chavannes ³⁶, MM Ciaravolo ³⁷, C Cingi ³⁸, A Ciceran ³⁹, L Colas ⁴⁰, E Colgan ⁴¹, J Coll ⁴², D Conforti ⁴³, J Correia de Sousa ⁴⁴, RM Cortés-Grimaldo ⁴⁵, F Corti ⁴⁶, E Costa ⁴⁷, AL Courbis ⁴⁸, E Cousein ⁴⁹, AA Cruz ⁵⁰, A Custovic ⁵¹, B Cvetkovski ²², C Dario ⁵², M da Silva ⁵³, Y Dauvilliers ⁵⁴, F De Blay ⁵⁵, T Dedeu ⁵⁶, G De Feo ⁵⁷, B De Martino ⁵⁸, P Demoly ²⁹, G De Vries ⁵⁹, S Di Capua Ercolano ⁶⁰, N Di Carluccio ⁶¹, M Doulapsi ⁶², G Dray ⁴⁸, R Dubakiene ⁶³, E Eller ¹⁹, R Emuzyte ⁶⁴, JM Espinoza-Contreras ⁶⁵, A Estrada-Cardona ⁶⁶, J Farrell ⁴¹, J Ferrero ⁶⁷, WJ Fokkens ⁶⁸, J Fonseca ⁶⁹, JF Fontaine ⁷⁰, S Forti ⁴³, JL Gálvez-Romero ⁷¹, CI García-Cobas ⁷², MH Garcia Cruz ⁷³, B Gemcioğlu ⁷⁴, R Gerth van Wijk ⁷⁵, M Guidacci ⁷⁶, J Gómez-Vera ⁷⁷, NA Guldemond ⁷⁸, Z Gutter ⁷⁹, T Haahtela ⁸⁰, J Hajjam ⁸¹, PW Hellings ⁸², L Hernández-Velázquez ⁸³, M Illario ⁸⁴, JC Ivancevich ⁸⁵, E Jares ⁸⁶, G Joos ⁸⁷, J Just ⁸⁸, O Kalayci ⁸⁹, AF Kalyoncu ⁹⁰, J Karjalainen ⁹¹, T Keil ⁹², N Khaltayev ⁹³, L Klimek ⁹⁴, V Kritikos ²², I Kull ⁹⁵, P Kuna ²¹, V Kvedariene ⁹⁶, V Kolek ⁹⁷, E Krzych-Fałta ⁹⁸, M Kupczyk ²¹, P Lacwik ²¹, D Larenas-Linnemann ⁹⁹, D Laune ⁸, D Lauri ¹⁰⁰, J Lavrut ¹⁰¹, M Lessa ¹⁰², G Levato ¹⁰³, L Lewis ¹⁰⁴, I Lieten ¹⁰⁵, A Lipiec ⁹⁸, R Louis ¹⁰⁶, JA Luna-Pech ¹⁰⁷, A Magnan ⁴⁰, J Malva ¹⁰⁸, JF Maspero ¹⁰⁹, JJ Matta-Campos ¹¹⁰, O Mayora ⁴³, MA Medina-Ávalos ¹¹¹, E Melén ¹¹², E Menditto ¹¹³, J Millot-Keurinck ¹¹⁴, G Moda ¹¹⁵, M Morais-Almeida ¹¹⁶, R Mösges ¹¹⁷, A Mota-Pinto ¹¹⁸, J Mullol ¹¹⁹, A Muraro ¹²⁰, R Murray ¹²¹, M Noguès ¹¹⁴, M Nalin ¹², L Napoli ¹²², H Neffen ¹²³, RE O'Hehir ¹²⁴, G Onorato ¹, S Palkonen ¹²⁵, NG Papadopoulos ¹²⁶, G Passalacqua ¹²⁷, JL Pépin ¹²⁸, AM Pereira ¹²⁹, M Persico ¹³⁰, O Pfaar ¹³¹, AC Pozzi ¹³², E Prokopakis ⁶², F Raciborski ⁹⁸, J Rimmer ¹²⁴, JA Rizzo ¹³³, C Robalo-Cordeiro ¹³⁴, M Rodríguez-González ¹³⁵, G Rolla ¹³⁶, RE Roller-Wirnsberger ¹³⁷, A Romano ¹³⁸, M Romano ¹², J Salimäki ¹³⁹, B Samolinski ⁹⁸, FS Serpa ¹⁴⁰, S Shamai ¹¹⁷, M Sierra ⁴², M Sova ¹⁴¹, M Sorlini ¹⁴², C Stellato ⁵⁷, R Stelmach ¹⁴³, T Strandberg ¹⁴⁴, V Stroetmann ¹⁸, R Stukas ¹⁴⁵, A Szylling ⁹⁸, R Tan ²², V Tibaldi ¹³⁶, A Todo-Bom ¹⁴⁶, S Toppila-Salmi ⁸⁰, P Tomazic ¹⁴⁷, U Trama ¹⁴⁸, M Triggiani ⁵⁷, A Valero ¹⁴⁹, E Valovirta ¹⁵⁰, A Valiulis ¹⁵¹, M van Eerd ⁵⁹, T Vasankari ¹⁵², A Vatrella ⁵⁷, MT Ventura ¹⁵³, MT Verissimo ¹⁰⁸, F Viart ³⁴, S Williams ¹⁵⁴, M Wagenmann ¹⁵⁵, C Wanscher ¹⁵⁶, M Westman ¹⁵⁷, M Wickman ¹⁵⁸, I Young ¹⁵⁹, A Yorgancioglu ¹⁶⁰, E Zernotti ¹⁶¹, T Zurbierber ¹⁵, A Zurkuhlen ¹⁶², B De Oliveira ¹⁶³, A Senn ¹⁶³

This article has been accepted for publication and undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the Version of Record. Please cite this article as doi: 10.1111/all.13218

This article is protected by copyright. All rights reserved.

- Accepted Article
1. MACVIA-France, Contre les MALadies Chroniques pour un Vieillissement Actif en France European Innovation Partnership on Active and Healthy Ageing Reference Site, Montpellier, France.
 2. INSERM U 1168, VIMA : Ageing and chronic diseases Epidemiological and public health approaches, Villejuif, Université Versailles St-Quentin-en-Yvelines, UMR-S 1168, Montigny le Bretonneux, France
 3. Faculty of Medicine, Transylvania University, Brasov, Romania.
 4. Project Manager, Chairman of the Council of Municipality of Sarno, Italy.
 5. Innovación y nuevas tecnologías, Salud Sector sanitario de Barbastro, Barbastro, Spain.
 6. EPAR U707 INSERM, Paris and EPAR UMR-S UPMC, Paris VI, Paris, France.
 7. ISGLOBAL, Centre for Research in Environmental Epidemiology (CREAL), Barcelona; IMIM (Hospital del Mar Research Institute); CIBER Epidemiología y Salud Pública (CIBERES), & Universitat Pompeu Fabra (UPF), Barcelona, Spain.
 8. Kyomed, Montpellier, France.
 9. Argentine Society of Allergy and Immunopathology, Buenos Aires, Argentina.
 10. Regione Liguria, Genoa, Italy.
 11. Upper Airways Research Laboratory, ENT Dept, Ghent University Hospital, Ghent, Belgium.
 12. Telbios SRL, Milan, Italy.
 13. Belem, Brazil.
 14. Guadalajara, Mexico.
 15. Comprehensive Allergy-Centre-Charité, Department of Dermatology and Allergy, Charité - Universitätsmedizin Berlin; Global Allergy and Asthma European Network (GA2LEN), Berlin, Germany.
 16. iQ4U Consultants Ltd, London, UK.
 17. Department of Dermatology and Allergy, Rheinische Friedrich-Wilhelms-University Bonn, Bonn, Germany
 18. Empirica Communication and Technology Research, Bonn, Germany.
 19. Department of Dermatology and Allergy Centre, Odense University Hospital, Odense, Denmark.
 20. Argentine Association of Respiratory Medicine, Buenos Aires, Argentina.
 21. Division of Internal Medicine, Asthma and Allergy, Barlicki University Hospital, Medical University of Lodz, Poland.
 22. Woolcock Institute of Medical Research, University of Sydney and Sydney Local Health District, Glebe, NSW, Australia.
 23. Allergist, La Rochelle, France.
 24. Directeur Général, Centre Hospitalier Valenciennes, France.
 25. Chief of the University Pneumology Unit- AOU Molinette, Hospital City of Health and Science of Torino, Italy
 26. Pharmacist of COFASER, Consorzio Farmacie Servizi, Sarno, Italy.
 27. Pharmacist of COFASER, Consorzio Farmacie Servizi, Sarno, Italy.
 28. Service de pneumologie, CHU et université d'Auvergne, Clermont-Ferrand, France.
 29. Department of Respiratory Diseases, Montpellier University Hospital, France
 30. Federal University of Minas Gerais, Medical School, Department of Pediatrics, Belo Horizonte, Brazil
 31. Mayor of Sarno and President of Salerno Province, Director, Anesthesiology Service, Sarno "Martiri del Villa Malta" Hospital, Italy.
 32. S Allergologia, S Medicina Interna, Hospital Vall d'Hebron, Barcelona, Spain.
 33. Regional Ministry of Health of Andalusia, Seville, Spain.
 34. ASA - Advanced Solutions Accelerator, Clapiers, France.
 35. Celentano pharmacy, Massa Lubrense, Italy.
 36. Department of Public Health and Primary Care, Leiden University Medical Center, Leiden, The Netherlands
 37. Specialist social worker, Sorrento, Italy.
 38. Eskisehir Osmangazi University, Medical Faculty, ENT Department, Eskisehir, Turkey.
 39. Argentine Federation of Otorhinolaryngology Societies, Buenos Aires, Argentina.
 40. University of Nantes, Service de Pneumologie, UMR INSERM, UMR1087 and CNR 6291, l'institut du thorax, Nantes, France.
 41. Department of Health, Social Services and Public Safety, Northern Ireland Belfast, UK.
 42. Innovación y nuevas tecnologías, Salud Sector sanitario de Barbastro, Barbastro, Spain.
 43. Fondazione Bruno Kessler (FBK), Trento, Italy.
 44. Life and Health Sciences Research Institute (ICVS), School of Health Sciences, University of Minho, Braga, Portugal.
 45. Guadalajara, Mexico.
 46. FIMMG (Federazione Italiana Medici di Medicina Generale), Milan, Italy.
 47. UCIBIO, REQUIMTE, Faculty of Pharmacy and Competence Center on Active and Healthy Ageing of University of Porto (AgeUPNetWork), Porto, Portugal.
 48. Ecole des Mines, Alès, France.
 49. CH Valenciennes, France.
 50. ProAR – Nucleo de Excelencia em Asma, Federal University of Bahia, Brasil and GARD Executive Committee, Brazil.
 51. Department of Pediatric, Imperial College London, UK.
 52. Azienda Provinciale per i Servizi Sanitari di Trento (APSS-Trento), Italy.
 53. Florianópolis, Brazil.
 54. Sleep Unit, Department of Neurology, Hôpital Gui-de-Chauliac Montpellier, Inserm U1061, France.

55. Allergy Division, Chest Disease Department, University Hospital of Strasbourg, Strasbourg, France.
56. AQUAS, Barcelona, Spain & EUREGHA, European Regional and Local Health Association, Brussels, Belgium
57. Department of Medicine, Surgery and Dentistry "Scuola Medica Salernitana", University of Salerno, Salerno, Italy.
58. Social workers coordinator, Sorrento, Italy.
59. Peercodex, The Netherlands.
60. Pharmacist of Farmacie Dei Golfi Group, Massa Lubrense, Italy.
61. Pharmacist of COFASER, Consorzio Farmacie Servizi, Salerno, Italy.
62. Department of Otolaryngology University of Crete School of Medicine, Heraklion, Greece.
63. Clinic of infectious, chest diseases, dermatology and allergology, Vilnius University, Vilnius, Lithuania
64. Clinic of Children's Diseases, Faculty of Medicine, Vilnius University, Vilnius, Lithuania.
65. University of Aguascalientes, Chihuahua, Mexico.
66. Playa del Carmen, Mexico.
67. Andalusian Agency for Healthcare Quality, Seville, Spain.
68. Department of Otorhinolaryngology, Academic Medical Centre, Amsterdam, the Netherlands.
69. Center for Health Technology and Services Research- CINTESIS, Faculdade de Medicina, Universidade do Porto; and Allergy Unit, CUF Porto Instituto & Hospital, Porto, Portugal.
70. Allergist, Reims, France.
71. Regional Hospital of ISSSTE, Puebla, Mexico.
72. Guadalajara, Mexico.
73. Allergy Clinic, National Institute of Respiratory Diseases, Mexico City, Mexico.
74. Department of Pulmonary Diseases, Istanbul University, Cerrahpasa Faculty of Medicine, Turkey.
75. Department of Internal Medicine, section of Allergology, Erasmus MC, Rotterdam, the Netherlands.
76. Brasilia, Brazil.
77. Allergy Clinic, Hospital Regional del ISSSTE 'Lic. López Mateos', Mexico City, Mexico.
78. Institute of Health Policy and Management iBMG, Erasmus University, Rotterdam, The Netherlands
79. University Hospital Olomouc – National eHealth Centre, Czech Republic.
80. Skin and Allergy Hospital, Helsinki University Hospital, Helsinki, Finland.
81. Centich : centre d'expertise nationale des technologies de l'information et de la communication pour l'autonomie, Gérontopôle autonomie longévité des Pays de la Loire, Conseil régional des Pays de la Loire, Centre d'expertise Partenariat Européen d'Innovation pour un vieillissement actif et en bonne santé, Nantes, France.
82. Laboratory of Clinical Immunology, Department of Microbiology and Immunology, KU Leuven, Leuven, Belgium
83. Ensenada, Mexico.
84. Division for Health Innovation, Campania Region and Federico II University Hospital Naples (R&D and DISMET) Naples, Italy.
85. Servicio de Alergia e Inmunología, Clínica Santa Isabel, Buenos Aires, Argentina.
86. President of the Latin American Society of Allergology, Asthma and Allergology, Libra Foundation, Buenos Aires, Argentina.
87. Dept of Respiratory Medicine, Ghent University Hospital, Ghent, Belgium.
88. Allergology department, Centre de l'Asthme et des Allergies Hôpital d'Enfants Armand-Trousseau (APHP); Sorbonne Universités, UPMC Univ Paris 06, UMR_S 1136, Institut Pierre Louis d'Epidémiologie et de Santé Publique, Equipe EPAR, F-75013, Paris, France
89. Pediatric Allergy and Asthma Unit, Hacettepe University School of Medicine, Ankara, Turkey.
90. Hacettepe University, School of Medicine, Department of Chest Diseases, Immunology and Allergy Division, Ankara, Turkey.
91. Allergy Centre, Tampere University Hospital, Tampere, Finland.
92. Institute of Social Medicine, Epidemiology and Health Economics, Charité - Universitätsmedizin Berlin, Berlin, and Institute for Clinical Epidemiology and Biometry, University of Wuerzburg, Germany
93. GARD Chairman, Geneva, Switzerland.
94. Center for Rhinology and Allergology, Wiesbaden, Germany.
95. Department of Clinical Science and Education, Södersjukhuset, Karolinska Institutet, Stockholm, Sweden
96. Clinic of infectious, chest diseases, dermatology and allergology, Vilnius University, Vilnius, Lithuania.
97. Department of Respiratory Medicine, Faculty of Medicine and Dentistry, University Hospital Olomouc, Czech Republic.
98. Department of Prevention of Environmental Hazards and Allergology, Medical University of Warsaw, Poland.
99. Clínica de Alergia, Asma y Pediatría, Hospital Médica Sur, México, Mexico.
100. Presidente CMMC, Milano, Italy.
101. Head of the Allergy Department of Pedro de Elizalde Children's Hospital, Buenos Aires, Argentina.
102. Faculdade de Medicina da Universidade Federal da Bahia, Salvador de Bahia, Brazil.
103. Sifmed, Milano, Italy.
104. Promotor B3 Action Group EIP on AHA and Senior Fellow, International Foundation for Integrated Care, Aberystwyth, UK
105. Tech Life Valley, Diepenbeek, Belgium.
106. Department of Pulmonary Medicine, CHU Sart-Tilman, Liege, Belgium.

107. University of Guadalajara, Guadalajara, Mexico.
108. Institute of Biomedical Imaging and Life Sciences (IBILI), Faculty of Medicine, University of Coimbra, Portugal; Ageing@Coimbra EIP-AHA Reference Site, Portugal.
109. Argentine Association of Allergy and Clinical Immunology, Buenos Aires, Argentina.
110. Mexico City, Mexico.
111. Veracruz, Mexico.
112. Sachs' Children and Youth Hospital, Södersjukhuset, Stockholm and Institute of Environmental Medicine, Karolinska Institutet, Stockholm, Sweden.
113. CIRFF, Center of Pharmacoeconomics, University of Naples, Federico II University, Naples, Italy.
114. Caisse d'assurance retraite et de la santé au travail du Languedoc-Roussillon (CARSAT-LR), Montpellier, France.
115. Regione Piemonte, Torino, Italy.
116. Allergy and Clinical Immunology Department, Hospital CUF-Descobertas, Lisboa, Portugal.
117. Institute of Medical Statistics, Informatics and Epidemiology, Medical Faculty, University of Cologne, Germany.
118. Laboratory of General Pathology, Faculty of Medicine, University of Coimbra, Portugal; Institute of Biomedical Imaging and Life Sciences (IBILI), Faculty of Medicine, University of Coimbra, Portugal; Ageing@Coimbra EIP-AHA Reference Site, Portugal.
119. Clinical & Experimental Respiratory Immunoallergy, ENT Department, Hospital Clínic, IDIBAPS, Universitat de Barcelona, Spain.
120. Food Allergy Referral Centre Veneto Region, Department of Women and Child Health, Padua General University Hospital, Padua, Italy.
121. Medical Communications Consultant, MedScript Ltd, Dundalk, Co Louth, Ireland.
122. Director of COFASER, Consorzio Farmacie Servizi, Salerno, Italy.
123. Head of Respiratory Medicine, Alassia Children's Hospital, Santa Fe, Argentina Center for Allergy and Immunology Santa Fe, Argentina
124. Woolcock Institute of Medical Research, University of Sydney and Sydney Local Health District, Glebe, NSW, Australia.
125. EFA European Federation of Allergy and Airways Diseases Patients' Associations, Brussels, Belgium
126. Center for Pediatrics and Child Health, Institute of Human Development, Royal Manchester Children's Hospital, University of Manchester, Manchester M13 9WL, UK Allergy Department, 2nd Pediatric Clinic, Athens General Children's Hospital "P&A Kyriakou," University of Athens, Athens 11527, Greece
127. Allergy and Respiratory Diseases, IRCCS San Martino Hospital-IST-University of Genoa, Italy
128. CHU Grenoble, France.
129. Allergy Unit, CUF-Porto Hospital and Institute; Center for Research in Health Technologies and information systems CINTESIS, Universidade do Porto, Portugal.
130. Sociologist, municipality area n33, Sorrento, Italy.
131. Department of Otorhinolaryngology, Head and Neck Surgery, Universitätsmedizin Mannheim, Medical Faculty Mannheim, Heidelberg University, Mannheim, and Center for Rhinology and Allergology, Wiesbaden, Germany.
132. Vice-Presidente of IML, Milano, Italy.
133. Recife, Brazil.
134. Centre of Pneumology, Coimbra University Hospital, Portugal.
135. Mexico City, Mexico.
136. Regione Piemonte, Torino, Italy.
137. Medical University of Graz, Austria.
138. Allergy Unit, Presidio Columbus, Rome, Catholic University of Sacred Heart, Rome and IRCCS Oasi Maria SS, Troina, Italy.
139. Association of Finnish Pharmacists.
140. Allergist, Vitoria, Brazil.
141. University Hospital Olomouc, Czech Republic.
142. Presidente, IML (Lombardy Medical Initiative), Bergamo, Italy.
143. Pulmonary Division, Heart Institute (InCor), Hospital da Clinicas da Faculdade de Medicina da Universidade de Sao Paulo, Sao Paulo, Brazil.
144. Helsinki University, Helsinki University Hospital; University of Oulu, Center for Life Course Health Research, Oulu, Finland
145. Public Health Institute of Vilnius University, Vilnius, Lithuania.
146. Imunoalergologia, Centro Hospitalar Universitário de Coimbra and Faculty of Medicine, University of Coimbra, Portugal.
147. Department of ENT, Medical University of Graz, Austria.
148. Campania Region, Division on Pharmacy and devices policy, Naples, Italy.
149. Pneumology and Allergy Department Hospital Clínic, Clinical & Experimental Respiratory Immunoallergy, IDIBAPS, CIBERES, University of Barcelona, Spain.
150. Department of Lung Diseases and Clinical Allergology, Univ of Turku, and Allergy Clinic, Terveystalo, Turku, Finland.
151. Vilnius University Clinic of Children's Diseases and Public Health Institute, Vilnius, Lithuania, European Academy of Paediatrics (EAP/UEMS-SP), Brussels, Belgium.

152. FILHA, Finnish Lung Association.
153. University of Bari Medical School, Unit of Geriatric Immunoallergology, Bari, Italy.
154. International Primary Care Respiratory Group (IPCRG), Aberdeen, Scotland.
155. Dept of Otorhinolaryngology, HNO-Klinik, Universitätsklinikum Düsseldorf, Germany.
156. EIP on AHA Coordinator, Region of Southern Denmark, Odense, Denmark.
157. Department of Medicine Solna, Immunology and Allergy Unit, Karolinska University Hospital, Stockholm, Sweden.
158. Sachs' Children and Youth Hospital, Södersjukhuset, Stockholm and Institute of Environmental Medicine, Karolinska Institutet, Stockholm, Sweden.
159. Queen's University Belfast, Northern Ireland, UK
160. Celal Bayar University Department of Pulmonology, Manisa, Turkey and GARD Executive Committee.
161. ENT Department, Universidad Católica de Córdoba, Córdoba, Argentina.
162. Gesundheitsregion KölnBonn - HRCB Projekt GmbH, Köln, Germany.
163. Project Officer, EC-CNECT-H2, European Commission, Brussels, Belgium.

Short title: Transfer of innovation of MASK

Address for correspondence:

Professor Jean Bousquet
CHU Arnaud de Villeneuve, 371 Avenue du Doyen Gaston Giraud, 34295 Montpellier Cédex 5,
France Tel +33 611 42 88 47 jean.bousquet@orange.fr

Abstract

The overarching goals of the European Innovation Partnership on Active and Healthy Ageing (EIP on AHA) are to enable European citizens to lead healthy, active and independent lives while ageing. The EIP on AHA includes 74 Reference Sites. The aim of this study is to transfer innovation from an App developed by the MACVIA-France EIP on AHA reference site (*Allergy Diary*) to other reference sites. The phenotypic characteristics of rhinitis and asthma multimorbidity in adults and the elderly will be compared using validated information and communication technology (ICT) tools (i.e. the *Allergy Diary* and CARAT: Control of Allergic Rhinitis and Asthma Test) in 22 Reference Sites or regions across Europe. This will improve understanding, assessment of burden, diagnosis and management of rhinitis in the elderly by comparison with an adult population. Specific objectives will: (i) assess the percentage of adults and elderly who are able to use the *Allergy Diary*, (ii) study phenotypic characteristics and treatment over a period of one year of rhinitis and asthma multimorbidity at baseline (cross-sectional study) and (iii) follow-up using visual analogue scale (VAS). This part of the study may provide some insight into the differences between the elderly and adults in terms of response to treatment and practice. Finally (iv) work productivity will be examined in adults.

Key words

European Innovation Partnership on Active and Healthy Ageing, allergy, asthma, rhinitis, Allergy Diary, CARAT

Abbreviations

AHA: Active and Healthy Aging
AIT: specific immunotherapy

AR: allergic rhinitis
ARIA: Allergic Rhinitis and its Impact on Asthma
CARAT: Control of Allergic Rhinitis and Asthma Test
EIP: European Innovation Partnership
EU: European Union
HIT: Health information technology
ICT: information and communications technology
MACVIA: Contre les MALadies Chroniques pour un VIellissement Actif
MASK: MACVIA-ARIA Sentinel NetworK
NAR: non allergic rhinitis
SCUAD: Severe chronic upper airways disease
VAS: visual analogue scale

Funding: Unrestricted educational grant from Meda (Bad Homburg, Germany). Structural Development Funds from the European Union (Région Languedoc Roussillon). The App belongs to the Région Occitanie (formerly Languedoc-Roussillon, Midi-Pyrénées, France). MASK is a project of the B3 Action Plan of the European Innovation Partnership on Active and Healthy Ageing - EIP on AHA (European Commission DG Santé and DG CONNECT) and of the “Twinning” (Transfer of Innovation, 2016 Pilot Twinning Support Scheme of the EIP on AHA) of the App in 22 EIP on AHA Reference Sites.

Introduction

Rhinitis, the most common chronic disease in Europe, often starts early in life, persists across the life cycle and causes a high disease burden in all age groups (1). Rhinitis and asthma multimorbidity is common (1) and the two diseases should be considered jointly. The symptoms of allergic rhinitis (AR) can cause considerable morbidity in terms of physical and emotional comfort and functional capacity. Work productivity is one of the major societal impacts of AR (2, 3). Sleep impairment is common in AR (4, 5) and is associated with severe nasal symptoms (6).

By 2020, rhinitis will affect at least 20% of the old age population (7-11). Rhinitis in this age group has phenotypic specificities and treatment modalities including poly-medication. The effects of polypharmacy may contribute to congestion and dryness (12). Sex may also be a confounding factor in the elderly. Phenotypic characteristics and treatment of rhinitis in the elderly depend on ageing (physiology, immunology), socio-cultural barriers, environmental factors (urban versus rural), allergic and non-allergic multi-morbidities (13, 14), drug availability and affordability, specific side effects to drugs in this age group (15), health systems as well as type of care. However, rhinitis burden in the elderly is an under-recognized and under-treated problem (8). Important demographic changes are expected in the European population. It is therefore crucial to study the phenotype and treatment of rhinitis-asthma multimorbidity in this age group in different European regions in order to (i) provide new concepts and hypotheses and (ii) offer new diagnosis and management strategies to reduce health and social inequalities.

Measures of AR control include symptom scores, control scores and patients' self-administered Visual Analogue Scales (VAS) (11, 16-23). VAS, a psychometric response scale for subjective characteristics or attitudes, has been successfully used in many diseases including AR. Severe Chronic Upper Airway Disease (SCUAD) defines uncontrolled AR patients despite optimal

pharmacotherapy (24). The Control of Allergic Rhinitis and Asthma Test (CARAT) (25-28) is the only self-administered questionnaire to quantify the control of both AR and asthma concurrently. It consists of 10 questions on upper and lower airway symptoms, sleep interference, activity limitation, and the need to increase medication over a four-week period. CARAT meets all items of the COSMIN (CONsensus-based Standards for the selection of health Measurement INSTRUMENTS) checklist (29-31). CARAT was developed and validated in Portugal and has been translated and culturally adapted in over 25 languages and nine countries (Belgium, Brazil, France, Germany, Greece, India, Italy, The Netherlands and Ukraine). Web and smartphone versions have been developed, and an open model of distribution contributes to its dissemination.

European Innovation Partnerships (EIPs) bring together all relevant actors at European Union (EU), national and regional levels in order to: (i) step up research and development efforts; (ii) coordinate investments in demonstration and pilots; (iii) anticipate and fast track any necessary regulation and standards; and (iv) ensure that any breakthroughs are quickly brought to the market. The goals of the European Innovation Partnership on Active and Healthy Ageing (EIP on AHA) are to enable European citizens to lead healthy, active and independent lives while ageing. The EIP on AHA includes 74 Reference Sites.

MACVIA-France (Fighting chronic diseases for active and healthy ageing in France) is a reference site of the EIP on AHA (32, 33). It initiated the project “Integrated Care Pathways for airway diseases (AIRWAYS ICPs)” (34, 35). AIRWAYS ICPs aims to develop multi-sectoral ICPs for rhinitis and its multi-morbidities in the elderly, implementing emerging technologies for individualised and predictive medicine (35). A patient-centred mobile application (App for iOS and Android smartphones) has been developed (6, 36). This App (*Allergy Diary*) uses VAS scores and allows the daily assessment of rhinitis and asthma control by patients themselves (37, 38). It will also include a Clinical Decision Support System (CDSS) (22). The *Allergy Diary* is available for free download in 21 countries and 16 languages and has already been tested by over 8,000 users of all ages. Real time data from users’ smartphones can be stored and retrieved in a functional database. This EIP on AHA Synergy project has been developed between Action Groups of the EIP on AHA to build bridges for innovation in AHA (39). The *Allergy Diary* also includes CARAT.

Regional organisations engaged in the EIP on AHA were proposed to apply for a grant in order to facilitate the transfer of innovative practices (Twinning) for implementation in other regions (<http://www.scale-aha.eu/news.html>). The aim of this initiative is to facilitate the deployment of large-scale digitally-enabled innovative solutions for health and care delivery to the ageing population. It therefore contributes to the European Scaling Up Strategy of the EIP on AHA, already initiated by MACVIA-ARIA (40).

1- Objectives of the MACVIA-ARIA Twinning

The transfer of innovative practices (Twinning) aims to transfer and implement (i) the *Allergy Diary* developed by MACVIA-LR (37, 38) and (ii) CARAT (25-28) to the different EIP on AHA Reference Sites. Other tools may also be used.

The longer-term aim of the Twinning is (i) to provide care pathways for individualized and predictive medicine for rhinitis and asthma multimorbidity in the elderly (36), (ii) to extend the study to sleep impairment in AR and asthma and (iii) to assess interactions of allergen exposure and air pollution.

Moreover, the Twinning will allow Reference Sites from different areas of Europe to interact. This will increase knowledge, enable the transfer of know-how and support the establishment of local structured thematic networks on respiratory diseases sharing tools, indicators and knowledge that are available in the EU context.

Although the vast majority of Reference Sites will work on the main aim of the Twinning (rhinitis and asthma multimorbidity in the elderly), some will have a different Twinning process to reinforce the project (Table 2).

Since the study will last one year - to account for differences in allergen exposure - the starting data is not necessarily the same in all countries and new Reference Sites can join the Twinning within the next six months.

2- Originator and adopter organisations

There are two types of organizations involved (Table 3):

- The "Organization transferring the innovative practice" (originator organization): the organization with the experience and know-how developed in a particular field of intervention, awarded Reference Site status in the 2016 call and included in the innovative practices repository of the EIP on AHA (https://ec.europa.eu/eip/ageing/repository_en).
- The "Organization adopting the innovative practice" (receiving/adopter organization): the organization that will receive the innovative practice and deploy / implement it in its territory. This is the organization that was awarded Reference Site status in the 2016 call and that will benefit from the experience and know-how developed by the "organization transferring an innovative practice" in a particular field of intervention.

There will also be Reference Sites that will help to perform the Twinning. The MACVIA-ARIA Twinning mainly includes Reference Sites certain other sites are also included (Figure 1).

All Reference Sites wishing to join the MACVIA-ARIA Twinning at a later stage are welcome.

In France, Italy, Germany, Lithuania, Poland, Portugal and Turkey, the Twinning will be done at a national level with the Allergy Society and national health authorities of the country.

Twining in the entire country

3- MACVIA-ARIA Twinning methodology

3-1- Tools

The *Allergy Diary* will be used in all centres except for Andalucia. It is currently available on cell phones and also on tablets for health care professionals in English (termed *Allergy Diary Companion*) (37, 38). Translations are pending. It includes EQ-5D (46), the WPAI-AS questionnaire (47-49) and, in some countries, CARAT (26, 28, 50) (when available in electronic form).

3-1-1- *Allergy Diary*

3-1-1-1- App (ANDROID and IOS)

The *Allergy Diary* collects information on AR symptoms experienced (nasal and ocular), disease type (intermittent/persistent), how symptoms impact users' lives, and type(s) of AR treatment used (Table 1 Online supplement 1) (6).

Geolocalized users assess their daily symptom control using the touchscreen functionality on their smart phone to click on five consecutive VAS (i.e. general, nasal and ocular symptoms, asthma and work) (Online supplement 2).

Medications are also recorded daily (Online supplement 3). Mobile phone messaging facilitates the management of AR, providing prompts to assess disease control, take medication, and visit a health care provider if appropriate.

The system was initially deployed in 15 European countries and in 15 languages (translated and back-translated, culturally adapted and legally compliant). It is now also available in Australia, Brazil, Canada, Mexico, Switzerland and Turkey. The system is currently being prepared for the Czech Republic.

Several observational studies have been carried out using the *Allergy Diary*.

- The *Allergy Diary* (Android and iOS) is user friendly and has been tested for AR and conjunctivitis in over 5,000 users. The simple baseline questionnaire administered by cell phones allows the identification of phenotypic differences between *a priori* defined rhinitis and asthma multimorbidity groups and proposes novel concepts on AR (6).
- The VAS reporting has been validated (Caimmi et al, submitted).
- Work productivity can be assessed daily (VAS) and there is a highly significant correlation between rhinitis control and work (39).
- A cross-sectional observational study enables the differentiation of treatment strategies in AR (Bousquet et al, in preparation).
- Over 5% of *Allergy Diary* users are ≥ 65 yrs of age.

Outcomes

In this observational study, all subjects will fill in the following:

- Baseline characteristics (Table 5).
- EQ5D (46) which can be used in the elderly.
- Treatments (Online supplement 3).
- Four consecutive VAS measurements (general, nasal and ocular symptoms, asthma) (Online supplement 2).

In addition, adults will fill in:

- The Work Productivity and Activity Impairment Allergic Specific Questionnaire (WPAI:AS) (47, 51) (Online supplement 4).
- VAS for work (Online supplement 2).

3-1-1-2- Printing of App data using a computer

Patients cannot give access of their electronic data to a HCP due to privacy policies. However, they can print the daily control of their disease as well as their medication details that they filled in in the *Allergy Diary*. The procedure is as follows (Figure 2):

3-1-2- CARAT

CARAT will be implemented in the *Allergy Diary* app for European countries with completed cultural adaptation processes (The Netherlands, Belgium, Germany, Greece, Ukraine, Italy, France). Every two to four weeks, participants with rhinitis and asthma will be prompted to fill in the CARAT questionnaire.

3-1-3- The physician's questionnaire

For some patients, physicians will fill in a questionnaire that includes the questions of the *Allergy Diary* and of CARAT (Table 4).

The questionnaire will be filled in directly using the ARIA website.

3-2- Ethics

The terms of use have been translated into all languages and customized according to the country's legislation. They allow the use of the results for research purposes. The example of the UK terms of use is given in Online supplement 5 (39). The data are anonymised except for the geolocalized data that are never totally anonymous. The European Commission's Article 29 Working Party stated that geolocation information is personal data (http://ec.europa.eu/newsroom/just/item-detail.cfm?item_id=50083) and that information can only be collected, shared, or stored with people's express consent. This is the case for MASK since users agree on geolocation in the terms of use of the App. Moreover, geolocation is optional and the user can allow it or not on his/her cell phone., Geolocation can be removed at any time. The problem of privacy due to geolocation was examined by the lawyers of each of the countries in which MASK has been launched and it was found to be in accordance with the existing laws. Moreover, geolocation is not used in the data mining process neither is the phone IP.

The Allergy Diary is a CE1 medical device and does not require ethical approval. An ethical agreement has been approved by a German ethics committee for the questionnaire. This ethical agreement will serve for all EU countries.

A participation agreement to be signed by the patient has been proposed.

3-3- Possible biases

As in any other observational study, the absence of randomization may be a source of relevant biases (52). However, observational studies reflect "real world" use and practice more closely than randomized control trials (RCTs) in terms of the heterogeneous patient populations included and medical interventions (53). They can provide clinically relevant information not necessarily provided by RCTs. Given the limitations of an observational study approach, it is important to optimize their study design to maximize their validity. In particular, known causes of bias and confounding should be measured (53).

However, this initiative was not designed to compare questionnaires with apps. A bias might be introduced because app users provide self-reported information in an uncontrolled setting. However, a recent systematic review has assessed the impact that smartphone and tablet apps as a delivery mode have on the quality of survey questionnaire responses compared to any other traditional alternative

delivery mode. The review showed that apps might not affect data equivalence as long as the intended clinical application of the survey questionnaire, its intended frequency of administration and the setting in which it was validated remain unchanged (54).

3-4- Timeframe for procurement / implementation until 2018

- The adopters will use freely available existing tools including (i) the *Allergy Diary* (Apple App Store and Google Play Store) and (ii) the questionnaire filled in by physicians.
- The *Allergy Diary* is available in 21 countries (Austria, Australia, Belgium, Brazil, Canada, Denmark, Finland, France, Germany, Greece, Italy, Lithuania, Mexico, Netherlands, Poland, Portugal, Spain, Sweden, Switzerland, Turkey and UK) and languages (national languages plus Catalan and Finnish Swedish). It can be implemented immediately. For other countries, translation, back-translation, cultural adaptation and legal compliance all need approximately 3 to 6 months.
- The phenotype, EQ-5D (MAFEIP (39, 55)) and AR/asthma medication lists (IMS list customized for each country) are included in the *Allergy Diary*.

3-5- Action/implementation plan

Three protocols can be implemented (Table 5).

1- Deployment of the App to the different Reference Sites (RS): Immediate and free access (Apple App Store and Google Play Store) is available for 21 countries. From 3 to 6 months for other countries.

2- Centres participating in the Twinning

Each Reference Site will select physicians (with training in allergy) who work in out-patient clinics, in hospitals and/or in private practice. A combination of both practices would be optimal. All physicians will be volunteers for the study. There will be no compensation.

3- Enrolment of users (the elderly) with rhinitis

If possible, each Reference Site will enrol 50 elderly persons (≥ 65 yrs) able to use the *Allergy Diary* and 100 adults (< 65 yrs) using the longer protocol. If possible, the number of users will be increased. At the end of the year, each reference site will receive an overview of the data collected in its site. Each physician is expected to enrol at least 10 adults and 5 old age persons.

The duration of enrolment is 12 months to account for variability in allergen exposure during a year. Thus, the study can be initiated in Reference Sites from January 1, 2017 to July 1, 2017.

4- Study protocol:

Two different protocols can be used (and probably mixed in the same region) depending on the decision of the physician.

- **Protocol 1:** The physician enrolling the user asks the patient to use the *Allergy Diary* and check that this is done and that the user has agreed to be geolocalised. This latter point is of importance since it will help to analyse differences between regions. Both specialists and physicians working in primary care can participate in the Twinning.

• **Protocol 2 (allergists)**

- Only patients who are not registered in the App will be enrolled.
- The physician enrolling the user will complete the questionnaire and will profile his/her patient in a computer by answering an online questionnaire (ARIA-EUFOREA website)
- The physician will end the profile by adding a random alpha-numerical code to his/her patient profile (as we process during clinical study). This code will be manually registered by the patient on his/her smartphone at the downloading step of the App.
- Hence, physicians' profile data and patients' self-recorded symptoms data will be reconciled for analysis.
- The physician will ask the person to use the *Allergy Diary* and will check onsite that this is done and that the user has agreed to be geolocalised.

- **Protocol 3: Fit at work:** Some enterprises (NHS Northern Ireland, Hôpital de Valenciennes, France) are participating in an analysis of work productivity.

For the three protocols, there is potential for direct benefit for the patients and the physicians.

As an example, during the patient's next visit, the physician will see a graph indicating the level of control, the compliance to the treatment and the treatments actually taken by the patients.

Moreover, the first results of the Allergy Diary are extremely interesting (3, 6). Unpublished data show that the care pathways of patients with AR and asthma multimorbidity should be reconsidered as most patients self-medicate.

- 5- **Real time analysis of the data.** The analysis will be based on the pilot study of the *Allergy Diary* (manuscript submitted and manuscript in preparation) and real time analysis across the different Reference Sites will be available.

4- Expected outcomes of the Twinning activities

- 1- Phenotypic characteristics:** The *Allergy Diary* collects information on AR symptoms and allergic multi-morbidities experienced (nasal and ocular, asthma), on how symptoms impact users' lives, and on the type(s) of AR and asthma treatments used. The study provides a unique opportunity (i) to investigate the phenotype of rhinitis and asthma multimorbidity in the elderly in Europe, (ii) to study differences with other age groups using data on file and (iii) to make comparisons across countries.
- 2- Treatment of rhinitis and asthma multimorbidity and disease control:** The control of rhinitis appears to differ depending on the age group. The study will show differences (i) with other age groups using data on file and (ii) between regions, allowing optimisation of care pathways.
- 3- Use of the EQ-5D** allows quality-of-life and utilities data to be assessed. It is a MAFEIP tool (39, 55).
- 4- Comparison between regions** (or countries depending on the health system)
- 5- Comparison between rural and urban environments**
- 6- Care pathways:** the results of the study will be used to develop region-specific care pathways (AIRWAYS ICPs) using a personalized medicine approach. Self-management strategies will be of great importance.

7- Knowledge and know-how transferred. The epidemic wave of rhinitis in adults (over 25% of the European population) is now reaching the elderly. It is essential to better characterize, understand and manage this disease that affects social life and causes serious discomfort for sufferers. A pan-European view of the problem will allow a cost-effective and socially acceptable management of this disease. The *Allergy Diary*, developed by the MACVIA France Reference Site, is freely available for subjects in most European countries. The app will be deployed by the Reference Site Collaborative Network for transfer of knowledge (40, 56).

8- Rhinitis and asthma multimorbidity exemplify why a lifecourse approach to AHA is the key to effective interventions that are sustainable for the public health systems

5- Future developments

- **Sleep** is impaired in rhinitis and asthma (4, 5) and the Allergy Diary has been found to accurately assess sleep impairment (6). More data are needed and the App is being improved to include sleep-related questions.
- **To correlate Allergy Diary data with allergen exposure** using classical methods such as pollen counts or Google Trends-derived methods (57).
- **To better understand the links between AR and pollution** in order to provide preventive and treatment strategies to reduce AR burden.

References

1. Bousquet J, Khaltayev N, Cruz AA, Denburg J, Fokkens WJ, Togias A, et al. Allergic Rhinitis and its Impact on Asthma (ARIA) 2008 update (in collaboration with the World Health Organization, GA(2)LEN and AllerGen). *Allergy*. 2008;63 Suppl 86:8-160.
2. Vandenas O, D'Alpaos V, Van Brussel P. Rhinitis and its impact on work. *Curr Opin Allergy Clin Immunol*. 2008;8(2):145-9.
3. Bousquet J, Bewick M, Arnavielhe S, Mathieu-Dupas E, Murray R, Bedbrook A, et al. Work productivity in rhinitis using cell phones: The MASK pilot study. *Allergy*. 2017.
4. Leger D, Annesi-Maesano I, Carat F, Rugina M, Chanal I, Pribil C, et al. Allergic Rhinitis and Its Consequences on Quality of Sleep: An Unexplored Area. *Arch Intern Med*. 2006;166(16):1744-8.
5. Muliol J, Maurer M, Bousquet J. Sleep and allergic rhinitis. *J Investig Allergol Clin Immunol*. 2008;18(6):415-9.
6. Bousquet J, Caimmi D, Bedbrook A, M Bewick, Hellings P, Devillier P, et al. Pilot study of mobile phone technology in allergic rhinitis in European countries. The MASK-rhinitis study *Allergy*. 2017;in press.
7. Bousquet J, Samolinski B. Allergy and active and healthy ageing. In: Akdis C, Agache I, Demoly P, Hellinbgs P, Muraro A, Papadopoulos N, et al., editors. *Global Atlas of Allergy European Academy of Allergy and Clinical Immunology 2014*. p. 379-81.
8. Morais-Almeida M, Pite H, Pereira AM, Todo-Bom A, Nunes C, Bousquet J, et al. Prevalence and classification of rhinitis in the elderly: a nationwide survey in Portugal. *Allergy*. 2013;68(9):1150-7.
9. Baptist AP, Nyenhuis S. Rhinitis in the Elderly. *Immunol Allergy Clin North Am*. 2016;36(2):343-57.
10. Ventura MT, Gelardi M, D'Amato A, Buquicchio R, Tummolo R, Misciagna G, et al. Clinical and cytologic characteristics of allergic rhinitis in elderly patients. *Ann Allergy Asthma Immunol*. 2012;108(3):141-4.
11. Ohta K, Bousquet PJ, Aizawa H, Akiyama K, Adachi M, Ichinose M, et al. Prevalence and impact of rhinitis in asthma. SACRA, a cross-sectional nation-wide study in Japan. *Allergy*. 2011;66(10):1287-95.
12. Sahin-Yilmaz AA, Corey JP. Rhinitis in the elderly. *Clin Allergy Immunol*. 2007;19:209-19.
13. Song WJ, Kim MY, Jo EJ, Kim MH, Kim TH, Kim SH, et al. Rhinitis in a community elderly population: relationships with age, atopy, and asthma. *Ann Allergy Asthma Immunol*. 2013;111(5):347-51.
14. Pite H, Pereira AM, Morais-Almeida M, Nunes C, Bousquet J, Fonseca JA. Prevalence of asthma and its association with rhinitis in the elderly. *Respir Med*. 2014;108(8):1117-26.
15. Hansen J, Klimek L, Hormann K. Pharmacological management of allergic rhinitis in the elderly: safety issues with oral antihistamines. *Drugs Aging*. 2005;22(4):289-96.
16. Bousquet PJ, Combescure C, Neukirch F, Klossek JM, Mechin H, Daures JP, et al. Visual analog scales can assess the severity of rhinitis graded according to ARIA guidelines. *Allergy*. 2007;62(4):367-72.
17. Di Lorenzo G, Pacor ML, Amodio E, Leto-Barone MS, La Piana S, D'Alcamo A, et al. Differences and Similarities between Allergic and Nonallergic Rhinitis in a Large Sample of Adult Patients with Rhinitis Symptoms. *Int Arch Allergy Immunol*. 2011;155(3):263-70.

18. Lu D, Zhao Y, Zheng Y, An P, Wang L, Qiao X, et al. Evaluation of quality of life questionnaires for adult patients with moderate to severe allergic rhinitis. *Am J Otolaryngol*. 2010.
19. del Cuvello A, Montoro J, Bartra J, Valero A, Ferrer M, Jauregui I, et al. Validation of ARIA duration and severity classifications in Spanish allergic rhinitis patients - The ADRIAL cohort study. *Rhinology*. 2010;48(2):201-5.
20. Bousquet PJ, Bachert C, Canonica GW, Casale TB, Mullol J, Klossek JM, et al. Uncontrolled allergic rhinitis during treatment and its impact on quality of life: a cluster randomized trial. *J Allergy Clin Immunol*. 2010;126(3):666-8 e1-5.
21. Demoly P, Jankowski R, Chassany O, Bessah Y, Allaert FA. Validation of a self-questionnaire for assessing the control of allergic rhinitis. *Clin Exp Allergy*. 2011;41(6):860-8.
22. Bousquet J, Schunemann HJ, Hellings PW, Arnavielhe S, Bachert C, Bedbrook A, et al. MACVIA clinical decision algorithm in adolescents and adults with allergic rhinitis. *J Allergy Clin Immunol*. 2016;138(2):367-74 e2.
23. Klimek L, Bergmann K, Biederman T, Bousquet J, Hellings P, et al. Visual analogue scales (VAS): measuring instruments for the documentation of symptoms and therapy monitoring in allergic rhinitis in everyday health care. Position Paper of the German Society of Allergology. *Allergo J Int*. 2017;in press.
24. Bousquet J, Bachert C, Canonica GW, Casale TB, Cruz AA, Lockey RJ, et al. Unmet needs in severe chronic upper airway disease (SCUAD). *J Allergy Clin Immunol*. 2009;124(3):428-33.
25. Azevedo P, Correia de Sousa J, Bousquet J, Bugalho-Almeida A, Del Giacco SR, Demoly P, et al. Control of Allergic Rhinitis and Asthma Test (CARAT): dissemination and applications in primary care. *Prim Care Respir J*. 2013;22(1):112-6.
26. Fonseca JA, Nogueira-Silva L, Morais-Almeida M, Azevedo L, Sa-Sousa A, Branco-Ferreira M, et al. Validation of a questionnaire (CARAT10) to assess rhinitis and asthma in patients with asthma. *Allergy*. 2010;65(8):1042-8.
27. Nogueira-Silva L, Martins SV, Cruz-Correia R, Azevedo LF, Morais-Almeida M, Bugalho-Almeida A, et al. Control of allergic rhinitis and asthma test--a formal approach to the development of a measuring tool. *Respir Res*. 2009;10:52.
28. van der Leeuw S, van der Molen T, Dekhuijzen PN, Fonseca JA, van Gemert FA, Gerth van Wijk R, et al. The minimal clinically important difference of the control of allergic rhinitis and asthma test (CARAT): cross-cultural validation and relation with pollen counts. *NPJ Prim Care Respir Med*. 2015;25:14107.
29. Morkink LB, Prinsen CA, Bouter LM, Vet HC, Terwee CB. The COnsensus-based Standards for the selection of health Measurement INstruments (COSMIN) and how to select an outcome measurement instrument. *Braz J Phys Ther*. 2016;20(2):105-13.
30. Morkink LB, Terwee CB, Gibbons E, Stratford PW, Alonso J, Patrick DL, et al. Inter-rater agreement and reliability of the COSMIN (COnsensus-based Standards for the selection of health status Measurement Instruments) checklist. *BMC Med Res Methodol*. 2010;10:82.
31. Morkink LB, Terwee CB, Patrick DL, Alonso J, Stratford PW, Knol DL, et al. The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. *J Clin Epidemiol*. 2010;63(7):737-45.
32. Bousquet J, Hajjam J, Piette F, Jean-Bart B, Wlosik C, Robine JM, et al. [The French reference sites of the European Innovation Partnership on active and healthy ageing]. *Presse Med*. 2013;42(12):1558-61.
33. Bousquet J, Michel J, Standberg T, Crooks G, Iakovidis I, Gomez M. The European Innovation Partnership on Active and Healthy Ageing: the European Geriatric Medicine introduces the EIP on AHA Column. *Eur Geriatr Med*. 2014;5(6):361-2.
34. Bousquet J, Addis A, Adcock I, Agache I, Agusti A, Alonso A, et al. Integrated care pathways for airway diseases (AIRWAYS-ICPs). *Eur Respir J*. 2014;44(2):304-23.
35. Bousquet J, Addis A, Agache I, Agusti A, Alonso A, Anto J, et al. Integrated care pathways for airway diseases (AIRWAYS ICPs). *Eur Respir J*. 2014;in press.
36. Bousquet J, Hellings PW, Agache I, Bedbrook A, Bachert C, Bergmann KC, et al. ARIA 2016: Care pathways implementing emerging technologies for predictive medicine in rhinitis and asthma across the life cycle. *Clin Transl Allergy*. 2016;6:47.
37. Bourret R, Bousquet J, J M, T C, Bedbrook A, P D, et al. MASK rhinitis, a single tool for integrated care pathways in allergic rhinitis. *World Hosp Health Serv*. 2015;51(3):36-9.
38. Bousquet J, Schunemann HJ, Fonseca J, Samolinski B, Bachert C, Canonica GW, et al. MACVIA-ARIA Sentinel NetworK for allergic rhinitis (MASK-rhinitis): the new generation guideline implementation. *Allergy*. 2015;70(11):1372-92.
39. Bousquet J, Bewick M, Cano A, Eklund P, Fico G, Goswami N, et al. Building Bridges for Innovation in Ageing: Synergies between Action Groups of the EIP on AHA. *J Nutr Health Aging*. 2017;21(1):92-104.
40. Bousquet J, Farrell J, Crooks G, Hellings P, Bel EH, Bewick M, et al. Scaling up strategies of the chronic respiratory disease programme of the European Innovation Partnership on Active and Healthy Ageing (Action Plan B3: Area 5). *Clin Transl Allergy*. 2016;6:29.
41. Vandenplas O, Van Brussel P, D'Alpaos V, Wattiez M, Jamart J, Thimpont J. Rhinitis in subjects with work-exacerbated asthma. *Respir Med*. 2010;104(4):497-503.
42. Hellgren J, Cervin A, Nordling S, Bergman A, Cardell LO. Allergic rhinitis and the common cold--high cost to society. *Allergy*. 2010;65(6):776-83.
43. Kakutani C, Ogino S, Ikeda H, Enomoto T. [Impact of allergic rhinitis on work productivity: a pilot study]. *Aerugi*. 2005;54(7):627-35.
44. Kim SY, Yoon SJ, Jo MW, Kim EJ, Kim HJ, Oh IH. Economic burden of allergic rhinitis in Korea. *Am J Rhinol Allergy*. 2010;24(5):e110-3.
45. Marcellusi A, Viti R, Incorvaia C, Mennini FS. [Direct and indirect costs associated with respiratory allergic diseases in Italy. A probabilistic cost of illness study]. *Recenti Prog Med*. 2015;106(10):517-27.

46. Konig HH, Bernert S, Angermeyer MC, Matschinger H, Martinez M, Vilagut G, et al. Comparison of population health status in six european countries: results of a representative survey using the EQ-5D questionnaire. *Med Care*. 2009;47(2):255-61.
47. Bousquet J, Neukirch F, Bousquet PJ, Gehano P, Klossek JM, Le Gal M, et al. Severity and impairment of allergic rhinitis in patients consulting in primary care. *J Allergy Clin Immunol*. 2006;117(1):158-62.
48. Devillier P, Bousquet J, Salvator H, Naline E, Grassin-Delyle S, de Beaumont O. In allergic rhinitis, work, classroom and activity impairments are weakly related to other outcome measures. *Clin Exp Allergy*. 2016.
49. Reilly MC, Zbrozek AS, Dukes EM. The validity and reproducibility of a work productivity and activity impairment instrument. *Pharmacoeconomics*. 1993;4(5):353-65.
50. Linhares DV, da Fonseca JA, Borrego LM, Matos A, Pereira AM, Sa-Sousa A, et al. Validation of control of allergic rhinitis and asthma test for children (CARATKids)--a prospective multicenter study. *Pediatr Allergy Immunol*. 2014;25(2):173-9.
51. Virchow JC, Kay S, Demoly P, Mulla J, Canonica W, Higgins V. Impact of ocular symptoms on quality of life (QoL), work productivity and resource utilisation in allergic rhinitis patients--an observational, cross sectional study in four countries in Europe. *J Med Econ*. 2011;14(3):305-14.
52. DiPietro NA. Methods in epidemiology: observational study designs. *Pharmacotherapy*. 2010;30(10):973-84.
53. Yang W, Zilov A, Soewondo P, Bech OM, Sekkal F, Home PD. Observational studies: going beyond the boundaries of randomized controlled trials. *Diabetes Res Clin Pract*. 2010;88 Suppl 1:S3-9.
54. Marcano Belisario JS, Jamsek J, Huckvale K, O'Donoghue J, Morrison CP, Car J. Comparison of self-administered survey questionnaire responses collected using mobile apps versus other methods. *Cochrane Database Syst Rev*. 2015(7):MR000042.
55. Boehler CE, de Graaf G, Steuten L, Yang Y, Abadie F. Development of a web-based tool for the assessment of health and economic outcomes of the European Innovation Partnership on Active and Healthy Ageing (EIP on AHA). *BMC Med Inform Decis Mak*. 2015;15 Suppl 3:S4.
56. Calderon MA, Demoly P, Casale T, Akdis CA, Bachert C, Bewick M, et al. Allergy immunotherapy across the life cycle to promote active and healthy ageing: from research to policies: An AIRWAYS Integrated Care Pathways (ICPs) programme item (Action Plan B3 of the European Innovation Partnership on active and healthy ageing) and the Global Alliance against Chronic Respiratory Diseases (GARD), a World Health Organization GARD research demonstration project. *Clin Transl Allergy*. 2016;6:41.
57. Bousquet J, Agache I, Anto J, Bergmann K, Bachert C, Annesi-Maesano I, et al. Google Trends terms reporting rhinitis and related topics differ in European countries. *Allergy*. 2017;in press.

Table 1: Objectives of the Twinning

- **General objectives:** To compare phenotypic characteristics of rhinitis and asthma multimorbidity in adults and the elderly using validated ICT tools (*Allergy Diary* and CARAT) in EIP on AHA Reference Sites across Europe to better understand, assess burden, diagnose and manage rhinitis in the elderly.
- **Specific objectives**
 - 1- To assess the percentage of adults and elderly who are able to use the *Allergy Diary*:
 - Cross-sectional study: The study will include all users recruited by Reference Sites over a period of one year. All baseline characteristics will be analysed. Phenotypic characteristics and treatment of rhinitis and asthma multimorbidity in the elderly will be compared with those of adults.
 - Longitudinal study: The study will include all users recruited by Reference Sites over a period of one year who have reported more than one day of VAS. VAS scores will be analysed. This part of the study may provide some insight into the differences between the elderly and adults in terms of response to treatment and practice.
 - 2- To better understand the methodological problems in this new type of observational study, and particularly age-dependent problems with ICT.

Table 2- Complementary activities of the Twinning

- Andalusia will contribute to the mHealth assessment strategy and will test the quality of the mobile health App (*Allergy Diary*) (<http://www.calidadappsalud.com/en>).
- Northern Ireland will test another aspect of rhinitis and asthma multimorbidity (fit at work with rhinitis) as uncontrolled allergic and non-AR has a major impact on work productivity (2, 41-45).
- Porto4ageing will also contribute with (i) the implementation of CARAT in the Allergy Diary app for European countries with completed cultural adaptation processes (The Netherlands, Belgium, Germany, Greece, Ukraine, Italy, France) (25-28) and (ii) the analysis of long-term longitudinal variability of CARAT scores and its associations with the MASK VAS.
- The Region Köln-Bonn will help with the ethical aspects of the Twinning.
- The Trentino reference site will explore the advocacy of MACVIA study results within the Trentinosalute 4.0 Competence Centre on digital health.

Table 3: Originator and adopters of the Twinning

Originator

1. MACVIA-France
J Bousquet, S Arnavielhe, A Bedbrook, C Cartier, P Demoly, G Onorato, R Jaquet, D Laune, F Viart

Adopters

2. Andalusia
AM Carriazo, J Ferrero
3. Aragon
R Angles
4. Campania
M Illario, M Triggiani, C Stellato, A Vatrella, G De Feo
5. Catalonia
A Dedeu Baraldès, M Olivé Elias, JM Anto, V Cardona, J Mullol, A Valero
6. City of Helsinki
T Hahtela, T Strandberg, E Valovirta, J Salimaki, S Toppila-Salmi, J Karjalainen, T Vasankari
7. Coimbra
J Malva, A Todo Bom, C Robalo-Cordeiro, M Morais Almeida, MT Verissimo, A Mota-Pinto
8. Heraklion
EP Prokopakis
9. Köln-Bonn Region
R Mösges, L Klimek, T Bieber, A Zurkuhlen, O Pfaar, T Zuberbier, KC Bergmann
10. Life Tech Valley
I Lieten, PW Hellings, C Bachert
11. Liguria
G Passalacqua, E Bacci, L Bertorello
12. Lodz
P Kuna, M Bochenska-Marciniak, M Kupczyk, P Lacwik
13. Medical Delta
NA Guldmond, NH Chavannes, R Gerth van Wijk, WJ Fokkens

- Accepted Article
14. Milan Metropolitan - Bergamo Province
M Romano, M Sorlini, AC Pozzi, D Lauri, F Corti, G Levato, M Nalin, I Baroni
 15. NHS 24
A Sheikh, A Custovic
 16. Northern Ireland
I Young, E Colgan
 17. Olomouc
V Kolek, Z Gutter, M Sova
 18. Pays de la Loire
A Magnan, J Hajjam, L Colas
 19. Porto
J Fonseca, M Costa, AM Pereira
 20. Puglia
MT Ventura
 21. Regione Piemonte
C Bucca, G Moda, G Rolla, A Romano, V Tibaldi
 22. Region of Southern Denmark
C Bindslev-Jensen, E Eller, C Wanscher
 23. Région Nouvelle Aquitaine
I Bosse
 24. Turkey (Global Alliance against Chronic Respiratory Diseases Regional Network)
A Yorgancioglu, B Gemicioglu, C Cingi, O Kalayci, F Kalyoncu
 25. ARIA Sweden
M Wickman, E Melén
 26. ARIA Lithuania
A Valiulis, R Dubakiene, R Emuzyte, V Kvedariene
 27. Australia
SBosnic-Anticevich, RE O'Hehir
 28. Brazil
AA Cruz
 29. Mexico
D Larenas-Linnemann
 30. Argentina
JC Ivancevich

Table 4: Questionnaire to be filled in by the physician


MACVIA- ARIA Physician's Questionnaire				Date : _/ /_	
1- Date of birth		LIST WITH YEARS _/ /_			
2- Sex		Male	Female		
		<input checked="" type="radio"/>	<input checked="" type="radio"/>		
3- The patient is suffering from					
Current allergic rhinitis		<input type="checkbox"/>			
Current asthma (within the past 3 months)		<input type="checkbox"/>			
Conjunctivitis		<input type="checkbox"/>			
Non-allergic rhinitis		<input type="checkbox"/>			
Asthma previously in life		<input type="checkbox"/>			
Current atopic dermatitis		<input type="checkbox"/>			
4- Impact of allergic symptoms					
		Yes	No	Don't know	
Symptoms affect sleep		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Symptoms restrict daily activities		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Symptoms restrict work or participation in school		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Symptoms are troublesome		<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
5- CARAT Questionnaire Question 5- A) should be read to the patient with the patient choosing the answer. There should be no "interpretation": the physician should not fill in the questionnaire on behalf of the patient.					
A) Due to your allergic respiratory diseases (asthma, rhinitis, allergies) in the last four weeks, on average, how many times did you have:					
	Never	Up to 2 days per week	More than 2 days per week	Almost every day	
Blocked nose?	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Sneezing?	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Itchy nose?	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Runny nose?	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Shortness of breath/dyspnoea?	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Wheezing in the chest?	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Chest tightness during physical exercise?	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Tiredness/limitations in doing daily tasks?	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
Waking up in the night?	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
5- CARAT Questionnaire Question 5- B) should be read to the patient with the patient choosing the answer. There should be no "interpretation": the physician should not fill in the questionnaire on behalf of the patient.					
B) Due to your allergic respiratory diseases (asthma, rhinitis, allergies) in the last four weeks, how many times did you:					
	I'm not taking any medicine	Never	Less than 7 days	7 or more days	
Increase the use (dosage or frequency) of your medicine?	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	
6- Allergic sensitization has been diagnosed (within the past 5 years) by:					
Skin test		<input checked="" type="radio"/>			
Specific IgE		<input checked="" type="radio"/>			
Skin test + Specific IgE		<input checked="" type="radio"/>			
Not diagnosed		<input checked="" type="radio"/>			
7- Positive test for:					
House dust mites		<input type="checkbox"/>			
Alder		<input type="checkbox"/>			
Hazel		<input type="checkbox"/>			

Grass pollen	<input type="checkbox"/>
Cypress pollen	<input type="checkbox"/>
Birch pollen	<input type="checkbox"/>
Other tree pollen	<input type="checkbox"/>
Parietaria pollen	<input type="checkbox"/>
Ragweed pollen	<input type="checkbox"/>
Cat	<input type="checkbox"/>
Dog	<input type="checkbox"/>
Other inhalant allergen	<input type="checkbox"/>
Food allergen	<input type="checkbox"/>
Don't know	<input type="checkbox"/>
8- Prescribed treatment	
(Scrolling list) Add "no treatment" in the scrolling list	
9- The patient currently receives immunotherapy for :	
House dust mites	<input type="checkbox"/>
Alder	<input type="checkbox"/>
Hazel	<input type="checkbox"/>
Grass pollen	<input type="checkbox"/>
Cypress pollen	<input type="checkbox"/>
Birch pollen	<input type="checkbox"/>
Other tree pollen	<input type="checkbox"/>
Parietaria pollen	<input type="checkbox"/>
Ragweed pollen	<input type="checkbox"/>
Cat	<input type="checkbox"/>
Dog	<input type="checkbox"/>
Other inhalant allergen	<input type="checkbox"/>
None	<input type="checkbox"/>
10- Current immunotherapy is administered by:	
SCIT	<input type="checkbox"/>
SLIT drops	<input type="checkbox"/>
SLIT tablets	<input type="checkbox"/>
Oralair	<input type="checkbox"/>
Grazax	<input type="checkbox"/>
11- Date of initiation of immunotherapy	
Month/Year (Scrolling list)	
12- Education	
Secondary school or less	<input type="radio"/>
Sixth form or college	<input type="radio"/>
Bachelor degree	<input type="radio"/>
Postgraduate	<input type="radio"/>
Missing	<input type="radio"/>
13- Work Status	
Currently full time employed	<input type="radio"/>
On light duty or some restricted work assignment or part time	<input type="radio"/>
Paid leave/sick leave	<input type="radio"/>
Unemployed because of other reason	<input type="radio"/>
Student (school, college, university)	<input type="radio"/>
Keeping house/homemaker	<input type="radio"/>
Retired	<input type="radio"/>
On disability	<input type="radio"/>
Missing	<input type="radio"/>

Table 5: Protocols of the Twinning

	Protocol 1	Protocol 2	Protocol 3
	Short version	Long version	Fit-at-work
<i>Allergy Diary</i>	+	+	+
EQ5D, WP-AIAS	Optional	+	+
Physician questionnaire		+	Optional
Ethical committee	Not needed	Obtained	Needed if physician's questionnaire
Participation agreement	Terms of use of App	Participation agreement form signed by patients	
Recruitment	Any user. Persons attending clinic visits can be included	Persons with rhinitis from clinics with a diagnosis of AR made by a specialist (with skin tests and/or specific IgE)	Users in settings participating in the "fit at work" protocol

Figure 1: Twinning of the *Allergy Diary* in EIP on AHA Reference Sites (15-11-2016)



Country with a Twinning activity ■ Twinning in the entire country ■

Figure 2: Transfer of patient information on a computer and printed information

- 1- Open the Allergy Diary app and choose "Show Data on Computer" in the main menu
- 2- Go to www.macvia-aria-allergy-diary.com/data on your PC/Laptop (enter this URL in the address bar of the browser from your PC/Laptop)
- 3- Scan the QR code with the Allergy Diary app
- 4- The screen with your personal data can be seen
- 5- And you can also print these data (see figure below).



'HOW ARE YOUR ALLERGIES AFFECTING YOU TODAY?'

Allergy Diary
Diary Data Viewer

