



## Extentional rheology and final morphology of LDPE fibers

Wingstrand, Sara Lindeblad; van Drongelen, Martin; Mortensen, Kell; S. Graham, Richard; Huang, Qian; Hassager, Ole

*Publication date:*  
2017

*Document Version*  
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

*Citation (APA):*  
Wingstrand, S. L., van Drongelen, M., Mortensen, K., S. Graham, R., Huang, Q., & Hassager, O. (2017). Extentional rheology and final morphology of LDPE fibers. Abstract from 88th Annual Meeting of the Society of Rheology, Tampa, United States.

## DTU Library

Technical Information Center of Denmark

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Wednesday 6:00 Foyer-Stairs/Windows

PO65

### **Extensional rheology and final morphology of LDPE fibers**

Sara L. Wingstrand<sup>1</sup>, Martin van Drongelen<sup>1</sup>, Kell Mortensen<sup>2</sup>, Richard S. Graham<sup>3</sup>, Qian Huang<sup>1</sup>, and Ole Hassager<sup>1</sup>

<sup>1</sup>*Department of Chemical and Biochemical Engineering, Technical University of Denmark, Kgs. Lyngby, Denmark;* <sup>2</sup>*University of Copenhagen, København Ø, Denmark;* <sup>3</sup>*University of Nottingham, Nottingham, United Kingdom*

Properties of polymeric fibers are highly dependent on the molecular conformation induced during processing[1]. In this study we investigate the influence of non-linear extensional flow on the molecular conformation of branched semi-crystalline polymers. Such materials show a stress overshoot when stretched at a constant extensional rate[2]. The common explanation is, that at first the backbone stretches until the stress maximum is reached. This is followed by a collapse of the branches causing backbone retraction and thus the decrease in stress[3]. Consequently, one would expect the greatest molecular orientation in fibers quenched at the stress maximum. Indeed we find that this is true and also a more general observation that the final orientation scales with stress at quench in the melt.

[1] Schrauwen B. et al, *Macromol.* 37 (23), 8618 (2004). [2] Rasmussen, H.K. et al. *J. Rheol.* 49 (2), 369 (2005). [3] Hawke, L.G.D. et al., *J. Rheol.* 59 (4), 995 (2015).