Technical University of Denmark



Analysis of experimental grain scale data in a crystal plasticity framework

Winther, Grethe

Publication date: 2016

Document Version Peer reviewed version

Link back to DTU Orbit

Citation (APA):

Winther, G. (2016). Analysis of experimental grain scale data in a crystal plasticity framework. Abstract from 8th International Conference on Multiscale Materials Modeling, Dijon, France.

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Analysis of experimental grain scale data in a crystal plasticity framework

Three-dimensional X-ray diffraction microscopy (3DXRD) has been employed to investigate the behaviour of individual grains deeply embedded in the bulk of interstitial-free (bcc) and austenitic stainless (fcc) steels during tensile deformation. Three-dimensional grain maps have been constructed, meaning that each individual grain is characterised with respect to crystallographic orientation, size and shape. The behaviour of selected individual grains is characterised and their lattice rotations and developing orientation spread are analysed in terms of slip systems by means of crystal plasticity. The differences between individual grains. The goal is to identify the interaction mechanisms and employ these in prediction of the behaviour of individual grains.