

NEURAL NETWORK IN RICE GRADING: HOW MALYSIAN RICE CAN BE GRADED?

¹Noraziah ChePa, ²Nooraini Yusoff, ³Norhayati Ahmad

^{1,2}Human Centered Computing, Computational Intelligence Research Group, School of Computing, Universiti Utara Malaysia, Malaysia

³Jabatan Kejuruteraan Awam, Politeknik Tuanku Sultanah Bahiyah
Kulim, Kedah

*Corresponding author
aziah@uum.edu.my

Abstract

Rice grading plays an important role in the determination of rice quality and its subsequent price in the market. It is an important process applied in the rice production industry with the purpose ensuring that the rice produced for the market meets the quality requirements of consumer. Two important aspects that need to be considered in determining rice grades; grading technique and factors to be used for grading (usually referred as rice attributes). This article proposes how Malaysian rice can be graded. Twenty one features are proposed to be used. Combination of extensive literature review and series of interview were used in determining the features. A Neural Network (NN) model is proposed to be used with the identified features. For evaluation purpose, expert review has been carried out. The proposed model is believed to be beneficial not only for BERNAS but also to other researchers in the same domain. BERNAS can use the NN model to facilitate their inspection for rice quality. The model can be used as guidance or reference for similar grading works.

Keywords: Neural Network, rice grading, Malaysian rice

1.0 INTRODUCTION

Rice or scientifically known as *Oryza Sativa* is a staple food for Asian population including Malaysian. Rice belongs to the Poaceae or Gramineae family. *Oryza Sativa* is divided into three species namely, Indica, Japonica and Javanica. The main type of rice grown in the tropic and subtropics is the Indica species [1].

Rice quality is crucial and important in rice production. The quality of rice is not only seen in features of varieties of rice but must also be seen in many other aspects such as the crop environment, harvesting, processing, production and others [2]. Rice quality usually represented by its physical and chemical characteristics [3].

In Malaysia, Padiberas Nasional Berhad (BERNAS) is the main body in the rice industry and the domestic rice production. It is also involved in the procurement and processing of rice including the process of grading. Currently BERNAS controls about 45% of the local rice demand and 24% of the paddy market [2].

Many related works are found on rice grading, but none of them is focusing on rice grading in Malaysian context. Therefore, the main objective of this article is to design a model that can be used to grade Malaysian rice by using Neural Network (NN) approach. Since grades and prices of rice in Malaysia

are controlled by zones in Peninsular Malaysia, this article will only cover rice grading practices in the northern region of Kedah, Malaysia. Thus, discussion will be focused on the types of rice which are available in the mentioned zone.

This study is focusing on the analysis of the rice grading criteria by doing a comparison of the existing rice grading models and the current practice of rice grading in Northern Malaysia. These identified criteria then will be used to design a new rice grading model using Neural Network (NN).

This article is organized as follows; Section two discusses rice grading and its importance. Discussion also covers the current practice of rice grading in Northern Malaysia. Section three discussed how NN has successfully been applied in rice grading works. Methodology of constructing the proposed model is covered in Section four. Section five covers concluding remarks of this article.

2.0 RICE GRADING

Rice grading can be defined as a process of sorting and assign rice into its classes or grade. The grading of rice is an important method applied in the rice production industry. It plays an important role in the

determination of rice quality and its subsequent price in the market. The grading of rice is a standard procedure and method in deciding the quality of rice. The purpose of rice grading is to ensure that the rice that produced for the market meets the quality requirements of consumer. Rice grading is essential in determining rice quality. Rice quality usually indicated by the grades which will determine the price.

There are two important aspects that need to be considered in determining rice grades; grading technique and factors to be used for grading (usually referred as rice attributes).

Many approaches and techniques have been used in the determination of the features of rice for grading purpose. These are the image processing together with NN, Wavelet Packet and Support Vector Machine, Contacting Angle Analysis method (separating contacting rice grain), Multi-threshold method based on maximum entropy (chalkiness), Minimum rectangle (MER) (length and width), image processing and the Adaptive Network Based Fuzzy Inference System (ANFIS), image processing, image processing and NN with support from computer vision systems and machine vision systems. Most of the researchers such as [8], [9], [10], [11], [12] have used image processing and NN method in their works. Image processing have been used to extract the features in rice and based on these features extracted, chosen rice is classified or graded using the NN method. Other works such as by [13], uses the image processing method in their works because they just wanted to study the chalk feature which itself is one of the number of important features for rice classification and grading. [14] used the Wavelet packet and support vector machine to differentiate individual infected and qualified rice kernels.

While [15] used several methods in their studies that are contacting angle analysis method to separate contacting rice grain, Multi-threshold method based on maximum entropy for chalkiness features, Minimum enclosing rectangle (MER) for determination of length and width. [16] used image processing and ANFIS for degree milling. [17], used the Computer Vision for capturing image and Principle component analysis (PCA) and regression Analysis is used to detect head rice, while [18] used Neural Networks with trained Multilayer Perceptron (MLP) Zernike moment and feature extractor used by Line sensor for Capturing Image.

In Malaysia, enforcement in rice grading and determination of rice grading are done as legislated in Padi and Rice Control Act 1994. The criteria used for grading and determining the quality of rice grain is based on its length and whiteness. The content of head rice, length of grain, content of broken rice, and milling degree are the main criteria for grading of rice (BERNAS, 2011). Rice is graded according to eight categories namely, *Super Special Tempatan 5*, *Super Special Tempatan 10*, *Super(Local)*, *Premium*, *Standard*, *Rebus*, *Pulut* and *Hancur*. The grading is based on 11 characteristics or grading factors [5]. BERNAS is not only responsible for local rice but also

imported rice. Mustafa in his interview [6], says imported rice is from Thai, Vietnam, Pakistan, Myanmar, USA, Australia, Japan and India. In Malaysia, the fragrant rice, Basmati, parboiled and glutinous rice is a part of imported rice [7].

Based on early interviews with BERNAS [Alief] [Mursyidah], most of the rice mills handled by BERNAS in the northern area produce rice of the grade *Super (local)* or known as *Super Special Tempatan 15%* but the production the *Super Special Tempatan 5* and *Super Special Tempatan 10* is handled by another branch of BERNAS in Bukit Raya, Pendang. Rice mills in Bukit Raya are not engaged in the manufacture of rice but they receive the processed rice from other mills which includes the *Super Special Tempatan 15%* and is then repackaged to *Super Special Tempatan 5* and *Super Special Tempatan 10*.

Main factors used in the current rice grading method by BERNAS are based on the grain composition, milling quality, defectives and moisture. The purpose of grain composition analysis is to determine the percentage of kernel, head rice, big broken, small broken and brewer or chip. Milling quality consists of the whiteness, translucency and the milling degree. According to [6] and [4], defectives means irregularity in the appearance of the rice grain and this causes the rice to be downgraded. The main factors are defectives in rice such as chalk, damage, color, immature, foreign matter, other seed, paddy etc. While the moisture in the rice grain is to determine the amount of water contained in the rice grain [23].

3.0 NEURAL NETWORK FOR RICE GRADING

Neural Networks or neural net (NN) or known as Artificial Neural Networks (ANN) is a technique that represents the human brain or inspired by the way biological nervous system works to simulate the learning process. Another definition for NN is a processor of information consisting of simple processing elements connected together [20]. [21] stated that NN model represents a human brain. Nodes in NN represent the neurons and a link represents a synapse. Technically, NN is configured for a specific application such as clustering, grading or pattern recognition, prediction system and function approximation through a learning process.

The application of Neural Network in agricultural products is not new. Sidnal and his team from India [26] has successfully applied NN in grading and quality testing of food grains. Their NN managed to produce high accuracy of grain grading (above 80%) and managed to identify 100% of the grains. Another successful work of NN was conducted by Effendi and his team [27] in grading *Jatropha curcas* Fruits in order to determine the fruit maturity. Their backpropagation NN performed well by producing 95% accuracy.

Previous works on rice grading reported that NN is the most popular method used [18],[11],[9]. They used

the same method to classify rice with the combination of other approach for capturing the rice image. The difference between the researchers is the design that they used for classifying rice and the features or characteristics for rice grading.

NN has proven to be a promising paradigm for intelligent systems. It has been trained to perform complex functions in various fields of application including pattern recognition, identification and classification (Johnson and Picton, 1995). Hence, NN is proposed in this article based on its strength.

4.0 THE PROPOSED MODEL

Four main phases involved in designing the NN model; theoretical study, requirement gathering, model design, and model evaluation.

4.1 Theoretical study

This phase is about identifying and defining the gap of the discussed topic and the importance of conducting the study. Eleven major models of rice grading involving the application of NN in rice grading have been identified and thoroughly reviewed.

4.2 Requirement gathering

This phase involved combination of systematic literature review, content analysis and series of interview with domain experts from BERNAS. Underlying theories and existing rice grading methods and features used from literature were thoroughly reviewed to identify classifier used previously. There are fourteen attributes of rice have been extracted from literature review

According to personal communication with BERNAS particularly with staff from Quality Management Division, current implementation of determining rice quality and rice grading are based on Act 54, Rice (Grade and Price Control) 1992 Amendment 2008. Based on the Act, there are seventeen attributes used at the moment.

Features and attributes to be used in the proposed model are obtained from combination of attributes used in the existing models and method used by BERNAS. Comparison and analysis have been made between attributes from these two resources. These attributes were compared. Redundancies were removed to get the final twenty one attributes to be used in the proposed model. Table 1 and Table 2 depicted the attributes identified for input and output layer respectively.

Table 1 List of attributes for input layer

No	Input unit	Attributes	Formal representation
1	X ₁	Kernel	<i>Kn</i>
2	X ₂	Head rice	<i>Hr</i>
3	X ₃	Big broken	<i>Bb</i>
4	X ₄	Small broken	<i>Sb</i>
5	X ₅	Brewer	<i>Bw</i>
6	X ₆	Whiteness	<i>Wh</i>
7	X ₇	Translucency	<i>Tr</i>
8	X ₈	Milling degree	<i>Md</i>
9	X ₉	Chalky	<i>Ch</i>
10	X ₁₀	Immature	<i>Im</i>
11	X ₁₁	Damage	<i>Da</i>

No	Input unit	Attributes	Formal representation
12	X ₁₂	Red streak kernel	<i>RSK</i>
13	X ₁₃	Colour	<i>Co</i>
14	X ₁₄	Foreign matter	<i>Fm</i>
15	X ₁₅	Average length	<i>Avgl</i>
16	X ₁₆	Paddy grain	<i>Pg</i>
17	X ₁₇	Moisture content	<i>Mc</i>
18	X ₁₈	Size	<i>Sz</i>
19	X ₁₉	Shape	<i>Sh</i>
20	X ₂₀	Width	<i>Wi</i>
21	X ₂₁	Texture	<i>Tx</i>

Table 2 List of attributes for output layer

No	output unit	Attributes	Formal representation
1	Y ₁	Super Special Tempatan 5%	<i>SST5</i>
2	Y ₁	Super Special Tempatan 10%	<i>SST10</i>
3	Y ₁	Super (local)	<i>Sp</i>
4	Y ₁	Premium	<i>Pm</i>

No	output unit	Attributes	Formal representation
5	Y ₁	Standard	<i>St</i>
6	Y ₁	Rebus	<i>Re</i>
7	Y ₁	Pulut	<i>Pu</i>
8	Y ₁	Hancur	<i>Ha</i>

Attributes to be used in the input layer are features of rice that will be considered for grading purpose. While attributes to be used in the output layer are rice category used by BERNAS.

4.3 Model design

NN model is designed based on the identified attributes. Multilayer Perceptron (MLP) is chosen to be used in this study due to its strength and the ability to do classification task. There are 21 features which representing factors used for rice grading are used

designing the input layer of the proposed NN model. While for output layer, there are eight features used which representing rice categories in Malaysia.

Architecture for hidden layer will be determined through experiment. Figure 1 shows the design of NN model.




Figure 1 The proposed NN model

Output layer represents grades of rice, and in this study there are eight grades available, thus eight nodes are used to represent the mentioned grades. Eight types of rice grades are; *Super Special Tempatan 5*, *Super Special Tempatan 10*, *Super (Local)*, *Premium*, *Standard*, *Rebus*, *Pulut* and *Hancur*.

Super Special Tempatan 5 means any rice obtained from paddy planted in Malaysia containing not exceeding five percent of broken rice but does not contain any percent of Super (import) rice. *Super Special Tempatan 10* means any rice obtained from paddy planted in Malaysia containing not exceeding ten percent of broken rice but does not contain any percentage of Super (import) rice [5]. *Super (local)* means the broken rice containing not exceeding 15%. The percentage that allowed is 13%. In rice production by BERNAS most of the rice mills produce super local. If percentage of broken is more than 45% the rice is downgraded to *Premium and Standard* grade and it also refers to grade rice recovery (GRR). Usually in rice production, KBB produce *Super (local)*, while the *Super 5 and super 10* while is produced at another rice mill in Bukit Raya Pendang.

Rebus is rice in which the starch in the kernel has been gelatinized by soaking, steaming and drying the rice and consists of 100% parboiled grains and contains not less than 80% parboiled head rice. *Pulut* consists of 80% pulut grains and shall contain not less than 60% pulut head rice. The last category is *Hancur* which means big broken or broken or mixture of both big broken and broken [5].

4.4 Model evaluation

Expert review is used to evaluate the designed model. The purpose of model validation is to get the consent from expert regarding the designed model. Three

main aspects used in evaluation are; suitability of the features for grading, suitability of the grades, and the architecture of the proposed model.

Experts involved were domain experts from BERNAS and experts from computing, particularly the experts of NN. Evaluation results show that the respondents agreed that the features are suitable to be used in the proposed rice grading model. The same features are also suitable to be used for grading the imported rice. Domain experts have suggested the brewer word to be changed with chip, and adding varietal type as one of the features. However, varietal type is not included in this study because the varietal type can be measured or can be identified by length, size and shape.

There are also some suggestions from domain experts regarding the designed NN model. Domain experts from BERNAS suggested this NN model to be integrated with a mechanical system that can grade the sample based on value (weight) in certain time. They were also recommended applying this NN model for paddy samples in future works. The NN experts suggested to revise the number of the hidden layer units used and the need to justify the number of hidden layer units and the need to train and test data using Back propagation NN (BPNN) in the development of the model. These suggestions will be done in the experimental part.

5.0 CONCLUSION

This study identified twenty one features that can be used to grade Malaysian rice. These features were identified through combination of extensive literature review, content analysis and series of interview with the domain experts from BERNAS. With the identified

features, an NN model has been proposed for grading Malaysian rice.

The proposed model is believed to be beneficial not only for BERNAS but also to other researchers in the same domain. BERNAS can use the NN model to facilitate their inspection for rice quality. The model can be used as guidance or reference for similar grading works. Although the proposed model is technically accepted by the experts, there are some rooms for improvement as discussed in Section IV.

Acknowledgement

This research is funded by Universiti Utara Malaysia (UUM) through LEADs Research Grant Scheme [SO code : 12418 (2012)]. The authors fully acknowledged UUM for the approved fund which makes this important research viable and effective.

References

- [1] IRRI, 2006. [Online]. Available: IRRI Rice Knowledge Bank: http://www.knowledgebank.irri.org/ricebreedingcourse/Grain_quality.htm. [Accessed 20 April 2012].
- [2] BERNAS, "Background," 2011. [Online]. Available: <http://www.bernas.com.my/index.php>. [Accessed 11 February 2012].
- [3] M. Gummert and J. Rickman, "Rice Quality," 2011. [Online]. Available: http://www.knowledgebank.irri.org/factsheetsPDFs/postharvestFS_Rice_Quality.pdf. [Accessed 2012 May 2012].
- [4] M. A. Zainal, Interviewee, *Rice Quality and Rice Grading*. [Interview]. 29 April 2012.
- [5] H. M. G. GAZETT, "Essential (Control of Supply of Rice) Regulations 1974, Rice (Grade and Price Control) Order 1992," 1992.
- [6] M. Mustafa, Interviewee, *Rice Quality and Rice Grading*. [Interview]. 29 April 2012.
- [7] BERNAS, "Rice Types In Malaysia," 2011. [Online]. http://www.bernas.com.my/index.php?option=com_content&view=article&id=90&Itemid=103. [Accessed 11 February 2012].
- [8] L. Pabamalie and H. L. Premaratne, "A Grain Quality Classification System," in *IEEE Conference Publications*, 2010.
- [9] S. J. Rad, F. A. Tab and K. Mollazade, "Classification of rice varieties using optimal color and texture features and BP Neural networks," in *IEEE Conference Publications*, 2011.
- [10] O. C. Agustin and B. -J. Oh, "Automatic Milled Rice Quality Analysis," in *IEEE Conference Publications*, 2008.
- [11] B. Verma, "Image Processing Techniques for Grading & Classification of Rice," in *IEEE Conference Publications*, 2010.
- [12] J. D. Guzman and E. K. Peralta, "Classification of Philippine Rice Grains Using Machine Vision and Artificial Neural Networks," in *World Conference On Agricultural Information And It*, 2008.
- [13] L. Guangrong, "Detection of Chalk Degree of Rice Based on Image Processing Technique," in *IEEE Conference Publications*, 2011.
- [14] W. Zhong, C. Liu, Y. Zhang and L. Wu, "Classification of Rice Kernels Using Wavelet Packet.," 2011.
- [15] Q. Yao, J. Chen, Z. Guan, C. Sun and Z. Zhu, "Inspection of rice appearance quality using machine vision," in *IEEE Conference Publications*, 2009.
- [16] D. M. Shiddiq, Y. Y. Nazaruddin and S. Raharja, "Estimation of Rice Milling Degree using Image Processing and Adaptive Network Based Fuzzy Inference System (ANFIS)," in *IEEE Conference Publications*, 2011.
- [17] M. Yao, M. Liu and H. Zheng, "Exterior Quality Inspection of Rice Based on Computer Vision," in *IEEE Conference Publications*, 2010.
- [18] C. -Y. Wee, R. Paramesran and F. Takeda, "Fast Computation of Zernike Moments For Rice Sorting System," in *IEEE Conference Publications*, 2007.
- [19] R. C. Chakraborty, "Fundamentals of Neural Networks Artificial Intelligent," 2010. [Online]. Available: http://www.myreaders.info/html/artificial_intelligence.html. [Accessed 07 Mac 2012].
- [20] J. M. Bishop and R. J. Mitchell, "Neural Networks An Introduction," in *IET Conference Publications*, 1991.
- [21] R. E. Uhrig, "Introduction to Artificial Neural Networks," in *IEEE Conference publication*, 1995.
- [22] J. Paliwal, N. S. Visen and D. S. Jayas, "Evaluation of Neural Networks Architectures for Cereal Grain Grading Using Morphological Features," 2001.
- [23] M. Gummert, "Measuring the Moisture Content," 2011. [Online]. Available: <http://www.knowledgebank.irri.org/factsheetsPDFs>. [Accessed 30 April 2012].
- [24] Alief (personal communication, April 29, 2012)
- [25] Mushidah (personal communication, April 15, 2012)
- [26] Sidnal, N., Patil, V. U., & Patil, P. 2013. Grading and Quality Testing of Food Grains Using Neural Network. *International Journal of Research in Engineering and Technology*.
- [27] Effendi, Z., Ramli, R., & Ghani, J. A. (2010). A Back Propagation Neural Networks for Grading *Jatropha curcas* Fruits Maturity. *American Journal of Applied Sciences*, 7(3), 390.