

ERRATUM

Erratum to: External validation of clinical decision rules for children with wrist trauma

Marjolein A. M. Mulders¹ · Monique M. J. Walenkamp¹ · Bente F. H. Dubois¹ · Annelie Slaar² · J. Carel Goslings¹ · Niels W. L. Schep³

© Springer-Verlag Berlin Heidelberg 2017

Erratum to: Pediatr Radiol (2017)

DOI 10.1007/s00247-017-3787-z

The published version of this article contained mistakes. Table 6 was published with incorrect table heading and table legend. This has now been corrected. The Publisher apologizes for the mistakes and the inconvenience caused.

Table 6 Missed fractures

	Pershad et al.	Webster et al.	Rivara et al.	APWR	Total (+APWR)
Distal radius	2	0	2	1	4 (5)
Greenstick	1	1	1	0	3 (3)
Torus distal radius	3	0	2	6	5 (11)
Epiphysiolytic distal radius	2	1	2	0	5 (5)
Antebrachii	0	0	0	0	0 (0)
Ulna	0	0	0	0	0 (0)
Total	8	2	7	7	17 (24)

APWR Amsterdam Pediatric Wrist Rules

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00247-017-3787-z>

✉ Marjolein A. M. Mulders
m.a.mulders@amc.nl

¹ Trauma Unit, Department of Surgery, Academic Medical Center, Meibergdreef 9, 1105 AZ Amsterdam, The Netherlands

² Department of Radiology, Academic Medical Center, University of Amsterdam, Amsterdam, The Netherlands

³ Department of Surgery, Maasstad Hospital, Rotterdam, The Netherlands