Atlas of Genetics and Cytogenetics in Oncology and Haematology



OPEN ACCESS JOURNAL AT INIST-CNRS

Gene Section

Short Communication

PRCC (papillary renal cell carcinoma)

François Desangles, Jean-Loup Huret

Laboratoire de Biologie, Hopital du Val de Grace, 75230 Paris, France (FD), Genetics, Dept Medical Information, University of Poitiers, CHU Poitiers Hospital, F-86021 Poitiers, France (JLH)

Published in Atlas Database: January 1999

Online updated version : http://AtlasGeneticsOncology.org/Genes/PRCCID69.html DOI: 10.4267/2042/37500

This work is licensed under a Creative Commons Attribution-Noncommercial-No Derivative Works 2.0 France Licence. © 1999 Atlas of Genetics and Cytogenetics in Oncology and Haematology

Identity

Other names: RCCP1 (renal cell carcinoma, papillary, 1)

HGNC (Hugo): PRCC

Location: 1q21.2



Probe(s) - Courtesy Mariano Rocchi, Resources for Molecular Cytogenetics.

DNA/RNA

Description

cDNA of 2039 bp.

Transcription

1989 bp RNA; coding sequence: CDS 191...1666.

Protein

Description

491 amino acids; 52 kDa; proline/leucine/glycine rich domain of 150 amino acids in N-term.

Expression

Wide; in the fetus and in the adult.

Homology

None is known.

Implicated in

t(X;1)(p11.2;q21.2) in renal cell carcinoma --> PRCC/TFE3

Disease

t(X;1) is a very rare subtype of papillary renal cell carcinoma

Prognosis

Overall 5-yr survival rate around 85%.

Hybrid/Mutated gene

5' PRCC - 3' TFE3; variable breakpoint in PRCC; breakpoint in the 1st intron of TFE3.

PRCC/TFE3 bHLH LZ Pro/Leu/Gly ATA Pro/Leu/Gly:prolin/leucine/glycine rich ATA: acidic transcriptional activation bHLH : basic helix loop helix LZ: leucine zipper

Abnormal protein

N-term PRCC with the proline rich sequence fused to most of TFE3, including the; the reciprocal TFE3-PRCC is expressed; it is to be noted that the normal TFE3 transcript is lost in female patients.

References

Sidhar SK, Clark J, Gill S, Hamoudi R, Crew AJ, Gwilliam R, Ross M, Linehan WM, Birdsall S, Shipley J, Cooper CS. The t(X;1)(p11.2;q21.2) translocation in papillary renal cell carcinoma fuses a novel gene PRCC to the TFE3 transcription factor gene. Hum Mol Genet. 1996 Sep;5(9):1333-8

Weterman MA, Wilbrink M, Geurts van Kessel A. Fusion of the transcription factor TFE3 gene to a novel gene, PRCC, in t(X;1)(p11;q21)-positive papillary renal cell carcinomas. Proc Natl Acad Sci U S A. 1996 Dec 24;93(26):15294-8

This article should be referenced as such:

Desangles F, Huret JL. PRCC (papillary renal cell carcinoma). Atlas Genet Cytogenet Oncol Haematol. 1999; 3(2):56.