

Case Report Section

Paper co-edited with the European LeukemiaNet

Translocation (X; 20)(q13;q13.3): a nonrandom abnormality in four patients with myeloid disorders: case 3

Kavita S Reddy, Kathy E Richkind

Genzyme Genetics, Orange, CA, USA (KSR); Genzyme Genetics, Santa Fe, NM, USA (KER)

Published in Atlas Database: January 2005

Online updated version : <http://AtlasGeneticsOncology.org/Reports/OX20ReddyID100011.html>

DOI: 10.4267/2042/38173

This work is licensed under a Creative Commons Attribution-Noncommercial-No Derivative Works 2.0 France Licence.

© 2005 Atlas of Genetics and Cytogenetics in Oncology and Haematology

Clinics

Age and sex

77 years old female patient.

Previous history

No preleukemia. Previous malignancy: No clinical information.

Cyto-Pathology Classification

Diagnosis

Myelodysplastic syndrome (MDS): sideroblastic anemia.

Survival

Relapse: no.

Status: No clinical information.

Karyotype

Sample: BM

Culture time: 24/48h unstimulated cultures

Banding: G-banding

Results: 46,X,t(X;20)(q13;q13.3)[10]/46,XX[10]




Fig. 1. Partial karyotypes of the translocation t(X;20)(q13;q13.3) for cases 1-4 (top to bottom). Arrows indicate the derivatives 20 and X.

References

Gray BA, Cornfield D, Bent-Williams A, Zori RT. Translocation (X;20)(q13.1;q13.3) as a primary

chromosomal finding in two patients with myelocytic disorders. *Cancer Genet Cytogenet.* 2003 Mar;141(2):169-74

Reddy KS, Richkind K, Ross M, Seirra R. Translocation (X;20)(q13;q13.3): a nonrandom abnormality in four patients with myeloid disorders. *Cancer Genet Cytogenet.* 2005 Feb;157(1):70-3

Wong KF, Kwong YL, Tang KC. Biclonal acute monoblastic leukemia showing del(7q) and trisomies 9 and 22. *Cancer Genet Cytogenet.* 1995 Jul 1;82(1):70-2

This article should be referenced as such:

Reddy KS, Richkind KE. Translocation (X;20)(q13;q13.3): a nonrandom abnormality in four patients with myeloid disorders: case 3. *Atlas Genet Cytogenet Oncol Haematol.* 2005; 9(1):82-83.
