



EHLASS report for Ireland 1999 / Department of Health and Children

Item type	Report
Authors	European Home and Leisure Accident Surveillance System
Rights	DOHC
Downloaded	3-Dec-2017 04:14:55
Link to item	http://hdl.handle.net/10147/42538

EHLASS

Report for Ireland

1999



**Prepared by:
The Information Management Unit
Department of Health and Children
Hawkins House
Hawkins Street
Dublin 2
Republic of Ireland**

Table of Contents

	Page
INTRODUCTION	
General Demographic Data	1
Health Services Data	2
Accidents in Ireland	3
The EHLASS Survey.....	4
MAIN RESULTS	
Accidents by Age Group and Sex.....	6
Estimation of National Totals.....	7
Accidents by Month, Day and Time.....	8
Accident Mechanism	9
Place of Occurrence of Accidents.....	10
Activity at Time of Accident.....	11
Type of Injury Sustained	12
Part of Body Injured.....	13
Type of Treatment.....	14
Hospitalisation.....	15
Accident Mechanism:Length of Stay and Hospitalisation Rate	16
Type of Injury: Length of Stay and Hospitalisation Rate	17
Products Involved in Accidents.....	18
Products Causing Injuries	19
Products Involved in Accidents.....	20
Products Causing Injuries	21
Selected Product Groups Broken Down by Type of Injury	22
Key Facts, Comments and Conclusions.....	23
Accident Prevention Initiatives.....	25
APPENDICES	
Accident Mechanism	28
Place of Accident.....	40
Activity at Time of Accident.....	46
Principal Injury Diagnosis.....	52
Part of Body Injured.....	61
Treatment and Follow Up	64
The Twenty Most Common Product Groups Involved in Accidents	67
The Twenty Most Common Product Groups Causing Injuries.....	79
Sample EHLASS coding form	91


General Demographic Data

The table and graph below show the population of Ireland broken down by age and sex from the most recent Census of Population, which was carried out in 1996. The total population on census night was 3,626,087.

Population by Age and Sex, 1996

Age	Males		Females		Total	
	Number	%age	Number	%age	Number	%age
0-4	128,740	7.2	121,654	6.7	250,394	6.9
5-9	145,335	8.1	137,608	7.5	282,943	7.8
10-14	167,377	9.3	158,710	8.7	326,087	9.0
15-19	173,950	9.7	165,586	9.1	339,536	9.4
20-24	149,143	8.3	144,211	7.9	293,354	8.1
25-29	129,363	7.2	129,682	7.1	259,045	7.1
30-34	127,735	7.1	133,194	7.3	260,929	7.2
35-39	126,140	7.0	129,536	7.1	255,676	7.1
40-44	120,064	6.7	120,377	6.6	240,441	6.6
45-49	113,816	6.3	111,584	6.1	225,400	6.2
50-54	94,818	5.3	91,829	5.0	186,647	5.1
55-59	77,809	4.3	75,998	4.2	153,807	4.2
60-64	68,690	3.8	69,256	3.8	137,946	3.8
65-69	60,256	3.3	66,553	3.6	126,809	3.5
70-74	50,124	2.8	62,418	3.4	112,542	3.1
75-79	35,228	2.0	48,869	2.7	84,097	2.3
80-84	21,074	1.2	34,697	1.9	55,771	1.5
85+	10,570	0.6	24,093	1.3	34,663	1.0
TOTAL	1,800,232	49.6	1,825,855	50.4	3,626,087	100.0

Population Distribution by Age and Sex, 1996



Source: Central Statistics Office

Health Services Data

In the period covered by this report, the public health service in Ireland was administered through eight regional health boards. Acute hospital services are provided by health board and voluntary hospitals. The health board hospitals are managed by the health boards while voluntary hospitals are owned and operated by religious orders or incorporated by charter and work under lay boards of governors. Both types of hospitals are funded by the State. The following table gives the number of hospitals, the average number of in-patient beds available and the number of discharges by type of hospital. Long stay units and psychiatric hospitals are not included in these figures. Data on private health care are not readily available.

Acute Public Hospitals Summary Statistics, 1998

Type of Hospital	Number of Hospitals	Average Number of In-Patient Beds Available*	Number of Discharges*
Health Board	37	6,817	334,985
Voluntary	23	4,971	202,856
Total	60	11,788	537,841
per 100,000 population	1.6	318	14,517

Source: Department of Health and Children: In-Patient Activity System.

*Provisional figures.

The total number of whole-time equivalent personnel employed in the operation and administration of the public health service in 1998 was 69,727. The numbers employed in the medical/dental, nursing and paramedical professions are shown in the table below. The rate per 100,000 population for each of the categories is also given. The figures do not include general practitioners. In 1998 there were 1,629 GP's paid on a fee-per-panel patient basis for the provision of services to those entitled to free GP services. The number of health professionals employed in the provision of private health care is not available.

Employment of Medical/Dental, Nursing and Para-Medical Personnel in the Public Health Services, 1998

Profession	Numbers Employed	Per 100,000 Population
Medical/Dental	5,153	139
Nursing	26,695	721
Paramedical	6,423	173
Total	38,271	1,033

Source: Department of Health and Children: Personnel Census System

Note: Numbers refer to whole-time equivalents

Accidents in Ireland

Deaths from Accidents

Provisional figures for 1999 show that there were 1,240 deaths resulting from accidents. The principal causes were motor vehicle traffic accidents (398 deaths, 32%) and accidental falls (289 deaths, 23%). Accidents accounted for almost 4% of all deaths and ranked fourth after cardiovascular disease, cancer and respiratory system diseases.

For deaths to persons less than 45 years of age (excluding infant deaths), accidents were the principal cause of death and were responsible for almost 32% of all deaths in that age group. The most common cause of accidental death in this age group was motor vehicle traffic accidents (259 deaths, 48.5%). Accidental poisoning ranked second (73 deaths, 13.7%) and accidental drowning ranked third (41 deaths, 7.7%).

The table below sets out frequencies and percentages for principal causes of death in 1999.

**Principal Causes of Death, 1999 for All Ages
and for Persons Aged 1-44 Years**

Cause of Death	All Ages	Percent	1-44 Years	Percent
Circulatory Diseases	12,996	41.0	192	11.5
Cancer	7,454	23.5	334	20.0
Respiratory Diseases	5,204	16.4	44	2.6
Accidents	1,240	3.9	534	31.9
Other Causes	4,789	15.1	568	34.0
Total	31,683	100.0	1,672	100.0

Note: All figures are provisional based on year of registration.

Hospitalisation from Accidents

The Hospital In-Patient Enquiry (HIPE) system shows that in 1999, over 9.8% of hospital in-patient discharges were attributable to accidental injuries. This figure is considerably higher for the younger age groups as shown in the table below.

Hospitalisation due to Accidents Number and Percentage of Total, 1999

	1-14 years	15-24 years	25-44 years	All Ages
Accidents	9,025	9,361	10,530	46,778
% of Total Discharges	16.1	15.6	8.3	9.8

Source: Hospital In-Patient Enquiry, 1999.

Note: The HIPE system has approximately 96% coverage of acute hospital in-patient discharges.

The EHLASS Survey

Origins and Purpose of EHLASS

The EHLASS survey was set up in April 1986 as a five-year demonstration project. The objective was to monitor home and leisure accidents in a harmonised manner, throughout the EU, to determine their causes, the circumstances of their occurrence, their consequences and, most importantly, to provide information on consumer products involved. Armed with accurate information, it was felt that consumer policy could be directed at the most serious problems and the best use could be made of available resources.

Data collection systems were set up for the collection of EHLASS data in the casualty departments of selected hospitals in each of the member states. The information was subsequently gathered together by the European Commission in Brussels. Extensive analysis was undertaken on 778,838 accidents reported throughout the EU. Centralised analysis of EHLASS data proved problematic due to lack of co-ordination in data quality. In 1989 it was decided that each member state should produce its own annual EHLASS report in a harmonised format specified by the European Commission. This report is the ninth such report for Ireland.

EHLASS in Ireland

Data collection began in Ireland in April, 1986 in Cork University Hospital and Mayo General Hospital, Castlebar. Two people are employed in each of these hospitals to carry out the collection of the data and the coding of the forms. The task is performed by nurses in Cork University Hospital and in Mayo General Hospital the work is carried out by clerical staff. In addition, the Hospital Administrator, the Medical Records Officer and Casualty staff in each hospital assist in overseeing the data collection process. The completed forms are sent to the Department of Health and Children where they are individually checked for completeness and validity. The checked forms are sent to an external agency for keying into a computer file. Further validations are carried out to prevent errors being included in the annual report.

There are guidelines as to which cases are to be included in EHLASS and there is a set coding methodology used in the data capture process. These have been set down by the EU and have been followed throughout in the collection of EHLASS data. Essentially EHLASS includes all home and leisure accidents where the persons involved sought treatment at the casualty department of either of the two hospitals involved in the survey. Excluded from the survey are accidents on the road, accidents at work, suicide attempts and intentionally inflicted injuries through acts of violence (except in the case of fights between children under 10).

The two participating hospitals in Ireland reported on 7,980 EHLASS accidents in 1999. Cork University Hospital reported 5,915 accidents while Mayo General Hospital reported the remaining 2,065 (see table on page 5). The two hospitals have different types of catchment areas. Mayo General serves a large, predominately rural area while Cork University operates in the suburbs of a city.

Although the two hospitals together serve a reasonably varied urban/rural population base, these areas are not sufficiently definable or representative to arrive at national estimates or to calculate relative risks. The inclusion of a hospital in Dublin, the main urban area, in the survey would help resolve this problem. Nevertheless, EHLASS data is very valuable in showing the distribution of accidents and their consequent injuries and in identifying products with high risks.

Hospitals Participating in the EHLASS Survey, 1999


HOSPITAL	Average Number of In-Patient Beds Available*	Number of Discharges*	EHLASS Accidents Reported
Cork University	539	25,864	5,915
Mayo General	217	14,777	2,065

Source: Department of Health and Children: In-Patient Activity System.


*Provisional figures.

Accidents by Age Group and Sex.


Accident Distribution by Age, 1999 Males



Accident Distribution by Age, 1999 Females



Accident Distribution Male/Female Split by Age 1999




Estimation of National Totals

Reliable estimates of total home and leisure accidents occurring in Ireland cannot be based on the present EHLASS survey results. While it is thought that the hospitals involved in the survey represent a reasonable cross-section of urban and rural communities, the size of each hospital's catchment area is not sufficiently precise to allow for the extrapolation of the data to produce national estimates.


It is hoped that further specification of catchment areas and/or the addition of a representative hospital in the Dublin area to the EHLASS survey may make the determination of national estimates of accidents and relative risk feasible in future reports.

Accidents by Month, Day and Time

Distribution of Accidents by Month, 1999




Distribution of Accidents by Day of Week, 1999




Accident Mechanism

Percentage Distribution of Most Frequent Mechanisms, 1999




Accident Mechanism by Age - Males

Percentage Distribution of Most Frequent Mechanisms, 1999




Accident Mechanism by Age - Females

Percentage Distribution of Most Frequent Mechanisms, 1999




Place of Occurrence of Accidents


Percentage Distribution of Most Frequent Places, 1999



Place of Accident by Age - Males Percentage Distribution of Most Frequent Places, 1999




Place of Accident by Age - Males Percentage Distribution of Most Frequent Places, 1999




Activity at Time of Accident


Percentage Distribution of Most Frequent Activities, 1999



Activity by Age - Males Percentage Distribution of Most Frequent Activities 1999




Activity by Age - Females Percentage Distribution of Most Frequent Activities 1999




Type of Injury Sustained


Percentage Distribution of Most Frequent Injuries, 1999



Principal Injury Diagnosis by Age - Males
Percentage Distribution of Most Frequent Injuries 1999




Principal Injury Diagnosis by Age - Females
Percentage Distribution of Most Frequent Injuries 1999




Part of Body Injured


Percentage Distribution of Most Frequent Parts of the Body Injured, 1999



Part of Body Injured by Age - Males
Percentage Distribution of Most Frequent Body Parts Injured, 1999




Part of Body Injured by Age - Females
Percentage Distribution of Most Frequent Body Parts Injured, 1999




Type of Treatment


Percentage Distribution of Treatments, 1999



Type of Treatment by Age - Males Percentage Distribution of Treatments, 1999




Type of Treatment by Age - Females Percentage Distribution of Treatments, 1999




Hospitalisation

Distribution of Accidents Resulting in Hospitalisation by Length of Stay in Days, 1999




Average Length of Stay in Days by Age Group, 1999




**Accident Mechanism:
Length of Stay and Hospitalisation Rate**

**Average Length of Stay
by Accident Mechanism, 1999**




**Hospitalisation Rate per 100 Accidents
by Accident Mechanism, 1999**




Type of Injury: Length of Stay and Hospitalisation Rate

Average Length of Stay by Type of Injury, 1999



Hospitalisation Rate per 100 Accidents by Type of Injury, 1999



Products Involved in Accidents

The twenty most common product groups involved in accidents ranked by accident frequency and also showing percentage of all accidents, hospitalisation rates and average length of stay in days.

DESCRIPTION OF PRODUCT GROUPING	EHLASS CODE	NUMBER OF ACCIDENTS	PERCENT OF ALL ACCIDENTS	HOSPITALISATION RATE	AVERAGE LENGTH OF STAY
Tennis, windsurfing, swimming etc.	51	2607	32.69	5.87	2.10
House building elements	7	1117	14.00	14.32	2.37
Clothing, sportswear	5	631	7.91	8.40	1.96
Household furniture	23	443	5.55	14.00	2.48
Floor, footpath, street, water	34	380	4.76	8.68	2.64
Vehicles, car accessories, boats, bikes	45	363	4.55	15.15	1.95
Sports articles	52	274	3.44	12.41	2.50
'Do-it-yourself' equipment	10	180	2.26	16.11	3.31
Food, hot liquids	16	149	1.87	22.15	5.91
Animals and animal accessories	37	140	1.76	16.43	1.87
Kitchen utensils, electric household	25	136	1.71	8.82	3.83
Fair, playground	42	128	1.60	21.09	1.48
Athletics, boxing, golf, horse riding etc.	50	122	1.53	5.74	1.57
Building materials, insulation, wood	11	112	1.40	7.14	2.50
Splinters, dust particles	13	85	1.07	1.18	1.00
Floors, inside coverings, stairs	22	83	1.04	10.84	2.67
Plants, trees	38	76	0.95	17.11	2.85
Medicines and medical devices	32	70	0.88	44.29	1.90
Containers, wrappings	8	67	0.84	2.99	1.50
Heating equipment	20	65	0.81	16.92	3.18
Other product codes	98	479	6.01	13.36	3.91
Unknown	99	273	3.42	17.58	3.08
Total		7980	100.05	10.88	2.42

Products Causing Injuries

The twenty most common product groups causing injuries ranked by accident frequency and also showing percent of all accidents, hospitalisation rates and average length of stay in days.

DESCRIPTION OF PRODUCT GROUPING	EHLASS CODE	NUMBER OF ACCIDENTS	PERCENT OF ALL ACCIDENTS	HOSPITALISATION RATE	AVERAGE LENGTH OF STAY
Tennis, windsurfing, swimming etc.	51	2621	32.86	5.88	2.08
House building elements	7	1128	14.14	14.18	2.36
Clothing, sportswear	5	624	7.82	8.49	1.79
Household furniture	23	427	5.35	13.35	2.63
Floor, footpath, street, water	34	394	4.94	10.15	2.48
Vehicles, car accessories, boats, bikes	45	356	4.46	15.17	2.02
Sports articles	52	276	3.46	12.32	2.50
'Do-it-yourself' equipment	10	172	2.16	15.12	3.27
Food, hot liquids	16	152	1.91	20.39	4.97
Animals and animal accessories	37	140	1.76	16.43	1.87
Kitchen utensils, electric household	25	132	1.65	7.58	6.00
Fair, playground	42	127	1.59	21.26	1.48
Athletics, boxing, golf, horse riding etc.	50	124	1.55	5.65	1.57
Building materials, insulation, wood	11	112	1.4	8.04	2.33
Floors, inside coverings, stairs	22	96	1.2	14.58	2.14
Splinters, dust particles	13	89	1.12	1.12	1.00
Plants, trees	38	75	0.94	16.00	2.92
Medicines and medical devices	32	70	0.88	44.29	1.90
Heating equipment	20	69	0.87	17.39	5.17
Containers, wrappings	8	68	0.85	2.94	1.50
Other product codes	98	467	5.86	13.70	3.97
Unknown	99	261	3.27	18.01	3.13
Total		7980	100.05	10.88	2.43

Products Involved in Accidents

The twenty most common product groups involved in accidents ranked by accident frequency and distributed by age group








PRODUCT INVOLVED IN ACCIDENT	< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL
Clothing or sportswear	1	4	154	356	110	4	2	631
House building elements	9	196	205	221	235	123	128	1117
Containers, wrappings	-	7	4	14	23	13	6	67
DIY equipment	1	7	8	28	56	53	27	180
Building materials, insulation, wood	1	9	15	30	22	16	19	112
Splinters, dust, other particles	-	1	6	19	37	17	5	85
Food, hot-liquids	1	27	12	34	29	27	19	149
Heating equipment	-	24	13	10	10	4	4	65
Floor, inside coverings, stairs	1	10	14	13	16	6	23	83
Household furniture	11	166	75	31	52	38	70	443
Kitchen utensils, household electricity	2	13	15	40	39	22	5	136
Medicines, medical devices	-	46	5	6	8	3	2	70
Floor, footpath, street, water	-	33	82	63	89	61	52	380
Animals, animal accessories	-	12	37	14	26	36	15	140
Plants, trees	-	5	43	4	12	10	2	76
Fairs, playgrounds	-	32	88	5	2	1	-	128
Vehicles, boats, bikes & accessories	-	33	167	75	51	24	13	363
Athletics, boxing, golf, horse riding etc.	-	1	24	54	25	13	5	122
Tennis, swimming, windsurfing etc.	-	10	696	1279	557	44	21	2607
Sports articles	-	1	54	116	74	22	7	274
Other product	21	105	78	85	96	57	37	479
No product stated	7	42	111	34	26	26	27	273
TOTAL	55	784	1906	2531	1595	620	489	7980

Products Causing Injuries

The twenty most common product groups causing injuries ranked by accident frequency and distributed by age group

PRODUCT CAUSING THE ACCIDENT	AGE GROUPS								ALL
	< 1	1-4	5-14	15-24	25-44	45-64	65+	%	
Clothing or sportswear	-	4	153	352	109	5	1	624	
House building elements	17	201	212	215	228	126	129	1128	
Containers, wrappings	-	7	4	14	23	13	7	68	
DIY equipment	1	6	7	26	56	50	26	172	
Building materials, insulation, wood	1	9	15	32	22	15	18	112	
Splinters, dust, other particles	-	1	6	22	37	18	5	89	
Food, hot-liquids	2	28	12	39	30	23	18	152	
Heating equipment	-	24	13	9	12	6	5	69	
Floor, inside coverings, stairs	4	15	15	14	18	6	24	96	
Household furniture	7	158	74	32	48	40	68	427	
Kitchen utensils, household electricity	1	14	14	37	39	22	5	132	
Medicines, medical devices	-	46	5	6	8	3	2	70	
Floor, footpath, street, water	1	36	87	68	89	60	53	394	
Animals, animal accessories	-	12	37	14	26	36	15	140	
Plants, trees	-	5	44	4	11	9	2	75	
Fairs, playgrounds	-	32	87	5	2	1	-	127	
Vehicles, boats, bikes & accessories	-	32	165	72	51	23	13	356	
Athletics, boxing, golf, horse riding etc.	-	1	25	54	26	13	5	124	
Tennis, swimming, windsurfing etc.	1	11	696	1279	568	45	21	2621	
Sports articles	-	1	55	117	73	23	7	276	
Other product	15	104	72	86	93	57	40	467	
No product stated	5	37	108	34	26	26	25	261	
TOTAL	55	784	1906	2531	1595	620	489	7980	

Selected Product Groups Broken Down by Type of Injury



Key Facts, Comments and Conclusions

These comments are intended to highlight important features of the data. They are presented in the same order as the chapter headings in the main body of the report.

Accidents by Age Group and Sex

The male to female ratio of accidents in the report was 68.5% male to 31.5% female (p. 7). The male to female breakdown in 1999 was 5467 accidents to males and 2513 accidents to females. This is consistent with previous years. A large portion of accidents occurred to people in the age groups below the age of 25 years. 67.3% of male victims and 55.5% of female victims were in these age groups. In the 75 years and older age bracket, more females were involved in accidents than males (3.2% females : 2.1% males).

Accidents by Month, Day and Time

Fewer accidents were recorded during the winter months (p. 8). More accidents are reported early in the week. These statistics only refer to day of attendance at hospital and do not necessarily reflect the distribution of the day of occurrence of the accidents.

Accident Mechanism

The 'struck/hit' mechanism category accounted for over 40% of all accidents recorded (p. 9). This varied according to sex, 48% for males but only 23% for females. Likewise, 55% of accidents involving females were due to falls compared to 31% in males. The age distribution for falls shows significantly higher risks in the very young and very old age groups for both sexes with falls accounting for three out of every four accident to women in the 65+ age bracket and for both sexes in the under 1 age group.

Place of Occurrence

The most frequently reported place of occurrence of home and leisure accidents in 1999 was the 'sports area' (p. 10). In the 15-24 age group approximately 77% of male and 41% of female accidents happened in a 'sports area'. However, for the very young and very old 'in the home' and 'around the home' are by far the more frequent places of occurrence and also account for over 63% of all accidents to females.

Activity at Time of Accident

Once again sports rank as the most frequent activity associated with accidents (p. 11). sporting activities were involved in over 53% of all accidents to males and for over 76% of males in the 15-24 age group. Not surprisingly, among the very young the play and leisure category accounts for most accidents.

Type of Injury Sustained

As in earlier years, contusions/bruises account for around one in four injuries sustained and this is consistently high in all age groups for both sexes (p. 12). Fractures occurred in a third of injuries treated in women aged 65 years of age and over.

Part of Body Injured

Injuries to the limbs account for nearly 70% of the total for all age groups and for both sexes. The exception to this general trend occurs to children aged less than 5 years where most injuries are to the head and face (p. 13).

Type of Treatment

Around 35% of home and leisure accidents were categorised as 'minor' while fewer than 11% required hospitalisation. Over 53% received some treatment and were then released. The percentages hospitalised are higher for the younger and older age groups (p. 14). No deaths were reported in 1999.

Hospitalisation

868 patients were hospitalised of the 7,980 cases reported. Over 53% of hospitalised patients were discharged after only 1 day giving a median length of stay was 1 day and the mean length of stay was 2.6 days. The average length of stay was significantly higher for the very old (p. 15).

The accident mechanism 'Hot Object' resulted in the longest average length of stay of just under 10 days. 1 of 3 strangulation victims was hospitalised resulting in the highest hospitalisation rate of 33%. The highest mean length of stay for Type of Injury was 7.5 days for 'burns/scalds'. Crushing/amputation had the highest hospitalisation rate of 60 per 100 accidents (p. 17).

Products Involved in Accident/Causing Injury

Sports articles, sports products (i.e. tennis, wind-surfing, swimming etc.) and house building elements (i.e. doors, glass, stairs etc.), combined, were involved in a third of all accidents and caused nearly a third of all injuries (pp. 18-21). Injuries caused by medicines and medical devices had the highest hospitalisation rate of 44 per 100 accidents though the longest average length of stay of 6 days was for injuries caused by kitchen utensil and electrical and household objects. Product groupings are associated with different patterns of injury types as shown in a selection of bar charts presented on page 22.

The Appendices present a more detailed analysis of the data for each of the variables listed above by age group and sex.

Accident Prevention Initiatives

Health Promotion Structure

A National Health Promotion structure was established by the Government in 1988 in recognition of the fact that the provision of information and education on health needed to be supported by an environment that made healthy choices easier for people. The creation of such an environment requires the co-operation of many sectors other than the traditional health sector. The prevention of accidents is a good example of an area that requires such a multi-sectoral approach.

The National Health Promotion structure consists of the following elements: -

Health Promotion Unit - the national executive unit for health promotion located within the Department of Health and Children.

National Consultative Committee on Health Promotion - chaired by the Minister of State at the Department of Health and Children.

University Chair of Health Promotion - involved in multi-disciplinary research and teaching programmes in health promotion.

The National Health Strategy

In April 1994 the Minister for Health launched a comprehensive National Health Strategy in which accidents are identified as one of the main causes of premature mortality in Ireland.

Road traffic accidents are by far the most common cause of accidental deaths, and the risk factors include alcohol consumption, road and vehicle safety and driver behaviour. Accidental deaths and injuries also arise as a result of reducible risk factors in the home, in the workplace and in leisure activities. There has been a welcome decreasing trend in accidental deaths which, across age groups as a whole, fell by about 37 per cent over the past twenty years. This level of reduction is broadly similar to the rate of decline which was set by the World Health Organisation as a target in the mid 1980's i.e. a reduction of at least 25 per cent by the year 2000.

The Health Promotion Strategy

A new Health Promotion Strategy will be published later this year. The purpose of this new health promotion strategy will be to set out a broad policy framework within which action can be carried out at an appropriate level to advance strategic aims and objectives. This strategy aims to promote a holistic approach to health in Ireland.

One of the strategic aims will focus on safety and injury prevention. The specific aim will be to contribute to a reduction in the percentage of the population affected by fatal and nonfatal injuries.

The Objectives will be:

- ? To work in partnership to promote safety and injury prevention especially amongst children and older people.
- ? To support the implementation of the recommendations in the Government Strategy, The Road to Safety 1998-2002 and A National Alcohol Policy.

Specific Initiatives

The Health Promotion Unit has produced or supported the production of a number of educational resources aimed at preventing accidents.

Play it Safe: a guide to preventing children's accidents.

A First Aid Calendar giving information on what to do in the event of an accident.

A Back Care booklet aimed at preventing back injury.

A new information booklet for professionals, *Childcare and SIDS*, and an accompanying leaflet for the general public *Caring for your Child* were launched in 1999. The booklet was produced by the Irish Sudden Infant Death Association and funded by the Health Promotion Unit. The leaflet is included in the Bounty Pack that is distributed to all new mothers in Maternity Hospitals.

National Accident Forum

The Office for Health Gain (representing the Chief Executive Officers of the health boards) established a National Accident Forum in 1996. Its aim is to facilitate a co-ordinated approach to accident prevention at national and regional level by collaboration and co-operation among agencies with a role in accident prevention and by raising the profile and scope of injury prevention. The Health Promotion Unit is represented on the Forum.

The Forum is running a National Medicines Safety Campaign which addresses childhood poisoning. The campaign consists of guidelines published by the Pharmaceutical Society of Ireland. These stipulate that it is now a professional requirement that Child Resistant Containers should always be used for both solid dose and liquid medicines.

Two sub-groups of this Forum have been set up - one working on the issue of Accidents Among Older People and one on Accidents Among Young People.

Use of EHLASS Data

EHLASS provides a harmonised approach throughout the EU to facilitate the analyses of inter-country differences in modes and distributions of home and leisure accidents. EHLASS contributes to the formulation of EU policies and initiatives on accidents and product safety. EHLASS is the only source of detailed information on home and leisure accidents in Ireland. Some general information is available through the Hospital In-Patient Enquiry (HIPE) system but this concentrates on medical diagnoses rather than on specific causes of accidents

This report is the ninth national EHLASS report for Ireland. These reports are aids to identifying those more likely to be at risk of being involved in home and leisure accidents and the products and activities most likely to be associated with these events. This can facilitate the targeting of suitable areas for accident prevention initiatives.

The following current areas of use can be identified:

input into Health Promotion initiatives;

- ? provision of data to domestic consumer organisations;
- ? analyses for international comparisons;
- ? determination of impact of accidents on the Health Services;
- ? identification of dangerous products.

Improvements to EHLASS

A review of EHLASS, aimed at updating and improving the usefulness and homogeneity of EHLASS data, is ongoing. An improved classification system is being designed and expanded so it may also be used to capture information on other types of accident and emergency activities. This will provide member states the option of using standard classification systems to obtain an overview of all cases attending casualty departments.

At home, the extension of EHLASS to an acute hospital in the Dublin urban area is an objective. A new working group to consider the complete picture of accident surveillance has recently been set up to consider where EHLASS and accident surveillance in general should progress from its current position.

Appendices

The following pages contain detailed tables of the results of the EHLASS data collection process in Ireland for 1999.

Each of the major fields of data is tabulated. The tables are broken down into male and female summaries with totals given in each case for both sexes. Every table is subdivided into age groups and a total is given for all age groups.

Within each category the actual number of accidents reported is given as the Frequency. The Row % is the percentage of the total number of accidents in that category for each of the age groups. The Column % represents the percentage of accidents that the category in question represents for the given age group in relation to all categories. The number of accidents reported for each age group within a category is also expressed as a percentage of the total number of accidents recorded (% of Total).

Tables are given for the following categories:

Accident Mechanism;

Place of Occurrence;

Activity at Time of Accident;

Principal Injury Diagnosis;

Part of Body Injured;

Treatment and Follow-up;

Product Involved in Accident;

Product Causing Injury.

Accident Mechanism (Males)

		Age Groups							
		All Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Fall	Frequency	21	230	481	422	320	145	86	1705
	Row %	1.23	13.49	28.21	24.75	18.77	8.50	5.04	100.00
	Column %	80.77	50.77	38.48	20.50	26.78	45.89	51.19	31.19
	% of Total	0.38	4.21	8.80	7.72	5.85	2.65	1.57	31.19
Strain	Frequency	-	4	30	162	97	8	4	305
	Row %	-	1.31	9.84	53.11	31.80	2.62	1.31	100.00
	Column %	-	0.88	2.40	7.87	8.12	2.53	2.38	5.58
	% of Total	-	0.07	0.55	2.96	1.77	0.15	0.07	5.58
Cut/Pierce	Frequency	-	20	40	83	85	38	19	285
	Row %	-	7.02	14.04	29.12	29.82	13.33	6.67	100.00
	Column %	-	4.42	3.20	4.03	7.11	12.03	11.31	5.21
	% of Total	-	0.37	0.73	1.52	1.55	0.70	0.35	5.21
Struck/ Hit	Frequency	3	72	615	1298	559	51	25	2623
	Row %	0.11	2.74	23.45	49.49	21.31	1.94	0.95	100.00
	Column %	11.54	15.89	49.20	63.04	46.78	16.14	14.88	47.98
	% of Total	0.05	1.32	11.25	23.74	10.22	0.93	0.46	47.98
Jammed/Pinched	Frequency	-	43	38	35	46	26	13	201
	Row %	-	21.39	18.91	17.41	22.89	12.94	6.47	100.00
	Column %	-	9.49	3.04	1.70	3.85	8.23	7.74	3.68
	% of Total	-	0.79	0.70	0.64	0.84	0.48	0.24	3.68
Explosion	Frequency	-	-	-	-	1	1	-	2
	Row %	-	-	-	-	50.00	50.00	-	100.00
	Column %	-	-	-	-	0.08	0.32	-	0.04
	% of Total	-	-	-	-	0.02	0.02	-	0.04

(Continued)

Accident Mechanism (Males)

		Age Groups								
		All Age, Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
Other Contacts	Frequency	-	2	5	4	12	4	2	29	
	Row %	-	6.90	17.24	13.79	41.38	13.79	6.90	100.00	
	Column %	-	0.44	0.40	0.19	1.00	1.27	1.19	0.53	
	% of Total	-	0.04	0.09	0.07	0.22	0.07	0.04	0.53	
Foreign Body, Ingestion of, etc.	Frequency	1	13	11	22	38	21	9	115	
	Row %	0.87	11.30	9.57	19.13	33.04	18.26	7.83	100.00	
	Column %	3.85	2.87	0.88	1.07	3.18	6.65	5.36	2.10	
	% of Total	0.02	0.24	0.20	0.40	0.70	0.38	0.16	2.10	
Strangulation	Frequency	-	1	-	-	1	-	-	2	
	Row %	-	50.00	-	-	50.00	-	-	100.00	
	Column %	-	0.22	-	-	0.08	-	-	0.04	
	% of Total	-	0.02	-	-	0.02	-	-	0.04	
Respiratory Obstruction	Frequency	-	-	-	1	-	-	-	1	
	Row %	-	-	-	100.00	-	-	-	100.00	
	Column %	-	-	-	0.05	-	-	-	0.02	
	% of Total	-	-	-	0.02	-	-	-	0.02	
Poisoning	Frequency	1	41	7	12	7	5	2	75	
	Row %	1.33	54.67	9.33	16.00	9.33	6.67	2.67	100.00	
	Column %	3.85	9.05	0.56	0.58	0.59	1.58	1.19	1.37	
	% of Total	0.02	0.75	0.13	0.22	0.13	0.09	0.04	1.37	
Chemical Exposure	Frequency	-	-	1	-	3	-	1	5	
	Row %	-	-	20.00	-	60.00	-	20.00	100.00	
	Column %	-	-	0.08	-	0.25	-	0.60	0.09	
	% of Total	-	-	0.02	-	0.05	-	0.02	0.09	

(Continued)

Accident Mechanism (Males)

		Age Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups	
Hot Liquid	Frequency	-	15	6	6	8	3	2	40	
	Row %	-	37.50	15.00	15.00	20.00	7.50	5.00	100.00	
	Column %	-	3.31	0.48	0.29	0.67	0.95	1.19	0.73	
	% of Total	-	0.27	0.11	0.11	0.15	0.05	0.04	0.73	
Hot Object	Frequency	-	5	1	-	4	2	-	12	
	Row %	-	41.67	8.33	-	33.33	16.67	-	100.00	
	Column %	-	1.10	0.08	-	0.33	0.63	-	0.22	
	% of Total	-	0.09	0.02	-	0.07	0.04	-	0.22	
Fire	Frequency	-	1	5	4	7	5	-	22	
	Row %	-	4.55	22.73	18.18	31.82	22.73	-	100.00	
	Column %	-	0.22	0.40	0.19	0.59	1.58	-	0.40	
	% of Total	-	0.02	0.09	0.07	0.13	0.09	-	0.40	
Light/Other Radiation	Frequency	-	-	1	2	1	-	1	5	
	Row %	-	-	20.00	40.00	20.00	-	20.00	100.00	
	Column %	-	-	0.08	0.10	0.08	-	0.60	0.09	
	% of Total	-	-	0.02	0.04	0.02	-	0.02	0.09	
Electricity	Frequency	-	-	-	-	-	1	-	1	
	Row %	-	-	-	-	-	100.00	-	100.00	
	Column %	-	-	-	-	-	0.32	-	0.02	
	% of Total	-	-	-	-	-	0.02	-	0.02	
Other Mechanism Specified	Frequency	-	6	9	8	6	6	4	39	
	Row %	-	16.67	19.44	19.44	16.67	16.67	11.11	100.00	
	Column %	-	1.32	0.72	0.39	0.50	1.90	2.38	0.72	
	% of Total	-	0.11	0.17	0.15	0.11	0.11	0.07	0.72	

(Continued)

Accident Mechanism (Males)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age, Groups
Total	Frequency	26	453	1250	2059	1195	316	168	5467
	Row %	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00

Accident Mechanism (Females)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
Fall	Frequency	21	175	370	182	203	190	249	1390
	Row %	1.51	12.59	26.62	13.09	14.60	13.67	17.91	100.00
	Column %	72.41	52.87	56.40	38.56	50.75	62.50	77.57	55.31
	% of Total	0.84	6.96	14.72	7.24	8.08	7.56	9.91	55.31
Strain	Frequency	-	2	12	28	31	10	4	87
	Row %	-	2.30	13.79	32.18	35.63	11.49	4.60	100.00
	Column %	-	0.60	1.83	5.93	7.75	3.29	1.25	3.46
	% of Total	-	0.08	0.48	1.11	1.23	0.40	0.16	3.46
Cut/Pierce	Frequency	-	16	28	28	26	28	11	137
	Row %	-	11.68	20.44	20.44	18.98	20.44	8.03	100.00
	Column %	-	4.83	4.27	5.93	6.50	9.21	3.43	5.45
	% of Total	-	0.64	1.11	1.11	1.03	1.11	0.44	5.45
Struck/ Hit	Frequency	4	50	181	184	91	35	31	576
	Row %	0.69	8.68	31.42	31.94	15.80	6.08	5.38	100.00
	Column %	13.79	15.11	27.59	38.98	22.75	11.51	9.66	22.92
	% of Total	0.16	1.99	7.20	7.32	3.62	1.39	1.23	22.92
Jammed/Pinched	Frequency	-	26	32	16	16	13	8	111
	Row %	-	23.42	28.83	14.41	14.41	11.71	7.21	100.00
	Column %	-	7.85	4.88	3.39	4.00	4.28	2.49	4.42
	% of Total	-	1.03	1.27	0.64	0.64	0.52	0.32	4.42
Explosion	Frequency	-	-	1	-	-	-	-	1
	Row %	-	-	100.00	-	-	-	-	100.00
	Column %	-	-	0.15	-	-	-	-	0.04
	% of Total	-	-	0.04	-	-	-	-	0.04

(Continued)

Accident Mechanism (Females)

	Age Groups								
	All Age,	< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups
Other Contacts	Frequency	-	3	6	-	2	5	3	19
	Row %	-	15.79	31.58	-	10.53	26.32	15.79	100.00
	Column %	-	0.91	0.91	-	0.50	1.64	0.93	0.76
	% of Total	-	0.12	0.24	-	0.08	0.20	0.12	0.76
Foreign Body, Ingestion of, etc.	Frequency	-	8	3	6	7	11	4	39
	Row %	-	20.51	7.69	15.38	17.95	28.21	10.26	100.00
	Column %	-	2.42	0.46	1.27	1.75	3.62	1.25	1.55
	% of Total	-	0.32	0.12	0.24	0.28	0.44	0.16	1.55
Strangulation	Frequency	-	-	-	1	-	-	-	1
	Row %	-	-	-	100.00	-	-	-	100.00
	Column %	-	-	-	0.21	-	-	-	0.04
	% of Total	-	-	-	0.04	-	-	-	0.04
Poisoning	Frequency	1	28	8	7	3	5	3	55
	Row %	1.82	50.91	14.55	12.73	5.45	9.09	5.45	100.00
	Column %	3.45	8.46	1.22	1.48	0.75	1.64	0.93	2.19
	% of Total	0.04	1.11	0.32	0.28	0.12	0.20	0.12	2.19
Hot Liquid	Frequency	2	15	5	8	8	3	3	44
	Row %	4.55	34.09	11.36	18.18	18.18	6.82	6.82	100.00
	Column %	6.90	4.53	0.76	1.69	2.00	0.99	0.93	1.75
	% of Total	0.08	0.60	0.20	0.32	0.32	0.12	0.12	1.75
Hot Object	Frequency	-	2	-	2	3	-	1	8
	Row %	-	25.00	-	25.00	37.50	-	12.50	100.00
	Column %	-	0.60	-	0.42	0.75	-	0.31	0.32
	% of Total	-	0.08	-	0.08	0.12	-	0.04	0.32

(Continued)

Accident Mechanism (Females)

		Age Groups								
										All Age,
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Fire	Frequency	-	1	2	3	3	-	4	13	
	Row %	-	7.69	15.38	23.08	23.08	-	30.77	100.00	
	Column %	-	0.30	0.30	0.64	0.75	-	1.25	0.52	
	% of Total	-	0.04	0.08	0.12	0.12	-	0.16	0.52	
Other Thermal Exposure	Frequency	-	-	1	2	1	-	-	4	
	Row %	-	-	25.00	50.00	25.00	-	-	100.00	
	Column %	-	-	0.15	0.42	0.25	-	-	0.16	
	% of Total	-	-	0.04	0.08	0.04	-	-	0.16	
Light/Other Radiation	Frequency	-	1	2	2	-	-	-	5	
	Row %	-	20.00	40.00	40.00	-	-	-	100.00	
	Column %	-	0.30	0.30	0.42	-	-	-	0.20	
	% of Total	-	0.04	0.08	0.08	-	-	-	0.20	
Electricity	Frequency	-	-	-	-	1	1	-	2	
	Row %	-	-	-	-	50.00	50.00	-	100.00	
	Column %	-	-	-	-	0.25	0.33	-	0.08	
	% of Total	-	-	-	-	0.04	0.04	-	0.08	
Other Mechanism Specified	Frequency	1	4	4	3	4	3	-	19	
	Row %	5.26	21.05	21.05	15.79	21.05	15.79	-	100.00	
	Column %	3.45	1.21	0.61	0.64	1.00	0.99	-	0.76	
	% of Total	0.04	0.16	0.16	0.12	0.16	0.12	-	0.76	
Not Known	Frequency	-	-	1	-	1	-	-	2	
	Row %	-	-	50.00	-	50.00	-	-	100.00	
	Column %	-	-	0.15	-	0.25	-	-	0.08	
	% of Total	-	-	0.04	-	0.04	-	-	0.08	

(Continued)

Accident Mechanism (Females)

	Age Groups								
	< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	All Age
Total	29	331	656	472	400	304	321	2513	
Row %	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	
Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
% of Total	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	

Accident Mechanism (Total)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
Fall	Frequency	42	405	851	604	523	335	335	3095
	Row %	1.36	13.09	27.50	19.52	16.90	10.82	10.82	100.00
	Column %	76.36	51.66	44.65	23.86	32.79	54.03	68.51	38.78
	% of Total	0.53	5.08	10.66	7.57	6.55	4.20	4.20	38.78
Strain	Frequency	-	6	42	190	128	18	8	392
	Row %	-	1.53	10.71	48.47	32.65	4.59	2.04	100.00
	Column %	-	0.77	2.20	7.51	8.03	2.90	1.64	4.91
	% of Total	-	0.08	0.53	2.38	1.60	0.23	0.10	4.91
Cut/Pierce	Frequency	-	36	68	111	111	66	30	422
	Row %	-	8.53	16.11	26.30	26.30	15.64	7.11	100.00
	Column %	-	4.59	3.57	4.39	6.96	10.65	6.13	5.29
	% of Total	-	0.45	0.85	1.39	1.39	0.83	0.38	5.29
Struck/ Hit	Frequency	7	122	796	1482	650	86	56	3199
	Row %	0.22	3.81	24.88	46.33	20.32	2.69	1.75	100.00
	Column %	12.73	15.56	41.76	58.55	40.75	13.87	11.45	40.09
	% of Total	0.09	1.53	9.97	18.57	8.15	1.08	0.70	40.09
Jammed/Pinched	Frequency	-	69	70	51	62	39	21	312
	Row %	-	22.12	22.44	16.35	19.87	12.50	6.73	100.00
	Column %	-	8.80	3.67	2.02	3.89	6.29	4.29	3.91
	% of Total	-	0.86	0.88	0.64	0.78	0.49	0.26	3.91
Explosion	Frequency	-	-	1	-	1	1	-	3
	Row %	-	-	33.33	-	33.33	33.33	-	100.00
	Column %	-	-	0.05	-	0.06	0.16	-	0.04
	% of Total	-	-	0.01	-	0.01	0.01	-	0.04

(Continued)

Accident Mechanism (Total)

		Age Groups								
		All Age, Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
Other Contacts	Frequency	-	5	11	4	14	9	5	48	
	Row %	-	10.42	22.92	8.33	29.17	18.75	10.42	100.00	
	Column %	-	0.64	0.58	0.16	0.88	1.45	1.02	0.60	
	% of Total	-	0.06	0.14	0.05	0.18	0.11	0.06	0.60	
Foreign Body, Ingestion of, etc.	Frequency	1	21	14	28	45	32	13	154	
	Row %	0.65	13.64	9.09	18.18	29.22	20.78	8.44	100.00	
	Column %	1.82	2.68	0.73	1.11	2.82	5.16	2.66	1.93	
	% of Total	0.01	0.26	0.18	0.35	0.56	0.40	0.16	1.93	
Strangulation	Frequency	-	1	-	1	1	-	-	3	
	Row %	-	33.33	-	33.33	33.33	-	-	100.00	
	Column %	-	0.13	-	0.04	0.06	-	-	0.04	
	% of Total	-	0.01	-	0.01	0.01	-	-	0.04	
Respiratory Obstruction	Frequency	-	-	-	1	-	-	-	1	
	Row %	-	-	-	100.00	-	-	-	100.00	
	Column %	-	-	-	0.04	-	-	-	0.01	
	% of Total	-	-	-	0.01	-	-	-	0.01	
Poisoning	Frequency	2	69	15	19	10	10	5	130	
	Row %	1.54	53.08	11.54	14.62	7.69	7.69	3.85	100.00	
	Column %	3.64	8.80	0.79	0.75	0.63	1.61	1.02	1.63	
	% of Total	0.03	0.86	0.19	0.24	0.13	0.13	0.06	1.63	
Chemical Exposure	Frequency	-	-	1	-	3	-	1	5	
	Row %	-	-	20.00	-	60.00	-	20.00	100.00	
	Column %	-	-	0.05	-	0.19	-	0.20	0.06	
	% of Total	-	-	0.01	-	0.04	-	0.01	0.06	

(Continued)

Accident Mechanism (Total)

		Age Groups								
										All Age,
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Hot Liquid	Frequency	2	30	11	14	16	6	5	84	
	Row %	2.38	35.71	13.10	16.67	19.05	7.14	5.95	100.00	
	Column %	3.64	3.83	0.58	0.55	1.00	0.97	1.02	1.05	
	% of Total	0.03	0.38	0.14	0.18	0.20	0.08	0.06	1.05	
Hot Object	Frequency	-	7	1	2	7	2	1	20	
	Row %	-	35.00	5.00	10.00	35.00	10.00	5.00	100.00	
	Column %	-	0.89	0.05	0.08	0.44	0.32	0.20	0.25	
	% of Total	-	0.09	0.01	0.03	0.09	0.03	0.01	0.25	
Fire	Frequency	-	2	7	7	10	5	4	35	
	Row %	-	5.71	20.00	20.00	28.57	14.29	11.43	100.00	
	Column %	-	0.26	0.37	0.28	0.63	0.81	0.82	0.44	
	% of Total	-	0.03	0.09	0.09	0.13	0.06	0.05	0.44	
Other Thermal Exposure	Frequency	-	-	1	2	1	-	-	4	
	Row %	-	-	25.00	50.00	25.00	-	-	100.00	
	Column %	-	-	0.05	0.08	0.06	-	-	0.05	
	% of Total	-	-	0.01	0.03	0.01	-	-	0.05	
Light/Other Radiation	Frequency	-	1	3	4	1	-	1	10	
	Row %	-	10.00	30.00	40.00	10.00	-	10.00	100.00	
	Column %	-	0.13	0.16	0.16	0.06	-	0.20	0.13	
	% of Total	-	0.01	0.04	0.05	0.01	-	0.01	0.13	
Electricity	Frequency	-	-	-	-	1	2	-	3	
	Row %	-	-	-	-	33.33	66.67	-	100.00	
	Column %	-	-	-	-	0.06	0.32	-	0.04	
	% of Total	-	-	-	-	0.01	0.03	-	0.04	

(Continued)

Accident Mechanism (Total)

		Age Groups								
										All Age,
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Other Mechanism Specified	Frequency	1	10	13	11	10	9	4	58	%
	Row %	1.82	18.18	20.00	18.18	18.18	16.36	7.27	100.00	
	Column %	1.82	1.28	0.68	0.45	0.63	1.45	0.82	0.73	
	% of Total	0.01	0.13	0.16	0.14	0.13	0.11	0.05	0.73	
Not Known	Frequency	-	-	1	-	1	-	-	2	%
	Row %	-	-	50.00	-	50.00	-	-	100.00	
	Column %	-	-	0.05	-	0.06	-	-	0.03	
	% of Total	-	-	0.01	-	0.01	-	-	0.03	
Total	Frequency	55	784	1906	2531	1595	620	489	7980	%
	Row %	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00	
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% of Total	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00	

Place of Accident (Males)

		Age Groups								
										All Age,
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
In The Home	Frequency	20	337	168	151	195	87	70	1028	
	Row %	1.95	32.78	16.34	14.69	18.97	8.46	6.81	100.00	
	Column %	76.92	74.39	13.44	7.33	16.32	27.53	41.67	18.80	
	% of Total	0.37	6.16	3.07	2.76	3.57	1.59	1.28	18.80	
Around The Home	Frequency	5	82	251	109	122	73	40	682	
	Row %	0.73	12.02	36.80	15.98	17.89	10.70	5.87	100.00	
	Column %	19.23	18.10	20.08	5.29	10.21	23.10	23.81	12.47	
	% of Total	0.09	1.50	4.59	1.99	2.23	1.34	0.73	12.47	
Transport Area	Frequency	-	16	48	56	37	23	13	193	
	Row %	-	8.29	24.87	29.02	19.17	11.92	6.74	100.00	
	Column %	-	3.53	3.84	2.72	3.10	7.28	7.74	3.53	
	% of Total	-	0.29	0.88	1.02	0.68	0.42	0.24	3.53	
Work	Frequency	-	2	17	79	118	81	32	329	
Site/Agricultural Area	Row %	-	0.61	5.17	24.01	35.87	24.62	9.73	100.00	
	Column %	-	0.44	1.36	3.84	9.87	25.63	19.05	6.02	
	% of Total	-	0.04	0.31	1.45	2.16	1.48	0.59	6.02	
School Area	Frequency	-	3	33	11	-	-	-	47	
	Row %	-	6.38	70.21	23.40	-	-	-	100.00	
	Column %	-	0.66	2.64	0.53	-	-	-	0.86	
	% of Total	-	0.05	0.60	0.20	-	-	-	0.86	
Shop/Service Area	Frequency	-	3	4	6	5	2	1	21	
	Row %	-	14.29	19.05	28.57	23.81	9.52	4.76	100.00	
	Column %	-	0.66	0.32	0.29	0.42	0.63	0.60	0.38	
	% of Total	-	0.05	0.07	0.11	0.09	0.04	0.02	0.38	

(Continued)

Place of Accident (Males)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age, Groups
Sports Area	Frequency	-	7	679	1586	661	25	6	2964
	Row %	-	0.24	22.91	53.51	22.30	0.84	0.20	100.00
	Column %	-	1.55	54.32	77.03	55.31	7.91	3.57	54.22
	% of Total	-	0.13	12.42	29.01	12.09	0.46	0.11	54.22
Leisure Area	Frequency	-	3	43	56	53	25	6	186
	Row %	-	1.61	23.12	30.11	28.49	13.44	3.23	100.00
	Column %	-	0.66	3.44	2.72	4.44	7.91	3.57	3.40
	% of Total	-	0.05	0.79	1.02	0.97	0.46	0.11	3.40
Other Areas	Frequency	-	-	5	2	1	-	-	8
	Row %	-	-	62.50	25.00	12.50	-	-	100.00
	Column %	-	-	0.40	0.10	0.08	-	-	0.15
	% of Total	-	-	0.09	0.04	0.02	-	-	0.15
Not Known	Frequency	1	-	2	3	3	-	-	9
	Row %	11.11	-	22.22	33.33	33.33	-	-	100.00
	Column %	3.85	-	0.16	0.15	0.25	-	-	0.16
	% of Total	0.02	-	0.04	0.05	0.05	-	-	0.16
Total	Frequency	26	453	1250	2059	1195	316	168	5467
	Row %	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00

Place of Accident (Females)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
In The Home	Frequency	27	244	159	131	186	160	215	1122
	Row %	2.41	21.75	14.17	11.68	16.58	14.26	19.16	100.00
	Column %	93.10	73.72	24.24	27.75	46.50	52.63	66.98	44.65
	% of Total	1.07	9.71	6.33	5.21	7.40	6.37	8.56	44.65
Around The Home	Frequency	2	60	173	61	45	71	61	473
	Row %	0.42	12.68	36.58	12.90	9.51	15.01	12.90	100.00
	Column %	6.90	18.13	26.37	12.92	11.25	23.36	19.00	18.82
	% of Total	0.08	2.39	6.88	2.43	1.79	2.83	2.43	18.82
Transport Area	Frequency	-	5	34	15	31	25	24	134
	Row %	-	3.73	25.37	11.19	23.13	18.66	17.91	100.00
	Column %	-	1.51	5.18	3.18	7.75	8.22	7.48	5.33
	% of Total	-	0.20	1.35	0.60	1.23	0.99	0.96	5.33
Work Site/Agri cultural Area	Frequency	-	5	11	17	27	17	7	84
	Row %	-	5.95	13.10	20.24	32.14	20.24	8.33	100.00
	Column %	-	1.51	1.68	3.60	6.75	5.59	2.18	3.34
	% of Total	-	0.20	0.44	0.68	1.07	0.68	0.28	3.34
School Area	Frequency	-	8	46	5	1	1	-	61
	Row %	-	13.11	75.41	8.20	1.64	1.64	-	100.00
	Column %	-	2.42	7.01	1.06	0.25	0.33	-	2.43
	% of Total	-	0.32	1.83	0.20	0.04	0.04	-	2.43
Shop/Service Area	Frequency	-	3	3	2	2	5	5	20
	Row %	-	15.00	15.00	10.00	10.00	25.00	25.00	100.00
	Column %	-	0.91	0.46	0.42	0.50	1.64	1.56	0.80
	% of Total	-	0.12	0.12	0.08	0.08	0.20	0.20	0.80

(Continued)

Place of Accident (Females)

		Age Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups	
Sports Area	Frequency	-	4	190	197	66	12	2	471	
	Row %	-	0.85	40.34	41.83	14.01	2.55	0.42	100.00	
	Column %	-	1.21	28.96	41.74	16.50	3.95	0.62	18.74	
	% of Total	-	0.16	7.56	7.84	2.63	0.48	0.08	18.74	
Leisure Area	Frequency	-	2	39	40	41	12	6	140	
	Row %	-	1.43	27.86	28.57	29.29	8.57	4.29	100.00	
	Column %	-	0.60	5.95	8.47	10.25	3.95	1.87	5.57	
	% of Total	-	0.08	1.55	1.59	1.63	0.48	0.24	5.57	
Other Areas	Frequency	-	-	1	2	-	1	1	5	
	Row %	-	-	20.00	40.00	-	20.00	20.00	100.00	
	Column %	-	-	0.15	0.42	-	0.33	0.31	0.20	
	% of Total	-	-	0.04	0.08	-	0.04	0.04	0.20	
Not Known	Frequency	-	-	-	2	1	-	-	3	
	Row %	-	-	-	66.67	33.33	-	-	100.00	
	Column %	-	-	-	0.42	0.25	-	-	0.12	
	% of Total	-	-	-	0.08	0.04	-	-	0.12	
Total	Frequency	29	331	656	472	400	304	321	2513	
	Row %	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% of Total	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	

Place of Accident (Total)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
In The Home	Frequency	47	581	327	282	381	247	285	2150
	Row %	2.19	27.02	15.21	13.12	17.72	11.49	13.26	100.00
	Column %	85.45	74.11	17.16	11.14	23.89	39.84	58.28	26.94
	% of Total	0.59	7.28	4.10	3.53	4.77	3.10	3.57	26.94
Around The Home	Frequency	7	142	424	170	167	144	101	1155
	Row %	0.61	12.29	36.71	14.72	14.46	12.47	8.74	100.00
	Column %	12.73	18.11	22.25	6.72	10.47	23.23	20.65	14.47
	% of Total	0.09	1.78	5.31	2.13	2.09	1.80	1.27	14.47
Transport Area	Frequency	-	21	82	71	68	48	37	327
	Row %	-	6.42	25.08	21.71	20.80	14.68	11.31	100.00
	Column %	-	2.68	4.30	2.81	4.26	7.74	7.57	4.10
	% of Total	-	0.26	1.03	0.89	0.85	0.60	0.46	4.10
Work Site/Agri cultural Area	Frequency	-	7	28	96	145	98	39	413
	Row %	-	1.69	6.78	23.24	35.11	23.73	9.44	100.00
	Column %	-	0.89	1.47	3.79	9.09	15.81	7.98	5.18
	% of Total	-	0.09	0.35	1.20	1.82	1.23	0.49	5.18
School Area	Frequency	-	11	79	16	1	1	-	108
	Row %	-	10.19	73.15	14.81	0.93	0.93	-	100.00
	Column %	-	1.40	4.14	0.63	0.06	0.16	-	1.35
	% of Total	-	0.14	0.99	0.20	0.01	0.01	-	1.35
Shop/Service Area	Frequency	-	6	7	8	7	7	6	41
	Row %	-	14.63	17.07	19.51	17.07	17.07	14.63	100.00
	Column %	-	0.77	0.37	0.32	0.44	1.13	1.23	0.51
	% of Total	-	0.08	0.09	0.10	0.09	0.09	0.08	0.51

(Continued)

Place of Accident (Total)

		Age Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups	
Sports Area	Frequency	-	11	869	1783	727	37	8	3435	
	Row %	-	0.32	25.30	51.91	21.16	1.08	0.23	100.00	
	Column %	-	1.40	45.59	70.45	45.58	5.97	1.64	43.05	
	% of Total	-	0.14	10.89	22.34	9.11	0.46	0.10	43.05	
Leisure Area	Frequency	-	5	82	96	94	37	12	326	
	Row %	-	1.53	25.15	29.45	28.83	11.35	3.68	100.00	
	Column %	-	0.64	4.30	3.79	5.89	5.97	2.45	4.09	
	% of Total	-	0.06	1.03	1.20	1.18	0.46	0.15	4.09	
Other Areas	Frequency	-	-	6	4	1	1	1	13	
	Row %	-	-	46.15	30.77	7.69	7.69	7.69	100.00	
	Column %	-	-	0.31	0.16	0.06	0.16	0.20	0.16	
	% of Total	-	-	0.08	0.05	0.01	0.01	0.01	0.16	
Not Known	Frequency	1	-	2	5	4	-	-	12	
	Row %	8.33	-	16.67	41.67	33.33	-	-	100.00	
	Column %	1.82	-	0.10	0.20	0.25	-	-	0.15	
	% of Total	0.01	-	0.03	0.06	0.05	-	-	0.15	
Total	Frequency	55	784	1906	2531	1595	620	489	7980	
	Row %	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00	
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% of Total	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00	

Activity at Time of Accident (Males)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
Household	Frequency	-	4	9	42	87	34	21	197
Activity	Row %	-	2.03	4.57	21.32	44.16	17.26	10.66	100.00
	Column %	-	0.88	0.72	2.04	7.28	10.76	12.50	3.60
	% of Total	-	0.07	0.16	0.77	1.59	0.62	0.38	3.60
"Do-It-Yourself"/Gardening	Frequency	-	-	6	25	52	56	24	163
Activity	Row %	-	-	3.68	15.34	31.90	34.36	14.72	100.00
	Column %	-	-	0.48	1.21	4.35	17.72	14.29	2.98
	% of Total	-	-	0.11	0.46	0.95	1.02	0.44	2.98
Shopping	Frequency	-	1	-	-	1	2	2	6
Activity	Row %	-	16.67	-	-	16.67	33.33	33.33	100.00
	Column %	-	0.22	-	-	0.08	0.63	1.19	0.11
	% of Total	-	0.02	-	-	0.02	0.04	0.04	0.11
School Activity	Frequency	-	1	11	7	-	-	1	20
Activity	Row %	-	5.00	55.00	35.00	-	-	5.00	100.00
	Column %	-	0.22	0.88	0.34	-	-	0.60	0.37
	% of Total	-	0.02	0.20	0.13	-	-	0.02	0.37
Sports	Frequency	-	7	673	1578	660	25	6	2949
Activity	Row %	-	0.24	22.82	53.51	22.38	0.85	0.20	100.00
	Column %	-	1.55	53.84	76.64	55.23	7.91	3.57	53.94
	% of Total	-	0.13	12.31	28.86	12.07	0.46	0.11	53.94
Play/Leisure	Frequency	23	415	492	183	137	51	27	1328
Activity	Row %	1.73	31.25	37.05	13.78	10.32	3.84	2.03	100.00
	Column %	88.46	91.61	39.36	8.89	11.46	16.14	16.07	24.29
	% of Total	0.42	7.59	9.00	3.35	2.51	0.93	0.49	24.29

(Continued)

Activity at Time of Accident (Males)

		Age Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups	
Personal Needs	Frequency	3	24	55	224	256	145	87	794	
	Row %	0.38	3.02	6.93	28.21	32.24	18.26	10.96	100.00	
	Column %	11.54	5.30	4.40	10.88	21.42	45.89	51.79	14.52	
	% of Total	0.05	0.44	1.01	4.10	4.68	2.65	1.59	14.52	
Other Activities	Frequency	-	1	1	-	2	3	-	7	
	Row %	-	14.29	14.29	-	28.57	42.86	-	100.00	
	Column %	-	0.22	0.08	-	0.17	0.95	-	0.13	
	% of Total	-	0.02	0.02	-	0.04	0.05	-	0.13	
Not Known	Frequency	-	-	3	-	-	-	-	3	
	Row %	-	-	100.00	-	-	-	-	100.00	
	Column %	-	-	0.24	-	-	-	-	0.05	
	% of Total	-	-	0.05	-	-	-	-	0.05	
Total	Frequency	26	453	1250	2059	1195	316	168	5467	
	Row %	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00	
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% of Total	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00	

Activity at Time of Accident (Females)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
Household	Frequency	-	3	16	61	96	104	110	390
Activity	Row %	-	0.77	4.10	15.64	24.62	26.67	28.21	100.00
	Column %	-	0.91	2.44	12.92	24.00	34.21	34.27	15.52
	% of Total	-	0.12	0.64	2.43	3.82	4.14	4.38	15.52
"Do-It-Yourself"/Gardening	Frequency	-	-	2	7	14	28	17	68
Activity	Row %	-	-	2.94	10.29	20.59	41.18	25.00	100.00
	Column %	-	-	0.30	1.48	3.50	9.21	5.30	2.71
	% of Total	-	-	0.08	0.28	0.56	1.11	0.68	2.71
Shopping	Frequency	-	2	2	1	7	5	9	26
Activity	Row %	-	7.69	7.69	3.85	26.92	19.23	34.62	100.00
	Column %	-	0.60	0.30	0.21	1.75	1.64	2.80	1.03
	% of Total	-	0.08	0.08	0.04	0.28	0.20	0.36	1.03
School Activity	Frequency	-	-	16	4	-	-	-	20
Activity	Row %	-	-	80.00	20.00	-	-	-	100.00
	Column %	-	-	2.44	0.85	-	-	-	0.80
	% of Total	-	-	0.64	0.16	-	-	-	0.80
Sports	Frequency	-	4	183	196	61	12	2	458
Activity	Row %	-	0.87	39.96	42.79	13.32	2.62	0.44	100.00
	Column %	-	1.21	27.90	41.53	15.25	3.95	0.62	18.23
	% of Total	-	0.16	7.28	7.80	2.43	0.48	0.08	18.23
Play/Leisure	Frequency	21	300	402	109	100	58	61	1051
Activity	Row %	2.00	28.54	38.25	10.37	9.51	5.52	5.80	100.00
	Column %	72.41	90.63	61.28	23.09	25.00	19.08	19.00	41.82
	% of Total	0.84	11.94	16.00	4.34	3.98	2.31	2.43	41.82

(Continued)

Activity at Time of Accident (Females)

		Age Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups	
Personal Needs	Frequency	7	22	35	93	121	96	122	496	
	Row %	1.41	4.44	7.06	18.75	24.40	19.35	24.60	100.00	
	Column %	24.14	6.65	5.34	19.70	30.25	31.58	38.01	19.74	
	% of Total	0.28	0.88	1.39	3.70	4.81	3.82	4.85	19.74	
Other Activities	Frequency	-	-	-	1	1	1	-	3	
	Row %	-	-	-	33.33	33.33	33.33	-	100.00	
	Column %	-	-	-	0.21	0.25	0.33	-	0.12	
	% of Total	-	-	-	0.04	0.04	0.04	-	0.12	
Not Known	Frequency	1	-	-	-	-	-	-	1	
	Row %	100.00	-	-	-	-	-	-	100.00	
	Column %	3.45	-	-	-	-	-	-	0.04	
	% of Total	0.04	-	-	-	-	-	-	0.04	
Total	Frequency	29	331	656	472	400	304	321	2513	
	Row %	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% of Total	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	

Activity at Time of Accident (Total)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
Household	Frequency	-	7	25	103	183	138	131	587
Activity	Row %	-	1.19	4.26	17.55	31.18	23.51	22.32	100.00
	Column %	-	0.89	1.31	4.07	11.47	22.26	26.79	7.36
	% of Total	-	0.09	0.31	1.29	2.29	1.73	1.64	7.36
"Do-It-Yourself"/Gardening	Frequency	-	-	8	32	66	84	41	231
Activity	Row %	-	-	3.46	13.85	28.57	36.36	17.75	100.00
	Column %	-	-	0.42	1.26	4.14	13.55	8.38	2.89
	% of Total	-	-	0.10	0.40	0.83	1.05	0.51	2.89
Shopping	Frequency	-	3	2	1	8	7	11	32
Activity	Row %	-	9.38	6.25	3.13	25.00	21.88	34.38	100.00
	Column %	-	0.38	0.10	0.04	0.50	1.13	2.25	0.40
	% of Total	-	0.04	0.03	0.01	0.10	0.09	0.14	0.40
School Activity	Frequency	-	1	27	11	-	-	1	40
Activity	Row %	-	2.50	67.50	27.50	-	-	2.50	100.00
	Column %	-	0.13	1.42	0.43	-	-	0.20	0.50
	% of Total	-	0.01	0.34	0.14	-	-	0.01	0.50
Sports	Frequency	-	11	856	1774	721	37	8	3407
Activity	Row %	-	0.32	25.12	52.07	21.16	1.09	0.23	100.00
	Column %	-	1.40	44.91	70.09	45.20	5.97	1.64	42.69
	% of Total	-	0.14	10.73	22.23	9.04	0.46	0.10	42.69
Play/Leisure	Frequency	44	715	894	292	237	109	88	2379
Activity	Row %	1.85	30.05	37.58	12.27	9.96	4.58	3.70	100.00
	Column %	80.00	91.20	46.90	11.54	14.86	17.58	18.00	29.81
	% of Total	0.55	8.96	11.20	3.66	2.97	1.37	1.10	29.81

(Continued)

Activity at Time of Accident (Total)

		Age Groups								
		All Age, < 1, 1-4, 5-14, 15-24, 25-44, 45-64, 65+, Groups								
Personal Needs	Frequency	10	46	90	317	377	241	209	1290	
	Row %	0.78	3.57	6.98	24.57	29.22	18.68	16.20	100.00	
	Column %	18.18	5.87	4.72	12.52	23.64	38.87	42.74	16.17	
	% of Total	0.13	0.58	1.13	3.97	4.72	3.02	2.62	16.17	
Other Activities	Frequency	-	1	1	1	3	4	-	10	
	Row %	-	10.00	10.00	10.00	30.00	40.00	-	100.00	
	Column %	-	0.13	0.05	0.04	0.19	0.65	-	0.13	
	% of Total	-	0.01	0.01	0.01	0.04	0.05	-	0.13	
Not Known	Frequency	1	-	3	-	-	-	-	4	
	Row %	25.00	-	75.00	-	-	-	-	100.00	
	Column %	1.82	-	0.16	-	-	-	-	0.05	
	% of Total	0.01	-	0.04	-	-	-	-	0.05	
Total	Frequency	55	784	1906	2531	1595	620	489	7980	
	Row %	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00	
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% of Total	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00	

Principal Injury Diagnosis (Males)

		Age Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups	
Contusion, Bruise	Frequency	20	102	369	599	284	38	16	1428	
	Row %	1.40	7.14	25.84	41.95	19.89	2.66	1.12	100.00	
	Column %	76.92	22.52	29.52	29.09	23.77	12.03	9.52	26.12	
	% of Total	0.37	1.87	6.75	10.96	5.19	0.70	0.29	26.12	
Abrasion	Frequency	2	45	55	96	66	30	19	313	
	Row %	0.64	14.38	17.57	30.67	21.09	9.58	6.07	100.00	
	Column %	7.69	9.93	4.40	4.66	5.52	9.49	11.31	5.73	
	% of Total	0.04	0.82	1.01	1.76	1.21	0.55	0.35	5.73	
Open Wound (Incl. Cut, Laceration)	Frequency	1	109	116	126	112	20	16	500	
	Row %	0.20	21.80	23.20	25.20	22.40	4.00	3.20	100.00	
	Column %	3.85	24.06	9.28	6.12	9.37	6.33	9.52	9.15	
	% of Total	0.02	1.99	2.12	2.30	2.05	0.37	0.29	9.15	
Fracture	Frequency	-	60	378	472	235	41	24	1210	
	Row %	-	4.96	31.24	39.01	19.42	3.39	1.98	100.00	
	Column %	-	13.25	30.24	22.92	19.67	12.97	14.29	22.13	
	% of Total	-	1.10	6.91	8.63	4.30	0.75	0.44	22.13	
Luxation, Dislocation	Frequency	-	4	9	77	37	9	1	137	
	Row %	-	2.92	6.57	56.20	27.01	6.57	0.73	100.00	
	Column %	-	0.88	0.72	3.74	3.10	2.85	0.60	2.51	
	% of Total	-	0.07	0.16	1.41	0.68	0.16	0.02	2.51	
Distorsion, Sprain	Frequency	-	10	105	285	135	25	10	570	
	Row %	-	1.75	18.42	50.00	23.68	4.39	1.75	100.00	
	Column %	-	2.21	8.40	13.84	11.30	7.91	5.95	10.43	
	% of Total	-	0.18	1.92	5.21	2.47	0.46	0.18	10.43	

(Continued)

Principal Injury Diagnosis (Males)

		Age Groups								
										All Age,
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Injury to Nerve(s)	Frequency	-	2	15	41	40	14	12	124	
	Row %	-	1.61	12.10	33.06	32.26	11.29	9.68	100.00	
	Column %	-	0.44	1.20	1.99	3.35	4.43	7.14	2.27	
	% of Total	-	0.04	0.27	0.75	0.73	0.26	0.22	2.27	
Injury to Blood Vessel (s)	Frequency	-	15	33	78	90	45	25	286	
	Row %	-	5.24	11.54	27.27	31.47	15.73	8.74	100.00	
	Column %	-	3.31	2.64	3.79	7.53	14.24	14.88	5.23	
	% of Total	-	0.27	0.60	1.43	1.65	0.82	0.46	5.23	
Injury to Tendon(s) and/or Muscle(s)	Frequency	-	19	126	232	134	57	34	602	
	Row %	-	3.16	20.93	38.54	22.26	9.47	5.65	100.00	
	Column %	-	4.19	10.08	11.27	11.21	18.04	20.24	11.01	
	% of Total	-	0.35	2.30	4.24	2.45	1.04	0.62	11.01	
Crushing and Amputation	Frequency	-	5	3	1	2	1	1	13	
	Row %	-	38.46	23.08	7.69	15.38	7.69	7.69	100.00	
	Column %	-	1.10	0.24	0.05	0.17	0.32	0.60	0.24	
	% of Total	-	0.09	0.05	0.02	0.04	0.02	0.02	0.24	
Poisoning, Corrosion	Frequency	-	38	6	14	19	8	2	87	
	Row %	-	43.68	6.90	16.09	21.84	9.20	2.30	100.00	
	Column %	-	8.39	0.48	0.68	1.59	2.53	1.19	1.59	
	% of Total	-	0.70	0.11	0.26	0.35	0.15	0.04	1.59	
Burns, Scalds	Frequency	-	22	11	9	19	11	3	75	
	Row %	-	29.33	14.67	12.00	25.33	14.67	4.00	100.00	
	Column %	-	4.86	0.88	0.44	1.59	3.48	1.79	1.37	
	% of Total	-	0.40	0.20	0.16	0.35	0.20	0.05	1.37	

(Continued)

Principal Injury Diagnosis (Males)

	Age Groups								
	All Age,	< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups
Radiation (e.g., Sunlight, X-Rays, Ultraviolet, Welding, Light, etc.)	Frequency	-	-	1	1	-	-	-	2
	Row %	-	-	50.00	50.00	-	-	-	100.00
	Column %	-	-	0.08	0.05	-	-	-	0.04
	% of Total	-	-	0.02	0.02	-	-	-	0.04
Other Type of Injury Specified	Frequency	3	22	22	28	22	17	5	119
	Row %	2.52	18.49	18.49	23.53	18.49	14.29	4.20	100.00
	Column %	11.54	4.86	1.76	1.36	1.84	5.38	2.98	2.18
	% of Total	0.05	0.40	0.40	0.51	0.40	0.31	0.09	2.18
Not Known	Frequency	-	-	1	-	-	-	-	1
	Row %	-	-	100.00	-	-	-	-	100.00
	Column %	-	-	0.08	-	-	-	-	0.02
	% of Total	-	-	0.02	-	-	-	-	0.02
Total	Frequency	26	453	1250	2059	1195	316	168	5467
	Row %	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00

Principal Injury Diagnosis (Females)

		Age Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups	
Contusion, Bruise	Frequency	22	92	184	145	108	52	38	641	
	Row %	3.43	14.35	28.71	22.62	16.85	8.11	5.93	100.00	
	Column %	75.86	27.79	28.05	30.72	27.00	17.11	11.84	25.51	
	% of Total	0.88	3.66	7.32	5.77	4.30	2.07	1.51	25.51	
Abrasion	Frequency	1	32	42	28	25	20	21	169	
	Row %	0.59	18.93	24.85	16.57	14.79	11.83	12.43	100.00	
	Column %	3.45	9.67	6.40	5.93	6.25	6.58	6.54	6.73	
	% of Total	0.04	1.27	1.67	1.11	0.99	0.80	0.84	6.73	
Open Wound (Incl. Cut, Laceration)	Frequency	-	60	53	32	32	33	32	242	
	Row %	-	24.79	21.90	13.22	13.22	13.64	13.22	100.00	
	Column %	-	18.13	8.08	6.78	8.00	10.86	9.97	9.63	
	% of Total	-	2.39	2.11	1.27	1.27	1.31	1.27	9.63	
Fracture	Frequency	2	53	169	64	64	68	108	528	
	Row %	0.38	10.04	32.01	12.12	12.12	12.88	20.45	100.00	
	Column %	6.90	16.01	25.76	13.56	16.00	22.37	33.64	21.01	
	% of Total	0.08	2.11	6.73	2.55	2.55	2.71	4.30	21.01	
Luxation, Dislocation	Frequency	-	2	3	6	6	3	7	27	
	Row %	-	7.41	11.11	22.22	22.22	11.11	25.93	100.00	
	Column %	-	0.60	0.46	1.27	1.50	0.99	2.18	1.07	
	% of Total	-	0.08	0.12	0.24	0.24	0.12	0.28	1.07	
Distorsion, Sprain	Frequency	-	1	62	68	46	35	27	239	
	Row %	-	0.42	25.94	28.45	19.25	14.64	11.30	100.00	
	Column %	-	0.30	9.45	14.41	11.50	11.51	8.41	9.51	
	% of Total	-	0.04	2.47	2.71	1.83	1.39	1.07	9.51	

(Continued)

Principal Injury Diagnosis (Females)

		Age Groups								All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
Injury to Nerve(s)	Frequency	-	3	14	14	22	12	8	73	
	Row %	-	4.11	19.18	19.18	30.14	16.44	10.96	100.00	
	Column %	-	0.91	2.13	2.97	5.50	3.95	2.49	2.90	
	% of Total	-	0.12	0.56	0.56	0.88	0.48	0.32	2.90	
Injury to Blood Vessel (s)	Frequency	-	14	21	20	22	9	8	94	
	Row %	-	14.89	22.34	21.28	23.40	9.57	8.51	100.00	
	Column %	-	4.23	3.20	4.24	5.50	2.96	2.49	3.74	
	% of Total	-	0.56	0.84	0.80	0.88	0.36	0.32	3.74	
Injury to Tendon(s) and/or Muscle(s)	Frequency	-	13	82	67	47	49	56	314	
	Row %	-	4.14	26.11	21.34	14.97	15.61	17.83	100.00	
	Column %	-	3.93	12.50	14.19	11.75	16.12	17.45	12.50	
	% of Total	-	0.52	3.26	2.67	1.87	1.95	2.23	12.50	
Crushing and Amputation	Frequency	-	4	5	-	1	1	1	12	
	Row %	-	33.33	41.67	-	8.33	8.33	8.33	100.00	
	Column %	-	1.21	0.76	-	0.25	0.33	0.31	0.48	
	% of Total	-	0.16	0.20	-	0.04	0.04	0.04	0.48	
Poisoning, Corrosion	Frequency	-	25	6	6	4	10	4	55	
	Row %	-	45.45	10.91	10.91	7.27	18.18	7.27	100.00	
	Column %	-	7.55	0.91	1.27	1.00	3.29	1.25	2.19	
	% of Total	-	0.99	0.24	0.24	0.16	0.40	0.16	2.19	
Burns, Scalds	Frequency	2	17	9	16	14	4	6	68	
	Row %	2.94	25.00	13.24	23.53	20.59	5.88	8.82	100.00	
	Column %	6.90	5.14	1.37	3.39	3.50	1.32	1.87	2.71	
	% of Total	0.08	0.68	0.36	0.64	0.56	0.16	0.24	2.71	

(Continued)

Principal Injury Diagnosis (Females)

	Age Groups								
	All Age,	< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups
Electrocution	Frequency	-	-	-	-	-	1	-	1
	Row %	-	-	-	-	-	100.00	-	100.00
	Column %	-	-	-	-	-	0.33	-	0.04
	% of Total	-	-	-	-	-	0.04	-	0.04
Radiation (e.g. Sunlight, X-Rays, Ultraviolet, Welding, Light, etc.)	Frequency	-	1	-	2	-	-	-	3
	Row %	-	33.33	-	66.67	-	-	-	100.00
	Column %	-	0.30	-	0.42	-	-	-	0.12
	% of Total	-	0.04	-	0.08	-	-	-	0.12
Other Type of Injury Specified	Frequency	2	14	6	4	9	7	4	46
	Row %	4.35	30.43	13.04	8.70	19.57	15.22	8.70	100.00
	Column %	6.90	4.23	0.91	0.85	2.25	2.30	1.25	1.83
	% of Total	0.08	0.56	0.24	0.16	0.36	0.28	0.16	1.83
Not Known	Frequency	-	-	-	-	-	-	1	1
	Row %	-	-	-	-	-	-	100.00	100.00
	Column %	-	-	-	-	-	-	0.31	0.04
	% of Total	-	-	-	-	-	-	0.04	0.04
Total	Frequency	29	331	656	472	400	304	321	2513
	Row %	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00

Principal Injury Diagnosis (Total)

		Age Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups	
Contusion, Bruise	Frequency	42	194	553	744	392	90	54	2069	
	Row %	2.03	9.38	26.73	35.96	18.95	4.35	2.61	100.00	
	Column %	76.36	24.74	29.01	29.40	24.58	14.52	11.04	25.93	
	% of Total	0.53	2.43	6.93	9.32	4.91	1.13	0.68	25.93	
Abrasion	Frequency	3	77	97	124	91	50	40	482	
	Row %	0.62	15.98	20.12	25.73	18.88	10.37	8.30	100.00	
	Column %	5.45	9.82	5.09	4.90	5.71	8.06	8.18	6.04	
	% of Total	0.04	0.96	1.22	1.55	1.14	0.63	0.50	6.04	
Open Wound (Incl. Cut, Laceration)	Frequency	1	169	169	158	144	53	48	742	
	Row %	0.13	22.78	22.78	21.29	19.41	7.14	6.47	100.00	
	Column %	1.82	21.56	8.87	6.24	9.03	8.55	9.82	9.30	
	% of Total	0.01	2.12	2.12	1.98	1.80	0.66	0.60	9.30	
Fracture	Frequency	2	113	547	536	299	109	132	1738	
	Row %	0.12	6.50	31.47	30.84	17.20	6.27	7.59	100.00	
	Column %	3.64	14.41	28.70	21.18	18.75	17.58	26.99	21.78	
	% of Total	0.03	1.42	6.85	6.72	3.75	1.37	1.65	21.78	
Luxation, Dislocation	Frequency	-	6	12	83	43	12	8	164	
	Row %	-	3.66	7.32	50.61	26.22	7.32	4.88	100.00	
	Column %	-	0.77	0.63	3.28	2.70	1.94	1.64	2.06	
	% of Total	-	0.08	0.15	1.04	0.54	0.15	0.10	2.06	
Distorsion, Sprain	Frequency	-	11	167	353	181	60	37	809	
	Row %	-	1.36	20.64	43.63	22.37	7.42	4.57	100.00	
	Column %	-	1.40	8.76	13.95	11.35	9.68	7.57	10.14	
	% of Total	-	0.14	2.09	4.42	2.27	0.75	0.46	10.14	

(Continued)

Principal Injury Diagnosis (Total)

		Age Groups								
										All Age,
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Injury to Nerve(s)	Frequency	-	5	29	55	62	26	20	197	
	Row %	-	2.54	14.72	27.92	31.47	13.20	10.15	100.00	
	Column %	-	0.64	1.52	2.17	3.89	4.19	4.09	2.47	
	% of Total	-	0.06	0.36	0.69	0.78	0.33	0.25	2.47	
Injury to Blood Vessel (s)	Frequency	-	29	54	98	112	54	33	380	
	Row %	-	7.63	14.21	25.79	29.47	14.21	8.68	100.00	
	Column %	-	3.70	2.83	3.87	7.02	8.71	6.75	4.76	
	% of Total	-	0.36	0.68	1.23	1.40	0.68	0.41	4.76	
Injury to Tendon(s) and/or Muscle(s)	Frequency	-	32	208	299	181	106	90	916	
	Row %	-	3.49	22.71	32.64	19.76	11.57	9.83	100.00	
	Column %	-	4.08	10.91	11.81	11.35	17.10	18.40	11.48	
	% of Total	-	0.40	2.61	3.75	2.27	1.33	1.13	11.48	
Crushing and Amputation	Frequency	-	9	8	1	3	2	2	25	
	Row %	-	36.00	32.00	4.00	12.00	8.00	8.00	100.00	
	Column %	-	1.15	0.42	0.04	0.19	0.32	0.41	0.31	
	% of Total	-	0.11	0.10	0.01	0.04	0.03	0.03	0.31	
Poisoning, Corrosion	Frequency	-	63	12	20	23	18	6	142	
	Row %	-	44.37	8.45	14.08	16.20	12.68	4.23	100.00	
	Column %	-	8.04	0.63	0.79	1.44	2.90	1.23	1.78	
	% of Total	-	0.79	0.15	0.25	0.29	0.23	0.08	1.78	
Burns, Scalds	Frequency	2	39	20	25	33	15	9	143	
	Row %	1.40	27.27	13.99	17.48	23.08	10.49	6.29	100.00	
	Column %	3.64	4.97	1.05	0.99	2.07	2.42	1.84	1.79	
	% of Total	0.03	0.49	0.25	0.31	0.41	0.19	0.11	1.79	

(Continued)

Principal Injury Diagnosis (Total)

	Age Groups								
	All Age,	< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups
Electrocution	Frequency	-	-	-	-	-	1	-	1
	Row %	-	-	-	-	-	100.00	-	100.00
	Column %	-	-	-	-	-	0.16	-	0.01
	% of Total	-	-	-	-	-	0.01	-	0.01
Radiation (e.g. Sunlight, X-Rays, Ultraviolet, Welding, Light, etc.)	Frequency	-	1	1	3	-	-	-	5
	Row %	-	20.00	20.00	60.00	-	-	-	100.00
	Column %	-	0.13	0.05	0.12	-	-	-	0.06
	% of Total	-	0.01	0.01	0.04	-	-	-	0.06
Other Type of Injury Specified	Frequency	5	36	28	32	31	24	9	165
	Row %	3.03	21.82	16.97	19.39	18.79	14.55	5.45	100.00
	Column %	9.09	4.59	1.47	1.26	1.94	3.87	1.84	2.07
	% of Total	0.06	0.45	0.35	0.40	0.39	0.30	0.11	2.07
Not Known	Frequency	-	-	1	-	-	-	1	2
	Row %	-	-	50.00	-	-	-	50.00	100.00
	Column %	-	-	0.05	-	-	-	0.20	0.03
	% of Total	-	-	0.01	-	-	-	0.01	0.03
Total	Frequency	55	784	1906	2531	1595	620	489	7980
	Row %	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00

Part of Body Injured (Males)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
Head and Face	Frequency	22	231	208	298	195	57	24	1035
	Row %	2.13	22.32	20.10	28.79	18.84	5.51	2.32	100.00
	Column %	84.62	50.99	16.64	14.47	16.32	18.04	14.29	18.93
	% of Total	0.40	4.23	3.80	5.45	3.57	1.04	0.44	18.93
Upper Limbs	Frequency	-	130	661	884	456	131	54	2316
	Row %	-	5.61	28.54	38.17	19.69	5.66	2.33	100.00
	Column %	-	28.70	52.88	42.93	38.16	41.46	32.14	42.36
	% of Total	-	2.38	12.09	16.17	8.34	2.40	0.99	42.36
Lower Limbs	Frequency	1	34	283	701	415	89	42	1565
	Row %	0.06	2.17	18.08	44.79	26.52	5.69	2.68	100.00
	Column %	3.85	7.51	22.64	34.05	34.73	28.16	25.00	28.63
	% of Total	0.02	0.62	5.18	12.82	7.59	1.63	0.77	28.63
Other Parts	Frequency	3	58	96	175	127	37	48	544
	Row %	0.55	10.66	17.65	32.17	23.35	6.80	8.82	100.00
	Column %	11.54	12.80	7.68	8.50	10.63	11.71	28.57	9.95
	% of Total	0.05	1.06	1.76	3.20	2.32	0.68	0.88	9.95
Not Known	Frequency	-	-	2	1	2	2	-	7
	Row %	-	-	28.57	14.29	28.57	28.57	-	100.00
	Column %	-	-	0.16	0.05	0.17	0.63	-	0.13
	% of Total	-	-	0.04	0.02	0.04	0.04	-	0.13
Total	Frequency	26	453	1250	2059	1195	316	168	5467
	Row %	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00

Part of Body Injured (Females)

		Age Groups								
										All Age,
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Head and Face	Frequency	24	171	124	56	49	38	33	495	%
	Row %	4.85	34.55	25.05	11.31	9.90	7.68	6.67	100.00	%
	Column %	82.76	51.66	18.90	11.86	12.25	12.50	10.28	19.70	%
	% of Total	0.96	6.80	4.93	2.23	1.95	1.51	1.31	19.70	%
Upper Limbs	Frequency	3	86	368	210	142	125	126	1060	%
	Row %	0.28	8.11	34.72	19.81	13.40	11.79	11.89	100.00	%
	Column %	10.34	25.98	56.10	44.49	35.50	41.12	39.25	42.18	%
	% of Total	0.12	3.42	14.64	8.36	5.65	4.97	5.01	42.18	%
Lower Limbs	Frequency	1	25	118	161	156	106	73	640	%
	Row %	0.16	3.91	18.44	25.16	24.38	16.56	11.41	100.00	%
	Column %	3.45	7.55	17.99	34.11	39.00	34.87	22.74	25.47	%
	% of Total	0.04	0.99	4.70	6.41	6.21	4.22	2.90	25.47	%
Other Parts	Frequency	1	48	46	45	50	34	89	313	%
	Row %	0.32	15.34	14.70	14.38	15.97	10.86	28.43	100.00	%
	Column %	3.45	14.50	7.01	9.53	12.50	11.18	27.73	12.46	%
	% of Total	0.04	1.91	1.83	1.79	1.99	1.35	3.54	12.46	%
Not Known	Frequency	-	1	-	-	3	1	-	5	%
	Row %	-	20.00	-	-	60.00	20.00	-	100.00	%
	Column %	-	0.30	-	-	0.75	0.33	-	0.20	%
	% of Total	-	0.04	-	-	0.12	0.04	-	0.20	%
Total	Frequency	29	331	656	472	400	304	321	2513	%
	Row %	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	%
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	%
	% of Total	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	%

Part of Body Injured (Total)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
Head and Face	Frequency	46	402	332	354	244	95	57	1530
	Row %	3.01	26.27	21.70	23.14	15.95	6.21	3.73	100.00
	Column %	83.64	51.28	17.42	13.99	15.30	15.32	11.66	19.17
	% of Total	0.58	5.04	4.16	4.44	3.06	1.19	0.71	19.17
Upper Limbs	Frequency	3	216	1029	1094	598	256	180	3376
	Row %	0.09	6.40	30.48	32.41	17.71	7.58	5.33	100.00
	Column %	5.45	27.55	53.99	43.22	37.49	41.29	36.81	42.31
	% of Total	0.04	2.71	12.89	13.71	7.49	3.21	2.26	42.31
Lower Limbs	Frequency	2	59	401	862	571	195	115	2205
	Row %	0.09	2.68	18.19	39.09	25.90	8.84	5.22	100.00
	Column %	3.64	7.53	21.04	34.06	35.80	31.45	23.52	27.63
	% of Total	0.03	0.74	5.03	10.80	7.16	2.44	1.44	27.63
Other Parts	Frequency	4	106	142	220	177	71	137	857
	Row %	0.47	12.37	16.57	25.67	20.65	8.28	15.99	100.00
	Column %	7.27	13.52	7.45	8.69	11.10	11.45	28.02	10.74
	% of Total	0.05	1.33	1.78	2.76	2.22	0.89	1.72	10.74
Not Known	Frequency	-	1	2	1	5	3	-	12
	Row %	-	8.33	16.67	8.33	41.67	25.00	-	100.00
	Column %	-	0.13	0.10	0.04	0.31	0.48	-	0.15
	% of Total	-	0.01	0.03	0.01	0.06	0.04	-	0.15
Total	Frequency	55	784	1906	2531	1595	620	489	7980
	Row %	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00

Treatment and Follow-Up (Males)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age, Groups
Group A: Minor	Frequency	16	154	415	733	426	118	55	1917
	Row %	0.83	8.03	21.65	38.24	22.22	6.16	2.87	100.00
	Column %	61.54	34.00	33.20	35.60	35.65	37.34	32.74	35.06
	% of Total	0.29	2.82	7.59	13.41	7.79	2.16	1.01	35.06
Group B: Treated	Frequency	7	211	683	1196	676	174	82	3029
	Row %	0.23	6.97	22.55	39.48	22.32	5.74	2.71	100.00
	Column %	26.92	46.58	54.64	58.09	56.57	55.06	48.81	55.41
	% of Total	0.13	3.86	12.49	21.88	12.37	3.18	1.50	55.41
Group C: Hospitalised	Frequency	3	88	152	129	93	24	31	520
	Row %	0.58	16.92	29.23	24.81	17.88	4.62	5.96	100.00
	Column %	11.54	19.43	12.16	6.27	7.78	7.59	18.45	9.51
	% of Total	0.05	1.61	2.78	2.36	1.70	0.44	0.57	9.51
Not Known	Frequency	-	-	-	1	-	-	-	1
	Row %	-	-	-	100.00	-	-	-	100.00
	Column %	-	-	-	0.05	-	-	-	0.02
	% of Total	-	-	-	0.02	-	-	-	0.02
Total	Frequency	26	453	1250	2059	1195	316	168	5467
	Row %	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00

Treatment and Follow-Up (Females)

		Age Groups								
										All Age
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Group A: Minor	Frequency	11	115	251	210	167	106	82	942	
	Row %	1.17	12.21	26.65	22.29	17.73	11.25	8.70	100.00	
	Column %	37.93	34.74	38.26	44.49	41.75	34.87	25.55	37.49	
	% of Total	0.44	4.58	9.99	8.36	6.65	4.22	3.26	37.49	
Group B: Treated	Frequency	7	137	326	238	206	156	153	1223	
	Row %	0.57	11.20	26.66	19.46	16.84	12.76	12.51	100.00	
	Column %	24.14	41.39	49.70	50.42	51.50	51.32	47.66	48.67	
	% of Total	0.28	5.45	12.97	9.47	8.20	6.21	6.09	48.67	
Group C: Hospitalised	Frequency	11	79	79	24	27	42	86	348	
	Row %	3.16	22.70	22.70	6.90	7.76	12.07	24.71	100.00	
	Column %	37.93	23.87	12.04	5.08	6.75	13.82	26.79	13.85	
	% of Total	0.44	3.14	3.14	0.96	1.07	1.67	3.42	13.85	
Total	Frequency	29	331	656	472	400	304	321	2513	
	Row %	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% of Total	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	

Treatment and Follow-Up (Total)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
Group A: Minor	Frequency	27	269	666	943	593	224	137	2859
	Row %	0.94	9.41	23.29	32.98	20.74	7.83	4.79	100.00
	Column %	49.09	34.31	34.94	37.26	37.18	36.13	28.02	35.83
	% of Total	0.34	3.37	8.35	11.82	7.43	2.81	1.72	35.83
Group B: Treated	Frequency	14	348	1009	1434	882	330	235	4252
	Row %	0.33	8.18	23.73	33.73	20.74	7.76	5.53	100.00
	Column %	25.45	44.39	52.94	56.66	55.30	53.23	48.06	53.28
	% of Total	0.18	4.36	12.64	17.97	11.05	4.14	2.94	53.28
Group C: Hospitalised	Frequency	14	167	231	153	120	66	117	868
	Row %	1.61	19.24	26.61	17.63	13.82	7.60	13.48	100.00
	Column %	25.45	21.30	12.12	6.05	7.52	10.65	23.93	10.88
	% of Total	0.18	2.09	2.89	1.92	1.50	0.83	1.47	10.88
Not Known	Frequency	-	-	-	1	-	-	-	1
	Row %	-	-	-	100.00	-	-	-	100.00
	Column %	-	-	-	0.04	-	-	-	0.01
	% of Total	-	-	-	0.01	-	-	-	0.01
Total	Frequency	55	784	1906	2531	1595	620	489	7980
	Row %	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00

The Twenty Most Common Product Groups Involved in Accidents (Males)

	Age Groups							
	All Age, < 1	1-4	5-14	15-24	25-44	45-64	65+	Groups
Clothing or Sportswear	Frequency	-	1	118	324	100	1	544
	Row %	-	0.18	21.69	59.56	18.38	0.18	100.00
	Column %	-	0.22	9.44	15.74	8.37	0.32	9.95
	% of Total	-	0.02	2.16	5.93	1.83	0.02	9.95
House Building Elements	Frequency	6	112	114	120	132	48	34
	Row %	1.06	19.79	20.14	21.20	23.32	8.48	6.01
	Column %	23.08	24.72	9.12	5.83	11.05	15.19	20.24
	% of Total	0.11	2.05	2.09	2.19	2.41	0.88	0.62
Containers, Wrappings	Frequency	-	6	3	11	14	6	3
	Row %	-	13.95	6.98	25.58	32.56	13.95	6.98
	Column %	-	1.32	0.24	0.53	1.17	1.90	1.79
	% of Total	-	0.11	0.05	0.20	0.26	0.11	0.05
DIY Equipment	Frequency	1	3	5	24	46	40	25
	Row %	0.69	2.08	3.47	16.67	31.94	27.78	17.36
	Column %	3.85	0.66	0.40	1.17	3.85	12.66	14.88
	% of Total	0.02	0.05	0.09	0.44	0.84	0.73	0.46
Building Materials, Insulation, Wood	Frequency	1	8	8	23	18	12	5
	Row %	1.33	10.67	10.67	30.67	24.00	16.00	6.67
	Column %	3.85	1.77	0.64	1.12	1.51	3.80	2.98
	% of Total	0.02	0.15	0.15	0.42	0.33	0.22	0.09
Splinters, Dust, Other Particles	Frequency	-	1	5	16	31	13	5
	Row %	-	1.41	7.04	22.54	43.66	18.31	7.04
	Column %	-	0.22	0.40	0.78	2.59	4.11	2.98
	% of Total	-	0.02	0.09	0.29	0.57	0.24	0.09

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Males)

	Age Groups								All Age Groups
	< 1	1-4	5-14	15-24	25-44	45-64	65+		
Food, Hot-Liquids	Frequency	-	13	8	22	17	12	11	83
	Row %	-	15.66	9.64	26.51	20.48	14.46	13.25	100.00
	Column %	-	2.87	0.64	1.07	1.42	3.80	6.55	1.52
	% of Total	-	0.24	0.15	0.40	0.31	0.22	0.20	1.52
Heating Equipment	Frequency	-	15	6	5	5	3	-	34
	Row %	-	44.12	17.65	14.71	14.71	8.82	-	100.00
	Column %	-	3.31	0.48	0.24	0.42	0.95	-	0.62
	% of Total	-	0.27	0.11	0.09	0.09	0.05	-	0.62
Floor, Inside Coverings, Stairs	Frequency	1	6	7	6	7	2	6	35
	Row %	2.86	17.14	20.00	17.14	20.00	5.71	17.14	100.00
	Column %	3.85	1.32	0.56	0.29	0.59	0.63	3.57	0.64
	% of Total	0.02	0.11	0.13	0.11	0.13	0.04	0.11	0.64
Household Furniture	Frequency	1	91	41	18	20	6	14	191
	Row %	0.52	47.64	21.47	9.42	10.47	3.14	7.33	100.00
	Column %	3.85	20.09	3.28	0.87	1.67	1.90	8.33	3.49
	% of Total	0.02	1.66	0.75	0.33	0.37	0.11	0.26	3.49
Kitchen Utensils, Household Electricity	Frequency	-	4	11	23	23	9	3	73
	Row %	-	5.48	15.07	31.51	31.51	12.33	4.11	100.00
	Column %	-	0.88	0.88	1.12	1.92	2.85	1.79	1.34
	% of Total	-	0.07	0.20	0.42	0.42	0.16	0.05	1.34
Medicines, Medical Devices	Frequency	-	28	2	4	6	1	-	41
	Row %	-	68.29	4.88	9.76	14.63	2.44	-	100.00
	Column %	-	6.18	0.16	0.19	0.50	0.32	-	0.75
	% of Total	-	0.51	0.04	0.07	0.11	0.02	-	0.75

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Males)

		Age Groups							
		All Age	< 1	1-4	5-14	15-24	25-44	45-64	65+
Floor,	Frequency	23	51	40	54	28	15	211	
Footpath,	Row %	10.90	24.17	18.96	25.59	13.27	7.11	100.00	
Street, Water	Column %	5.08	4.08	1.94	4.52	8.86	8.93	3.86	
	% of Total	0.42	0.93	0.73	0.99	0.51	0.27	3.86	
Animals, Animal	Frequency	7	12	10	17	21	8	75	
Accessories	Row %	9.33	16.00	13.33	22.67	28.00	10.67	100.00	
	Column %	1.55	0.96	0.49	1.42	6.65	4.76	1.37	
	% of Total	0.13	0.22	0.18	0.31	0.38	0.15	1.37	
Plants, Trees	Frequency	5	27	3	11	6	-	52	
	Row %	9.62	51.92	5.77	21.15	11.54	-	100.00	
	Column %	1.10	2.16	0.15	0.92	1.90	-	0.95	
	% of Total	0.09	0.49	0.05	0.20	0.11	-	0.95	
Fairs,	Frequency	12	39	3	1	-	-	55	
Playgrounds	Row %	21.82	70.91	5.45	1.82	-	-	100.00	
	Column %	2.65	3.12	0.15	0.08	-	-	1.01	
	% of Total	0.22	0.71	0.05	0.02	-	-	1.01	
Vehicles,	Frequency	19	101	62	34	19	8	243	
Boats, Bikes	Row %	7.82	41.56	25.51	13.99	7.82	3.29	100.00	
Accessories	Column %	4.19	8.08	3.01	2.85	6.01	4.76	4.44	
	% of Total	0.35	1.85	1.13	0.62	0.35	0.15	4.44	
Athletics,	Frequency	-	14	29	19	9	3	74	
Boxing, Golf,	Row %	-	18.92	39.19	25.68	12.16	4.05	100.00	
Horse Riding	Column %	-	1.12	1.41	1.59	2.85	1.79	1.35	
etc.	% of Total	-	0.26	0.53	0.35	0.16	0.05	1.35	

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Males)

		Age Groups								
										All Age,
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Skiing, Tennis,	Frequency	-	6	545	1150	502	29	6	2238	%
Swimming, Wind-Surfing etc.	Row %	-	0.27	24.35	51.39	22.43	1.30	0.27	100.00	%
	Column %	-	1.32	43.60	55.85	42.01	9.18	3.57	40.94	%
	% of Total	-	0.11	9.97	21.04	9.18	0.53	0.11	40.94	%
Sports Articles,	Frequency	-	1	28	85	52	15	4	185	%
	Row %	-	0.54	15.14	45.95	28.11	8.11	2.16	100.00	%
	Column %	-	0.22	2.24	4.13	4.35	4.75	2.38	3.38	%
	% of Total	-	0.02	0.51	1.55	0.95	0.27	0.07	3.38	%
Other Product	Frequency	13	67	45	59	73	30	12	299	%
	Row %	4.35	22.41	15.05	19.73	24.41	10.03	4.01	100.00	%
	Column %	50.00	14.79	3.60	2.87	6.11	9.49	7.14	5.47	%
	% of Total	0.24	1.23	0.82	1.08	1.34	0.55	0.22	5.47	%
No Product Stated	Frequency	3	25	60	22	13	6	6	135	%
	Row %	2.22	18.52	44.44	16.30	9.63	4.44	4.44	100.00	%
	Column %	11.54	5.52	4.80	1.07	1.09	1.90	3.57	2.47	%
	% of Total	0.05	0.46	1.10	0.40	0.24	0.11	0.11	2.47	%
Total	Frequency	26	453	1250	2059	1195	316	168	5467	%
	Row %	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00	%
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	%
	% of Total	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00	%

The Twenty Most Common Product Groups Involved in Accidents (Females)

		Age Groups							
		All Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Clothing or Sportswear	Frequency	1	3	36	32	10	3	2	87
	Row %	1.15	3.45	41.38	36.78	11.49	3.45	2.30	100.00
	Column %	3.45	0.91	5.49	6.78	2.50	0.99	0.62	3.46
	% of Total	0.04	0.12	1.43	1.27	0.40	0.12	0.08	3.46
House Building Elements	Frequency	3	84	91	101	103	75	94	551
	Row %	0.54	15.25	16.52	18.33	18.69	13.61	17.06	100.00
	Column %	10.34	25.38	13.87	21.40	25.75	24.67	29.28	21.93
	% of Total	0.12	3.34	3.62	4.02	4.10	2.98	3.74	21.93
Containers, Wrappings	Frequency	-	1	1	3	9	7	3	24
	Row %	-	4.17	4.17	12.50	37.50	29.17	12.50	100.00
	Column %	-	0.30	0.15	0.64	2.25	2.30	0.93	0.96
	% of Total	-	0.04	0.04	0.12	0.36	0.28	0.12	0.96
DIY Equipment	Frequency	-	4	3	4	10	13	2	36
	Row %	-	11.11	8.33	11.11	27.78	36.11	5.56	100.00
	Column %	-	1.21	0.46	0.85	2.50	4.28	0.62	1.43
	% of Total	-	0.16	0.12	0.16	0.40	0.52	0.08	1.43
Building Materials, Insulation, Wood	Frequency	-	1	7	7	4	4	14	37
	Row %	-	2.70	18.92	18.92	10.81	10.81	37.84	100.00
	Column %	-	0.30	1.07	1.48	1.00	1.32	4.36	1.47
	% of Total	-	0.04	0.28	0.28	0.16	0.16	0.56	1.47
Splinters, Dust, Other Particles	Frequency	-	-	1	3	6	4	-	14
	Row %	-	-	7.14	21.43	42.86	28.57	-	100.00
	Column %	-	-	0.15	0.64	1.50	1.32	-	0.56
	% of Total	-	-	0.04	0.12	0.24	0.16	-	0.56

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Females)

	Age Groups								All Age Groups
	< 1	1-4	5-14	15-24	25-44	45-64	65+		
Food, Hot-Liquids	Frequency	1	14	4	12	12	15	8	66
	Row %	1.52	21.21	6.06	18.18	18.18	22.73	12.12	100.00
	Column %	3.45	4.23	0.61	2.54	3.00	4.93	2.49	2.63
	% of Total	0.04	0.56	0.16	0.48	0.48	0.60	0.32	2.63
Heating Equipment	Frequency	-	9	7	5	5	1	4	31
	Row %	-	29.03	22.58	16.13	16.13	3.23	12.90	100.00
	Column %	-	2.72	1.07	1.06	1.25	0.33	1.25	1.23
	% of Total	-	0.36	0.28	0.20	0.20	0.04	0.16	1.23
Floor, Inside Coverings, Stairs	Frequency	-	4	7	7	9	4	17	48
	Row %	-	8.33	14.58	14.58	18.75	8.33	35.42	100.00
	Column %	-	1.21	1.07	1.48	2.25	1.32	5.30	1.91
	% of Total	-	0.16	0.28	0.28	0.36	0.16	0.68	1.91
Household Furniture	Frequency	10	75	34	13	32	32	56	252
	Row %	3.97	29.76	13.49	5.16	12.70	12.70	22.22	100.00
	Column %	34.48	22.66	5.18	2.75	8.00	10.53	17.45	10.03
	% of Total	0.40	2.98	1.35	0.52	1.27	1.27	2.23	10.03
Kitchen Utensils, Household Electricity	Frequency	2	9	4	17	16	13	2	63
	Row %	3.17	14.29	6.35	26.98	25.40	20.63	3.17	100.00
	Column %	6.90	2.72	0.61	3.60	4.00	4.28	0.62	2.51
	% of Total	0.08	0.36	0.16	0.68	0.64	0.52	0.08	2.51
Medicines, Medical Devices	Frequency	-	18	3	2	2	2	2	29
	Row %	-	62.07	10.34	6.90	6.90	6.90	6.90	100.00
	Column %	-	5.44	0.46	0.42	0.50	0.66	0.62	1.15
	% of Total	-	0.72	0.12	0.08	0.08	0.08	0.08	1.15

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Females)

		Age Groups							
		All Age, Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Floor, Footpath, Street, Water	Frequency	-	10	31	23	35	33	37	169
	Row %	-	5.92	18.34	13.61	20.71	19.53	21.89	100.00
	Column %	-	3.02	4.73	4.87	8.75	10.86	11.53	6.73
	% of Total	-	0.40	1.23	0.92	1.39	1.31	1.47	6.73
Animals, Animal	Frequency	-	5	25	4	9	15	7	65
	Row %	-	7.69	38.46	6.15	13.85	23.08	10.77	100.00
	Column %	-	1.51	3.81	0.85	2.25	4.93	2.18	2.59
	% of Total	-	0.20	0.99	0.16	0.36	0.60	0.28	2.59
Plants, Trees	Frequency	-	-	16	1	1	4	2	24
	Row %	-	-	66.67	4.17	4.17	16.67	8.33	100.00
	Column %	-	-	2.44	0.21	0.25	1.32	0.62	0.96
	% of Total	-	-	0.64	0.04	0.04	0.16	0.08	0.96
Fairs, Playgrounds	Frequency	-	20	49	2	1	1	-	73
	Row %	-	27.40	67.12	2.74	1.37	1.37	-	100.00
	Column %	-	6.04	7.47	0.42	0.25	0.33	-	2.90
	% of Total	-	0.80	1.95	0.08	0.04	0.04	-	2.90
Vehicles, Boats, Bikes, Accessories	Frequency	-	14	66	13	17	5	5	120
	Row %	-	11.67	55.00	10.83	14.17	4.17	4.17	100.00
	Column %	-	4.23	10.06	2.75	4.25	1.64	1.56	4.78
	% of Total	-	0.56	2.63	0.52	0.68	0.20	0.20	4.78
Athletics, Boxing, Golf, Horse Riding, etc.	Frequency	-	1	10	25	6	4	2	48
	Row %	-	2.08	20.83	52.08	12.50	8.33	4.17	100.00
	Column %	-	0.30	1.52	5.30	1.50	1.32	0.62	1.91
	% of Total	-	0.04	0.40	0.99	0.24	0.16	0.08	1.91

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Females)

		Age Groups								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups	
Skiing, Tennis,	Frequency	-	4	151	129	55	15	15	369	%
Swimming, Wind-Surfing etc.	Row %	-	1.08	40.92	34.96	14.91	4.07	4.07	100.00	%
	Column %	-	1.21	23.02	27.33	13.75	4.93	4.67	14.68	%
	% of Total	-	0.16	6.01	5.13	2.19	0.60	0.60	14.68	%
Sports Articles	Frequency	-	-	26	31	22	7	3	89	%
	Row %	-	-	29.21	34.83	24.72	7.87	3.37	100.00	%
	Column %	-	-	3.96	6.57	5.50	2.30	0.93	3.54	%
	% of Total	-	-	1.03	1.23	0.88	0.28	0.12	3.54	%
Other Product	Frequency	8	38	33	26	23	27	25	180	%
	Row %	4.44	21.11	18.33	14.44	12.78	15.00	13.89	100.00	%
	Column %	27.59	11.48	5.03	5.51	5.75	8.88	7.79	7.16	%
	% of Total	0.32	1.51	1.31	1.03	0.92	1.07	0.99	7.16	%
No Product Stated	Frequency	4	17	51	12	13	20	21	138	%
	Row %	2.90	12.32	36.96	8.70	9.42	14.49	15.22	100.00	%
	Column %	13.79	5.14	7.77	2.54	3.25	6.58	6.54	5.49	%
	% of Total	0.16	0.68	2.03	0.48	0.52	0.80	0.84	5.49	%
Total	Frequency	29	331	656	472	400	304	321	2513	%
	Row %	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	%
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	%
	% of Total	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	%

The Twenty Most Common Product Groups Involved in Accidents (Total)

		Age Groups							
		All Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Clothing or Sportswear	Frequency	1	4	154	356	110	4	2	631
	Row %	0.16	0.63	24.41	56.42	17.43	0.63	0.32	100.00
	Column %	1.82	0.51	8.08	14.07	6.90	0.65	0.41	7.91
	% of Total	0.01	0.05	1.93	4.46	1.38	0.05	0.03	7.91
House Building Elements	Frequency	9	196	205	221	235	123	128	1117
	Row %	0.81	17.55	18.35	19.79	21.04	11.01	11.46	100.00
	Column %	16.36	25.00	10.76	8.73	14.73	19.84	26.18	14.00
	% of Total	0.11	2.46	2.57	2.77	2.94	1.54	1.60	14.00
Containers, Wrappings	Frequency	-	7	4	14	23	13	6	67
	Row %	-	10.45	5.97	20.90	34.33	19.40	8.96	100.00
	Column %	-	0.89	0.21	0.55	1.44	2.10	1.23	0.84
	% of Total	-	0.09	0.05	0.18	0.29	0.16	0.08	0.84
DIY Equipment	Frequency	1	7	8	28	56	53	27	180
	Row %	0.56	3.89	4.44	15.56	31.11	29.44	15.00	100.00
	Column %	1.82	0.89	0.42	1.11	3.51	8.55	5.52	2.26
	% of Total	0.01	0.09	0.10	0.35	0.70	0.66	0.34	2.26
Building Materials, Insulation, Wood	Frequency	1	9	15	30	22	16	19	112
	Row %	0.89	8.04	13.39	26.79	19.64	14.29	16.96	100.00
	Column %	1.82	1.15	0.79	1.19	1.38	2.58	3.89	1.40
	% of Total	0.01	0.11	0.19	0.38	0.28	0.20	0.24	1.40
Splinters, Dust, Other Particles	Frequency	-	1	6	19	37	17	5	85
	Row %	-	1.18	7.06	22.35	43.53	20.00	5.88	100.00
	Column %	-	0.13	0.31	0.75	2.32	2.74	1.02	1.07
	% of Total	-	0.01	0.08	0.24	0.46	0.21	0.06	1.07

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Total)

	Age Groups								
	All Age,	< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups
Food	Frequency	1	27	12	34	29	27	19	149
Hot Liquids	Row %	0.67	18.12	8.05	22.82	19.46	18.12	12.75	100.00
	Column %	1.82	3.44	0.63	1.34	1.82	4.35	3.89	1.87
	% of Total	0.01	0.34	0.15	0.43	0.36	0.34	0.24	1.87
Heating Equipment	Frequency	-	24	13	10	10	4	4	65
	Row %	-	36.92	20.00	15.38	15.38	6.15	6.15	100.00
	Column %	-	3.06	0.68	0.40	0.63	0.65	0.82	0.81
	% of Total	-	0.30	0.16	0.13	0.13	0.05	0.05	0.81
Floor, Inside Coverings, Stairs	Frequency	1	10	14	13	16	6	23	83
	Row %	1.20	12.05	16.87	15.66	19.28	7.23	27.71	100.00
	Column %	1.82	1.28	0.73	0.51	1.00	0.97	4.70	1.04
	% of Total	0.01	0.13	0.18	0.16	0.20	0.08	0.29	1.04
Household Furniture	Frequency	11	166	75	31	52	38	70	443
	Row %	2.48	37.47	16.93	7.00	11.74	8.58	15.80	100.00
	Column %	20.00	21.17	3.93	1.22	3.26	6.13	14.31	5.55
	% of Total	0.14	2.08	0.94	0.39	0.65	0.48	0.88	5.55
Kitchen Utensils, Household Electricity	Frequency	2	13	15	40	39	22	5	136
	Row %	1.47	9.56	11.03	29.41	28.68	16.18	3.68	100.00
	Column %	3.64	1.66	0.79	1.58	2.45	3.55	1.02	1.70
	% of Total	0.03	0.16	0.19	0.50	0.49	0.28	0.06	1.70
Medicines, Medical Devices	Frequency	-	46	5	6	8	3	2	70
	Row %	-	65.71	7.14	8.57	11.43	4.29	2.86	100.00
	Column %	-	5.87	0.26	0.24	0.50	0.48	0.41	0.88
	% of Total	-	0.58	0.06	0.08	0.10	0.04	0.03	0.88

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Total)

		Age Groups							
		All Age, Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Floor, Footpath, Street, Water	Frequency	-	33	82	63	89	61	52	380
	Row %	-	8.68	21.58	16.58	23.42	16.05	13.68	100.00
	Column %	-	4.21	4.30	2.49	5.58	9.84	10.63	4.76
	% of Total	-	0.41	1.03	0.79	1.12	0.76	0.65	4.76
Animals, Animal Accessories	Frequency	-	12	37	14	26	36	15	140
	Row %	-	8.57	26.43	10.00	18.57	25.71	10.71	100.00
	Column %	-	1.53	1.94	0.55	1.63	5.81	3.07	1.75
	% of Total	-	0.15	0.46	0.18	0.33	0.45	0.19	1.75
Plants, Trees	Frequency	-	5	43	4	12	10	2	76
	Row %	-	6.58	56.58	5.26	15.79	13.16	2.63	100.00
	Column %	-	0.64	2.26	0.16	0.75	1.61	0.41	0.95
	% of Total	-	0.06	0.54	0.05	0.15	0.13	0.03	0.95
Fairs, Playgrounds	Frequency	-	32	88	5	2	1	-	128
	Row %	-	25.00	68.75	3.91	1.56	0.78	-	100.00
	Column %	-	4.08	4.62	0.20	0.13	0.16	-	1.60
	% of Total	-	0.40	1.10	0.06	0.03	0.01	-	1.60
Vehicles, Boats, Bikes Accessories	Frequency	-	33	167	75	51	24	13	363
	Row %	-	9.09	46.01	20.66	14.05	6.61	3.58	100.00
	Column %	-	4.21	8.76	2.96	3.20	3.87	2.66	4.55
	% of Total	-	0.41	2.09	0.94	0.64	0.30	0.16	4.55
Athletics, Boxing, Golf, Horse Riding, etc.	Frequency	-	1	24	54	25	13	5	122
	Row %	-	0.82	19.67	44.26	20.49	10.66	4.10	100.00
	Column %	-	0.13	1.26	2.13	1.57	2.10	1.02	1.53
	% of Total	-	0.01	0.30	0.68	0.31	0.16	0.06	1.53

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Total)

		Age Groups							
		All Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Skiing, Tennis, Surfing etc.	Frequency	-	10	696	1279	557	44	21	2607
	Row %	-	0.38	26.70	49.06	21.37	1.69	0.81	100.00
	Column %	-	1.28	36.52	50.53	34.92	7.10	4.29	32.67
	% of Total	-	0.13	8.72	16.03	6.98	0.55	0.26	32.67
Sports Articles	Frequency	-	1	54	116	74	22	7	274
	Row %	-	0.36	19.71	42.34	27.01	8.03	2.55	100.00
	Column %	-	0.13	2.83	4.58	4.64	3.55	1.43	3.43
	% of Total	-	0.01	0.68	1.45	0.93	0.28	0.09	3.43
Other Product	Frequency	21	105	78	85	96	57	37	479
	Row %	4.38	21.92	16.28	17.75	20.04	11.90	7.72	100.00
	Column %	38.18	13.39	4.09	3.36	6.02	9.19	7.57	6.00
	% of Total	0.26	1.32	0.98	1.07	1.20	0.71	0.46	6.00
No Product Stated	Frequency	7	42	111	34	26	26	27	273
	Row %	2.56	15.38	40.66	12.45	9.52	9.52	9.89	100.00
	Column %	12.73	5.36	5.82	1.34	1.63	4.19	5.52	3.42
	% of Total	0.09	0.53	1.39	0.43	0.33	0.33	0.34	3.42
Total	Frequency	55	784	1906	2531	1595	620	489	7980
	Row %	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00

The Twenty Most Common Product Groups Causing Injuries (Males)

	Age Groups							
	All Age,	< 1	1-4	5-14	15-24	25-44	45-64	65+
Clothing or Sportswear	Frequency	-	1	117	322	99	2	541
	Row %	-	0.18	21.63	59.52	18.30	0.37	100.00
	Column %	-	0.22	9.36	15.64	8.28	0.63	9.90
	% of Total	-	0.02	2.14	5.89	1.81	0.04	9.90
House Building Elements	Frequency	11	114	115	117	128	49	35
	Row %	1.93	20.04	20.21	20.56	22.50	8.61	6.15
	Column %	42.31	25.17	9.20	5.68	10.71	15.51	20.83
	% of Total	0.20	2.09	2.10	2.14	2.34	0.90	0.64
Containers, Wrappings	Frequency	-	6	3	11	14	6	3
	Row %	-	13.95	6.98	25.58	32.56	13.95	6.98
	Column %	-	1.32	0.24	0.53	1.17	1.90	1.79
	% of Total	-	0.11	0.05	0.20	0.26	0.11	0.05
DIY Equipment	Frequency	1	3	4	22	46	37	25
	Row %	0.72	2.17	2.90	15.94	33.33	26.81	18.12
	Column %	3.85	0.66	0.32	1.07	3.85	11.71	14.88
	% of Total	0.02	0.05	0.07	0.40	0.84	0.68	0.46
Building Materials, Insulation, Wood	Frequency	1	8	8	24	18	11	5
	Row %	1.33	10.67	10.67	32.00	24.00	14.67	6.67
	Column %	3.85	1.77	0.64	1.17	1.51	3.48	2.98
	% of Total	0.02	0.15	0.15	0.44	0.33	0.20	0.09
Splinters, Dust, Other Particles	Frequency	-	1	5	19	31	14	5
	Row %	-	1.33	6.67	25.33	41.33	18.67	6.67
	Column %	-	0.22	0.40	0.92	2.59	4.43	2.98
	% of Total	-	0.02	0.09	0.35	0.57	0.26	0.09

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Males)

	Age Groups								All Age Groups
	< 1	1-4	5-14	15-24	25-44	45-64	65+		
Food, Hot-Liquids	Frequency	-	13	9	22	18	12	10	84
	Row %	-	15.48	10.71	26.19	21.43	14.29	11.90	100.00
	Column %	-	2.87	0.72	1.07	1.51	3.80	5.95	1.54
	% of Total	-	0.24	0.16	0.40	0.33	0.22	0.18	1.54
Heating Equipment	Frequency	-	15	6	5	7	5	-	38
	Row %	-	39.47	15.79	13.16	18.42	13.16	-	100.00
	Column %	-	3.31	0.48	0.24	0.59	1.58	-	0.70
	% of Total	-	0.27	0.11	0.09	0.13	0.09	-	0.70
Floor, Inside Coverings, Stairs	Frequency	2	8	8	7	7	2	6	40
	Row %	5.00	20.00	20.00	17.50	17.50	5.00	15.00	100.00
	Column %	7.69	1.77	0.64	0.34	0.59	0.63	3.57	0.73
	% of Total	0.04	0.15	0.15	0.13	0.13	0.04	0.11	0.73
Household Furniture	Frequency	1	86	40	19	19	6	14	185
	Row %	0.54	46.49	21.62	10.27	10.27	3.24	7.57	100.00
	Column %	3.85	18.98	3.20	0.92	1.59	1.90	8.33	3.38
	% of Total	0.02	1.57	0.73	0.35	0.35	0.11	0.26	3.38
Kitchen Utensils, Household Electricity	Frequency	-	5	9	21	23	10	3	71
	Row %	-	7.04	12.68	29.58	32.39	14.08	4.23	100.00
	Column %	-	1.10	0.72	1.02	1.92	3.16	1.79	1.30
	% of Total	-	0.09	0.16	0.38	0.42	0.18	0.05	1.30
Medicines, Medical Devices	Frequency	-	28	2	4	6	1	-	41
	Row %	-	68.29	4.88	9.76	14.63	2.44	-	100.00
	Column %	-	6.18	0.16	0.19	0.50	0.32	-	0.75
	% of Total	-	0.51	0.04	0.07	0.11	0.02	-	0.75

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Males)

	Age Groups								
	All Age,	< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups
Floor, Footpath, Street, Water	Frequency	-	25	56	45	55	27	15	223
	Row %	-	11.21	25.11	20.18	24.66	12.11	6.73	100.00
	Column %	-	5.52	4.48	2.19	4.60	8.54	8.93	4.08
	% of Total	-	0.46	1.02	0.82	1.01	0.49	0.27	4.08
Animals, Animal	Frequency	-	7	12	10	17	21	8	75
Accessories	Row %	-	9.33	16.00	13.33	22.67	28.00	10.67	100.00
	Column %	-	1.55	0.96	0.49	1.42	6.65	4.76	1.37
	% of Total	-	0.13	0.22	0.18	0.31	0.38	0.15	1.37
Plants, Trees	Frequency	-	5	27	3	10	5	-	50
	Row %	-	10.00	54.00	6.00	20.00	10.00	-	100.00
	Column %	-	1.10	2.16	0.15	0.84	1.58	-	0.91
	% of Total	-	0.09	0.49	0.05	0.18	0.09	-	0.91
Fairs, Playgrounds	Frequency	-	12	39	3	1	-	-	55
	Row %	-	21.82	70.91	5.45	1.82	-	-	100.00
	Column %	-	2.65	3.12	0.15	0.08	-	-	1.01
	% of Total	-	0.22	0.71	0.05	0.02	-	-	1.01
Vehicles, Boats, Bikes, Accessories	Frequency	-	18	101	60	34	19	8	240
	Row %	-	7.50	42.08	25.00	14.17	7.92	3.33	100.00
	Column %	-	3.97	8.08	2.91	2.85	6.01	4.76	4.39
	% of Total	-	0.33	1.85	1.10	0.62	0.35	0.15	4.39
Athletics, Boxing, Golf, Horse Riding, etc.	Frequency	-	-	15	29	19	9	3	75
	Row %	-	-	20.00	38.67	25.33	12.00	4.00	100.00
	Column %	-	-	1.20	1.41	1.59	2.85	1.79	1.37
	% of Total	-	-	0.27	0.53	0.35	0.16	0.05	1.37

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Males)

		Age Groups							
		All Age, Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Skiing, Tennis,	Frequency	-	7	547	1149	512	30	6	2251
	Row %	-	0.31	24.30	51.04	22.75	1.33	0.27	100.00
	Column %	-	1.55	43.76	55.80	42.85	9.49	3.57	41.17
	% of Total	-	0.13	10.01	21.02	9.37	0.55	0.11	41.17
Sports Articles,	Frequency	-	1	29	86	52	16	4	188
	Row %	-	0.53	15.43	45.74	27.66	8.51	2.13	100.00
	Column %	-	0.22	2.32	4.18	4.35	5.06	2.38	3.44
	% of Total	-	0.02	0.53	1.57	0.95	0.29	0.07	3.44
Other Product	Frequency	8	68	40	59	66	28	12	281
	Row %	2.85	24.20	14.23	21.00	23.49	9.96	4.27	100.00
	Column %	30.77	15.01	3.20	2.87	5.52	8.86	7.14	5.14
	% of Total	0.15	1.24	0.73	1.08	1.21	0.51	0.22	5.14
No Product Stated	Frequency	2	22	58	22	13	6	6	129
	Row %	1.55	17.05	44.96	17.05	10.08	4.65	4.65	100.00
	Column %	7.69	4.86	4.64	1.07	1.09	1.90	3.57	2.36
	% of Total	0.04	0.40	1.06	0.40	0.24	0.11	0.11	2.36
Total	Frequency	26	453	1250	2059	1195	316	168	5467
	Row %	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.48	8.29	22.86	37.66	21.86	5.78	3.07	100.00

The Twenty Most Common Product Groups Causing Injuries (Females)

	Age Groups								
	All Age,	< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups
Clothing or Sportswear	Frequency	-	3	36	30	10	3	1	83
	Row %	-	3.61	43.37	36.14	12.05	3.61	1.20	100.00
	Column %	-	0.91	5.49	6.36	2.50	0.99	0.31	3.30
	% of Total	-	0.12	1.43	1.19	0.40	0.12	0.04	3.30
House Building Elements	Frequency	6	87	97	98	100	77	94	559
	Row %	1.07	15.56	17.35	17.53	17.89	13.77	16.82	100.00
	Column %	20.69	26.28	14.79	20.76	25.00	25.33	29.28	22.24
	% of Total	0.24	3.46	3.86	3.90	3.98	3.06	3.74	22.24
Containers, Wrappings	Frequency	-	1	1	3	9	7	4	25
	Row %	-	4.00	4.00	12.00	36.00	28.00	16.00	100.00
	Column %	-	0.30	0.15	0.64	2.25	2.30	1.25	0.99
	% of Total	-	0.04	0.04	0.12	0.36	0.28	0.16	0.99
DIY Equipment	Frequency	-	3	3	4	10	13	1	34
	Row %	-	8.82	8.82	11.76	29.41	38.24	2.94	100.00
	Column %	-	0.91	0.46	0.85	2.50	4.28	0.31	1.35
	% of Total	-	0.12	0.12	0.16	0.40	0.52	0.04	1.35
Building Materials, Insulation, Wood	Frequency	-	1	7	8	4	4	13	37
	Row %	-	2.70	18.92	21.62	10.81	10.81	35.14	100.00
	Column %	-	0.30	1.07	1.69	1.00	1.32	4.05	1.47
	% of Total	-	0.04	0.28	0.32	0.16	0.16	0.52	1.47
Splinters, Dust, Other Particles	Frequency	-	-	1	3	6	4	-	14
	Row %	-	-	7.14	21.43	42.86	28.57	-	100.00
	Column %	-	-	0.15	0.64	1.50	1.32	-	0.56
	% of Total	-	-	0.04	0.12	0.24	0.16	-	0.56

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Females)

	Age Groups								
	All Age,	< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups
Food, Hot-Liquids	Frequency	2	15	3	17	12	11	8	68
	Row %	2.94	22.06	4.41	25.00	17.65	16.18	11.76	100.00
	Column %	6.90	4.53	0.46	3.60	3.00	3.62	2.49	2.71
	% of Total	0.08	0.60	0.12	0.68	0.48	0.44	0.32	2.71
Heating Equipment	Frequency	-	9	7	4	5	1	5	31
	Row %	-	29.03	22.58	12.90	16.13	3.23	16.13	100.00
	Column %	-	2.72	1.07	0.85	1.25	0.33	1.56	1.23
	% of Total	-	0.36	0.28	0.16	0.20	0.04	0.20	1.23
Floor, Inside Coverings, Stairs	Frequency	2	7	7	7	11	4	18	56
	Row %	3.57	12.50	12.50	12.50	19.64	7.14	32.14	100.00
	Column %	6.90	2.11	1.07	1.48	2.75	1.32	5.61	2.23
	% of Total	0.08	0.28	0.28	0.28	0.44	0.16	0.72	2.23
Household Furniture	Frequency	6	72	34	13	29	34	54	242
	Row %	2.48	29.75	14.05	5.37	11.98	14.05	22.31	100.00
	Column %	20.69	21.75	5.18	2.75	7.25	11.18	16.82	9.63
	% of Total	0.24	2.87	1.35	0.52	1.15	1.35	2.15	9.63
Kitchen Utensils, Household Electricity	Frequency	1	9	5	16	16	12	2	61
	Row %	1.64	14.75	8.20	26.23	26.23	19.67	3.28	100.00
	Column %	3.45	2.72	0.76	3.39	4.00	3.95	0.62	2.43
	% of Total	0.04	0.36	0.20	0.64	0.64	0.48	0.08	2.43
Medicines, Medical Devices	Frequency	-	18	3	2	2	2	2	29
	Row %	-	62.07	10.34	6.90	6.90	6.90	6.90	100.00
	Column %	-	5.44	0.46	0.42	0.50	0.66	0.62	1.15
	% of Total	-	0.72	0.12	0.08	0.08	0.08	0.08	1.15

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Females)

		Age Groups								All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Floor, Footpath, Street, Water	Frequency	1	11	31	23	34	33	38	171	
	Row %	0.58	6.43	18.13	13.45	19.88	19.30	22.22	100.00	
	Column %	3.45	3.32	4.73	4.87	8.50	10.86	11.84	6.80	
	% of Total	0.04	0.44	1.23	0.92	1.35	1.31	1.51	6.80	
Animals, Animal Accessories	Frequency	-	5	25	4	9	15	7	65	
	Row %	-	7.69	38.46	6.15	13.85	23.08	10.77	100.00	
	Column %	-	1.51	3.81	0.85	2.25	4.93	2.18	2.59	
	% of Total	-	0.20	0.99	0.16	0.36	0.60	0.28	2.59	
Plants, Trees	Frequency	-	-	17	1	1	4	2	25	
	Row %	-	-	68.00	4.00	4.00	16.00	8.00	100.00	
	Column %	-	-	2.59	0.21	0.25	1.32	0.62	0.99	
	% of Total	-	-	0.68	0.04	0.04	0.16	0.08	0.99	
Fairs, Playgrounds	Frequency	-	20	48	2	1	1	-	72	
	Row %	-	27.78	66.67	2.78	1.39	1.39	-	100.00	
	Column %	-	6.04	7.32	0.42	0.25	0.33	-	2.87	
	% of Total	-	0.80	1.91	0.08	0.04	0.04	-	2.87	
Vehicles, Boats, Bikes Accessories	Frequency	-	14	64	12	17	4	5	116	
	Row %	-	12.07	55.17	10.34	14.66	3.45	4.31	100.00	
	Column %	-	4.23	9.76	2.54	4.25	1.32	1.56	4.62	
	% of Total	-	0.56	2.55	0.48	0.68	0.16	0.20	4.62	
Athletics, Boxing, Golf, Horse Riding, etc.	Frequency	-	1	10	25	7	4	2	49	
	Row %	-	2.04	20.41	51.02	14.29	8.16	4.08	100.00	
	Column %	-	0.30	1.52	5.30	1.75	1.32	0.62	1.95	
	% of Total	-	0.04	0.40	0.99	0.28	0.16	0.08	1.95	

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Females)

		Age Groups								
										All Age,
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Skiing, Tennis,	Frequency	1	4	149	130	56	15	15	370	%
Swimming, Wind-Surfing etc.	Row %	0.27	1.08	40.27	35.14	15.14	4.05	4.05	100.00	%
	Column %	3.45	1.21	22.71	27.54	14.00	4.93	4.67	14.72	%
	% of Total	0.04	0.16	5.93	5.17	2.23	0.60	0.60	14.72	%
Sports Articles,	Frequency	-	-	26	31	21	7	3	88	%
	Row %	-	-	29.55	35.23	23.86	7.95	3.41	100.00	%
	Column %	-	-	3.96	6.57	5.25	2.30	0.93	3.50	%
	% of Total	-	-	1.03	1.23	0.84	0.28	0.12	3.50	%
Other Product	Frequency	7	36	32	27	27	29	28	186	%
	Row %	3.76	19.35	17.20	14.52	14.52	15.59	15.05	100.00	%
	Column %	24.14	10.88	4.88	5.72	6.75	9.54	8.72	7.40	%
	% of Total	0.28	1.43	1.27	1.07	1.07	1.15	1.11	7.40	%
No Product Stated	Frequency	3	15	50	12	13	20	19	132	%
	Row %	2.27	11.36	37.88	9.09	9.85	15.15	14.39	100.00	%
	Column %	10.34	4.53	7.62	2.54	3.25	6.58	5.92	5.25	%
	% of Total	0.12	0.60	1.99	0.48	0.52	0.80	0.76	5.25	%
Total	Frequency	29	331	656	472	400	304	321	2513	%
	Row %	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	%
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	%
	% of Total	1.15	13.17	26.10	18.78	15.92	12.10	12.77	100.00	%

The Twenty Most Common Product Groups Causing Injuries (Total)

		Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	All Age Groups
Clothing or Sportswear	Frequency	-	4	153	352	109	5	1	624
	Row %	-	0.64	24.52	56.41	17.47	0.80	0.16	100.00
	Column %	-	0.51	8.03	13.91	6.83	0.81	0.20	7.82
	% of Total	-	0.05	1.92	4.41	1.37	0.06	0.01	7.82
House Building Elements	Frequency	17	201	212	215	228	126	129	1128
	Row %	1.51	17.82	18.79	19.06	20.21	11.17	11.44	100.00
	Column %	30.91	25.64	11.12	8.49	14.29	20.32	26.38	14.14
	% of Total	0.21	2.52	2.66	2.69	2.86	1.58	1.62	14.14
Containers, Wrappings	Frequency	-	7	4	14	23	13	7	68
	Row %	-	10.29	5.88	20.59	33.82	19.12	10.29	100.00
	Column %	-	0.89	0.21	0.55	1.44	2.10	1.43	0.85
	% of Total	-	0.09	0.05	0.18	0.29	0.16	0.09	0.85
DIY Equipment	Frequency	1	6	7	26	56	50	26	172
	Row %	0.58	3.49	4.07	15.12	32.56	29.07	15.12	100.00
	Column %	1.82	0.77	0.37	1.03	3.51	8.06	5.32	2.16
	% of Total	0.01	0.08	0.09	0.33	0.70	0.63	0.33	2.16
Building Materials, Insulation, Wood	Frequency	1	9	15	32	22	15	18	112
	Row %	0.89	8.04	13.39	28.57	19.64	13.39	16.07	100.00
	Column %	1.82	1.15	0.79	1.26	1.38	2.42	3.68	1.40
	% of Total	0.01	0.11	0.19	0.40	0.28	0.19	0.23	1.40
Splinters, Dust, Other Particles	Frequency	-	1	6	22	37	18	5	89
	Row %	-	1.12	6.74	24.72	41.57	20.22	5.62	100.00
	Column %	-	0.13	0.31	0.87	2.32	2.90	1.02	1.12
	% of Total	-	0.01	0.08	0.28	0.46	0.23	0.06	1.12

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Total)

		Age Groups								All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Food, Hot Liquids	Frequency	2	28	12	39	30	23	18	152	
	Row %	1.32	18.42	7.89	25.66	19.74	15.13	11.84	100.00	
	Column %	3.64	3.57	0.63	1.54	1.88	3.71	3.68	1.90	
	% of Total	0.03	0.35	0.15	0.49	0.38	0.29	0.23	1.90	
Heating Equipment	Frequency	-	24	13	9	12	6	5	69	
	Row %	-	34.78	18.84	13.04	17.39	8.70	7.25	100.00	
	Column %	-	3.06	0.68	0.36	0.75	0.97	1.02	0.86	
	% of Total	-	0.30	0.16	0.11	0.15	0.08	0.06	0.86	
Floor, Inside Coverings, Stairs	Frequency	4	15	15	14	18	6	24	96	
	Row %	4.17	15.63	15.63	14.58	18.75	6.25	25.00	100.00	
	Column %	7.27	1.91	0.79	0.55	1.13	0.97	4.91	1.20	
	% of Total	0.05	0.19	0.19	0.18	0.23	0.08	0.30	1.20	
Household Furniture	Frequency	7	158	74	32	48	40	68	427	
	Row %	1.64	37.00	17.33	7.49	11.24	9.37	15.93	100.00	
	Column %	12.73	20.15	3.88	1.26	3.01	6.45	13.91	5.35	
	% of Total	0.09	1.98	0.93	0.40	0.60	0.50	0.85	5.35	
Kitchen Utensils, Household Electricity	Frequency	1	14	14	37	39	22	5	132	
	Row %	0.76	10.61	10.61	28.03	29.55	16.67	3.79	100.00	
	Column %	1.82	1.79	0.73	1.46	2.45	3.55	1.02	1.65	
	% of Total	0.01	0.18	0.18	0.46	0.49	0.28	0.06	1.65	
Medicines, Medical Devices	Frequency	-	46	5	6	8	3	2	70	
	Row %	-	65.71	7.14	8.57	11.43	4.29	2.86	100.00	
	Column %	-	5.87	0.26	0.24	0.50	0.48	0.41	0.88	
	% of Total	-	0.58	0.06	0.08	0.10	0.04	0.03	0.88	

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Total)

		Age Groups								All Age Groups
		< 1	1-4	5-14	15-24	25-44	45-64	65+	Groups	
Floor, Footpath, Street, Water	Frequency	1	36	87	68	89	60	53	394	
	Row %	0.25	9.14	22.08	17.26	22.59	15.23	13.45	100.00	
	Column %	1.82	4.59	4.56	2.69	5.58	9.68	10.84	4.94	
	% of Total	0.01	0.45	1.09	0.85	1.12	0.75	0.66	4.94	
Animals, Animal Accessories	Frequency	-	12	37	14	26	36	15	140	
	Row %	-	8.57	26.43	10.00	18.57	25.71	10.71	100.00	
	Column %	-	1.53	1.94	0.55	1.63	5.81	3.07	1.75	
	% of Total	-	0.15	0.46	0.18	0.33	0.45	0.19	1.75	
Plants, Trees	Frequency	-	5	44	4	11	9	2	75	
	Row %	-	6.67	58.67	5.33	14.67	12.00	2.67	100.00	
	Column %	-	0.64	2.31	0.16	0.69	1.45	0.41	0.94	
	% of Total	-	0.06	0.55	0.05	0.14	0.11	0.03	0.94	
Fairs, Playgrounds	Frequency	-	32	87	5	2	1	-	127	
	Row %	-	25.20	68.50	3.94	1.57	0.79	-	100.00	
	Column %	-	4.08	4.56	0.20	0.13	0.16	-	1.59	
	% of Total	-	0.40	1.09	0.06	0.03	0.01	-	1.59	
Vehicles, Boats, Bikes Accessories	Frequency	-	32	165	72	51	23	13	356	
	Row %	-	8.99	46.35	20.22	14.33	6.46	3.65	100.00	
	Column %	-	4.08	8.66	2.84	3.20	3.71	2.66	4.46	
	% of Total	-	0.40	2.07	0.90	0.64	0.29	0.16	4.46	
Athletics, Boxing, Golf, Horse Riding, etc.	Frequency	-	1	25	54	26	13	5	124	
	Row %	-	0.81	20.16	43.55	20.97	10.48	4.03	100.00	
	Column %	-	0.13	1.31	2.13	1.63	2.10	1.02	1.55	
	% of Total	-	0.01	0.31	0.68	0.33	0.16	0.06	1.55	

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Total)

		Age Groups							
		All Age Groups							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	
Skiing, Tennis, Surfing etc.	Frequency	1	11	696	1279	568	45	21	2621
	Row %	0.04	0.42	26.55	48.80	21.67	1.72	0.80	100.00
	Column %	1.82	1.40	36.52	50.53	35.61	7.26	4.29	32.84
	% of Total	0.01	0.14	8.72	16.03	7.12	0.56	0.26	32.84
Sports Articles	Frequency	-	1	55	117	73	23	7	276
	Row %	-	0.36	19.93	42.39	26.45	8.33	2.54	100.00
	Column %	-	0.13	2.89	4.62	4.58	3.71	1.43	3.46
	% of Total	-	0.01	0.69	1.47	0.91	0.29	0.09	3.46
Other Product	Frequency	15	104	72	86	93	57	40	467
	Row %	3.21	22.27	15.42	18.42	19.91	12.21	8.57	100.00
	Column %	27.27	13.27	3.78	3.40	5.83	9.19	8.18	5.85
	% of Total	0.19	1.30	0.90	1.08	1.17	0.71	0.50	5.85
No Product Stated	Frequency	5	37	108	34	26	26	25	261
	Row %	1.92	14.18	41.38	13.03	9.96	9.96	9.58	100.00
	Column %	9.09	4.72	5.67	1.34	1.63	4.19	5.11	3.27
	% of Total	0.06	0.46	1.35	0.43	0.33	0.33	0.31	3.27
Total	Frequency	55	784	1906	2531	1595	620	489	7980
	Row %	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00
	Column %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% of Total	0.69	9.82	23.88	31.72	19.99	7.77	6.13	100.00

EHLASS

Cork University Hospital

Wilton, Cork, Republic of Ireland. Telephone: 021-4546400

HOSPITAL RECORD NUMBER

Šff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ffœ

DATE OF TREATMENT (YYMMDD)

YY: Šff< ffœ MM: Šff< ffœ DD: Šff< ffœ

TIME OF ATTENDANCE

Šff< ffœ

NUMBER OF HOSPITALISED DAYS

Šff< ffœ

TREATMENT AND FOLLOW-UP

Šffœ

AGE OF PATIENT

Šff< ff< ffœ

SEX OF PATIENT

Šffœ

ACCIDENT MECHANISM

Šff< ffœ

PLACE OF ACCIDENT

Šff< ffœ

ACTIVITY AT TIME OF ACCIDENT

Šff< ffœ

INJURY DIAGNOSIS TYPE 1

Šff< ffœ

TYPE 2

Šff< ffœ

PART OF THE BODY AFFECTED PART 1

Šff< ffœ

PART 2

Šff< ffœ

PRODUCT INVOLVED IN ACCIDENT

Šff< ff< ff< ff< ffœ

PRODUCT CAUSING INJURY

Šff< ff< ff< ff< ffœ

OTHER PRODUCT

Šff< ff< ff< ff< ffœ

ACCIDENT DESCRIPTION

Šff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ffœ

Šff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ffœ

Šff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ff< ffœ

HOSPITAL RECORD NUMBER (OPTIONAL)

Šff< ff< ff< ff< ff< ff< ff< ff< ffœ