Matrix Estimation using Matrix Forgetting Factor and Instrumental Variable for Nonstationary Sequences with Time Variant Matrix Gain

José de Jesús Medel Juárez¹, Pedro Guevara López², Alberto Flores Rueda³

^{1, 3} Centro de Investigación en Computación Instituto Politécnico Nacional Av. Juan de Dios Bátiz S/N esq. Miguel Othon de Mendizábal C. P. 07738, México D. F.

¹ jjmedel@pollux.cic.ipn.mx, ² aflores@pollux.cic.ipn.mx

² Centro de Investigación en Tecnologías de Información y Sistemas Universidad Autónoma del Estado de Hidalgo Carretera Pachuca-Tulancingo km. 4.5 Ciudad Universitaria, Hidalgo

² pguevara@df1.telmex.net.mx,

Abstract. Consider us the problem of time-varying parameter estimation. The most immediate and simple idea is to include a discounting procedure in an estimation algorithm i.e., a procedure for discarding (forgetting) old information. The most common way to do is to introduce an exponential forgetting factor (FF) into the corresponding estimation procedure (to see: Ljung and Gunnarson (1990)).

In this paper, the authors going to describe a good enough estimator considering a system with nonstationary time variant properties with respect to input and output qualities. The techniques used are Instrumental Variable (IV) and Matrix Forgetting Factor (MFF). The results previously obtained by (Poznyak and Medel 1999_a, 1999_b) were the basis of this paper. The theoretical description illustrates the advantages with respect to others filters below cited.

Keywords: Filtering, simulation, estimation, signal processing.

1 INTRODUCTION

In many papers used a *constant scalar Forgetting Factor (FF)* for to filter a non-stationary system in SISO case, for example:

Marco Campiy (1994) exposed in his paper, that the systems with unknown time-varying parameters and subject to stochastic disturbances have a problem for tracking parameters because in each parameter evolution, resorting to a class of adaptive recursive least squares algorithms, equipped with variable FF. The basic assumption in the analysis is that the observation vector, the noise and the parameter drift are stochastic processes satisfying a mixing condition. Furthermore, the observation vector satisfies an excitation condition imposed on its minimum power. In this paper, the author shown that the algorithm estimates with bounded error whenever the so-called covariance matrix of the algorithm keeps bounded. Finally, the size of such a matrix by a suitable choice of the feasible range for FF is possible to control.

George V. Moustakides (1997) investigated the convergence properties of the FF into RLS algorithm by stationary data environment. He used the settling time as a performance measure and

shown that the algorithm exhibits a variable performance depending to the particular combination of the initialization and noise level. Specifically when the observation noise level is low, the RLS had a matrix with small norm and it has an exceptional convergence, i.e., that the convergence speed decreases as we increase the norm of the initialization matrix. Now if the observation noise level is high, he shown that it is preferable to initialize the algorithm with a matrix of large norm.

Xue and Liu (1991) shown that, when apply a FF to the past data, the convergence is bounded exponentially, and prediction coefficients fluctuate around the least squares estimates in the steady state, in probability sense.

The studies carried out by us with small FF into standard least square algorithm, increases the convergence rate and the set of results have a larger fluctuation around of real values, and Guo, Ljung and Priouret (1992) developed the analytical results.

Tsakalis and Limanond (1992) considered to apply the adaptive techniques for to smooth the trajectories of the space station setting in orbit with moving payload, and used an adaptive least square algorithm with adjustable FF.

On the other hand, Bittanti and Campi (1994_a) studied the performance of the recursive least squares method with constant *FF* for to estimate of time-varying parameters in a stochastic systems.

Continuing with their studies Bittanti and Campi (1994_b) exposed the properties of this class of estimator into stochastic system, showed that if use the standard least square method with a large enough *FF* for tracking, the error keeps bounded, and has in according to them "an interesting expression". In addition, they conclude that the estimation error has two terms: One depending on the parameter drift and the other depending on the noises.

The method suggested by Goto, Nakamura and Uosaki (1995) for to estimate on-line the set of parameter, considered a linear representation into recursive least squares estimation algorithm with ladder FF, and bounded it by the unit zone.

Xue and Liu (1991_b) evaluated the asymptotic convergence of the least squares algorithm with FF for stochastic inputs and concluding that the convergence is a function of input-output noises variance and observed that a small FF the rate of convergence is very "good", in other case generate a set of fluctuations.

In a nonlinear multiaxial thrust vectoring, Ward, Barren and Carley (1994) presented a prediction using a sequential least squares estimator and they observed a "good" results. In a few moths later, they prove the sequential least squares estimator with FF and obtained the "best" results.

Ting and Chiders (1990) described a recursive least-squares algorithm with a *variable FF*, and introduced for speech signal analysis. The *variable FF* was a function of the state changes of the estimator. Pahalawatha *et al* (1990) used to *variable FF* in the recursive least squares algorithm. Bittanti and Campi (1994_a) worked a constant *FF* to parameter tracking with recursive least square algorithm in a fully stochastic framework.

Avanzolini, Barbino, Cappello and Cevenini (1995) considered two algorithms:

a. The least squares algorithm with *variable FF: the variable* FF is expressed as a function of covariance modifications related with to noise around of the system and the noise inside of it, and

b.The least squares algorithm with constant FF previously selected by Monte Carlo Method.

Park, Jun and Kim (1991) used to least squares algorithm with innovative *variable FF* into a unity zone.

Poznyak and Medel (1999_a 1999_b) suggested a new approach based on the use of the recursive *Instrumental Variable Method* (IVM) with a constant *Matrix FF* (MFF) for input and output noises into the system, uncorrelated. This tool gave a two times better estimations with respect to previous results above cited.

In addition, C. F. So and et. al. (2003) obtained a new variable FF recursive least-square adaptive algorithm. They showed that the theoretical analysis and the simulation results are close to each other. The adaptive FF use a function generated on the dynamic equation of the gradient of mean square error. Their results had compared with other types of variable FF algorithms, and their algorithm provides fast tracking and small mean square error, described it by second probability moment.

2 MODEL DESCRIPTION AND STATEMENT PROBLEM

Matrix ARMA-model of fixed order n_d and noises of ζ_{τ} of the Moving Average type with the same order, disturbing the state vector $x_{\tau} \in \mathbf{R}^N$ described by time variant stochastic model:

$$\begin{aligned} x_{\tau} &= \begin{bmatrix} A_{1,\tau}, \dots, A_{n_{d},\tau} \end{bmatrix} \begin{bmatrix} x_{1,\tau}, \dots, x_{n_{d}} \end{bmatrix}^{T} + \zeta_{\tau} ,\\ \zeta_{\tau} &= \begin{bmatrix} D_{0,\tau}, \dots, D_{n_{d},\tau} \end{bmatrix} \begin{bmatrix} \xi_{1,\tau}, \dots, \xi_{n_{d},\tau} \end{bmatrix}^{T} . \end{aligned}$$
(1)

Where $\{\xi_{i,\tau}\} \in \Re^N, i = \overline{I, n_d}$ is a white noise vector, centered random variables with distribution and fourth bounded moments and $\{D_{i,\tau}\} \in \Re^{N \times N}, i = \overline{I, n_d}$, unknown and deterministic bounded matrices. All random sequences $\{\xi_{i,\tau}\}$ are into a *filtered probability space* $(\Omega, \{\mathfrak{s}_i\}, \mathfrak{s}, P)_{\tau}$ in agreement to Ash (1972), into interval measurable in symbolic form expressed by τ .

Let us also assume that a linear algebraic relation gives the output model in discrete time, which also contains a white noise vector: $\{v_{j,\tau}\} \in \Re^M, i = \overline{I, n_d}$, disturbing in additive sense, the measured output signal vector $y_{\tau} \in \Re^M$:

$$y_{\tau} = C_{\tau} x_{\tau} + v_{\tau}$$
(2)
If we considering that $C_{\tau} \in \mathfrak{R}^{M \times N}$ is a known and has full rank matrix $(C_{\tau}^{T} C_{\tau}) > 0$. The state vector is described as: $x_{\tau} = C_{\tau}^{+} (y_{\tau} - v_{\tau})$, where $C_{\tau}^{+} := (C_{\tau}^{T} C_{\tau})^{-1}$ is knowing as pseudoinverse matrix (to see: Rao 1965). Replacing x_{τ} in (1):

$$\boldsymbol{x}_{\tau} = \begin{bmatrix} \boldsymbol{A}_{l,\tau}, \dots, \boldsymbol{A}_{n_{a},\tau} \end{bmatrix} \boldsymbol{\alpha}_{l,\tau}, \dots, \boldsymbol{\alpha}_{n_{a},\tau} \end{bmatrix}^{T} + \boldsymbol{\zeta}_{\tau},$$

with

$$\begin{aligned} \alpha_{l,\tau} &= (C_{l,\tau})^{+} \big(y_{l,\tau} - \upsilon_{l,\tau} \big) \\ &\vdots \\ \alpha_{n_{d},\tau} &= (C_{n_{l},\tau})^{+} \big(y_{n_{d},\tau} - \upsilon_{n_{d},\tau} \big). \end{aligned}$$

In addition, substituting this result into output signal vector expressed in (2):

$$y_{\tau} = \beta_{l,\tau} y_{l,\tau} + \dots + \beta_{n_d,\tau} y_{n_d,\tau} + v_{\tau}$$
(3)

Considering that: $\{\beta_{i,\tau} = C_{\tau}A_{i,\tau}(C_{i,\tau})^{+}\}$ $i = \overline{I, n_d}$, and "the generalized noise-signal vector" v_{τ} described as: $v_{\tau} = C_{\tau}\zeta_{\tau} - \Theta_{\tau} + v_{\tau}$ with $\Theta_{\tau} = \sum_{i=\overline{I,n_d}} \beta_{i,\tau}v_{i,\tau}$.

The sequence v_r has a moving average structure. Throughout this paper use us the standard vector-form; then, considering in (3) these properties, expressed in vector-form:

$$y_{\tau} = A_{\tau} z_{\tau} + v_{\tau} , \qquad (4)$$

Where are defined the vector $z_r \in \mathfrak{R}^{Mn_d}$ as "generalized inputs" and $A_r \in \mathfrak{R}^{M \times Mn_d}$ as the extended matrix of nonstationary parameters:

$$z_{\tau}^{T} = \left(C_{\tau-1}^{T}, \cdots, C_{\tau-n_{d}}^{T} \right) \left(y_{\tau-1}, \cdots, y_{\tau-n_{d}} \right),$$

$$A_{\tau}^{T} = \left(C_{\tau-1}^{T}, \cdots, C_{\tau-n_{d}}^{T} \right) \left(A_{\tau-1}, \cdots, A_{\tau-n_{d}} \right).$$
(5)

To deal with nonstationary models (to see: 4) containing a nonstationary unknown matrix A_r as well as nonstationary random disturbances expressed in symbolic vector form by v_r . Will be require to introduce: An exponential discounting mathematical expression knowing as *Forgetting Factor Matrix* (FFM) denoted as *R* and defined positive; i.e.: 0 < R and $R = R^T \in \mathfrak{R}^{Mn_q \times Mn_q}$, and Instrumental Variable Method (IVM) expressed in vector form as $\mathscr{G}_r \in \mathfrak{R}^{Mn_q}$. Considering the experience of previous result of estimation of nonstationary systems and estimation of nonstationary unknown matrix parameters, we suggest to use both in combined form as a tool, with the next properties:

Multiplying both sides of (4) by $\mathscr{G}_{r}^{T} \in \mathfrak{R}^{n_{d}-r}$, exposed in (Poznyak and Medel 1999_a), and averaging it in time $(\tau = \overline{I, n_{d}})$:

$$\sum_{i=\overline{I,n_{d}}} y_{\tau} \vartheta_{\tau}^{T} R^{n_{d}-\tau} = \sum_{i=\overline{I,n_{d}}} A_{\tau} z_{\tau} \vartheta_{\tau}^{T} R^{n_{d}-\tau} + \sum_{i=\overline{I,n_{d}}} v_{\tau} \vartheta_{\tau}^{T} R^{n_{d}-\tau}$$
(6)

Selecting the instrumental variable set $\{g_r\}$ in such a way that:

$$\sum_{i=\overline{I,n_{d}}} v_{\tau} \mathcal{G}_{\tau}^{T} R^{n_{d}-\tau} \xrightarrow{a.s} l_{n_{d}}.$$

$$\tag{7}$$

With l_{n_a} as element of filtered probability space:

$$l_{n_d} \subseteq \left(\Omega, \{\mathfrak{F}_i\}, \mathfrak{F}, P\right)_{n_d}$$

The contraction *a. s.*, significate: almost surely or with probability 1 with respect to the measure P (to see: Ash 1972).

To define the *parameter estimator matrix* \hat{A}_{n_d} in the time n_d with respect to the matrix $A_{n_d} \in \Re^{M \times Mn_d}$ and the perturbations around the process, previously expressed in (4):

$$\hat{A}_{n_d} = \left(\sum_{\tau=1, n_d} y_\tau \mathcal{P}_\tau^T R^{n-\tau} - I_n_d \right) \Gamma_{n_d}$$
(8)

Where the *gain matrix* Γ_{n_d} has form:

$$\Gamma_{n_d} = \left(z_{n_d} \, \mathcal{G}_{n_d}^{T} + \left(\sum_{\tau = l, n_d - l} z_\tau \, \mathcal{G}_{\tau}^{T} \, R^{(n_d - l) - \tau} \right) R \right)^{-l} \tag{9}$$

The expression (8) in recursive description, the gain matrix Γ_{n_d} :

$$\Gamma_{n_d} = \left(z_{n_d} \, \vartheta_{n_d}^{\ T} + \left(\Gamma_{n_d-l} \right)^{-l} R \right)^{-l} \,. \tag{10}$$

Applying the inversion matrix lemma (Ljung 1987 and Rao 1965), finally, the *gain matrix* Γ_{n_d} has the form:

$$\Gamma_{n_d} = R^{-l} \Gamma_{n_d-l} - S_{n_d} , \qquad (11)$$

With S_{n_a} , to express as a quotient:

$$S_{n_d} = \left(R^{-1} \Gamma_{n_d - 1} z_{n_d} \, \mathcal{G}_{n_d}^{-T} R^{-1} \Gamma_{n_d - 1} \right) \left(1 + \mathcal{G}_{n_d}^{-T} R^{-1} \Gamma_{n_d - 1} z_{n_d} \right)^{-1} \, .$$

Where the gain matrix Γ_{n_d} is valid for any

$$n_d \geq n_0(\omega_\tau) := \inf_{\tau \geq 0} \left\{ \tau : \det(\Gamma_\tau)^{-l} \neq 0 \right\}, \omega_\tau \in \Omega.$$

In agreement to (7) the recursive form, and remembered that (6) has stationary conditions:

$$l_{n_d} \cong l_{n_d-1} + v_{n_d} \mathcal{P}_{n_d}^T .$$
⁽¹²⁾

Taking into account that (to see: (10) in

$$\left(\Gamma_{n_d-l}\right)^{-l}R\Gamma_{n_d} = I - z_{n_d} \mathcal{P}_{n_d}^{T}\Gamma_{n_d}$$

The recurrent estimator, using the combined tool formed by IVM and MFF, and considering that matrix estimator described by (8) have stationary properties:

$$\hat{A}_{n_d} := \hat{A}_{n_d-l} + \left(\Psi_{n_d} - R_{n_d-l} z_{n_d} \right) \mathcal{G}_{n_d}^{\ T} \Gamma_{n_d}$$

$$\tag{13}$$

Where Ψ_{n_d} has the form:

Remark 1. When (7) in almost surely tend to zero, the algorithm obtained was described by (Poznyak and Medel 1999_a).

Remark 2. In the partial case when $g_{n_d} = z_{n_d}$ (we have a Least Squares Method) and $R = \rho I$ (a scalar forgetting factor). The system obtained has been intensively studied from different points of view (see the list of references, for example, Poznyak 1980, Bittanti and Campi 1994, Guo, Ljung and Prioret 1993, Lindoff and Holst 1995_a, Lindoff and Holst 1995_b, Parkum, Poulsen and, Holst 1992, Porat 1995, Poznyak & Medel 1999_a, and 999b and Medel & Poznyak 2001, etc.).

The aim of this investigation is to describe the properties of this algorithm considering preselected a MFF R which minimizes the estimation error $|\hat{A}_{n_d} - A| \in R^{M \times Mn_d}$ in some average probabilistic sense.

3 ASYMPTOTIC ANALYSIS

To analyze the properties of the estimation procedure of equation (13) let us introduce the matrix $\Delta_{n_d} \in \mathbb{R}^{M \times M n_d}$ characterizing the error of this estimating process:

$$\mathbf{A}_{n_d} \coloneqq \hat{A}_{n_d} - A_{n_d} \tag{14}$$

The next lemma going to expose the analytical expression for the matrix Δ_{n_d} defined along the trajectories of the random process in equation (13).

Theorem 1. For the matrix A_{n_d} defined by equation (14) for $n_d \ge n_0$, where the estimates are generated by equation (13), the following presentation holds:

$$\Delta_{n_d} = \Delta_0 \pi_{n_d} + \sum_{i=\overline{I,n_d}} \Lambda_i \left(\pi_{n_d - (i-I)} \right)^{-I} \pi_{n_d}$$
(15)

Where the matrix
$$A_i = A_{n-i} - A_{n-(i-1)}$$
, and $\pi_{n_d} \in \mathbb{R}^{M_{n_d}} \times \mathbb{R}^{M_{n_d}}$, :

$$\pi_{n_d} := \prod_{i=\overline{I,n_d}} \left(I - z_i \beta_i^T \Gamma_i \right).$$
(16)

Proof (Theorem 1). Substituting (13) in (14) we derive:

 $\Delta_{n_d} = \Delta_{n_d-l} + \left(\Psi_{n_d} - \hat{A}_{n_d-l} z_{n_d} \right) \mathcal{G}_{n_d}^T \Gamma_{n_d} - \Lambda_{n_d}$ Using then expression (4) in the previous result:

$$a_{n_d} = \Delta_{n_d-1} + \left(A_{n_d} - \Delta_{n_d-1} \right) z_{n_d} \mathcal{P}_{n_d}^{T} \Gamma_{n_d} - A_{n_d}$$

Reducing the previous expression:

$$\Delta_{n_d} = \left(\Delta_{n_d-l} + \Lambda_{n_d}\right) E_{n_d} \tag{17}$$

Denoting $E_{n_d} = I - z_{n_d} \mathcal{P}_{n_d}^T \Gamma_{n_d}, E_{n_d} \in \mathbb{R}^{Mn_d \times Mn_d}.$

Considering that (17) is described as stationary process, then, one interval before: $\Delta_{n_d-l} = (\Delta_{n_d-2} + \Delta_{n_d-l}) E_{n_d-l}$

And substituting this in (17)

$$\Delta_{n_d} = \left(\left(\Delta_{n_d-2} + \Delta_{n_d-1} \right) E_{n_d-1} + \Delta_{n_d} \right) E_{n_d}$$

This procedure is developed $(n_d - 1)$ times. Describing the error matrix as:

 $\Delta_{n_d} = \Delta_{n_0} \prod_{i=\overline{1,n_d}} \mathbf{E}_i - \sum_{i=\overline{1,k}} (-\Lambda_i) \prod_{k=\overline{n_d} - (i-1), n_d} \mathbf{E}_{n_k}$

Taking in to account that

$$\prod_{k=n_{d}-(i-1),n_{d}} E_{n_{k}} = (\pi_{n_{d}-i})^{-1} \pi_{n_{d}}$$
(18)

And finally, obtain us (15). ■

CONCLUSIONS

In this paper, deal with the class of models with varaying parameters and subjected to random disturbances of the moving-average type. We suggested a general version of (Instrumental Variable Method) IVM with Matrix Forgetting Factor (MFF) in agreement to the dynamical properties of the real system. A recursive version of this procedure has a basic description. The main issue of this work is the combination of MFF with IVM for multimatrices. Observing that a Digital Filter can be implemented into embedded systems using micro controllers, DSP's, and others electronic technologies, considering a recursive structure.

REFERENCES

- Ash 1972. Ash Robert D., Real Analysis and Probability, Academic Press, 1972. [1]
- [2] Avanzolini, Barbini, Cappello and Cevenini 1995. Avanzolini, G., Barbini, P., Cappello, A. and Cevenini, G. 1995. Two new algorithms for tracking arterial parameters in nonstationary noise conditions, IEEE Transactions on Biomedical Engineering, 42, 313-317.
- [3] Bittanti and Campi 1994_b. Bittanti, S. and Campi, M. 1994, Least square identification of autoregressive models with time-varying parameters, IEEE, Conference on Decision and control, 4, 36, 3610-3611.
- [4] Bittanti and Campi 1994, Bittanti, S. and Campi, M., 1994. Bounded error identification of time-varying parameters by recursive least square techniques,. IEEE, Transaction on Automatic Control, AC 39, 1106-1110.
- Bittanti, Bolzern and Campi 1989. Bittanti, S., Bolzern, P. and Campi, M. 1989. Adaptive [5] identification via prediction-error directional-forgetting factor: Convergence analysis, International Journal of Control, 50, 2407-2421.
- [6] Bittanti, Bolzern and Campi 1990. Bittanti, S., Bolzern, P. and Campi, M. 1990. Convergence and exponential convergence of identification algorithms with directional forgetting factor, Automatica. 26(5), 929-932.

- [7] Campiy Marco., Performance of RLS Identification Algorithms with Forgetting Factor: A Φ-Mixing Approach, Journal of Mathematical Systems, Estimation, and Control[©], Birkhäuser-Boston, Vol. 4, No. 3, 1994, pp. 1-25.
- [8] Canetti and Espana 1989. Canetti, R. and Espana, M., 1989. Convergence analysis of the least-squares identification algorithm with a variable forgetting factor for time-variying linear systems, Automatica, 25, 609-612.
- [9] Goto, S., Nakamura, M., and Uosaki, K. 1995. On-line spectral estimation of nonstationary time series based on AR-model parameter estimation and order selection with a forgetting factor, IEEE, Transactions on Signal Processing, 43, 1519-1522.
- [10] Guo, Ljung and Priouret 1992. Guo. L., Ljung. L., and Prioret. T., 1992, Tracking performance analysis of the Forgetting Factor recursive least square algorithm, IEEE, Conference on Decision and Control, 1, 688-693.
- [11] Lindoff and Holst 1995 a. Lindoff, B. and Holsts, J. 1995. Bias and covariance on the RLSestimator with exponential forgetting in vector autoregressions, Thechnical report, (Lund Institute of Technology, Department of Matemathical Statistics).
- [12] Lindoff and Holst 1995 b. Distribution of RLS-estimator in time-varying AR(1)-process, in 5th IFAC Symposium on Adaptive Systems in Control and Signal Processing, Budapest, Hungary, 135-140
- [13] Lindorff and Holst 1996. Lindoff. B., and Holst, J., 1996, Convergence Analysis of the RLS identification algorithm with exponential forgetting factor in stationary ARX-structures, SIAM on Optimization and Control.
- [14] Ljung and Gunnarson 1990. Ljung. L., and Gunnarson. T., 1990, Adaptation and tracking in system identification a survey, Automatica, 26(1), 7-22.
- [15] Mayne 1967. Mayne D. Q., 1967, A method for estimating discrete time transfer functions, Advances of Control, 2nd UKAC Control Convention.
- [16] Medel and Poznyak 2001. Medel J. J., and Poznyak, A. S., (2001) Adaptive Tracking for DC- derivate motor Based on Matriz Forgetting. Mexico, pp. 201-217. Computación y sistemas.
- [17] Moustakides V George., Study of the Transient Phase of the Forgetting Factor RLS, IEEE Transactions on Signal Processing, Vol. 45, N°.10, October 1997, pp. 2468-2476.
- [18] Pahalawatha, Hope, Malik and Wong. Pahalawatha, N. C., Hope, G. S., and Wong, K. 1990, Real time implementation of a MIMO adaptive power system stabilizer, IEEE, Proceedings C, 137, 186-194
- [19] Park, Jun, Kim 1991. Park, D., Jun, B. and Kim J. 1991. Fast tracking algorithm using novel variable forgetting factor with unuty zone, Electronics letters, 27, 2150-2151.
- [20] Parkum 1992. Parkum, J., Poulsen, N. and Holst, J. 1992. Recursive forgetting algorithms, International Journal of Control, 55, 109-128.
- [21] Porat 1995. Porat, B. 1995. Transactions on Acoustics, Speech and Signal, ASSP 33, 1209-1212.
- [22] Poznyak 1980. Poznyak, A. S. Estimating the parameters of autoregression processes by the method of least squares, International Journal Systems Science, 11-5, 577-588.
- [23] Poznyak and Medel 1999a. Poznyak A., and Medel J, J. J., Matrix Forgetting Factor, Int. Journal of Systems Science, 1999
- [24] Rao 1965. Rao Radhakrishna C., Linear Statistical Inference and Its Applications, 2nd Edition, John Wiley & Sons, 1973.
- [25] So. C. F., S. C. Ng., & S. H. Leung., Gradient based variable *FF* RLS algorithm, Signal Processing, Vol. 83, Issue 6 (June 2003), pp: 1163 – 1175, 2003, ISSN:0165-1684.
- [26] Ting , Y. T. and Chiders, D.G. 1990. Speech analysis using the weighted recursive least squares algorithm with a variable forgetting factor, International Conference on Acoustics, Speech and Signal Processing, 1, 389-392.

- [27] Tsakalis and Limanond 1992. Tsakalis, S., and Limanond, S. 1992, Adaptive control of time-varying systems: An application to the attitude-momentum control of the space station, IEEE, Conference and Decision and control, 2, 1285-1286.
- [28] Ward 1994. Ward, D., Barren, R., Carley, M. and Curtis, T. 1994, Real-time parameter identification for self-designing flight control, IEEE, National Aerospace and Electronics Conference (NAECON), 1, 526-531.
- [29] Xue and Liu 1991 b. Xue, P. and Liu, B., 1991. On asymptotic convergence of the stochastic least square algorithm, IEEE, 544-545.
- [30] Yang <u>Taewon</u>, Lee <u>JooHun</u>, Lee <u>Ki Yong</u>, & Sung <u>Koeng-Mo</u>., On robust Kalman filtering with forgetting factor for sequential speech analysis, Signal Processing, Elsevier North-Holland, Inc, Vol. 63, Issue 2, pp. 151 156, December 1997, ISSN: 0165-1684.