



**Windmill, James (2018) Insect ear biomechanics : passive and active processes that can inspire acoustic sensors. Journal of the Acoustical Society of America, 143 (3). ISSN 0001-4966 , <http://dx.doi.org/10.1121/1.5036099>**

This version is available at <https://strathprints.strath.ac.uk/64075/>

**Strathprints** is designed to allow users to access the research output of the University of Strathclyde. Unless otherwise explicitly stated on the manuscript, Copyright © and Moral Rights for the papers on this site are retained by the individual authors and/or other copyright owners. Please check the manuscript for details of any other licences that may have been applied. You may not engage in further distribution of the material for any profitmaking activities or any commercial gain. You may freely distribute both the url (<https://strathprints.strath.ac.uk/>) and the content of this paper for research or private study, educational, or not-for-profit purposes without prior permission or charge.

Any correspondence concerning this service should be sent to the Strathprints administrator: [strathprints@strath.ac.uk](mailto:strathprints@strath.ac.uk)

## **Insect ear biomechanics : passive and active processes that can inspire acoustic sensors.**

James Windmill

University of Strathclyde, United Kingdom

Biological systems provide an incredible wealth of archetypes that have emerged through evolutionary processes. Hearing organs are a good example of how different solutions, and adaptations, across different animal taxa, can often converge to solve similar sensory problems. Hearing has evolved independently multiple times across the insects, and the diversity of these biological solutions therefore provides a wealth of inspiration for the creation of novel acoustic sensors. Some biological solutions can be considered as purely passive mechanical constructs that accomplish some processing of the incoming sound. This talk will consider examples of this, including the frequency discrimination of the locust ear, and the directionality and wideband response of different moth ears. Several insects also display active hearing processes, whereby energy is used to actively change the hearing response, bearing some similarity to the processes found in the mammalian inner ear. This talk will thus discuss how some moths actively tune their ear, and how the mosquito ear actively utilizes gain and compression. Finally, the talk will discuss some examples of different acoustic sensors from the University of Strathclyde that take inspiration from these passive and active biological processes.

Accepted manuscript of the following research output: Windmill, James. / Insect ear biomechanics : passive and active processes that can inspire acoustic sensors. In: Journal of the Acoustical Society of America. 2018 ; Vol. 143, No. 3.