

Aged under 40 or 70 and over n = 53,772

No age available n = 111

Included participants

n = 39,847

Hospitalized or institutionalized n = 654

Above status unknown n = 796

Not independent n = 256

Outpatients with cancer n = 387

Outpatients with pregnancy or puerperium n = 12

Eligible participants

n = 37,805

Participation in cancer screening unknown n = 3,100

K6 total score unknown n = 6,547

Available for analysis

n = 29,926

Anonymized data set

n = 93,730

Men

n = 45,057

Women, aged under 40 or 70 and over

n = 28,100

Women, no age available

n = 49

Included participants

n = 20,524

Hospitalized or institutionalized

n = 358

Above status unknown

n = 405

Not independent

n = 148

Outpatients with cancer

n = 238

Outpatients with pregnancy or puerperium

n = 12

Eligible participants

n = 19,399

Participation in cancer screening unknown

n = 1,288

K6 total score unknown

n = 3,478

Available for analysis

n = 15,423

Anonymized data set

n = 93,730

Men

n = 45,057

Women, aged under 20 or 70 and over

n = 17,267

Women, no age available

n = 49

Included participants

n = 31,357

Hospitalized or institutionalized

n = 447

Above status unknown

n = 680

Not independent

n = 183

Outpatients with cancer

n = 264

Outpatients with pregnancy or puerperium

n = 124

Eligible participants

n = 29,703

Participation in cancer screening unknown

n = 1,607

K6 total score unknown

n = 4,255

Available for analysis

n = 24,735