

Psychometric tools in the study of behavioural addiction: A personal overview (Part 1)

Mark Griffiths

I'M NOT A PSYCHOMETRICIAN but I've co-written over 50 refereed psychometrics papers in my career, mainly concerning behavioural addictions. When I began my PhD on slot machine addiction in 1987 there were already a number of robust screening instruments to assess pathological gambling including those adapted from the criteria in the *Diagnostic and Statistical Manual of Mental Disorders* and the *South Oaks Gambling Screen* (SOGS). Since 1987, dozens of instruments to assess problematic gambling have been developed but I've always been content to use the DSM criteria. Despite publishing hundreds of papers and articles on gambling, I've only ever co-written four psychometric gambling papers. My first concerned the development of the *Casino Attitudes Scale* (Sutton & Griffiths, 2008), whereas the remaining three comprised the psychometric testing of the *Reasons for Gambling Questionnaire* (Canale et al., 2015), *Attitudes Towards Gambling Scale* (Canale et al., 2016), and the Portuguese validation of the DSM-IV [multiple response junior version] criteria for adolescent pathological gambling (DSM-IV-MR-J; Calado et al., 2016).

In other areas of my behavioural addiction research I've co-developed many new assessment instruments mainly because (i) there was a lack of psychometrically validated scales for a specific behavioural addiction, (ii) the existing instruments were arguably not fit for purpose and not based on core criteria of addiction, and/or (iii) the existing instruments were psychometrically weak and/or had not undergone any psychometric testing. For epidemiological purposes, Koronczai et al. (2011) asserted that the most appropriate measures in assessing problematic behaviours should meet six requirements. Such instruments should have: (i) brevity (to make surveys as short as possible and help overcome question fatigue); (ii) comprehensiveness (to examine as many aspects of the behaviour as possible); (iii) reliability and validity across age groups (e.g. adolescents vs. adults); (iv) reliability and validity across data collection methods (e.g. online, face-to-face interview, paper-and-pencil); (v) cross-cultural reliability and validity; and (vi) clinical validation. They also noted that an ideal assessment instrument should serve as the basis for defining adequate cut-off scores in terms of both specificity and sensitivity. These measures are something that I've tried my best to follow when developing new psychometric instruments.

The first instrument I ever co-developed was the *Exercise Addiction Inventory* (EAI; Griffiths, Szabo & Terry, 2005; Terry, Szabo & Griffiths, 2004), a short 6-item scale based on the six core criteria in the components model of addiction (i.e. salience, mood modification, tolerance, withdrawal, symptoms, conflict, and relapse; Griffiths, 2005). The EAI has now been translated and validated in many different languages and led to a relatively recent study where many different datasets from around the world were combined to test the psychometric properties of the EAI across cultures (Griffiths et al., 2015).



The two areas where I have co-developed many psychometrically validated instruments are in the area of problematic gaming and problematic internet use. To assess different aspects of gaming, my colleagues and I have developed the *Problematic Online Gaming Questionnaire* (Demetrovics et al., 2012), *Problematic Online Gaming Questionnaire Short-Form* (Pápay et al., 2013), *Game Transfer Phenomena Scale* (Ortiz de Gortari, 2015), *Video Game Functional Assessment-Revised* (Buono et al., 2016), *Internet Gaming Disorder-20 Test* (Pontes et al., 2014), *Internet Gaming Disorder-10 Test* (Király et al., 2017), *Internet Gaming Disorder Scale-9–Short-Form* (Pontes & Griffiths, 2015) and *Video Game Addiction Scale for Children* (Yilmaz, 2017).

I also helped translate and validate the *Internet Gaming Disorder Scale 9 – Short-Form* into Portuguese (Pontes & Griffiths, 2016b), Italian (Monacis et al., 2016), Slovenian (Pontes et al., 2016a), and Persian (Wu et al., 2017), as well as the *Internet Gaming Disorder 20 Test* into Spanish. To assess problematic internet use, my colleagues and I have developed the *Problematic Internet Use Questionnaire Short-Form* (Demetrovics et al., 2016), *Internet Disorder Scale* (Pontes & Griffiths, 2017), and the *Internet Disorder Scale – Short Form* (Pontes & Griffiths, 2016a). I have also helped translate and validate both the *Generalized Problematic Internet Use Scale 2* (Pontes et al., 2016b) and *Internet Addiction Test* (Pontes et al., 2014) into Portuguese (Fuster et al., 2016), and the *Problematic Internet Use Questionnaire* into Chinese (Koronczai et al., 2017).

The author

Dr Mark Griffiths is Professor of Behavioural Addiction at the International Gaming Research Unit, Psychology Department, Nottingham Trent University.

References

- Buono, F.D., Upton, T.D., Griffiths, M.D., Sprong, M.E. & Bordieri, J. (2016). Demonstrating the validity of the Video Game Functional Assessment-Revised (VGFA-R). *Computers in Human Behavior*, *54*, 501–510.
- Calado, F., Alexandre, J. & Griffiths, M.D. (2016). Validation of the Portuguese DSM-IV-MR-J. *International Journal of Mental Health and Addiction*, *14*, 1096–1106.
- Canale, N., Santinello, M. & Griffiths, M.D. (2015). Validation of the Reasons for Gambling Questionnaire (RGQ) in a British population survey. *Addictive Behaviors*, *45*, 276–280.
- Canale, N., Vieno, A., Pastore, M., Ghisi, M. & Griffiths, M.D. (2016). Validation of the 8-item Attitudes Towards Gambling Scale (ATGS-8) in a British Population Survey. *Addictive Behaviors*, *54*, 70–74.
- Demetrovics, Z., Király, O., Koronczai, B. et al. (2016). Psychometric properties of the Problematic Internet Use Questionnaire Short-Form (PIUQ-SF-6) in a nationally representative sample of adolescents. *PLoS ONE*, *11*(8), e0159409.
- Demetrovics, Z., Urbán, R., Nagygyörgy, K. et al. (2012). The development of the Problematic Online Gaming Questionnaire (POGQ). *PLoS ONE*, *7*(5), e36417.
- Fuster, H., Carbonell, X., Pontes, H.M. & Griffiths, M.D. (2016). Spanish validation of the Internet Gaming Disorder-20 (IGD-20) Test. *Computers in Human Behavior*, *56*, 215–224.
- Griffiths, M.D. (2005). A ‘components’ model of addiction within a biopsychosocial framework. *Journal of Substance Use*, *10*, 191–197.
- Griffiths, M.D., Szabo, A. & Terry, A. (2005). The Exercise Addiction Inventory: A quick and easy screening tool for health practitioners. *British Journal of Sports Medicine*, *39*, 30–31.
- Griffiths, M.D., Urbán, R., Demetrovics, Z. et al. (2015). A cross-cultural re-evaluation of the Exercise Addiction Inventory (EAI) in five countries. *Sports Medicine Open*, *1*, 5.
- Király, O., Slezcka, P., Pontes, H.M. et al. (2017). Validation of the Internet Gaming Disorder Test (IGDT-10) and evaluation of the nine DSM-5 Internet Gaming Disorder criteria. *Addictive Behaviors*, *64*, 253–260.
- Koronczai, B., Kökönyei, G., Urbán, R. et al. (2017). Confirmation of the Chinese version of the Problematic Internet Use Questionnaire (PIUQ). *International Journal of Mental Health and Addiction*, *15*, 191–197.
- Koronczai, B., Urban, R., Kokonyei, G. et al. (2011) Confirmation of the three-factor model of problematic internet use on off-line adolescent and adult samples. *Cyberpsychology, Behavior and Social Networking* *14*, 657–664.
- Monacis, L., de Palo, V., Griffiths, M.D. & Sinatra, M. (2016). Validation of the Internet Gaming Disorder Scale-Short Form (IGDS9-SF) in an Italian-speaking sample. *Journal of Behavioral Addictions*, *5*(4), 683–690.
- Ortiz de Gortari, A.B., Pontes, H.M. & Griffiths, M.D. (2015). The Game Transfer Phenomena Scale: An instrument for investigating the non-volitional effects of video game playing. *Cyberpsychology, Behavior and Social Networking*, *18*, 588–594.
- Pápay, O., Urbán, R., Griffiths, M.D. et al. (2013). Psychometric properties of the Problematic Online Gaming Questionnaire Short-Form (POGQ-SF) and prevalence of problematic online gaming in a national sample of adolescents. *Cyberpsychology, Behavior, and Social Networking*, *16*, 340–348.

- Pontes, H.M., Caplan, S.E. & Griffiths, M.D. (2016b). Psychometric validation of the Generalized Problematic Internet Use Scale 2 in a Portuguese sample. *Computers in Human Behavior*, *63*, 823–833.
- Pontes, H. & Griffiths, M. D. (2015). Measuring DSM-5 Internet Gaming Disorder: Development and validation of a short psychometric scale. *Computers in Human Behavior*, *45*, 137–143.
- Pontes, H.M. & Griffiths, M.D. (2016a). The development and psychometric properties of the Internet Disorder Scale – Short Form (IDS9-SF). *Addicta: The Turkish Journal on Addictions*, *3*(3), 303–318.
- Pontes, H.M. & Griffiths, M.D. (2016b). Portuguese validation of the Internet Gaming Disorder Scale – Short-Form (IGD9-SF). *Cyberpsychology, Behavior and Social Networking*, *19*, 288–293.
- Pontes, H.M. & Griffiths, M.D. (2017). The development and psychometric evaluation of the Internet Disorder Scale (IDS-15). *Addictive Behaviors*, *64*, 261–268.
- Pontes, H., Király, O., Demetrovics, Z. & Griffiths, M.D. (2014). The conceptualisation and measurement of DSM-5 Internet Gaming Disorder: The development of the IGD-20 Test. *PLoS ONE*, *9*(10), e110137.
- Pontes, H.M., Macur, M. & Griffiths, M.D. (2016b). Internet Gaming Disorder among Slovenian primary schoolchildren: Findings from a nationally representative sample of adolescents. *Journal of Behavioral Addictions*, *5*, 304–310.
- Pontes, H., Patrão, I.M. & Griffiths, M.D. (2014). Portuguese validation of the Internet Addiction Test: A preliminary empirical Study. *Journal of Behavioral Addictions*, *3*, 107–114.
- Sutton, R. & Griffiths, M.D. (2008). The Casino Attitudes Scale: The development of a new brief psychometric instrument. *International Journal of Mental Health and Addiction*, *6*, 244–248.
- Terry, A., Szabo, A. & Griffiths, M.D. (2004). The Exercise Addiction Inventory: A new brief screening tool, *Addiction Research and Theory*, *12*, 489–499.
- Wu, T-Y., Lin, C-Y., Årestedt, K. et al. (2017). Psychometric validation of the Persian Internet Gaming Disorder Scale-Short Form: Does gender and hours spent gaming online affect the interpretations of item descriptions? *Journal of Behavioral Addiction*, *6*, 256–263.
- Yilmaz, E., Griffiths, M.D. & Kan, A. (2017). Development and Validation of Video Game Addiction Scale for Children (VASC). *International Journal of Mental Health and Addiction*, *15*, 869–882.