INTERNATIONAL JOURNAL OF CIRCUITS, SYSTEMS AND SIGNAL PROCESSING

Classes of Ordinary Differential Equations Obtained for the Probability Functions of Linear Failure Rate and Generalized Linear Failure Rate Distributions

Hilary I. Okagbue, Pelumi E. Oguntunde, Abiodun A. Opanuga and Patience I. Adamu,

Abstract — The linear failure rate (hazard) and generalized linear failure rate (hazard) distributions are uniquely identified by their linear hazard functions. In this paper, homogenous ordinary differential equations (ODES) of different orders were obtained for the probability functions of linear failure rate and generalized linear failure rate distributions. This is possible since the aforementioned probability functions of the distributions are differentiable and the former distribution is a particular case of the later. Differentiation and modified product rule were used to derive the required ODEs, whose solutions are the respective probability functions. The different conditions necessary for the existence of the ODEs were obtained and it is in consistent with the support that defined the various probability functions considered. The parameters that defined each distribution greatly affect the nature of the ODEs obtained. This method provides new ways of classifying and approximating other probability distributions apart from one considered in this research. Algorithms for implementation can be helpful in improving the results.

Keywords — Differentiation, product rule, quantile function, failure rate, approximation, hazard function, inverse survival function.

I. INTRODUCTION

DIFFERENT mathematical techniques are viable tools in statistics. In mathematical statistics, different mathematical areas are used heavily in better understanding of probability distributions. Some of these are calculus, differential equations, algebra, measure theory, fixed point and topology and so on. Hitherto most of the use of ordinary differential equation (ODE) is often in mode and parameter estimation and approximation. Approximation of quantile function features prominently in the use of ODE in approximation [1-6].

Few available literatures have considered the study of the ODE of different probability functions of the studied distribution in particular and probability distributions in general. The available ones contain previous works done on

Manuscript received January 31, 2018; revised This work was sponsored by Covenant University, Ota, Nigeria.

H. I. Okagbue, P. E. Oguntunde, A. A. Opanuga and P. I. Adamu are with the Department of Mathematics, Covenant University, Ota, Nigeria.

hilary.okagbue@covenantuniversity.edu.ng pelumi.oguntunde@covenantuniversity.edu.ng abiodun.opanuga@covenantuniversity.edu.ng

ISSN: 1998-4464

abiodun.opanuga@covenantuniversity.edu.n patience.adamu@covenantuniversity.edu.ng the ODE of the following distributions: beta distribution [7], Lomax distribution [8], beta prime distribution [9], Laplace distribution [10] and raised cosine distribution [11].

Derivation of homogenous ordinary differential equations for the probability density function (PDF), survival function (SF), inverse survival function (ISF), hazard function (HF) and reversed hazard function (RHF) of linear failure rate and generalized linear failure rate distributions was considered in this paper. This will also help to provide the answers as to whether there are discrepancies between the support of the distribution and the conditions necessary for the nature and existence of the ODEs. Similar results for other distributions have been proposed and can be seen in [12-24]

The linear failure rate (hazard) and generalized linear failure rate (hazard) distributions are uniquely identified by their linear hazard function and the former is generalized to obtain the later distribution.

The details of the linear failure distribution can be found in [25]. Kantam et al. [26] gave the detailed comparison between the distribution and the Rayleigh distribution while Block et al. [27] reviewed some mixture of distributions with linear failure rates. Estimation of parameters of the distribution has been explored intensively such as: Bayes estimate [28], detailed inference procedures [29], Bayesian estimation based on records [30], use of simulation in the Bayesian estimates of the parameters [31], parameter estimation by the use of masked data [32], Bayesian inference for randomly progressive random censored samples [33].

The variants or generalizations and modifications of the distribution include: Generalized Linear Failure rate distribution was proposed by Sarhan and Kundu [34].

Others are: bivariate linear failure rate distribution [35-36], bivariate and multivariate generalized linear failure rate distribution [37], McDonald generalized linear failure rate distribution [38], modified generalized linear failure rate distribution [39], new five parameter modified generalized linear failure rate distribution [40], beta-linear failure rate distribution [41] and extended linear failure rate distribution [42].

Others are: bivariate generalized linear failure rate-power series class of distributions [43], Kumaraswamy generalized linear failure rate distribution [44], extension of the generalized linear failure rate distribution [45], generalized

596

linear failure rate power series distribution [46], Poisson generalized linear failure rate distribution [47] and beta linear failure rate geometric distribution [48]. The distribution was applied by Bain [49] in the analysis of lifetime data.

The ordinary differential calculus was used to obtain the results presented in different sections.

II. LINEAR FAILURE RATE DISTRIBUTION

A Probability Density Function

The PDF of the Linear failure rate distribution is given as;

$$f(x) = (a+bx)e^{-(ax+\frac{bx^2}{2})}$$
 (1)

When b=0 & $a \neq 0$, the distribution reduces to the exponential distribution.

When a = 0 & $b \neq 0$, the distribution reduces to the Rayleigh distribution.

Differentiate equation (1), to obtain:

$$f'(x) = \left\{ \frac{b}{a + bx} - \frac{(a + bx)e^{-(ax + \frac{bx^2}{2})}}{e^{-(ax + \frac{bx^2}{2})}} \right\} f(x)$$
 (2)

$$f'(x) = \left\{ \frac{b}{a+bx} - (a+bx) \right\} f(x) \tag{3}$$

The equation can only exists for $a - b \neq 0, x > 0$.

The first order ODE for the PDF of the Linear failure rate distribution is given by;

$$(a+bx)f'(x) - (b-(a+bx)^2)f(x) = 0 (4)$$

$$f(1) = (a+b)e^{-(a+\frac{b}{2})}$$
 (5)

Special cases are considered;

When $b = 0 \& a \neq 0$, equation (4) becomes;

$$f'(x) + af(x) = 0 \tag{6}$$

When $a = 0 \& b \neq 0$, equation (4) becomes;

$$xf'(x) - (1 - bx^{2})f(x) = 0 (7)$$

B Quantile Function

The QF of the Linear failure rate distribution is given as;

$$aQ(p) + \frac{b}{2}Q^{2}(p) = -\ln(1-p)$$
 (8)

Differentiate equation (8) to obtain;

$$aQ'(p) + bQ(p)Q'(p) = \frac{1}{1-n}$$
(9)

The equation can only exists for $a-b \neq 0, 0 .$ The first order ODE for the QF of the Linear failure rate distribution is given by;

$$(1-p)(a+bQ(p))Q'(p)-1=0$$
(10)

$$aQ(0.1) + \frac{b}{2}Q^2(0.1) = 0.1054$$
 (11)

$$Q(0.1) = \frac{-2a \pm 2\sqrt{a^2 + 0.21b}}{2b} \tag{12}$$

Special cases are considered;

When $b = 0 \& a \neq 0$, equation (10) becomes;

$$a(1-p)Q'(p)-1=0$$
(13)

When $a = 0 \& b \neq 0$, equation (10) becomes;

$$b(1-p)Q(p)Q'(p)-1=0$$
(14)

C Survival Function

The SF of the Linear failure rate distribution is given as;

$$S(t) = e^{-(at + \frac{\nu}{2}t^2)}$$
 (15)

Differentiate equation (15) to obtain;

$$S'(t) = -(a+bt)e^{-(at+\frac{b}{2}t^2)}$$
(16)

The equation can only exists for $a - b \neq 0, t > 0$.

The first order ODE for the SF of the Linear failure rate distribution is given by;

$$S'(t) + (a+bt)S(t) = 0 (17)$$

$$S(1) = e^{-(a + \frac{\nu}{2})} \tag{18}$$

Special cases are considered;

When $b = 0 \& a \neq 0$, equation (17) becomes;

$$S'(t) + aS(t) = 0 (19)$$

When $a = 0 \& b \neq 0$, equation (17) becomes;

$$S'(t) + btS(t) = 0 (20)$$

D Inverse Survival Function

The ISF of the Linear failure rate distribution is given as;

$$aQ(p) + \frac{b}{2}Q^{2}(p) = -\ln p$$
 (21)

Differentiate equation (21) to obtain;

$$aQ'(p) + bQ(p)Q'(p) = -\frac{1}{p}$$
 (22)

The equation can only exists for $a - b \neq 0, 0 .$

The first order ODE for the ISF of the Linear failure rate distribution is given by;

$$p(a+bQ(p))Q'(p)+1=0$$
(23)

$$aQ(0.1) + \frac{b}{2}Q^2(0.1) = 2.3025$$
 (24)

$$Q(0.1) = -\frac{a}{b} \pm 2\sqrt{2a^2 - 4.605b}$$
 (25)

E Hazard Function

The HF of the Linear failure rate distribution is given as;

$$h(t) = a + bt (26)$$

Differentiate equation (26) to obtain;

$$h'(t) = b \tag{27}$$

From equation (26), it can be obtained that;

$$b = \frac{h(t) - a}{t} \tag{28}$$

Substitute equation (28) into equation (27);

$$h'(t) = \frac{h(t) - a}{t} \tag{29}$$

The first order ODE for the HF of the Linear failure rate distribution is given by;

$$th'(t) - h(t) + a = 0$$
 (30)

$$h(1) = a + b \tag{31}$$

When $b = 0 \& a \neq 0$, equation (27) becomes;

$$h'(t) = 0 (32)$$

When $a = 0 \& b \neq 0$, equation (30) becomes;

$$th'(t) - h(t) = 0 \tag{33}$$

The nature of the ODEs point to the linearity of the hazard function.

F Reversed Hazard Function

The RHF of the Linear failure rate distribution is given as;

$$j(t) = \frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{1-e^{-(at+\frac{bt^2}{2})}}$$
(34)

Differentiate equation (34) to obtain;

$$j'(t) = \begin{cases} \frac{(a+bt)}{b} - \frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{e^{-(at+\frac{bt^2}{2})}} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}(1-e^{-(at+\frac{bt^2}{2})})^{-2}}{(1-e^{-(at+\frac{bt^2}{2})})^{-1}} \end{cases} j(t)$$
(35)

$$j'(t) = \left\{ \frac{(a+bt)}{b} - (a+bt) - \frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})} \right\} j(t)$$
(36)

The equation can only exists for $a - b \neq 0, t > 0$.

$$bj'(t) = ((a+bt)-b(a+bt)-bj(t))j(t)$$
 (37)

The first order ODE for the RHF of the Linear failure rate distribution is given by;

$$bj'(t) + bj^{2}(t) + (b-1)(a+bt)j(t) = 0$$
(38)

$$j(1) = \frac{(a+b)e^{-(a+\frac{b}{2})}}{1 - e^{-(a+\frac{b}{2})}} = \frac{a+b}{e^{(a+\frac{b}{2})} - 1}$$
(39)

III. GENERALIZED LINEAR FAILURE RATE DISTRIBUTION

A Probability Density Function

The PDF of the Generalized Linear failure rate distribution is given as;

$$f(x) = \theta(a+bx) \left[1 - e^{-(ax + \frac{bx^2}{2})} \right]^{\theta - 1} e^{-(ax + \frac{bx^2}{2})}$$
(40)

When $\theta = 1$, equation (40) reduces to the Linear failure rate distribution. When

b = 0 & a > 0, equation (40) reduces to the Generalized exponential distribution.

When a = 0 & b > 0, equation (40) reduces to the Generalized Rayleigh distribution.

Differentiate equation (40), to obtain;

$$f'(x) = \begin{bmatrix} \frac{b}{a+bx} + \frac{(\theta-1)(a+bx)e^{-(ax+\frac{bx^2}{2})}}{1-e^{-(ax+\frac{bx^2}{2})}} \\ -(a+bx) \end{bmatrix} f(x)$$
(41)

The equation can only exists for $a - b \neq 0, x, \theta > 0$.

The ODEs can only be derived for any given values of a,b and θ .

When $\theta = 1$, equation (41) becomes;

$$f'(x) = \left[\frac{b}{a+bx} - (a+bx)\right] f(x) \tag{42}$$

$$(a+bx)f'(x) - (b-(a+bx)^2)f(x) = 0 (43)$$

To obtain a simpler ODE, differentiate equation (41);

$$f''(x) = \begin{cases} \frac{b}{a+bx} + \frac{(\theta-1)(a+bx)e^{-(ax+\frac{bx^2}{2})}}{\left(1-e^{-(ax+\frac{bx^2}{2})}\right)} \end{cases} f'(x)$$

$$-\left\{\frac{b^2}{(a+bx)^2} + b\right\} f(x)$$

$$\left\{\frac{(\theta-1)be^{-(ax+\frac{bx^2}{2})}}{\left(1-e^{-(ax+\frac{bx^2}{2})}\right)} - \frac{(\theta-1)(a+bx)^2 e^{-(ax+\frac{bx^2}{2})}}{\left(1-e^{-(ax+\frac{bx^2}{2})}\right)} \right\} f(x)$$

$$+ \begin{cases} -\frac{((\theta-1)(a+bx)e^{-(ax+\frac{bx^2}{2})})^2}{\left(1-e^{-(ax+\frac{bx^2}{2})}\right)^2} \\ -\frac{((\theta-1)(a+bx)e^{-(ax+\frac{bx^2}{2})})^2}{\left(1-e^{-(ax+\frac{bx^2}{2})}\right)^2} \end{cases}$$

The equation can only exists for $a - b \neq 0, x, \theta > 0$.

These presented equations derived from equation (41) are required in the evaluation of equation (44);

(44)

$$\frac{f'(x)}{f(x)} = \frac{b}{a+bx} + \frac{(\theta-1)(a+bx)e^{-(ax+\frac{bx^2}{2})}}{\left(1-e^{-(ax+\frac{bx^2}{2})}\right)} - (a+bx)$$

$$\frac{(\theta - 1)(a + bx)e^{-(ax + \frac{bx^2}{2})}}{\left(1 - e^{-(ax + \frac{bx^2}{2})}\right)} = \frac{f'(x)}{f(x)} + (a + bx) - \frac{b}{a + bx}$$
(46)

$$\frac{(\theta - 1)be^{-(ax + \frac{bx^2}{2})}}{\left(1 - e^{-(ax + \frac{bx^2}{2})}\right)} = \frac{b}{a + bx} \left(\frac{f'(x)}{f(x)} + (a + bx) - \frac{b}{a + bx}\right)$$

$$\frac{(\theta - 1)(a + bx)^{2} e^{-(ax + \frac{bx^{2}}{2})}}{\left(1 - e^{-(ax + \frac{bx^{2}}{2})}\right)}$$
(48)

$$= (a+bx)\left(\frac{f'(x)}{f(x)} + (a+bx) - \frac{b}{a+bx}\right)$$

$$f(1) = \theta(a+b) \left[1 - e^{-(a+\frac{b}{2})} \right]^{\theta-1} e^{-(a+\frac{b}{2})}$$
 (52)

$$\frac{(a+b)^{2}}{(a+b)^{2}} = \frac{f'(x)}{f(x)} + (a+bx) - \frac{b}{a+bx}$$

$$\frac{(a+b)^{2}}{(a+b)^{2}} = \frac{f'(x)}{f(x)} + (a+bx) - \frac{b}{a+bx}$$

$$\frac{(a+b)^{2}}{(a+b)^{2}} = \frac{f'(a+b)^{2}}{(a+b)^{2}} = \frac{f'(a+b)^{2}}{(a+b)^{2}} = \frac{f'(a+b)^{2}}{(a+b)^{2}}$$

$$\frac{(a+b)^{2}}{(a+b)^{2}} = \frac{f'(a+b)^{2}}{(a+b)^{2}}$$

$$\frac{(a+$$

Special cases of the second order differential equation for the PDF of the generalized linear failure rate distribution are

When b = 0 & a > 0, equation (51) becomes;

$$f''(x) = \frac{f'^{2}(x)}{f(x)} - \begin{bmatrix} \frac{1}{\theta - 1} \left(\frac{f'(x)}{f(x)} + a \right)^{2} \\ +a \left(\frac{f'(x)}{f(x)} + a \right) \end{bmatrix} f(x)$$
 (54)

When a = 0 & b > 0 equation (51) becomes;

$$\frac{((\theta-1)(a+bx)e^{-(ax+\frac{bx^2}{2})})^2}{\left(1-e^{-(ax+\frac{bx^2}{2})}\right)^2} = \left(\frac{f'(x)}{f(x)} + (a+bx) - \frac{b}{a+bx}\right)^{\frac{2}{3}} \left(\frac{f'(x)}{f(x)} + bx - \frac{1}{x}\right) - \frac{1}{\theta-1}\left(\frac{f'(x)}{f(x)} + bx - \frac{1}{x}\right)^2 + \frac{f'^2(x)}{f(x)} - bx\left(\frac{f'(x)}{f(x)} + bx - \frac{1}{x}\right) - \frac{1}{x^2} - b\right]f(x)$$
(55)

(47)

$$\frac{(\theta - 1)((a + bx)e^{-(ax + \frac{bx^2}{2})})^2}{\left(1 - e^{-(ax + \frac{bx^2}{2})}\right)^2}$$
(50)

$$= \frac{1}{\theta - 1} \left(\frac{f'(x)}{f(x)} + (a + bx) - \frac{b}{a + bx} \right)^2$$

Substitute equations (45), (47), (48) and (50) into equation (44) to obtain;

$$f''(x) = \frac{f'^2(x)}{f(x)} + \begin{bmatrix} \frac{b}{a+bx} \left(\frac{f'(x)}{f(x)} + a + bx - \frac{b}{a+bx} \right) & \text{The equation can only exists for} \\ -\frac{1}{\theta-1} \left(\frac{f'(x)}{f(x)} + a + bx - \frac{b}{a+bx} \right)^2 & (a+bQ(p))Q'(p) = \frac{p^{\frac{1}{\theta}}}{\theta p(1-p^{\frac{1}{\theta}})} \end{bmatrix}$$

$$-a+bx\left(\frac{f'(x)}{f(x)}+a+bx-\frac{b}{a+bx}\right)-\frac{b^2}{(a+bx)^2}-b\int_{-\infty}^{\infty} f(x)\frac{\theta p(1-p^{\frac{1}{\theta}})(a+bQ(p))Q'(p)-p^{\frac{1}{\theta}}=0}{\text{The ODE can be derived for any given values of }}$$
(51) When $\theta=1$ agustion (58) becomes:

B Quantile Function

The QF of the generalized Linear failure rate distribution is given as;

$$aQ(p) + \frac{b}{2}Q^{2}(p) = -\ln(1 - p^{\frac{1}{\theta}})$$
 (56)

Differentiate equation (56) to obtain;

$$aQ'(p) + bQ(p)Q'(p) = \frac{p^{\frac{1}{\theta}-1}}{\theta(1-p^{\frac{1}{\theta}})}$$
 (57)

$$a - b \neq 0, \theta > 0, 0$$

$$(a+bQ(p))Q'(p) = \frac{p^{\frac{1}{\theta}}}{\theta p(1-p^{\frac{1}{\theta}})}$$
(58)

)
$$\theta p(1-p^{\frac{1}{\theta}})(a+bQ(p))Q'(p)-p^{\frac{1}{\theta}}=0$$
 (59)
The ODE can be derived for any given values of a, p and θ .

When $\theta = 1$, equation (58) becomes;

$$(a+bQ(p))Q'(p) = \frac{p}{\theta p(1-p)}$$
(60)

$$\theta p(1-p)(a+bQ(p))Q'(p)-p=0$$
 (61)

To obtain a much simpler ODE, differentiate equation (57);

$$aQ''(p) + bQ'^{2}(p) + bQ(p)Q''(p)$$

$$= \frac{(p^{\frac{1}{\theta}-1})^2}{\theta^2 (1-p^{\frac{1}{\theta}})^2} + \frac{(1-\theta)p^{\frac{1}{\theta}-1}}{\theta^2 (1-p^{\frac{1}{\theta}})}$$
(62)

The equation can only exists for

$$a - b \neq 0, \theta > 0, 0$$

Substitute equation (57) into equation (62);

$$(a+bQ(p))Q''(p)+bQ'^{2}(p)$$

$$= (a+bQ(p))^{2}Q'^{2}(p) + \frac{1-\theta}{\theta p}(a+bQ(p))Q'(p)$$

$$(a+bQ(0))Q'(0) = 0 \Longrightarrow Q'(0) \tag{64}$$

Different cases are considered;

When $\theta = 1$, equation (63) becomes;

$$(a+bQ(p))Q''(p)-(a-b+bQ(p))^2Q'^2(p)=0$$
(65)

When b = 0 & a > 0, equation (60) becomes;

$$aQ''(p) = a^2 Q'^2(p) + \frac{1 - \theta}{\theta p} aQ'(p)$$
 (66)

$$\theta p Q''(p) - a\theta p Q'^{2}(p) + (\theta - 1)Q'(p) = 0$$
 (67)

When a = 0 & b > 0 equation (63) becomes;

$$(bQ(p))Q''(p) + bQ'^{2}(p)$$

$$= (bQ(p))^{2}Q'^{2}(p) + \frac{1-\theta}{\theta p}(bQ(p))Q'(p)$$
 (68)

$$\theta p Q(p) Q''(p) + \theta p (1 - bQ^{2}(p)) Q'^{2}(p) + (\theta - 1) O(p) O'(p) = 0$$
(69)

C Survival Function

The SF of the generalized Linear failure rate distribution is

$$S(t) = 1 - (1 - e^{-(at + \frac{b}{2}t^2)})^{\theta}$$
(70)

Differentiate equation (70) to obtain;

$$S'(t) = -\theta(a+bt)(1 - e^{-(at + \frac{b}{2}t^2)})^{\theta - 1} e^{-(at + \frac{b}{2}t^2)}$$
(71)

The equation can only exists for $a - b \neq 0, t, \theta > 0$.

These equations derived from equation (70) are required in further simplification of equation (71);

$$(1 - e^{-(at + \frac{b}{2}t^2)})^{\theta} = 1 - S(t)$$
(72)

$$1 - e^{-(at + \frac{b}{2}t^2)} = (1 - S(t))^{\frac{1}{\theta}}$$
 (73)

$$e^{-(at + \frac{b}{2}t^2)} = 1 - (1 - S(t))^{\frac{1}{\theta}}$$
(74)

However, equation (71) can be written as;

$$S'(t) = -\frac{\theta(a+bt)(1-e^{-(at+\frac{b}{2}t^2)})^{\theta} e^{-(at+\frac{b}{2}t^2)}}{1-e^{-(at+\frac{b}{2}t^2)}}$$
(75)

Substitute equations (72)-(74) into equation (75);

$$S'(t) = -\frac{\theta(a+bt)(1-S(t))(1-(1-S(t))^{\frac{1}{\theta}})}{(1-S(t))^{\frac{1}{\theta}}}$$
(76)
$$S(1) = 1 - (1 - e^{-(a+\frac{b}{2})})^{\theta}$$
(77)

$$S(1) = 1 - (1 - e^{-(a + \frac{b}{2})})^{\theta}$$
(77)

The ODEs can be derived for any given values of a, p and θ . When $\theta = 1$, equation (73) becomes;

$$S'(t) + (a+bt)S(t) = 0 (78)$$

D Inverse Survival Function

The ISF of the generalized Linear failure rate distribution is given as;

$$aQ(p) + \frac{b}{2}Q^{2}(p) = -\ln(1 - (1 - p)^{\frac{1}{\theta}})$$
 (79)

Differentiate equation (79) to obtain;

$$aQ'(p) + bQ(p)Q'(p) = -\frac{(1-p)^{\frac{1}{\theta}-1}}{\theta(1-(1-p)^{\frac{1}{\theta}})}$$
(80)

$$\theta(1-p)(a+bQ(p))Q'(p) = -\frac{(1-p)^{\frac{1}{\theta}}}{(1-(1-p)^{\frac{1}{\theta}})}$$
(81)

The equation can only exists for

$$a - b \neq 0, \theta > 0, 0$$

The ODEs can be derived for any given values of a, p and θ . When $\theta = 1$, equation (81) becomes;

$$p(a+bQ(p))Q'(p)+1=0$$
 (82)

When $\theta = 2$, equation (81) becomes;

$$2(1-\sqrt{1-p})(1-p)(a+bQ(p))Q'(p)+\sqrt{1-p}=0$$
(83)

E Hazard Function

The HF of the generalized Linear failure rate distribution is

$$h(t) = \frac{\theta(a+bt)(1-e^{-(at+\frac{b}{2}t^2)})^{\theta-1}e^{-(at+\frac{b}{2}t^2)}}{1-(1-e^{-(at+\frac{b}{2}t^2)})^{\theta}}$$
(84)

Differentiate equation (84) to obtain

$$h'(t) = \begin{cases} \frac{b}{a+bt} + \frac{(\theta-1)(a+bt)e^{-(at+\frac{bt^2}{2})}}{1-e^{-(at+\frac{bt^2}{2})}} \\ -(a+bt) + h(t) \end{cases} h(t) \quad (85)$$

The equation can only exists for $a - b \neq 0, t, \theta > 0$.

(86)

Differentiate equation (85) and using the results obtained from the PDF. This is easily done by the modification of equation (51);
$$h''(t) = \frac{h'^2(t)}{h(t)} + \begin{bmatrix} \frac{b}{a+bt} \left(\frac{h'(t)}{h(t)} + a + bt - \frac{b}{a+bt} - h(t) \right) \\ -\frac{1}{\theta-1} \left(\frac{h'(t)}{h(t)} + a + bt - \frac{b}{a+bt} - h(t) \right) \\ -\frac{a+bt}{a+bt} \left(\frac{h'(t)}{h(t)} + a + bt - \frac{b}{a+bt} - h(t) \right) \end{bmatrix}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - \frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{e^{-(at+\frac{bt^2}{2})}} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})^{-1}} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - (a+bt)e^{-(at+\frac{bt^2}{2})} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})^{-1}} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - (a+bt)e^{-(at+\frac{bt^2}{2})} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - (a+bt)e^{-(at+\frac{bt^2}{2})} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - (a+bt)e^{-(at+\frac{bt^2}{2})} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - (a+bt)e^{-(at+\frac{bt^2}{2})} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - (a+bt)e^{-(at+\frac{bt^2}{2})} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - (a+bt)e^{-(at+\frac{bt^2}{2})} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - (a+bt)e^{-(at+\frac{bt^2}{2})} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - (a+bt)e^{-(at+\frac{bt^2}{2})} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - \frac{b}{a+bt} - \frac{b}{a+bt} \\ -\frac{a+bt}{a+bt} - \frac{b}{a+bt} - \frac{b}{a+bt} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - \frac{b}{a+bt} - \frac{b}{a+bt} \\ -\frac{a+bt}{a+bt} - \frac{b}{a+bt} - \frac{b}{a+bt} - \frac{b}{a+bt} \end{cases}$$

$$j'(t) = \begin{cases} \frac{b}{a+bt} - \frac{b}{a+bt} -$$

The equation can only exists for $a - b \neq 0, t, \theta > 0$.

$$h(1) = \frac{\theta(a+b)(1 - e^{-(a+\frac{b}{2})})^{\theta-1} e^{-(a+\frac{b}{2})}}{1 - (1 - e^{-(a+\frac{b}{2})})^{\theta}}$$
(87)

$$h'(1) = \begin{cases} \frac{b}{a+b} + \frac{(\theta-1)(a+b)e^{-(a+\frac{b}{2})}}{1-e^{-(a+\frac{b}{2})}} \\ -(a+bt) + h(1) \end{cases} h(1) \quad (88) \qquad j(1) = \frac{\theta(a+b)e^{-(a+\frac{b}{2})}}{1-e^{-(a+\frac{b}{2})}} = \frac{\theta(a+b)e^{-(a+\frac{b}{2})}}{e^{(a+\frac{b}{2})} - 1}$$

Different cases are considered;

When b = 0 & a > 0, equation (86) becomes;

$$h''(t) = \frac{h'^{2}(t)}{h(t)} - \left[\frac{1}{\theta - 1} \left(\frac{h'(t)}{h(t)} + a - h(t) \right)^{2} + a \left(\frac{h'(t)}{h(t)} + a - h(t) \right) - h'(t) \right] h(t)$$
(89)

When a = 0 & b > 0 equation (86) becomes;

$$h''(t) = \frac{h'^{2}(t)}{h(t)} + \begin{bmatrix} \frac{1}{t} \left(\frac{h'(t)}{h(t)} + bt - \frac{1}{t} - h(t) \right) \\ -\frac{1}{\theta - 1} \left(\frac{h'(t)}{h(t)} + bt - \frac{1}{t} - h(t) \right)^{2} \\ -bt \left(\frac{h'(t)}{h(t)} + bt - \frac{1}{t} - h(t) \right) - \frac{1}{t^{2}} - b + h'(t) \end{bmatrix} h(t)$$
(90)

F Reversed Hazard Function

The RHF of the generalized Linear failure rate distribution is given as;

$$j(t) = \frac{\theta(a+bt)e^{-(at+\frac{\theta}{2}t^2)}}{1-e^{-(at+\frac{b}{2}t^2)}}$$
(91)

Differentiate equation (91) to obtain;

$$j'(t) = \begin{cases} \frac{b}{a+bt} - \frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{e^{-(at+\frac{bt^2}{2})}} \\ -\frac{(a+bt)e^{-(at+\frac{bt^2}{2})}(1-e^{-(at+\frac{bt^2}{2})})^{-2}}{(1-e^{-(at+\frac{bt^2}{2})})^{-1}} \end{cases} j(t)$$
(92)

$$j'(t) = \left\{ \frac{b}{a+bt} - (a+bt) - \frac{(a+bt)e^{-(at+\frac{bt^2}{2})}}{(1-e^{-(at+\frac{bt^2}{2})})} \right\} j(t)$$
(93)

The equation can only exists for $a - b \neq 0, t, \theta > 0$.

$$j'(t) = \left\{ \frac{b}{a+bt} - (a+bt) - \frac{j(t)}{\theta} \right\} j(t) \tag{94}$$

The first order ODE for the RHF of the generalized Linear failure rate distribution is given by;

$$\theta(a+bt)j'(t) + \theta((a+bt)^{2} - b)j(t) -(a+bt)j^{2}(t) = 0$$
(95)

$$j(1) = \frac{\theta(a+b)e^{-(a+\frac{b}{2})}}{1 - e^{-(a+\frac{b}{2})}} = \frac{\theta(a+b)}{e^{(a+\frac{b}{2})} - 1}$$
(96)

IV. CONCLUDING REMARKS

Differentiation and modified product rule were used to obtain the ordinary differential equations (ODES) of different orders for the probability functions of linear failure rate and generalized linear failure rate distributions. This was largely due to differentiability of the probability functions. Every changes in the parameters result to a unique ODE. Overall, the ODEs are in consistent with the support and parameter domains that characterize the distributions. In addition, several research methods can be used to derive the solutions of the ODEs [50-67]. This method of distributions cannot be characterizing applied distributions whose PDF or CDF are either not differentiable or the domain of the support of the distribution contains singular points.

ACKNOWLEDGMENT

The comments of the reviewers were very helpful and led to an improvement of the paper. This research benefited from sponsorship from the Statistics sub-cluster of the Industrial Mathematics Research Group (TIMREG) of Covenant University and Centre for Research, Innovation and Discovery (CUCRID), Covenant University, Ota, Nigeria.

REFERENCES

- G. Steinbrecher, G. and W.T. Shaw, "Quantile mechanics" Euro. J. Appl. Math., vol. 19, no. 2, pp. 87-112, 2008.
- J. Leydold and W. Hörmann, "Generating generalized inverse Gaussian random variates by fast inversion," Comput. Stat. Data Analy., vol. 55, no. 1, pp. 213-217, 2011.

- [3] H.I. Okagbue, M.O. Adamu and T.A. Anake "Quantile Approximation of the Chi-square Distribution using the Quantile Mechanics," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 477-483.
- [4] C. Yu and D. Zelterman, "A general approximation to quantiles", Comm. Stat. Theo. Meth., vol. 46, no. 19, pp. 9834-9841, 2017.
- [5] I.R.C. de Oliveira and D.F. Ferreira, "Computing the noncentral gamma distribution, its inverse and the noncentrality parameter", *Comput. Stat.*, vol. 28, no. 4, pp. 1663-1680, 2013.
- [6] H.I. Okagbue, M.O. Adamu and T.A. Anake "Solutions of Chi-square Quantile Differential Equation," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 813-818.
- [7] W.P. Elderton, Frequency curves and correlation, Charles and Edwin Layton. London, 1906.
- [8] N. Balakrishnan and C.D. Lai, Continuous bivariate distributions, 2nd edition, Springer New York, London, 2009.
- [9] N.L. Johnson, S. Kotz and N. Balakrishnan, Continuous Univariate Distributions, Volume 2. 2nd edition, Wiley, 1995.
- [10] N.L. Johnson, S. Kotz and N. Balakrishnan, Continuous univariate distributions, Wiley New York. ISBN: 0-471-58495-9, 1994.
- [11] H. Rinne, Location scale distributions, linear estimation and probability plotting using MATLAB, 2010.
- [12] H.I. Okagbue, P.E. Oguntunde, P.O. Ugwoke, A.A. Opanuga "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Exponentiated Generalized Exponential Distribution," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 192-197.
- [13] H.I. Okagbue, P.E. Oguntunde, A.A. Opanuga, E.A. Owoloko "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Fréchet Distribution," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 186-191.
- [14] H.I. Okagbue, S.A. Bishop, A.A. Opanuga, M.O. Adamu "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Burr XII and Pareto Distributions," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 399-404.
- [15] H.I. Okagbue, A.A. Opanuga, E.A. Owoloko, M.O. Adamu "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Cauchy, Standard Cauchy and Log-Cauchy Distributions," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 198-204.
- [16] H.I. Okagbue, M.O. Adamu, A.A. Opanuga and J.G. Oghonyon "Classes of Ordinary Differential Equations Obtained for the Probability Functions of 3-Parameter Weibull Distribution," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 539-545.
- [17] H.I. Okagbue, M.O. Adamu, E.A. Owoloko and A.A. Opanuga "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Gompertz and Gamma Gompertz Distributions," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 405-411.
- [18] H.I. Okagbue, M.O. Adamu, E.A. Owoloko and S.A. Bishop "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Half-Cauchy and Power Cauchy Distributions," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 552-558.
- [19] H.I. Okagbue, A.A. Opanuga, E.A. Owoloko and M.O. Adamu "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Exponentiated Fréchet Distribution," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 546-551.

- [20] H.I. Okagbue, O.O. Agboola, P.O. Ugwoke and A.A. Opanuga "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Exponentiated Pareto Distribution," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 865-870.
- [21] H.I. Okagbue, P.E. Oguntunde, A.A. Opanuga and E.A. Owoloko "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Exponential and Truncated Exponential Distributions," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 858-864.
- [22] H.I. Okagbue, O.A. Odetunmibi, A.A. Opanuga and P.E. Oguntunde "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Half-Normal Distribution," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 876-882.
- [23] H.I. Okagbue, O.O. Agboola, A.A. Opanuga and J.G. Oghonyon "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Gumbel Distribution," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 871-875.
- [24] H.I. Okagbue, M.O. Adamu, E.A. Owoloko and E.A. Suleiman "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Harris Extended Exponential Distribution," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 883-888.
- [25] A. Sen, "Linear hazard rate distribution", Encyclopedia of Statistical Sciences, 2006.
- [26] R.R.L. Kantam, M.C. Priya and M.S. Ravikumar, "Discrimination Between Linear Failure Rate Distribution And Rayliegh Distribution", J. Relia. Stat. Studies, vol. 7, pp. 9-17, 2014.
- [27] H.W. Block, T.H. Savits and E.T. Wondmagegnehu, "Mixtures of distributions with increasing linear failure rates", J. Appl. Prob., vol. 40, no. 2, pp. 485-504, 2003.
- [28] A.L. Pandey, A. Singh and W.J. Zimmer, "Bayes estimation of the linear hazard-rate model", *IEEE Transac. Relia.*, vol. 42, no. 4, pp. 636-640, 1993.
- [29] A. Sen and G.K. Bhattacharyya, "Inference procedures for the linear failure rate model", *J. Stat. Plan. Infer.*, 46(1), 59-76, 1995.
- [30] C.T. Lin, S.J. Wu and N. Balakrishnan, "Parameter estimation for the linear hazard rate distribution based on records and inter-record times", Comm. Stat. Theo. Meth., vol. 32, no. 4, pp. 729-748, 2003.
- [31] C.T. Lin, S.J. Wu and N. Balakrishnan, "Monte Carlo methods for Bayesian inference on the linear hazard rate distribution", *Comm. Stat. Simul. Comput.*, vol. 35, no. 3, pp. 575-590, 2006.
- [32] A.M. Sarhan, "Parameter estimations in linear failure rate model using masked data", Appl. Math. Comput., vol. 151, no. 1, pp. 233-249, 2004.
- [33] A. Sen, N. Kannan and D. Kundu, "Bayesian planning and inference of a progressively censored sample from linear hazard rate distribution", Comput. Stat. Data Analy., vol. 62, pp. 108-121, 2013.
- [34] A.M. Sarhan and D. Kundu, "Generalized linear failure rate distribution", Comm. Stat. Theo Meth., vol. 38, no. 5, pp. 642-660, 2009.
- [35] A.P. Basu, "Bivariate failure rate", J. Amer. Stat. Assoc., vol. 66, no. 333, pp. 103-104, 1971.
- [36] D.D. Hanagal and K.A. Ahmadi, "Bivariate Linear Failure Rate Distribution", Int. J. Stat. Magt. Syst., vol. 6, no. 1-2, pp. 73-84, 2011
- [37] A.M. Sarhan, D.C. Hamilton, B. Smith and D. Kundu, "The bivariate generalized linear failure rate distribution and its multivariate extension", *Comput. Stat. Data Analy.*, vol. 55, no. 1, pp. 644-654, 2011
- [38] I. Elbatal, F. Merovci and W. Marzouk, "McDonald generalized linear failure rate distribution", *Pak. J. Stat. Oper. Res.*, vol. 10, no. 3, pp. 267-288, 2014.
- [39] E.B. Jamkhaneh, "Modified generalized linear failure rate distribution: Properties and reliability analysis", Int. J. Indust. Engine. Comput., vol. 5, pp. 375-386, 2014.
- [40] A.H. Khan and T.R. Jan, "The New Modified Generalized Linear Failure Rate Distribution", J. Stat. Appl. Pro. Lett., 3(2), 83-95, 2016.

ISSN: 1998-4464 602

- [41] A.A. Jafari and E. Mahmoudi, "Beta-Linear Failure Rate Distribution and its Applications", *JIRSS*, vol. 14, no. 1, pp. 89-105, 2015.
- [42] M.E. Ghitany and S. Kotz, "Reliability properties of extended linear failure-rate distributions", *Prob. Engine. Inform. Sci.*, vol. 21, no. 3, pp. 441-450, 2007.
- [43] R. Roozegar and A.A. Jafari, "On Bivariate Generalized Linear Failure Rate-Power Series Class of Distributions", *Iranian J. Sci. Tech. Transac. A: Sci.*, vol. 41, no. 3, pp. 693-706, 2017.
- [44] I. Elbatal, "Kumaraswamy generalized linear failure rate distribution", *Indian J. Comput. Appl. Math.*, vol. 1, no. 1, pp. 61-78, 2013.
- [45] M.R. Kazemi, A.A. Jafari and S. Tahmasebi, "An extension of the generalized linear failure rate distribution", *Comm. Stat.Theo. Meth.*, vol. 46, no. 16, pp. 7916-7933, 2017.
- [46] S.S. Harandi and M.H. Alamatsaz, "Generalized linear failure rate power series distribution", *Comm. Stat.Theo. Meth.*, vol. 45, no. 8, pp. 2204-2227, 2016.
- [47] G.M. Cordeiro, E. Ortega and A. Lemonte, "The Poisson generalized linear failure rate model", *Comm. Stat.Theo. Meth.*, vol. 44, no. 10, pp. 2037-2058, 2015.
- [48] B.O. Oluyede, I. Elbatal and S. Huang, "Beta Linear Failure Rate Geometric Distribution with Applications", *J. Data Sci.*, vol. 14, no. 2, pp. 317-345, 2016.
- [49] L.J. Bain, "Analysis for the linear failure-rate life-testing distribution", *Technometrics*, vol. 16, no. 4, pp. 551-559, 1974.
- [50] S.O. Edeki , A.A. Opanuga, H.I. Okagbue , G.O. Akinlabi, S.A. Adeosun and A.S. Osheku, "A Numerical-computational technique for solving transformed Cauchy-Euler equidimensional equations of homogenous type", *Advanced Studies Theor. Physics*, vol. 9, no. 2, pp. 85-92, 2015.
- [51] A.A. Opanuga, H.I. Okagbue, O.O. Agboola "Application of Semi-Analytical Technique for Solving Thirteenth Order Boundary Value Problem," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2017, 25-27 October, 2017, San Francisco, U.S.A., pp 145-148
- [52] A.A. Opanuga, E.A. Owoloko, H.I. Okagbue, "Comparison Homotopy Perturbation and Adomian Decomposition Techniques for Parabolic Equations," In *Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering* 2017, 5-7 July, 2017, London, U.K., pp. 24-27.
- [53] A.A. Opanuga, E.A. Owoloko, H. I. Okagbue, O.O. Agboola, "Finite Difference Method and Laplace Transform for Boundary Value Problems," In Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering 2017, 5-7 July, 2017, London, U.K., pp. 65-69.
- [54] T.A. Anake, D.O. Awoyemi and A.O. Adesanya, "One-step implicit hybrid block method for the direct solution of general second order ordinary differential equations", *IAENG Int. J. Appl. Math.*, vol. 42, no. 4, pp. 224-228, 2012.
- [55] A.A. Opanuga, E.A. Owoloko, O.O. Agboola, H.I. Okagbue, "Application of Homotopy Perturbation and Modified Adomian Decomposition Methods for Higher Order Boundary Value Problems," Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering 2017, 5-7 July, 2017, London, U.K., pp. 130-134.
- [56] S.O. Edeki , E.A. Owoloko , A.S. Osheku , A.A. Opanuga , H.I. Okagbue and G.O. Akinlabi, "Numerical solutions of nonlinear biochemical model using a hybrid numerical-analytical technique", *Int. J. Math. Analysis*, vol. 9, no. 8, pp. 403-416, 2015.
- [57] A.A. Opanuga, S.O. Edeki, H.I. Okagbue and G.O. Akinlabi, "Numerical solution of two-point boundary value problems via differential transform method", *Global J. Pure Appl. Math.*, vol. 11, no. 2, pp. 801-806, 2015.
- [58] A.A. Opanuga, S.O. Edeki, H.I. Okagbue and G. O. Akinlabi, "A novel approach for solving quadratic Riccati differential equations", *Int. J. Appl. Engine. Res.*, vol. 10, no. 11, pp. 29121-29126, 2015.
- [59] A.A. Opanuga, S.O. Edeki, H.I. Okagbue, S.A. Adeosun and M.E. Adeosun, "Some Methods of Numerical Solutions of Singular System of Transistor Circuits", J. *Comp. Theo. Nanosci.*, vol. 12, no. 10, pp. 3285-3289, 2015.
- [60] O.O. Agboola, A.A. Opanuga and J.A. Gbadeyan, "Solution of third order ordinary differential equations using differential transform method", *Global J. Pure Appl. Math.*, vol. 11, no. 4, pp. 2511-2516, 2015.
- [61] A. A. Opanuga, H. I. Okagbue, E. A. Owoloko and O. O. Agboola, Modified Adomian Decomposition Method for Thirteenth Order

- Boundary Value Problems, *Gazi Uni. J. Sci.*, vol. 30, no. 4, pp. 454-461, 2017.
- [62] H.I. Okagbue, M.O. Adamu, T.A. Anake, "Ordinary Differential Equations of the Probability Functions of Weibull Distribution and their application in Ecology", *Int. J. Engine. Future Tech.*, vol. 15, no. 4, pp. 57-78, 2018.
- [63] H.I. Okagbue, P.E. Oguntunde, A.A. Opanuga, B. Ajayi, "Classes of Ordinary Differential Equations Obtained for the Probability Functions of inverse Rayleigh Distribution". Lecture Notes in Engineering and Computer Science: Proceedings of The International MultiConference of Engineers and Computer Scientists 2018, 14-16 March, 2018, Hong Kong, pp. 123-127.
- [64] H.I. Okagbue, M.O. Adamu, T.A. Anake, P.E. Oguntunde, "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Kumaraswamy Inverse Rayleigh Distribution". Lecture Notes in Engineering and Computer Science: Proceedings of The International MultiConference of Engineers and Computer Scientists 2018, 14-16 March, 2018, Hong Kong, pp. 150-156.
- [65] H.I. Okagbue, M.O. Adamu, T.A. Anake, A.A. Opanuga, "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Kumaraswamy Distribution". Lecture Notes in Engineering and Computer Science: Proceedings of The International MultiConference of Engineers and Computer Scientists 2018, 14-16 March, 2018, Hong Kong, pp. 172-178.
- [66] H.I. Okagbue, P.E. Oguntunde, A.A. Opanuga, P.O. Ugwoke, "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Kumaraswamy Kumaraswamy Distribution". Lecture Notes in Engineering and Computer Science: Proceedings of The International MultiConference of Engineers and Computer Scientists 2018, 14-16 March, 2018, Hong Kong, pp. 207-213.
- [67] H.I. Okagbue, T.A. Anake, M.O. Adamu, S.A. Bishop, "Classes of Ordinary Differential Equations Obtained for the Probability Functions of Levy Distribution", Lecture Notes in Engineering and Computer Science: Proceedings of The International MultiConference of Engineers and Computer Scientists 2018, 14-16 March, 2018, Hong Kong, pp. 225-230.

ISSN: 1998-4464 603