

J Inherit Metab Dis (2011) 34:843
DOI 10.1007/s10545-011-9356-y

ERRATUM

Erratum to: Diagnosis of tetrahydrobiopterin deficiency using filter paper blood spots: further development of the method and 5 years experience

Thomas Opladen · Bettina Abu Seda · Anahita Rassi ·
Beat Thöny · Georg F. Hoffmann · Nenad Blau

Published online: 31 May 2011
© SSIEM and Springer 2011

Erratum to: J Inherit Metab Dis
DOI 10.1007/s10545-011-9300-1

In the original published article units for hemoglobin concentrations in blood are erroneously reported as **g/dL** instead as **g/L**. However, all neopterin and biopterin values reported in the text and tables are correct and calculated with Hb g/L.

We apologize for any inconvenience caused by this mistake.

The Authors

The online version of the original article can be found at <http://dx.doi.org/10.1007/s10545-011-9300-1>.

T. Opladen · G. F. Hoffmann
Division of Inborn Metabolic Diseases,
University Children's Hospital Heidelberg,
Heidelberg, Germany

B. Abu Seda · A. Rassi · B. Thöny · N. Blau (✉)
Division of Clinical Chemistry and Biochemistry,
University Children's Hospital Zürich,
Zürich, Switzerland
e-mail: nenad.blau@kispi.unizh.ch

B. Thöny · N. Blau
Zürich Center for Integrative Human Physiology (ZIHP),
Steinwiesstrasse 75,
8032 Zürich, Switzerland

B. Thöny · N. Blau
Research Center for Children (RCC),
Zürich, Switzerland