

REFERENCES

- Abu-Zied, B. M. (2011). Cu^{2+} -acetate exchanged X zeolites: Preparation, characterization and N_2O decomposition activity. *Microporous and Mesoporous Materials*, 139, 59–66.
- Aguado, J., Arsuaga, J. M., Arencibia, A., Lindo, M., and Gascón, V. (2009). Aqueous heavy metals removal by adsorption on amine-functionalized mesoporous silica. *Journal of Hazardous Materials*, 163, 213-221.
- Aguila, G., Gracia, F. and Araya, P. (2008). CuO and CeO_2 catalysts supported on Al_2O_3 , ZrO_2 , and SiO_2 in the oxidation of CO at low temperature. *Applied Catalysis A: General*, 343, 16–24.
- Amelinckx, S., van Dyck, D., van Landuyt, J. and van Tendeloo, G. (eds). (1997). Stationary Beam Methods, in *Electron Microscopy: Principles and Fundamentals*, Germany :Wiley-VCH Verlag GmbH, Weinheim,
- Araujo A. S., Quintella S.A., and Coutinho A.C.S.L.S. (2009). Synthesis monitoring of SBA-15 nanostructured materials. *Adsorption*, 15, 306–311.
- Basahel, S.N., Abd El-Maksod, I.H., Abu-Zied, B.M., and Mokhtar, M. (2010). Effect of Zr^{4+} doping on the stabilization of ZnCo-mixed oxide spinel system and its catalytic activity towards N_2O decomposition. *Journal of Alloys and Compounds*. 493, 630–635.
- Bennici, S. and Gervasini, A. (2006). Catalytic activity of dispersed CuO phases towards nitrogen oxides (N_2O , NO, and NO_2). *Applied Catalysis B: Environmental*, 62, 336-344.
- Brink van den, R. W., Booneveld, S., Verhaak, M. J. F. M., and Bruijn, F. A. D. (2002). Selective catalytic reduction of N_2O and NO_x in a single reactor in the nitric acid industry. *Catalysis Today*. 75, 227–232.
- Che, S., Sakamoto, Y. Terasaki, O. Tatsumi T. (2005). The structure and morphology control of mesoporous silica under acidic conditions. *Microporous and Mesoporous Materials*. 85, 207-218.
- Chen, Y., Huang, Y., Xiu, J., Han, X., and Bao, X., (2004). Direct synthesis, characterization and catalytic activity of titanium-substituted SBA-15 mesoporous molecular sieves. *Applied Catalysis A: General*. 273, 185-191.
- Chiola, V., Ritsko, J. E., and Vanderpool, C. D. (1971). Process for producing low-bulk density silica. *US Patent No. 3 556 725*.

- Chmielarz, L., Kustrowski, P., and M. K., and Dziembaj, R. (2005). Nitrous Oxide Reduction with Ammonia and Methane Over Mesoporous Silica Materials Modified with Transition Metal Oxides. *Journal of Porous Materials*, 12, 183 - 191.
- Cho, Y., Shi, R. , Borgens, R. B., and Ivanisevic, A. (2008). Functionalized Mesoporous Silica Nanoparticles-Based Drug Delivery System to Rescue Acrolein-Mediated Cell Death. *Nanomedicine*, 3(4), 507-519.
- CongLiang, T., JinLin, L., and Yong, L. K. (2010). Effect of the pore size of Co/SBA-15 isomorphically substituted with zirconium on its catalytic performance in Fischer–Tropsch synthesis. *Sci China Chem.*, 53 (12), 1–9.
- Cui, X., Zin W. C., Cho, W. J. and Ha, C.S. (2005). Nonionic triblock copolymer synthesis of SBA-15 above the isoelectric point of silica (pH=2–5). *Materials Letters*, 59(18), 2257-2261.
- Dai, Q., Wang, X., Chen, G., Zheng, Y., and Lu, G. (2007). Direct Synthesis Of Cerium (III)-Incorporated SBA-15 Mesoporous Molecular Sieves By Two-Step Synthesis Method. *Microporous and Mesoporous Materials*, 100, 268-275.
- Dandekar, A. and Vannice, M. A. (1999). Decomposition and reduction of N₂O over copper catalysts. *Applied Catalysis B: Environmental*, 22, 179–200.
- Dao, L., Guoping, C. and Xingyi, W. (2008). Incorporation of lanthanum into SBA-15 and its catalytic activity in trichloroethylene combustion. *Journal of Rare Earths*, 26(5), 717-721.
- Debbagh, M. N., Bueno-López, A., Lecea, C. S. M. D. and Pérez-Ramírez, J. (2007). Kinetics of the N₂O+CO reaction over steam-activated FeZSM-5. *Applied Catalysis A: General*, 327, 66-72.
- Decyk, P., Trejda, M., and Ziolk, M. (2005). Iron containing mesoporous solids: preparation, characterisation, and surface properties. *C. R. Chimie*, 8, 635-654.
- DEFRA (2005): Climate change and the greenhouse effect: a briefing from the Hadley Centre (online), Retrieved from http://www.metoffice.com/research/hadleycentre/pubs/brochures/2005/climate_greenhouse.pdf on 12, June 2012.
- Dentona, P., Schuurman, Y., Giroir-Fendler, A., Praliauda, H. I. N., Primeta, M., and Mirodatos, C. (2000). N₂O as an intermediate for the formation of N₂ during SCR (NO): stationary and transient conditions. *C. R. Acad. Sci. Paris, Se'rie IIc, Chimie:Chemistry*, 3, 437–441.

- Doi, K., Wu, Y.Y., Takeda, R., Matsunami, A., Arai, N., Tagawa, T. and Goto, S. (2001). Catalytic decomposition of N₂O in medical operating rooms over Rh/Al₂O₃, Pd/Al₂O₃, and Pt/Al₂O₃. *Applied Catalysis B: Environmental*, 35, 43–51.
- Drago, R. S. Jurczyk, K. and Kob, N. (1996). Catalyzed decomposition of N₂O on metal oxide supports. *Appl. Catal. B.*, 13, 69–79.
- Environmental Protection Agency (EPA). (2005). Greenhouse Gas Mitigation Potential in U.S. Forestry and Agriculture. *U.S. Environmental Protection Agency*, Washington, DC, USA. (online). Retrieved from <http://www.epa.gov/climatechange/ghgemissions/geses/n2o/html> on 12 June 2012.
- Environmental Protection Agency (EPA). (2010). *Methane and Nitrous Oxide Emissions from Natural Sources*. U.S. Environmental Protection Agency, Washington, DC, USA. (online). Retrieved from <http://www.epa.gov/climatechange/ghgemissions/geses/n2o/html> on 12 June 2012.
- Eswaramoorthi, I. and Dalai, A. K. (2006). Synthesis, characterisation and catalytic performance of boron substituted SBA-15 molecular sieves. *Microporous and Mesoporous Materials*, 93(1-3), 1-11.
- Fierro, G., Dragone, R. and Ferraris, G. (2008). NO and N₂O Decomposition and Their Reduction by Hydrocarbons Over Fe–Zn Manganite Spinels. *Applied Catalysis B: Environmental*, 78, 183-191.
- Gao, F., Zhang Y., Wan H., Kong Y., Wu X., Dong L., Li B., and Chen Y. (2008). The states of vanadium species in V-SBA-15 synthesized under different pH values. *Microporous and Mesoporous Materials*, 110(2-3), 508-516.
- Giecko, G., Borowiecki, T, Gac, W and Kruk J. (2008). Fe₂O₃/Al₂O₃ catalysts for the N₂O decomposition in the nitric acid industry. *Catalysis Today*, 137, 403-409.
- Goto, T., Niimi, A., Hirano, K., Takahata N., Fujita, S., Shimokawabe, M. and Takezawa, N. (2000). Comparative Study of Decomposition of N₂O over Metal oxides and Metal ion Exchanged ZSM-5 Zeolites. *React. Kinet. Catal. Lett.* 69(2), 375-378.
- Dandl, H. and Emig, G. (1998). Mechanistic approach for the kinetics of the decomposition of nitrous oxide over calcined hydrotalcites. *Applied Catalysis A: General*, 168, 261-268.
- Hamdy, M., Mul, G., Wei, W., Anand, R., Hanefeld, U., Jansen, J. and Moulijn, J. (2005). Fe, Co and Cu-incorporated TUD-1: Synthesis, characterization and catalytic performance in N₂O decomposition and cyclohexane oxidation. *Catalysis Today*, 110, 264-271.

- Hevia, M. A. G. and Pérez-Ramírez, J. (2008). Assessment of the low-temperature EnviNOx® variant for catalytic N₂O abatement over steam-activated FeZSM-5. *Applied Catalysis B: Environmental*, 77, 248-254.
- Hussain M., Akhter, P., Fino D. and Russo, N. (2013). Modified KIT-6 and SBA-15-spherical supported metal catalysts for N₂O decomposition. *Journal of Environmental Chemical Engineering*, 1(3), 164–174.
- IPCC Fourth Assessment Report. (2007). *Historical Overview of Climate Change Science*. United Kingdom and New York: Cambridge University Press.
- IPCC Third Assessment Report. (2001). *Climate Change 2001: The Scientific Basis in chapter 4: Atmospheric Chemistry and Greenhouse Gases*. United Kingdom and New York: Cambridge University Press.
- Jensen J. O. (2002). Vibrational frequencies and structural determinations of hexamethylenetetramine *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 58(7), 1347–1364.
- Kameoka, S., Kita, K., Takeda, T., Tanaka, S., Ito, S., Yuzaki, K., and, T. M., and Kunimori, K., (2000). Simultaneous removal of N₂O and CH₄ as the strong greenhouse-effect gases over Fe-BEA zeolite in the presence of excess O₂. *Catalysis Letters*, 69, 169–173.
- Kannan, S. (1998). Decomposition of nitrous oxide over the catalysts derived from hydrotalcite-like compounds. *Applied Clay Science*, 13, 347–362.
- Kapteijn, F., Marbán, G., Rodriguez-Mirasol, J., & Moulijn, J. A. (1997). Kinetic Analysis of the Decomposition of Nitrous Oxide over ZSM-5 Catalysts. *Journal of Catalysis*, 167(1), 256-265.
- Kapteijn, F., Rodriguez-Mirasol, J., and Moulijn, J. A. (1996). Heterogeneous catalytic decomposition of nitrous oxide. *Applied Catalysis B: Environmental*, 9, 25-64.
- Kawi, S., Liu, S. Y., and Shen, S.-C. (2001). Catalytic decomposition and reduction of N₂O on Ru/MCM-41 catalyst. *Catalysis Today*, 68, 237–244.
- Kim, M.-Y., Lee, K.W., Park, J.-H., Shin, C-H., Lee, J. and Seo, G. (2010). Catalytic decomposition of nitrous oxide over Fe-BEA zeolites: Essential components of iron active sites. *Korean J. Chem. Eng.*, 27(1), 76-82.
- Komvokis, V.G., Marnellos, G.E., Vasalos, I.A., and Triantafyllidis, K.S. (2009). Effect of pretreatment and regeneration conditions of Ru/γ-Al₂O₃ catalysts for N₂O decomposition and/or reduction in O₂-rich atmospheres and in the presence of NO_x, SO₂ and H₂O. *Applied Catalysis B: Environmental*, 89(3-4), 627-634.

- Kong, A., Wang, H., Yang, X., Hou, Y., and Shan Y.K. (2009). A facile direct route to synthesize large-pore mesoporous silica incorporating high CuO loading with special catalytic property. *Microporous and Mesoporous Materials*, 118, 348–353.
- Kumar, G. S., Palanichamy, M., Hartmann, M., and Murugesan, V. (2008). A new route for the synthesis of manganese incorporated SBA-15. *Microporous and Mesoporous Materials*, 112(1-3), 53-60.
- Li, Y. and Armor, J.N. (1992). Catalytic decomposition of nitrous oxide on metal exchanged zeolites. *Applied Catalysis B: Environmental*, 1(3), L21–L29
- Li, Y., Zhang, W., Zhang, L., Yang, Q., Wei, Z., Feng, Z., and Li, C. (2004). Direct Synthesis of Al-SBA-15 Mesoporous Materials via Hydrolysis-Controlled Approach. *J. Phys. Chem. B.*, 108, 9739-9744.
- Linssen, T., Cassiers, K., Cool, P. and Vansant E.F. (2003). Mesoporous templated silicates: an overview of their synthesis, catalytic activation and evaluation of the stability. *Advances in Colloid and Interface Science*, 103, 121-147.
- Liu, M.C., Chang, C.S., Chan, C.C., Sheu H.S and Cheng S.F. (2009). An alkaline route to prepare hydrothermally stable cubic Pm3n mesoporous silica using CTEA template. *Microporous and Mesoporous Materials*, 121(1-3), 41-51.
- Lou, Z., Wang R., Sun H., Chen Y., Yang, Y. (2008). Direct synthesis of highly ordered Co-SBA-15 mesoporous materials by the pH-adjusting approach. *Microporous and Mesoporous Materials*, 110(2-3), 347-354.
- Ma, J., Rodriguez, N.M., Vannice, M.A., and Baker, R.T.K. (2000). Nitrous oxide decomposition and reduction over copper catalysts supported on various types of carbonaceous materials. *Topics in Catalysis*, 10, 27-38.
- Marnellos, G.E., Efthimiadis, E.A. and Vasalos, I.A. (2000). Effect of SO₂ and H₂O on the N₂O decomposition in the presence of O₂ over Ru/Al₂O₃. *Applied Catalysis B: Environmental*, 46, 523-539.
- Martínez, A., Lopeza, C., Márqueza, F., and Díazb I. (2003). Fischer–Tropsch synthesis of hydrocarbons over mesoporous Co/SBA-15 catalysts: the influence of metal loading, cobalt precursor, and promoters. *Journal of Catalysis*, 220(2), 486–499.
- Meynen, V., Cool, P., and Vansant, E.F. (2009). Verified syntheses of mesoporous materials. *Microporous and Mesoporous Materials*, 125, 170-223.
- Montzka, S.A., Dlugokencky, E.J. and Butler, J.H. (2011). Non-CO₂ greenhouse gases and climate change, *Nature*, 476, 43-50.

- Mu, Z., Li, J. J., Hao, Z. P. and Qiao, S. Z. (2008a). Direct synthesis of lanthanide-containing SBA-15 under weak acidic conditions and its catalytic study. *Microporous and Mesoporous Materials*, 113(1-3), 72-80.
- Mu, Z., Li, J. J., Tian, H., Hao, Z. P., and Qiao, S. Z., (2008b). Synthesis of mesoporous Co/Ce-SBA-15 materials and their catalytic performance in the catalytic oxidation of benzene. *Materials Research Bulletin*, 43, 2599-2606.
- National Oceanic and Atmospheric Administration. (2009). Nitrous Oxide Now Top Ozone-depleting Emission (online). Retrieved from <https://www.sciencedaily.com> on 12 June, 2012.
- Newalkar, B. L., Komarneni, S. and Katsuki H. (2000). Rapid synthesis of mesoporous SBA-15 molecular sieve by a microwave-hydrothermal process. *Chem. Commun.*, 20, 2389-2390.
- Nowinska, K., Formaniak, R. Kaleta, W. and Waclaw, A. (2003). Heteropoly compounds incorporated into mesoporous material structure. *Applied Catalysis A: General*, 256(1-2), 115-123.
- Obalova, L. and Fila, V. (2007). Kinetic analysis of N₂O decomposition over calcined hydrotalcites. *Applied Catalysis B: Environmental*, 70(1-4), 353-359.
- Obalova, L., Jiratova, K., Kovanda, F., Valaskova, M., Balabanova, J., and Pacultova, K. (2006). Structure-activity relationship in the N₂O decomposition over Ni-(Mg)-Al and Ni-(Mg)-Mn mixed oxides prepared from hydrotalcite-like precursors. *Journal of Molecular Catalysis A: Chemical*, 248, 210-219.
- Odaka, M., Koike, N., and Suzuki, H. (2000). Influence of catalyst deactivation on N₂O emissions from automobiles. *Chemosphere - Global Change Science*, 2, 413-423.
- Ohnishi, C., Iwamoto, S. and Inoue, M. (2008). Direct decomposition of nitrous oxide in the presence of oxygen over iridium catalyst supported on alumina. *Chemical Engineering Science*, 63, 5076 - 5082.
- Oi, J., Obuchi, A., Ogata, A., Bamwenda, G.R., Tanaka, R., Hibino, T. and Kushiyama, S. 1997. Zn, Al, Rh-mixed oxides derived from hydrotalcite-like compound and their catalytic properties for N₂O decomposition. *Applied Catalysis B: Environmental*, 13, 197-203.
- On, D. T., Desplandier-Giscard, D., Danumah, C., and Kaliaguine, S., (2003). Perspectives in catalytic applications of mesostructured materials. *Applied Catalysis A: General*, 253, 545-602.

- Pachaturidou, E., Papistac, E., Iliopoulou, F., Delimitis, A., Goulad, G. Yentekakis, I.V. Marnellos, G.E. and Konsolakis, M. (2015). Nitrous oxide decomposition over Al_2O_3 supported noble metals (Pt, Pd, Ir): Effect of metal loading and feed composition. *Journal of Environmental Chemical Engineering*, 3(2), 815–821.
- Pai, S., Newalkar B.L and Choudary. N.V. (2006). Synthesis and characterization of cobalt substituted aluminophosphate molecular sieve: Co-SSZ-51 under microwave-hydrothermal conditions. *Microporous and Mesoporous Materials*, 96(1-3), 135-140.
- Pannov, G.I, Sobolev, V.I. and Kharitonov, A.S. (1990). The role of iron in N_2O decomposition on ZSM-5 zeolite and reactivity of the surface oxygen formed. *Journal of Molecular Catalysis*, 61, 85-93.
- Parres-Esclapez, S., Illan-Gomez, M. J., Salinas-Martínez de Lecea, A. Bueno-Lopez. (2010). On the importance of the catalyst redox properties in the N_2O decomposition over alumina and ceria supported Rh, Pd and Pt. *Applied Catalysis B: Environmental*, 96, 370–378.
- Pasha, N., Lingaiah, N., Reddy, P.S.S., and Prasad P.S.S. (2007). An investigation into the effect of Cs promotion on the catalytic activity of NiO in the direct decomposition of N_2O . *Catalysis Letters*, 118 (1–2), 64-68.
- Pavone, A. (2012). Bio-Based Adipic Acid . Process Economics Program Report 284. California: Santa Clara,
- Perez-Ramirez, J., Kapteijn, F., Schoffel, K., and Moulijn, J.A. (2003). Formation and control of N_2O in nitric acid production Where do we stand today? *Applied Catalysis B: Environmental*, 44, 117-151.
- Petunchi, J.O., Hall, W.K (1982). Redox catalysis over iron zeolites: Kinetics and mechanism. *Journal of Catalysis*, 78(2), 327-334.
- Prathap, M.U.A., Kaur, B., and Srivastava, R. (2012). Direct synthesis of metal oxide incorporated mesoporous SBA-15, and their applications in non-enzymatic sensing of glucose. *Journal of Colloid and Interface Science*, 381, 143-151.
- Ravishankara, A.R., Daniel, J.S. and Portmann, R.W. (2009). Nitrous Oxide (N_2O): The Dominant Ozone-Depleting Substance Emitted in the 21st Century. *Science*, 326, 123-125.
- Renzo, F.D., Cambon, H., and Dutartre, R. (1997). A 28-year-old synthesis of micelle-templated mesoporous silica. *Microporous Materials*, 10, 283-286.

- Rouquerol, J., Avnir, D., Fairbridge, C.W., Everett D.H., Haynes J.H., Pernicone N., Ramsay J.D.F., Sing K.S.W., and Unger, K.K. (1994). Recommendations for the Characterization of Porous Solids. *Pure & Appl. Chem*, 66(8), 1739-1758.
- Russo, N., Mescia D., Fino, D., Saracco, G. and Specchia, V. (2007). N₂O decomposition over Perovskite Catalysts. *Ind. Eng. Chem. Res.*, 46, 4226-4231.
- Rutkowska, M., Piwowarska, Z., Micek, E. and Chmielarz, L. (2015). Hierarchical Fe-, Cu- and Co-Beta zeolites obtained by mesotemplate-free method. Part I: Synthesis and catalytic activity in N₂O decomposition. *Microporous and Mesoporous Materials*, 209, 54–65.
- Satsuma, A., Maeshima, H., Watanabe, K., Suzuki, K. and Hattori, T. (2000). Effects of Methane and Oxygen on Decomposition of Nitrous Oxide over Metal Oxide Catalysts. *Catalysis Today*, 63, 347-353.
- Schulz-Ekloff, G., Rathousky, J. and Zukal, A. (1999). Mesoporous silica with controlled porous structure and regular morphology. *International Journal of Inorganic Materials*, 1, 97-102.
- Shah, A.T., Li, B. and Abdalla, Z.E.A. (2010). Direct synthesis of Cu–SBA-16 by internal pH-modification method and its performance for adsorption of dibenzothiophene. *Microporous and Mesoporous Materials*, 130, 248-254.
- Shah, P., Ramaswamy, A.V., Lazar, K. and Ramaswamy, V. (2007). Direct hydrothermal synthesis of mesoporous Sn-SBA-15 materials under weak acidic conditions. *Microporous and Mesoporous Materials*, 100(1-3), 210-226.
- Shen, Q., Li, L., Li, J., Tian, H. and Hao, Z. (2009). A study on N₂O catalytic decomposition over Co/MgO catalysts. *Journal of Hazardous Materials*, 163, 1332-1337.
- Shimizu, A., Tanaka, K. and Fujimori, M. (2000). Abatement technologies for N₂O emissions in the adipic acid industry. *Chemosphere-Global Change Science*, 2, 425-434.
- Shimokawabe, M., Chaki, T., Ozawa, S. and Arai, M. (2005). Activity and Physicochemical Properties of Fe-Zeolite Catalysts for SCR of N₂O with CH₄. *React. Kinet. Catal. Lett.*, 86, 363-370.
- Slowing, I.I., Trewyn, B.G., Giri, S., and Lin, V.S.-Y. (2007). Mesoporous Silica Nanoparticles for Drug Delivery and Biosensing Applications. *Advanced Functional Materials*, 17, 1225-1236.

- Smeets, P., Sels, B., Vanteeffelen, R., Leeman, H., Hensen, E. and Schoonheydt, R. (2008). The catalytic performance of Cu-containing zeolites in N₂O decomposition and the influence of O₂, NO and H₂O on recombination of oxygen. *Journal of Catalysis*, 256, 183-191.
- Smith, I.M. and Thambimuthu, K.V. (1993). Greenhouse Gas Emissions, Abatement and Control: The Role of Coal. *Energy & Fuels*, 7, 7-13.
- Song, Z., Zhang, Q., Ning, P., Liu, X., Zhang, J., and Wang, Y. (2016). Effect of copper precursors on the catalytic activity of Cu/ZSM-5 catalysts for selective catalytic reduction of NO by NH₃. [journal article]. *Research on Chemical Intermediates*, 1-17.
- Stern H., (2006). The Economics of Climate Change: The Stern Review, Part 1- Climate Change (online). Retrieved from http://www.hm-treasury.gov.uk/stern_review_report.html on 4 July 2010.
- Svoboda, K. Baxter, D. and Martinec, J. (2006). Nitrous Oxide Emissions from Waste Incineration. *Chem. Pap.*, 60(1), 78-90.
- Taguchi, A. and Schuth F. (2005). Ordered mesoporous materials in catalysis. *Microporous and Mesoporous Materials*, 77(1), 1-45.
- Trogler, W.C. (1999). Physical properties and mechanisms of formation of nitrous oxide. *Coordination Chemistry Reviews*, 187, 303-327.
- Tu, C., Wang, A., Zheng, M., Wang, X. and Zhang, T. (2006). Factors influencing the catalytic activity of SBA-15-supported copper nanoparticles in CO oxidation. *Applied Catalysis A: General*, 297, 40-47.
- Turek, T. (1996). Kinetics of nitrous oxide decomposition over Cu-ZSM-5. *Applied Catalysis B: Environmental*, 9, 201-210.
- Tuti, S., Pepe, F., Pietrogiacomini, D. and Indovina, V. (2001). Decomposition of Nitrous Oxide on C₀O_x/ZrO₂, CuO_x/ZrO₂ and FeO_x/ZrO₂ Catalysts. *React. Kinet. Catal. Lett.*, 72, 35-42.
- Wang, H., Tian, H., and Hao, Z. (2012). Study of DDT and its derivatives DDD, DDE adsorption and degradation over Fe-SBA-15 at low temperature. *Journal of Environmental Sciences*, 24, 536-540.
- Wang, Y.M., Zhuang, T.T., Cao, Y., Jiang Q., Zhu J.H. (2005). Micro- and mesoporous silicas synthesized in acidic water-ethanol solution of equimolar cationic surfactant. *Journal of Non-Crystalline Solids*, 351, 346-350.

- Xu, X., Xu, H., Kapteijn, F. and Moulijn, J. A. (2004). SBA-15 based catalysts in catalytic N₂O decomposition in a model tail-gas from nitric acid plants. *Applied Catalysis B: Environmental*, 53, 265-274.
- Yao, K.-W., Jaenicke, S., Lin, J.-Y., and Tan, K.L. (1998). Catalytic decomposition of nitrous oxide on grafted CuO/ γ -Al₂O₃ catalysts. *Applied Catalysis B: Environmental*, 16, 291-301.
- Zhao, D., Feng, J., Huo Q., Melosh N., Fredrickson, G.H., Chmelka B.F., Stucky G.D. (1998). Triblock Copolymer Syntheses of Mesoporous Silica with Periodic 50 to 300 Angstrom Pores. *Science*, 279, 548-552.
- Zheng, F., Tran, D.N., Busche, B., Glen E.F, Addleman, R.S., Zemanian, T.S. and Aardahl, C.L., (2004). Ethylenediamine-Modified SBA-15 as Regenerable CO₂ Sorbents. *Prepr. Pap.-Am. Chem. Soc., Div. Fuel Chem.*, 49, 261-262.
- Zholobenko, V., Zholobenko, L., Khodakov, A. Y., Imp rator-Clerc, M., Durand, D., and Grillo, I. (2008). Initial stages of SBA-15 synthesis: An overview. *Advances in Colloid and Interface Science*, 142, 67-74.