
## Journal of Environmental Chemical Engineering 5 (2017) 3122-3128



Contents lists available at ScienceDirect

## Journal of Environmental Chemical Engineering

journal homepage: www.elsevier.com/locate/jece





ENVIRONMENTAL

霐

S.N. Bukhari<sup>a</sup>, C.Y. Chin<sup>a</sup>, H.D. Setiabudi<sup>a,\*</sup>, Dai-Viet N. Vo<sup>a,b</sup>

<sup>a</sup> Faculty of Chemical and Natural Resources Engineering, Universiti Malaysia Pahang, 26300, Gambang, Kuantan, Pahang, Malaysia
<sup>b</sup> Centre of Excellence for Advanced Research in Fluid Flow, Universiti Malaysia Pahang, 26300, Gambang, Kuantan, Pahang, Malaysia

## ARTICLE INFO

Keywords: Ni/SBA-15 CH<sub>4</sub> dry reforming TEOS/P123 CO<sub>2</sub> conversion Metal dispersion

## ABSTRACT

The influences of tetraethylorthosilicate/triblockcopolymer (TEOS/P123) mass ratios on the properties and catalytic activity of Ni/SBA-15 towards  $CO_2$  reforming of  $CH_4$  were studied. A series of samples with different mass ratios of TEOS/P123 (1.5, 2.21 and 3.0) were prepared and characterized by XRD, BET, SEM, TEM, FTIR and UV–vis DRS. The characterization results clearly indicated that TEOS/P123 mass ratio of 2.21 was the optimal synthesis ratio of Ni/SBA-15 which produces the well-ordered hexagonal mesoporous structure with the highest Ni-support interaction. The catalytically favorable textural properties of Ni/SBA-15(R2.21) enhanced the dispersion of metal particles, improved the catalyst activity, increased the catalyst stability and reduced the carbon deposition. The conversion of  $CH_4$  and  $CO_2$  over Ni/SBA-15(R2.21) were about 89% and 88%, respectively and  $H_2/CO$  ratio of 1.02. This study provides new perspectives on the Ni-based catalyst, particularly on the influence of TEOS/P123 mass ratio on the properties and catalytic activity of Ni/SBA-15 towards  $CO_2$  reforming