

REFERENCES

- Ahn, S. H., & Guo, L. J. (2009). Large-area roll-to-roll and roll-to-plate nanoimprint lithography: a step toward high-throughput application of continuous nanoimprinting. *ACS nano*, 3(8), 2304-2310.
- Alkaisi, M. M., & Mohamed, K. (2010). Three-dimensional patterning using ultraviolet nanoimprint lithography. INTECH Open Access Publisher.
- Anhoj, T. A., Jorgensen, A. M., Zauner, D. A., & Hübner, J. (2006). The effect of soft bake temperature on the polymerization of SU-8 photoresist. *Journal of Micromechanics and Microengineering*, 16(9), 1819.
- Bubendorfer, A., Liu, X., & Ellis, A. V. (2007). Microfabrication of PDMS microchannels using SU-8/PMMA moldings and their sealing to polystyrene substrates. *Smart Materials and Structures*, 16(2), 367.
- Bystrova, S., Luttge, R., & Van Den Berg, A. (2007). Study of crack formation in high-aspect ratio SU-8 structures on silicon. *Microelectronic Engineering*, 84(5), 1113-1116.
- Chaithanya, K., Padma, K., Saidulu, Y., & Prasad, C. G. (2011). The Biochip Technology Implementation and Major Advances in Medical Applications. *International Journal of Advanced Research in Computer Science*, 2(2).
- Cheng, J., Wang, X., Wu, L., Yang, W., & Xu, J. (2001). U.S. Patent Application No. 09/973,629.
- Choi, H. G., Choi, D. S., Kim, E. W., Jung, G. Y., Choi, J. W., & Oh, B. K. (2009). Fabrication of nanopattern by nanoimprint lithography for the application to protein chip. *Biochip J*, 3(1), 76-81.
- Chou, S. Y. (2007, November). Nanoimprint (Technology, Tools, Applications and Commercialization) And New Technologies Beyond. In *Microprocesses and Nanotechnology, 2007 Digest of papers* (pp. 4-4). IEEE.

Chou, S. Y., Krauss, P. R., & Renstrom, P. J. (1995). Imprint of sub-25 nm vias and trenches in polymers. *Applied physics letters*, 67(21), 3114-3116.

Chou, S. Y., Krauss, P. R., & Renstrom, P. J. (1996). Nanoimprint lithography. *Journal of Vacuum Science & Technology B*, 14(6), 4129-4133.

Colburn, M., Johnson, S. C., Stewart, M. D., Damle, S., Bailey, T. C., Choi, B., ... & Willson, C. G. (1999, June). Step and flash imprint lithography: a new approach to high-resolution patterning. In *Microlithography'99* (pp. 379-389). International Society for Optics and Photonics.

Dai, W., Lian, K., & Wang, W. (2005). A quantitative study on the adhesion property of cured SU-8 on various metallic surfaces. *Microsystem technologies*, 11(7), 526-534.

Daughton, W. J., & Givens, F. L. (1982). An Investigation of the Thickness Variation of Spun-on Thin Films Commonly Associated with the Semiconductor Industry. *Journal of The Electrochemical Society*, 129(1), 173-179.

Dong, Q., & Brent, A. R. (2004). Nanotechnology: A Top-Down Approach Encyclopedia of Supramolecular Chemistry (pp. 1-9): CRC Press.

Donose, B. C., Taran, E., Vakarelski, I. U., Shinto, H., & Higashitani, K. (2006). Effects of cleaning procedures of silica wafers on their friction characteristics. *Journal of colloid and interface science*, 299(1), 233-237.

Du, J., Huang, Q., Su, J., Guo, Y., & Cui, Z. (1999). New approaches to optical proximity correction in photolithography. *Microelectronic engineering*, 46(1), 73-76.

Franssila, S. (2010). Wafer Cleaning and Surface Preparation. *Introduction to Microfabrication*, Second Edition, 143-152.

Garner, H. R. (2013). U.S. Patent No. 8,415,101. Washington, DC: U.S. Patent and Trademark Office.

Guo, L. J. (2007). Nanoimprint lithography: methods and material requirements. *Advanced Materials*, 19(4), 495-513.

Guo, Q., Park, S., & Ma, H. (2012). Microfluidic micropipette aspiration for measuring the deformability of single cells. *Lab on a Chip*, 12(15), 2687-2695.

Haatainen, T., Ahopelto, J., Gruetzner, G., Finck, M., & Pfeiffer, K. (2000). Step and stamp imprint lithography using a commercial flip chip bonder. In *Microlithography 2000* (pp. 874-880). International Society for Optics and Photonics.

Haisma, J., Verheijen, M., Van Den Heuvel, K., & Van Den Berg, J. (1996). Mold-assisted nanolithography: A process for reliable pattern replication. *Journal of Vacuum Science & Technology B*, 14(6), 4124-4128.

Hilbert, S. (1970). U.S. Patent No. 3,529,960. Washington, DC: U.S. Patent and Trademark Office.

Hirai, Y., Yoshida, S., & Takagi, N. (2003). Defect analysis in thermal nanoimprint lithography. *Journal of Vacuum Science & Technology B*, 21(6), 2765-2770.

Hsieh, Y. T., Hsieh, H., & Lee, Y. C. (2014). A soft photo-mask with embedded carbon black and its application in contact photolithography. *Journal of Micromechanics and Microengineering*, 24(8), 085006.

Jung, G. Y., Ganapathiappan, S., Li, X., Ohlberg, D. A. A., Olynick, D. L., Chen, Y., ... & Williams, R. S. (2004). Fabrication of molecular-electronic circuits by nanoimprint lithography at low temperatures and pressures. *Applied Physics A*, 78(8), 1169-1173.

Kern, W. (1970). Cleaning solutions based on hydrogen peroxide for use in silicon semiconductor technology. *RCA review*, 31, 187-206.

Kern, W. (1990). The evolution of silicon wafer cleaning technology. *Journal of the Electrochemical Society*, 137(6), 1887-1892.

Kooy, N., Mohamed, K., Pin, L. T., & Guan, O. S. (2014). A review of roll-to-roll nanoimprint lithography. *Nanoscale research letters*, 9(1).

Kooy, N., Rahman, N., & Mohamed, K. (2012, November). Patterning of multi-leveled microstructures on flexible polymer substrate using roll-to-roll ultraviolet nanoimprint lithography. In Electronic Manufacturing Technology Symposium (IEMT), 2012 35th IEEE/CPMT International (pp. 1-5). IEEE.

Krogh, L., & Asberg, P. (2003). My Little Guide to Soft Lithography (or Soft Lithography for Dummies). Linköping University, website, http://www.ifm.liu.se/~petas/mikrosystem/Links/Material_files/Soft_Lithography_for_Dummies.pdf.

Latfi, S. N. A., & Samsuri, F. (2015). Biochip development for biological cells manipulation using DEP. *ARPN Journal of Engineering and Applied Sciences*, 10(22), 17091-17094.

Lee, T. P., & Mohamed, K. (2016, February). 3D Microfabrication Using Emulsion Mask Grayscale Photolithography Technique. In IOP Conference Series: Materials Science and Engineering (Vol. 114, No. 1, p. 012032). IOP Publishing.

Li, X. M., Huskens, J., & Reinhoudt, D. N. (2004). Reactive self-assembled monolayers on flat and nanoparticle surfaces, and their application in soft and scanning probe lithographic nanofabrication technologies. *Journal of Materials Chemistry*, 14(20), 2954-2971.

Liu, J., Cai, B., Zhu, J., Ding, G., Zhao, X., Yang, C., & Chen, D. (2001). Fabrication of high-aspect-ratio microstructure on metallic substrate using SU-8 resist. In International Symposium on Optoelectronics and Microelectronics (pp. 200-204). International Society for Optics and Photonics.

Mack, C. (2008). Fundamental principles of optical lithography: the science of microfabrication. John Wiley & Sons.

Mack, C. A., & Connors, J. E. (1992, June). Fundamental differences between positive-and negative-tone imaging. In Optical/Laser Microlithography V (pp. 328-338). International Society for Optics and Photonics.

Madou, M. J. (2011). Manufacturing techniques for microfabrication and nanotechnology (Vol. 2). CRC Press.

Martinez-Duarte, R., Teixidor, G. T., Mukherjee, P. P., Kang, Q., & Madou, M. J. (2010). Perspectives of micro and nanofabrication of carbon for electrochemical and microfluidic applications. In Microfluidics and microfabrication (pp. 181-263). Springer US.

Matsuyama, T., Ohmura, Y., & Williamson, D. M. (2006, March). The lithographic lens: its history and evolution. In SPIE 31st International Symposium on Advanced Lithography (pp. 615403-615403). International Society for Optics and Photonics.

Mohamed, K., Alkaisi, M. M., & Smaill, J. (2006). Resist deformation at low temperature in nanoimprint lithography. *Current Applied Physics*, 6(3), 486-490.

Okazaki, S. (2015). High resolution optical lithography or high throughput electron beam lithography: The technical struggle from the micro to the nano-fabrication evolution. *Microelectronic Engineering*, 133, 23-35.

Otto, M., Bender, M., Richter, F., Hadam, B., Kliem, T., Jede, R., ... & Kurz, H. (2004). Reproducibility and homogeneity in step and repeat UV-nanoimprint lithography. *Microelectronic engineering*, 73, 152-156.

Park, S., Song, Z., Brumfield, L., Amirsadeghi, A., & Lee, J. (2009). Demolding temperature in thermal nanoimprint lithography. *Applied Physics A*, 97(2), 395-402.

Pham, N. P., Boellard, E., Sarro, P. M., & Burghartz, J. N. (2002). Spin, spray coating and electrodeposition of photoresist for MEMS structures—A comparison. *Proc SAFE*, 81-85.

Rao, T. V. N., Sukruthi, G. S., & Raj, G. (2012). Biochip Technology—A Gigantic Innovation. *International Journal of Emerging Technology and Advanced Engineering*, 2(3), 129-135.

Resnick, D. J., Sreenivasan, S. V., & Willson, C. G. (2005). Step & flash imprint lithography. *Materials today*, 8(2), 34-42.

Ríos, Á., Zougagh, M., & Avila, M. (2012). Miniaturization through lab-on-a-chip: Utopia or reality for routine laboratories? A review. *Analytica Chimica Acta*, 740, 1-11.

Ruchhoeft, P., Colburn, M., Choi, B., Nounou, H., Johnson, S., Bailey, T., ... & Wolfe, J. C. (1999). Patterning curved surfaces: Template generation by ion beam proximity lithography and relief transfer by step and flash imprint lithography. *Journal of Vacuum Science & Technology B*, 17(6), 2965-2969.

Sahu, N., Parija, B., & Panigrahi, S. (2009). Fundamental understanding and modeling of spin coating process: A review. *Indian Journal of Physics*, 83(4), 493-502.

Sakai, N., Taniguchi, J., Kawaguchi, K., Ohtaguchi, M., & Hirasawa, T. (2005). Investigation of application availability of UV-NIL by using several types of photo-curable resin. *Journal of Photopolymer Science and Technology*, 18(4), 531-536.

Samsuri, F., Alkaisi, M. M., & Evans, J. J. (2011, June). Biochip development using nanoimprint lithography (NIL) and metallic thermal evaporation techniques for biological cells manipulation using DEP. In *Electrical, Control and Computer Engineering (INECCE), 2011 International Conference on* (pp. 382-387). IEEE.

Senefelder, A. (2013). *Senefelder on Lithography: The Classic 1819 Treatise*. Courier Corporation.

Shaw, J. M., Gelorme, J. D., LaBianca, N. C., Conley, W. E., & Holmes, S. J. (1997). Negative photoresists for optical lithography. *IBM Journal of Research and Development*, 41(1.2), 81-94.

Shin, Y. B., Cho, N. R., & Lee, K. J. (2014, May). Nanoplasmonic biosensor for cancer diagnosis: design and fabrication. In *SPIE Photonics Europe* (pp. 91292M-91292M). International Society for Optics and Photonics.

Shin, Y., Han, S., Jeon, J. S., Yamamoto, K., Zervantonakis, I. K., Sudo, R., ... & Chung, S. (2012). Microfluidic assay for simultaneous culture of multiple cell types on surfaces or within hydrogels. *Nature protocols*, 7(7), 1247-1259.

Shin-Etsu MicroSi. (2013, March 05). The Difference Between Positive and Negative Photoresist. Retrieved August 24, 2016, from <https://www.microsi.com/the-difference-between-positive-and-negative-photoresist/>

SU-8 2000 Data Sheet (2000.5–2015) - MicroChem. (n.d.). Retrieved September 3, 2016, from http://microchem.com/pdf/SU_82000DataSheet2000_5thru2015Ver4.pdf

Torres, C. M. S. (Ed.). (2012). Alternative lithography: unleashing the potentials of nanotechnology. Springer Science & Business Media.

Vigneswaran, N., Samsuri, F., & Ranganathan, B. (2014). Recent Advances in Nano Patterning and Nano Imprint Lithography for Biological Applications. *Procedia Engineering*, 97, 1387-1398.

Viheriälä, J., Niemi, T., Kontio, J., & Pessa, M. (2011). Nanoimprint Lithography-Next Generation Nanopatterning Methods for Nanophotonics Fabrication. Recent Optical and Photonic Technologies. InTech, ISBN, 978-953.

Wagner, C., & Harned, N. (2010). EUV lithography: Lithography gets extreme. *Nature Photonics*, 4(1), 24-26.

Walker, E. J. (1975). Reduction of photoresist standing-wave effects by post-exposure bake. *IEEE Transactions on Electron Devices*, 22(7), 464-466.

Weibel, D. B., DiLuzio, W. R., & Whitesides, G. M. (2007). Microfabrication meets microbiology. *Nature Reviews Microbiology*, 5(3), 209-218.

Winter, D. A. (2009). Biomechanics and motor control of human movement. John Wiley & Sons.

Xia, Y., & Whitesides, G. M. (1998). Soft lithography. Annual review of materials science, 28(1), 153-184.

Yang, R., & Wang, W. (2005). A numerical and experimental study on gap compensation and wavelength selection in UV-lithography of ultra-high aspect ratio SU-8 microstructures. Sensors and Actuators B: Chemical, 110(2), 279-288.

Yang, W. C., Huang, Y. S., Shew, B. Y., & Fu, C. C. (2013). Study on diffraction effect and microstructure profile fabricated by one-step backside lithography. Journal of Micromechanics and Microengineering, 23(3), 035004.

Yang, Y. K., & Chang, T. C. (2006). Experimental analysis and optimization of a photo resist coating process for photolithography in wafer fabrication. Microelectronics Journal, 37(8), 746-751.

Zaouk, R., Park, B. Y., & Madou, M. J. (2006). Introduction to microfabrication techniques. Microfluidic Techniques: Reviews and Protocols, 5-15.