

## REFERENCES

- Abdullah, N., Ujang, Z., & Yahya, A. (2011). Aerobic granular sludge formation for high strength agro-based wastewater treatment. *Bioresource Technology*, *102*, 6778–6781.
- Abuzaid, N.S., Bukhari, A.A., & Al-Hamouz, Z.M. (2002). Ground water coagulation using soluble stainless steel electrodes. *Advances in Environmental Research*, *6*, 325–333.
- Adachi, Y. (2016). Sedimentation and electrophoresis of a porous floc and a colloidal particle coated with polyelectrolytes. *Current Opinion in Colloid and Interface Science*, *24*, 72–78.
- Aguilar, M.I., Sáez, J., Lloréns, M., Soler, A., & Ortuño, J.F. (2003). Microscopic observation of particle reduction in slaughterhouse wastewater by coagulation-flocculation using ferric sulphate as coagulant and different coagulant aids. *Water Research*, *37*, 2233–2241.
- Agustin, M.B., Sengpracha, W.P., & Phutdhawong, W. (2008). Electrocoagulation of palm oil mill effluent. *International Journal of Environmental Research and Public Health*, *5*, 177–180.
- Ahmad, A.L., Ibrahim, N., Ismail, S., & Bhatia, S. (2002). Coagulation-Sedimentation-Extraction Pretreatment Methods for the Removal of Suspended Solids and Residual Oil From Palm Oil Mill Effluent (Pome). *IJUM Engineering Journal*, *3*, 25–33.
- Ahmad, A.L., Ismail, S., & Bhatia, S. (2003). Water recycling from palm oil mill effluent (POME) using membrane technology. *Desalination*, *157*, 87–95.
- Ahmad, A.L., Wong, S.S., Teng, T.T., & Zuhairi, A. (2008). Improvement of alum and PACl coagulation by polyacrylamides (PAMs) for the treatment of pulp and paper mill wastewater. *Chemical Engineering Journal*, *137*, 510–517.
- Akyol, A. (2012). Treatment of paint manufacturing wastewater by electrocoagulation. *Desalination*, *285*, 91–99.
- Alrawi, R.A., Ahmad, A., Ismail, N., & Kadir, M.O.A. (2011). Anaerobic co-digestion of palm oil mill effluent with rumen fluid as a co-substrate. *Desalination*, *269*, 50–57.
- Amuda, O.S., & Alade, A. (2006). Coagulation/flocculation process in the treatment of abattoir wastewater. *Desalination*, *196*, 22–31.
- Amuda, O.S., & Amoo, I.A. (2007). Coagulation/flocculation process and sludge conditioning in beverage industrial wastewater treatment. *Journal of Hazardous Materials*, *141*, 778–783.
- Aouni, A., Fersi, C., Ben Sik Ali, M., & Dhahbi, M. (2009). Treatment of textile wastewater by a hybrid electrocoagulation/nanofiltration process. *Journal of Hazardous Materials*, *168*, 868–874.

- Aqilah, N., Fadzil, M., Zainal, Z., & Abdullah, A.H. (2013). COD Removal for Palm Oil Mill Secondary Effluent by Using UV/ Ferrioxalate/ TiO<sub>2</sub>/ O<sub>3</sub> system. *International Journal of Emerging Technology and Advanced Engineering*, 3, 237-243.
- Arnold, A. (2008). *Evaluation and Quantification of Engineered Floccs and Drinking Water*. (Ph.D. Thesis). University of Waterloo, Canada.
- Asano, T., & Cotruvo, J.A. (2004). Groundwater recharge with reclaimed municipal wastewater: Health and regulatory considerations. *Water Research*, 38, 1941–1951.
- Aswathy, P., Gandhimathi, R., Ramesh, S.T., & Nidheesh, P.V. (2016). Removal of organics from bilge water by batch electrocoagulation process. *Separation and Purification Technology*, 159, 108–115.
- Azmi, A., Siew, O.B., Kee, S., & Ujang, Z. (2008). Tertiary treatment of palm oil mill effluent using fenton oxidation. *Malaysian Journal Of Civil Engineering*, 20, 12–25.
- Basiron, Y. (2007). Palm oil production through sustainable plantations. *European Journal of Lipid Science and Technology*, 109, 289–295.
- Basiron, Y., & Weng, C.K. (2004). The oil palm and its sustainability. *Journal of Oil Palm Research*, 16, 1–10.
- Bayar, S., Yildiz, Y.S., Yilmaz, A.E., & Irdemez, S. (2011). The effect of stirring speed and current density on removal efficiency of poultry slaughterhouse wastewater by electrocoagulation method. *Desalination*, 280, 103–107.
- Bharti, I., & Ray, A. (2015). Study of mechanical and water barrier properties of chitosan based edible films affected by process parameters by using response surface methodology. *International Journal of Research Studies in Biosciences*, 3, 91–97.
- Bhatia, S., Othman, Z., & Ahmad, A.L. (2007). Coagulation-flocculation process for POME treatment using Moringa oleifera seeds extract: Optimization studies. *Chemical Engineering Journal*, 133, 205–212.
- Bouyer, D., Coufort, C., Liné, A., & Do-Quang, Z. (2005). Experimental analysis of floc size distributions in a 1-L jar under different hydrodynamics and physicochemical conditions. *Journal of Colloid and Interface Science*, 292, 413–428.
- Bratby, J. (2006). *Coagulation and flocculation in water and wastewater treatment*. London: IWA Publishing.
- Bukhari, A.A. (2008). Investigation of the electro-coagulation treatment process for the removal of total suspended solids and turbidity from municipal wastewater. *Bioresource Technology*, 99, 914–921.
- Cao, Z. (2009). *Determination of Particle Size Distribution of Particulate Matter Emitted from a Layer Operation in Southeast U.S.* Ph.D. Thesis. North Carolina State University, USA.

- Chafi, M., Gourich, B., Essadki, A.H., Vial, C., & Fabregat, A. (2011). Comparison of electrocoagulation using iron and aluminium electrodes with chemical coagulation for the removal of a highly soluble acid dye. *Desalination*, *281*, 285–292.
- Chakraborti, R.K., Atkinson, J.F., & Van Benschoten, J.E. (2000). Characterization of alum floc by image analysis. *Environmental Science and Technology*, *34*, 3969–3976.
- Chan, Y.J., Chong, M.F., & Law, C.L. (2011). Optimization on thermophilic aerobic treatment of anaerobically digested palm oil mill effluent (POME). *Biochemical Engineering Journal*, *55*, 193–198.
- Chan, Y.J., Chong, M.F., & Law, C.L. (2012). An integrated anaerobic-aerobic bioreactor (IAAB) for the treatment of palm oil mill effluent (POME): Start-up and steady state performance. *Process Biochemistry*, *47*, 485–495.
- Chang, S.W., & Shaw, J.F. (2009). Biocatalysis for the production of carbohydrate esters. *New Biotechnology*, *26*, 109–116.
- Chaudhari, P.K., Mishra, I.M., & Chand, S. (2007). Decolourization and removal of chemical oxygen demand (COD) with energy recovery: Treatment of biodigester effluent of a molasses-based alcohol distillery using inorganic coagulants. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *296*, 238–247.
- Chen, G. (2004). Electrochemical technologies in wastewater treatment. *Separation and Purification Technology*, *38*, 11–41.
- Chen, X., Chen, G., & Yue, P.L. (2000). Separation of pollutants from restaurant wastewater by electrocoagulation. *Separation and Purification Technology*, *19*, 65–76.
- Choi, W.H., Shin, C.H., Son, S.M., Ghorpade, P.A., Kim, J.J., & Park, J.Y. (2013). Anaerobic treatment of palm oil mill effluent using combined high-rate anaerobic reactors. *Bioresource Technology*, *141*, 138–44.
- Daneshvar, N., Ashassi-Sorkhabi, H., & Tizpar, A. (2003). Decolorization of orange II by electrocoagulation method. *Separation and Purification Technology*, *31*, 153–162.
- Daneshvar, N., Khataee, A.R., & Djafarzadeh, N. (2006). The use of artificial neural networks (ANN) for modeling of decolorization of textile dye solution containing C. I. Basic Yellow 28 by electrocoagulation process. *Journal of Hazardous Materials*, *137*, 1788–95.
- Daneshvar, N., Oladegaragoze, A., & Djafarzadeh, N. (2006). Decolorization of basic dye solutions by electrocoagulation: An investigation of the effect of operational parameters. *Journal of Hazardous Materials*, *129*, 116–22.
- Daneshvar, N., Sorkhabi, H.A., & Kasiri, M.B. (2004). Decolorization of dye solution containing Acid Red 14 by electrocoagulation with a comparative investigation of different electrode connections. *Journal of Hazardous Materials*, *112*, 55–62.

- Demirci, Y., Pekel, L.C., & Albaz, M. (2015). Investigation of different electrode connections in electrocoagulation of textile wastewater treatment. *International Journal of Electrochemical Science*, *10*, 2685–2693.
- Demircio, N. (2006). The effects of current density and phosphate concentration on phosphate removal from wastewater by electrocoagulation using aluminum and iron plate electrodes. *Separation and Purification Technology*, *52*, 218–223.
- Dennett, K.E., Amirtharajah, A., Moran, T.F., & Gould, J.P.(1996). Coagulation: Its effect on organic matter. *Journal - American Water Works Association*, *88*, 129–142.
- Drogui, P., Brar, S.K., & Benmoussa, H. (2008). Electrochemical removal of pollutants from agro-industry wastewaters. *Separation and Purification Technology*, *61*, 301–310.
- Duan, J., & Gregory, J. (2003). Coagulation by hydrolysing metal salts. *Advances in Colloid and Interface Science*, *100*, 475–502.
- Eisma, D. (1986). Flocculation and de-flocculation of suspended matter in estuaries. *Netherlands Journal of Sea Research*, *20*, 183–199.
- Elnenay, A.M.H., Nassef, E., Malash, G.F., & Magid, M.H.A. (2016). Treatment of drilling fluids wastewater by electrocoagulation. *Egyptian Journal of Petroleum*, *26*, 4–9.
- Environmental Quality Act 1974. (2004). *Federal Subsidiary Legislation Environmental Quality Act 1974 (Revised 2004)*. (Act 127).
- Essadki, A.H., Bennajah, M., Gourich, B., Vial, C., Azzi, M., & Delmas, H. (2008). Electrocoagulation/electroflotation in an external-loop airlift reactor-Application to the decolorization of textile dye wastewater: A case study. *Chemical Engineering and Processing: Process Intensification*, *47*, 1211–1223.
- Fadali, O.A., Ebrahiem, E.E., El-Gamil, A., & Altaher, H. (2016). Investigation of the electrocoagulation treatment technique for the separation of oil from wastewater. *Journal of Environmental Science and Technology*, *9*, 62–74.
- Fouad, Y.O.A., Konsowa, A.H., Farag, H.A., & Sedahmed, G.H. (2009). Performance of an electrocoagulation cell with horizontally oriented electrodes in oil separation compared to a cell with vertical electrodes. *Chemical Engineering Journal*, *145*, 436–440.
- Fuad. M (2008). *Low Electric Energy for Colour Removal of Dye Solution*. (Ph.D. Thesis). Universiti Teknologi Malaysia, Malaysia.
- Gao, B.Y., Wang, Y., Yue, Q.Y., Wei, J.C., & Li, Q. (2008). The size and coagulation behavior of a novel composite inorganic-organic coagulant. *Separation and Purification Technology*, *62*, 544–550.

- Garg, K.K., & Prasad, B. (2016). Development of Box Behnken design for treatment of terephthalic acid wastewater by electrocoagulation process: Optimization of process and analysis of sludge. *Journal of Environmental Chemical Engineering*, 4, 178–190.
- Gengec, E., Kobya, M., Demirbas, E., Akyol, A., & Oktor, K. (2012). Optimization of baker's yeast wastewater using response surface methodology by electrocoagulation. *Desalination*, 286, 200–209.
- Gregory, J., & Duan, J. (2001). Hydrolyzing metal salts as coagulants. *Pure and Applied Chemistry*, 73, 2017–2026.
- Gui, J.L. (2009). Effect of pH and chloride concentration on the removal of hexavalent chromium in a batch electrocoagulation reactor. *Journal of Hazardous Materials*, 169, 1127–1133.
- Gurmu, G.T. (2013). *Impact of Coagulant Type and Ion Exchange (IEX) Pretreatment on Floc Strength and Structure at The Kluizen WTP*. Ph.D Thesis. Universitiet Gent, Belgium.
- Gürses, A., Yalçın, M., & Doğar, C. (2002). Electrocoagulation of some reactive dyes: A statistical investigation of some electrochemical variables. *Waste Management*, 22, 491–499.
- Gursoy-Haksevenler, B.H., & Arslan-Alaton, I. (2015). Evidence of inert fractions in olive mill wastewater by size and structural fractionation before and after thermal acid cracking treatment. *Separation and Purification Technology*, 154, 176–185.
- Guzmán, J., Mosteo, R., Sarasa, J., Alba, J.A., & Ovelleiro, J.L. (2016). Evaluation of solar photo-Fenton and ozone based processes as citrus wastewater pre-treatments. *Separation and Purification Technology*, 164, 155–162.
- Hakizimana, J.N., Gourich, B., Chafi, M., Stiriba, Y., Vial, C., Drogui, P., & Naja, J. (2017). Electrocoagulation process in water treatment: A review of electrocoagulation modeling approaches. *Desalination*, 404, 1–21.
- Hanafi, F., Assobhei, O., & Mountadar, M. (2010). Detoxification and discoloration of Moroccan olive mill wastewater by electrocoagulation. *Journal of Hazardous Materials*, 174, 807–12.
- Holt, P., Barton, G., & Mitchell, C. (2006). Electrocoagulation as a Wastewater Treatment. *The Third Annual Australian Environmental Engineering Research Event*. pp. 23-26.
- Holt, P.K., Barton, G.W., & Mitchell, C.A. (2005). The future for electrocoagulation as a localised water treatment technology. *Chemosphere*, 59, 355–367.
- Huang, X., Sun, S., Gao, B., Yue, Q., Wang, Y., & Li, Q. (2015). Coagulation behavior and floc properties of compound bioflocculant-polyaluminum chloride dual-coagulants and polymeric aluminum in low temperature surface water treatment. *Journal of Environmental Sciences (China)*, 30, 215–222.

- Ibrahim, D.S. (2013). *Treatment of Petroleum Refinery Effluent Using Electrochemical Techniques*. (Ph.D Thesis). Anna University, India.
- Igwe, J.C., & Onyegbado, C.C. (2007). A review of palm oil mill effluent ( POME ) water treatment. *Global Journal of Environmental Research*, 1, 54–62.
- Ilhan, F., Kurt, U., Apaydin, O., & Gonullu, M.T. (2008). Treatment of leachate by electrocoagulation using aluminum and iron electrodes. *Journal of Hazardous Materials*, 154, 381–389.
- Irdemez, Ş., Demircioğlu, N., & Yildiz, Y.Ş. (2006). The effects of pH on phosphate removal from wastewater by electrocoagulation with iron plate electrodes. *Journal of Hazardous Materials*, 137, 1231–1235.
- Jarvis, P., Jefferson, B., & Parsons, S.A. (2005). Measuring floc structural characteristics. *Reviews in Environmental Science and Bio/Technology*, 4, 1–18.
- Jiang, D., & Li, B. (2009). Granular activated carbon single-chamber microbial fuel cells (GAC-SCMFCs): A design suitable for large-scale wastewater treatment processes. *Biochemical Engineering Journal*, 47, 31–37.
- Jing-Wei, F., Ya-Bing, S.U.N., Zheng, Z., Ji-Biao, Z., Shu, L.I., & Yuan-Chun, T. (2007). Treatment of tannery wastewater by electrocoagulation. *Journal of Environmental Sciences*, 19, 1409–1415.
- Karhu, M., Kuokkanen, V., Kuokkanen, T., & Rämö, J. (2012). Bench scale electrocoagulation studies of bio oil-in-water and synthetic oil-in-water emulsions. *Separation and Purification Technology*, 96, 296–305.
- Katal, R., & Pahlavanzadeh, H. (2011). Influence of different combinations of aluminum and iron electrode on electrocoagulation efficiency: Application to the treatment of paper mill wastewater. *Desalination*, 265, 199–205.
- Khalaf, A.M., Mubarak, A.A., & Nosier, S.A. (2016). Removal of Cr(VI) by electrocoagulation using vertical and horizontal rough cylinder anodes. *International Journal of Electrochemical Science*, 11, 1601–1610.
- Khandegar, V., & Saroha, A.K. (2013). Electrocoagulation for the treatment of textile industry effluent - A review. *Journal of Environmental Management*, 128, 949–963.
- Khemkhao, M., Nuntakumjorn, B., Techkarnjanaruk, S., & Phalakornkule, C. (2012). UASB performance and microbial adaptation during a transition from mesophilic to thermophilic treatment of palm oil mill effluent. *Journal of Environmental Management*, 103, 74–82.
- Kiliç, M.G. (2009). *A parametric comparative study of electrocoagulation and coagulation of aqueous suspensions of kaolinite and quartz powders*. (Ph.D Thesis). Middle East Technical University, Turkey.
- Kiliç, M.G., & Hoşten, Ç. (2010). A comparative study of electrocoagulation and coagulation of aqueous suspensions of kaolinite powders. *Journal of Hazardous Materials*, 176, 735–740.

- Kim, S.C. (2016). Application of response surface method as an experimental design to optimize coagulation–flocculation process for pre-treating paper wastewater. *Journal of Industrial and Engineering Chemistry*, 38, 93–102.
- Kim, T., Park, C., Shin, E., & Kim, S. (2002). Decolorization of disperse and reactive dyes by continuous electrocoagulation process. *Desalination*, 150, 165–175.
- Kobyas, M., Can, O.T., & Bayramoglu, M. (2003). Treatment of textile wastewaters by electrocoagulation using iron and aluminum electrodes. *Journal of Hazardous Materials*, 100, 163–178.
- Kobyas, M., & Demirbas, E. (2015). Evaluations of operating parameters on treatment of can manufacturing wastewater by electrocoagulation. *Journal of Water Process Engineering*, 8, 64–74.
- Kobyas, M., Gebologlu, U., Ulu, F., Oncel, S., & Demirbas, E. (2011). Removal of arsenic from drinking water by the electrocoagulation using Fe and Al electrodes. *Electrochimica Acta*, 56, 5060–5070.
- Kobyas, M., Gengec, E., & Demirbas, E. (2016). Operating parameters and costs assessments of a real dyehouse wastewater effluent treated by a continuous electrocoagulation process. *Chemical Engineering and Processing: Process Intensification*, 101, 87–100.
- Kobyas, M., Hiz, H., Senturk, E., Aydinler, C., & Demirbas, E. (2006). Treatment of potato chips manufacturing wastewater by electrocoagulation. *Desalination*, 190, 201–211.
- Koocheki, A., Taherian, A.R., Razavi, S.M.A., & Bostan, A. (2009). Response surface methodology for optimization of extraction yield, viscosity, hue and emulsion stability of mucilage extracted from *Lepidium perfoliatum* seeds. *Food Hydrocolloids*, 23, 2369–2379.
- Kumar, M., Ponselvan, F.I.A., Malviya, J.R., Srivastava, V.C., & Mall, I.D. (2009). Treatment of bio-digester effluent by electrocoagulation using iron electrodes. *Journal of Hazardous Materials*, 165, 345–352.
- Lam, M.K., & Lee, K.T. (2011). Renewable and sustainable bioenergies production from palm oil mill effluent (POME): Win – win strategies toward better environmental protection. *Biotechnology Advances*, 29, 124–141.
- Lee, C.S., Robinson, J., & Chong, M.F. (2014). A review on application of flocculants in wastewater treatment. *Process Safety and Environmental Protection*, 92, 489–508.
- Li, T., Zhu, Z., Wang, D., Yao, C., & Tang, H. (2006). Characterization of floc size, strength and structure under various coagulation mechanisms. *Powder Technology*, 168, 104–110.
- Li, X., Song, J., Guo, J., Wang, Z., & Feng, Q. (2011). Landfill leachate treatment using electrocoagulation. *Procedia Environmental Sciences*, 10, 1159–1164.

- Liew, W.L., Kassim, M.A., Muda, K., Loh, S.K., & Affam, A.C. (2014). Conventional methods and emerging wastewater polishing technologies for palm oil mill effluent treatment: A review. *Journal of Environmental Management*, 149, 222–235.
- Lim, J.X., & Vadivelu, V.M. (2014). Treatment of agro based industrial wastewater in sequencing batch reactor: Performance evaluation and growth kinetics of aerobic biomass. *Journal of Environmental Management*, 146, 217–225.
- Lorestani, A.A.Z. (2006). *Biological treatment of palm oil mill effluent (POME) using an up-flow anaerobic sludge fixed film (UASFF) bioreactor*. (Ph.D Thesis). Universiti Sains Malaysia, Malaysia.
- Ma, J., Wang, Y., Zhang, X., & Huang, H. (2016). Filtration of protein colloids by fibrous membranes: A mechanistic investigation using packed bed filtration approach. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 502, 44–53.
- Madaki, Y.S., & Seng, L. (2013). Palm oil mill effluent (POME) from Malaysia palm oil mills: waste or resource. *International Journal of Environmental Science and Technology*, 2, 1138–1155.
- Mahmoud, M.S., Farah, J.Y., & Farrag, T.E. (2013). Enhanced removal of Methylene Blue by electrocoagulation using iron electrodes. *Egyptian Journal of Petroleum*, 22, 211–216.
- Mailler, R., Gasperi, J., Coquet, Y., Derome, C., Bulet, A., Vulliet, E., Bressy, A., Varrault, G., Chebbo, G., & Rocher, V. (2016). Removal of emerging micropollutants from wastewater by activated carbon adsorption: Experimental study of different activated carbons and factors influencing the adsorption of micropollutants in wastewater. *Journal of Environmental Chemical Engineering*, 4, 1102–1109.
- Majlesi, M., Mohseny, S.M., Sardar, M., Golmohammadi, S., & Sheikhmohammadi, A. (2016). Improvement of aqueous nitrate removal by using continuous electrocoagulation/electroflotation unit with vertical monopolar electrodes. *Sustainable Environment Research*, 26, 287–290.
- Makki, H.F., Al-Alawy, A.F., Abdul-Razaq, N.N., & Mohammed, M.A. (2010). Using aluminum refuse as a coagulant in the coagulation and flocculation processes. *Iraqi Journal of Chemical and Petroleum Engineering*, 11, 15–22.
- Mancell-Egala, W.A.S.K., Su, C., Takacs, I., Novak, J.T., Kinnear, D.J., Murthy, S.N., & De Clippeleir, H. (2017). Settling regimen transitions quantify solid separation limitations through correlation with floc size and shape. *Water Research*, 109, 54–68.
- Manning, A.J., & Schoellhamer, D.H., (2013). Factors controlling floc settling velocity along a longitudinal estuarine transect. *Marine Geology*, 345, 266–280.
- Merzouk, B., Gourich, B., Madani, K., Vial, C., & Sekki, A. (2011). Removal of a disperse red dye from synthetic wastewater by chemical coagulation and continuous electrocoagulation. A comparative study. *Desalination*, 272, 246–253.



- Merzouk, B., Madani, K., & Sekki, A. (2010). Using electrocoagulation–electroflotation technology to treat synthetic solution and textile wastewater, two case studies. *Desalination*, 250, 573–577.
- Mohammadizaroun, M., & Yusoff, M.S. (2014). Review paper treatment of leachate by electrocoagulation technique using iron and hybrid electrodes. *International Journal of Scientific Research in Knowledge*, 2, 497-508.
- Mohammed, M., Aziz, A., & Raman, A. (2017). Trend and current practices of palm oil mill effluent polishing: Application of advanced oxidation processes and their future perspectives. *Journal of Environmental Management*, 198, 170–182.
- Mohammed, R.R., Ketabachi, M.R., & McKay, G. (2014). Combined magnetic field and adsorption process for treatment of biologically treated palm oil mill effluent (POME). *Chemical Engineering Journal*, 243, 31–42.
- Mollah, M.Y.A., Morkovsky, P., Gomes, J.A.G., Kesmez, M., Parga, J., & Cocke, D.L. (2004). Fundamentals, present and future perspectives of electrocoagulation. *Journal of Hazardous Materials*, 114, 199–210.
- Mollah, M.Y.A., Pathak, S.R., Patil, P.K., Vayuvegula, M., Agrawal, T.S., Gomes, J.A.G., Kesmez, M., & Cocke, D.L. (2004). Treatment of orange II azo-dye by electrocoagulation (EC) technique in a continuous flow cell using sacrificial iron electrodes. *Journal of Hazardous Materials*, 109, 165–71.
- Montgomery, D.C. (2012). *Design and analysis of experiments*. Arizona, USA: John Wiley & Sons, Inc.
- Moreno, H.A.C., Cocke, D.L., Gomes, J.A.G., Morkovsky, P., Parga, J.R., Peterson, E., & Garcia, C. (2009). Electrochemical reactions for electrocoagulation using iron electrodes. *Industrial & Engineering Chemistry Research*, 48, 2275–2282.
- Mouedhen, G., Feki, M., De Petris-Wery, M., & Ayedi, H.F. (2009). Electrochemical removal of Cr(VI) from aqueous media using iron and aluminum as electrode materials: Towards a better understanding of the involved phenomena. *Journal of Hazardous Materials*, 168, 983–991.
- Moussa, D.T., El-Naas, M.H., Nasser, M., & Al-Marri, M.J. (2016). A comprehensive review of electrocoagulation for water treatment: Potentials and challenges. *Journal of Environmental Management*, 186, 24–41.
- MPOB, (2015a). *A-Production of crude palm oil for the month of December 2015 January to June 2014 and 2015 (tonnes)*. (online). Retrieved from <http://bepi.mpob.gov.my/index.php/statistics/production/135-production-2015/736-production-of-crude-oil-palm-2015.html> on 30 November 2016.
- MPOB, (2015b). *B-Monthly export of oil palm products in 2015*. (online). Retrieved from <http://bepi.mpob.gov.my/index.php/statistics/export/138-export-2015/759-monthly-export-of-oil-palm-products-2015.html> on 30 November 2016.

- Muhamad, M.H., Sheikh Abdullah, S.R., Mohamad, A.B., Abdul Rahman, R., & Hasan Kadhum, A.A. (2013). Application of response surface methodology (RSM) for optimisation of COD, NH<sub>3</sub>-N and 2,4-DCP removal from recycled paper wastewater in a pilot-scale granular activated carbon sequencing batch biofilm reactor (GAC-SBBR). *Journal of Environmental Management*, 121, 179–190.
- Myers, R.H., & Montgomery, D.C. (2002). *Response Surface Methodology: Process and Product Optimization Using Designed Experiments*. USA: John Wiley & Sons, Inc.
- Naje, A.S., & Abbas, S.A. (2013). Electrocoagulation technology in wastewater treatment: a review of methods and applications. *Civil and Environmental Research*, 3, 29–43.
- Naje, A.S., Chelliapan, S., Zakaria, Z., & Abbas, S.A., (2015a). Treatment performance of textile wastewater using electrocoagulation (EC) process under combined electrical connection of electrodes. *International Journal of Electrochemical Science*, 10, 5924–5941.
- Naje, A.S., Chelliapan, S., Zakaria, Z., & Abbas, S.A., (2015b). Enhancement of an electrocoagulation process for the treatment of textile wastewater under combined electrical connections using titanium plates. *International Journal of Electrochemical Science*, 10, 4495–4512.
- Nasution, A., Ng, B.L., Ali, E., Yaakob, Z., & Kamarudin, S.K. (2014). Electrocoagulation of palm oil mill effluent for treatment and hydrogen production using response surface methodology. *Polish Journal of Environmental Studies*, 23, 1669–1677.
- Nater, J., William, W., & Michael, H.K. (1990). *Applied Linear Statistical Models*. USA: CRC Press.
- Norfadilah, N., Raheem, A., & Harun, R. (2016). Bio-hydrogen production from palm oil mill effluent ( POME ): A preliminary study. *International Journal of Hydrogen Energy*, 41, 3–7.
- Otieno, N.E., Dai, X., Barba, D. De, Bahman, A., Smedbol, E., Rajeb, M., & Jatou, L. (2016). Palm oil production in malaysia : an analytical systems model for balancing economic prosperity , forest conservation and social welfare. *Agricultural Sciences*, 7, 55–69.
- Ozyonar, F., & Karagozoglu, B. (2011). Operating cost analysis and treatment of domestic wastewater by electrocoagulation using aluminum electrodes. *Polish Journal of Environmental Studies*, 20, 173–179.
- Phalakornkule, C., Polgumhang, S., & Tongdaung, W. (2009). Performance of an electrocoagulation process in treating direct dye: Batch and continuous upflow processes. *World Academy of Science, Engineering and Technology*, 3, 267–272.
- Pishgar-Komleh, S.H., Keyhani, A., Mostofi-Sarkari, M., & Jafari, A. (2012). Optimization of seed corn harvesting losses applying response surface methodology. *Research Journal of Applied Sciences, Engineering and Technology*, 4, 2350–2356.

- Poh, P.E., & Chong, M.F. (2009). Development of anaerobic digestion methods for palm oil mill effluent ( POME ) treatment. *Bioresource Technology*, *100*, 1–9.
- Poh, P.E., & Chong, M.F. (2014). Upflow anaerobic sludge blanket-hollow centered packed bed (UASB-HCPB) reactor for thermophilic palm oil mill effluent (POME) treatment. *Biomass and Bioenergy*, *67*, 231–242.
- Prajapati, A.K., Chaudhari, P.K., Pal, D., Chandrakar, A., & Choudhary, R. (2016). Electrocoagulation treatment of rice grain based distillery effluent using copper electrode. *Journal of Water Process Engineering*, *11*, 1–7.
- Ricordel, C., & Djelal, H. (2014). Treatment of landfill leachate with high proportion of refractory materials by electrocoagulation: System performances and sludge settling characteristics. *Journal of Environmental Chemical Engineering*, *2*, 1551–1557.
- Roda, J.M., Goralski, M., Benoist, A., Baptiste, A., Boudjema, V., Galanos, T., Georget, M., Hévin, J.-E., Lavergne, S., Eychenne, F., Liew, K.E., Schwob, C., Djama, M., & Tahir, P.M. (2016). *Sustainability of bio-jetfuel in Malaysia*. France: CIRAD.
- Rupani, P., & Singh, R. (2010). Review of current palm oil mill effluent (POME) treatment methods: Vermicomposting as a sustainable practice. *World Applied Sciences Journal*, *11*, 70–81.
- Saeed, M.O., Azizli, K., Isa, M.H., & Bashir, M.J.K. (2015). Application of CCD in RSM to obtain optimize treatment of POME using fenton oxidation process. *Journal of Water Process Engineering*, *8*, 7–16.
- Sahu, O.P., & Chaudhari, P.K. (2013). Review on chemical treatment of industrial waste water review on chemical treatment. *Journal of Applied Sciences and Environmental Management*, *17*, 241–257.
- Sankar, S., & Dharmendra, (2016). Electrocoagulation for the treatment of water and waste water- Review. *International Journal of Modern Trends in Engineering and Research*, *3*, 101–105.
- Sengil, I.A., Kulaç, S., & Ozacar, M. (2009). Treatment of tannery liming drum wastewater by electrocoagulation. *Journal of Hazardous Materials*, *167*, 940–6.
- Sengil, I.A., & Ozacar, M. (2009). The decolorization of C.I. Reactive Black 5 in aqueous solution by electrocoagulation using sacrificial iron electrodes. *Journal of Hazardous Materials*, *161*, 1369–76.
- Şengil, I.A., & Özacar, M. (2006). Treatment of dairy wastewaters by electrocoagulation using mild steel electrodes. *Journal of Hazardous Materials*, *137*, 1197–1205.
- Shafaei, A., Pajootan, E., Nikazar, M., & Arami, M. (2011). Removal of Co (II) from aqueous solution by electrocoagulation process using aluminum electrodes. *Desalination*, *279*, 121–126.

- Shak, K.P.Y., & Wu, T.Y. (2014). Coagulation-flocculation treatment of high-strength agro-industrial wastewater using natural *Cassia obtusifolia* seed gum: Treatment efficiencies and flocs characterization. *Chemical Engineering Journal*, 256, 293–305.
- Shak, K.P.Y., & Wu, T.Y. (2015). Optimized use of alum together with unmodified *Cassia obtusifolia* seed gum as a coagulant aid in treatment of palm oil mill effluent under natural pH of wastewater. *Industrial Crops and Products*, 76, 1169–1178.
- Shen, J., Zhao, H., Cao, H., Zhang, Y., & Chen, Y. (2014). Removal of total cyanide in coking wastewater during a coagulation process: Significance of organic polymers. *Journal of Environmental Sciences (China)*, 26, 231–239.
- Sher, F., Malik, A., & Liu, H. (2013). Industrial polymer effluent treatment by chemical coagulation and flocculation. *Journal of Environmental Chemical Engineering*, 1, 684–689.
- Solak, M., Kiliç, M., Hüseyin, Y., & Şencan, A. (2009). Removal of suspended solids and turbidity from marble processing wastewaters by electrocoagulation: Comparison of electrode materials and electrode connection systems. *Journal of Hazardous Materials*, 172, 345–352.
- Spicer, P.T., & Pratsinis, S.E. (1996). Shear-induced flocculation: The evolution of floc structure and the shape of the size distribution at steady state. *Water Research*, 30, 1049–1056.
- Sridhar, R. (2013). *Studies on electrocoagulation technique for treatment of industrial effluents*. (Ph.D. Thesis). Anna University, India.
- Sridhar, R., Sivakumar, V., Prakash Maran, J., & Thirugnanasambandham, K. (2014). Influence of operating parameters on treatment of egg processing effluent by electrocoagulation process. *International Journal of Environmental Science and Technology*, 11, 1619–1630.
- Suopajärvi, T., Liimatainen, H., Hormi, O., & Niinimäki, J. (2013). Coagulation-flocculation treatment of municipal wastewater based on anionized nanocelluloses. *Chemical Engineering Journal*, 231, 59–67.
- Tak, B.Y., Tak, B.S., Kim, Y.J., Park, Y.J., Yoon, Y.H., & Min, G.H. (2015). Optimization of color and COD removal from livestock wastewater by electrocoagulation process: Application of Box-Behnken design (BBD). *Journal of Industrial and Engineering Chemistry*, 28, 307–315.
- Tatsi, A.A., Zouboulis, A.I., Matis, K.A., & Samaras, P. (2003). Coagulation-flocculation pretreatment of sanitary landfill leachates. *Chemosphere*, 53, 737–744.
- Tchamango, S., Nansu-Njiki, C.P., Ngameni, E., Hadjiev, D., & Darchen, A. (2010). Treatment of dairy effluents by electrocoagulation using aluminium electrodes. *Science of the Total Environment*, 408, 947–952.

- Tezcan Un, U., & Aytac, E. (2013). Electrocoagulation in a packed bed reactor-complete treatment of color and cod from real textile wastewater. *Journal of Environmental Management*, *123*, 113–119.
- Tezcan Un, U., Kandemir, A., Erginel, N., & Ocal, S.E. (2014). Continuous electrocoagulation of cheese whey wastewater: An application of response surface methodology. *Journal of Environmental Management*, *146*, 245–250.
- Tezcan Un, U., & Ozel, E. (2013). Electrocoagulation of yogurt industry wastewater and the production of ceramic pigments from the sludge. *Separation and Purification Technology*, *120*, 386–391.
- Thani, M.I., Hussin, R., Ibrahim, W.R.W., & Sulaiman, M.S. (1999). *Industrial Process and the Environment- Crude Palm Oil Industry, Handbook No. 3*. Malaysia: DOE.
- Thirugnanasambandham, K., Sivakumar, V., & Maran, J.P. (2014). Efficiency of electrocoagulation method to treat chicken processing industry wastewater-modeling and optimization. *Journal of the Taiwan Institute of Chemical Engineers*, *45*, 2427–2435.
- Thirugnanasambandham, K., Sivakumar, V., & Maran, J.P. (2014). Bagasse wastewater treatment using biopolymer – A novel approach. *Journal of the Serbian Chemical Society*, *79*, 897–909.
- Thirugnanasambandham, K., Sivakumar, V., & Prakasmaran, J. (2015). Optimization of process parameters in electrocoagulation treating chicken industry wastewater to recover hydrogen gas with pollutant reduction. *Renewable Energy*, *80*, 101–108.
- Tripathy, T., & De, B.R. (2006). Flocculation: A new way to treat the waste water. *Journal of Physical Science*, *10*, 93–127.
- Uğurlu, M., Gürses, a, Doğar, C., & Yalçın, M. (2008). The removal of lignin and phenol from paper mill effluents by electrocoagulation. *Journal of Environmental Management*, *87*, 420–8.
- Vepsäläinen, M., Pulliainen, M., & Sillanpää, M. (2012). Effect of electrochemical cell structure on natural organic matter (NOM) removal from surface water through electrocoagulation (EC). *Separation and Purification Technology*, *99*, 20–27.
- Vik, E.A., Carlson, D.A., Eikum, A.S., & Gjessing, E.T. (1984). Electrocoagulation of potable water. *Water Research*, *18*, 1355–1360.
- Waite, T.D. (1999). Measurement and implications of floc structure in water and wastewater treatment. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *151*, 27–41.
- Wang, C.T., Chou, W.L., & Kuo, Y.M. (2009). Removal of COD from laundry wastewater by electrocoagulation/electroflotation. *Journal of Hazardous Materials*, *164*, 81–86.

- Wang, Y., Gao, B.Y., Xu, X.M., Xu, W.Y., & Xu, G.Y. (2009a). Characterization of floc size, strength and structure in various aluminum coagulants treatment. *Journal of Colloid and Interface Science*, *332*, 354–359.
- Wang, Y., Zhou, W.Z., Gao, B.Y., Xu, X.M., & Xu, G.Y. (2009b). The effect of total hardness on the coagulation performance of aluminum salts with different Al species. *Separation and Purification Technology*, *66*, 457–462.
- Wang, Z., Nan, J., Yao, M., & Yang, Y. (2017). Effect of additional polyaluminum chloride and polyacrylamide on the evolution of floc characteristics during floc breakage and re-growth process. *Separation and Purification Technology*, *173*, 144–150.
- Wu, T.Y., Mohammad, A.W., Jahim, J.M., & Anuar, N. (2010). Pollution control technologies for the treatment of palm oil mill effluent (POME) through end-of-pipe processes. *Journal of Environmental Management*, *91*, 1467–1490.
- Wu, T.Y., Mohammad, A.W., Md. Jahim, J., & Anuar, N. (2007). Palm oil mill effluent (POME) treatment and bioresources recovery using ultrafiltration membrane: Effect of pressure on membrane fouling. *Biochemical Engineering Journal*, *35*, 309–317.
- Xu, W., Gao, B., Yue, Q., & Wang, Y. (2010). Effect of shear force and solution pH on flocs breakage and re-growth formed by nano-Al13 polymer. *Water Research*, *44*, 1893–1899.
- Yadav, R. (2010). *Study of electrocoagulation and combined electrocoagulation-oxidation processes for dye removal*. (Ph.D. Thesis). Thapar University, India.
- Yang, B., Han, Y., Deng, Y., Li, Y., Zhuo, Q., & Wu, J. (2016). Highly efficient removal of perfluorooctanoic acid from aqueous solution by H<sub>2</sub>O<sub>2</sub>-enhanced electrocoagulation-electroflotation technique. *Emerging Contaminants*, *2*, 49–55.
- Yean, P., & Dong, Z. (2014). Econometric study on Malaysia's palm oil position in the world market to 2035. *Renewable and Sustainable Energy Reviews*, *39*, 740–747.
- Zaidi, S., Chaabane, T., Sivasankar, V., Darchen, A., Maachi, R., Msagati, T.A.M., & Prabhakaran, M. (2016). Performance efficiency of electro-coagulation coupled electro-flotation process (EC-EF) versus adsorption process in doxycycline removal from aqueous solutions. *Process Safety and Environmental Protection*, *102*, 450–461.
- Zaied, M., & Bellakhal, N. (2009). Electrocoagulation treatment of black liquor from paper industry. *Journal of Hazardous Materials*, *163*, 995–1000.
- Zhao, S., Gao, B., Li, X., & Dong, M. (2012). Influence of using *Enteromorpha* extract as a coagulant aid on coagulation behavior and floc characteristics of traditional coagulant in Yellow River water treatment. *Chemical Engineering Journal*, *200–202*, 569–576.

- Zhao, Y.X., Gao, B.Y., Rong, H.Y., Shon, H.K., Kim, J.H., Yue, Q.Y., & Wang, Y. (2011). The impacts of coagulant aid-polydimethyldiallylammonium chloride on coagulation performances and floc characteristics in humic acid-kaolin synthetic water treatment with titanium tetrachloride. *Chemical Engineering Journal*, 173, 376–384.
- Zinatizadeh, A.A.L., Mohamed, A.R., Abdullah, A.Z., Mashitah, M.D., Isa, M.H., & Najafpour, G.D. (2006). Process modeling and analysis of palm oil mill effluent treatment in an up-flow anaerobic sludge fixed film bioreactor using response surface methodology (RSM ). *Water Research*, 40, 3193–3208.