

REFERENCES

- Adhikari, S., Fernando, S., Gwaltney, S., Filipto, S., Markbricka, R., Steele, P. and Haryanto, A. (2007) A thermodynamic analysis of hydrogen production by steam reforming of glycerol. *International Journal of Hydrogen Energy*, 32(14): 2875-2880.
- Adhikari, S., Fernando, S. D., and Haryanto, A. (2009) Hydrogen production from glycerol: An update. *Energy Conversion and Management*, 50(10): 2600-2604.
- Buffoni, I. N., Pompeo, F., Santori, G. F. and Nichio, N. N. (2009) Nickel catalysts applied in steam reforming of glycerol for hydrogen production. *Catalysis Communications*, 10 (2009): 1656–1660
- Chen, H., Ding, Y., Cong, N.T., Dou, B., Dupont, V., Ghadiri, M. and Williams, P.T. (2011) A comparative study on hydrogen production from steam-glycerol reforming: thermodynamics and experimental. *Renewable Energy*, 36 (2011) 779-788.
- Cheng, C.K., Lim, R.H., Ubil, A., Chin, S.Y. and Gim bun, J. (2012) Hydrogen as carbon gasifying agent during glycerol steam reforming over bimetallic Co-Ni catalyst. *Advances in Material Physics and Chemistry*, 2(4):165-168.
- Chiodo, V., Freni, S., Galvagno, A., Mondello, N., and Frusteri, F. (2010) Catalytic features of Rh and Ni supported catalysts in the steam reforming of glycerol to produce hydrogen. *Applied Catalysis A: General* 381 (2010) 1–7
- Ciftci, A., Michel Lighthart, D. A. J., Oben Sen, A., Van Hoof, A. J. F., Friedrich, H. and Hensen, E. J. M. (2014) Pt-Re synergy in aqueous-phase reforming of glycerol and the water–gas shift reaction. *Journal of Catalysis* 311 (2014) 88–101
- Czernik, S., French R., Feik, C. and Chornet, E. (2002). Hydrogen by catalytic steam reforming of liquid by products from biomass thermoconversion process. *Industrial and Engineering Chemistry Research*, 41, 4209-15.
- Dauenhauer, P., Salge, J. and Schmidt, L. (2006). Renewable hydrogen by autothermal steam reforming of volatile carbohydrates. *Journal of Catalysis*, 244(2), 238-247.
- Department of Economic and Social Affairs of United Nation (2015) World population projected to reach 9.7 billion by 2050. (Online)
<http://www.un.org/en/development/desa/news/population/2015-report.html> (12 November 2015)
- Dieuzeide, M.L., Iannibelli, V., Jobbagy, M. and Amadeo, N. (2012). Steam reforming of glycerol over Ni/Mg/ γ -Al₂O₃ catalysts. Effect of calcination temperatures. *Renewable Energy*, 36 (2011) 779-788.

- Ebhish, A., Yaakob, Z., Narayanan, B., Bshish, A. and Wan Daud, W. R. (2011) The Activity of Ni-Based Catalysts on Steam Reforming of Glycerol for Hydrogen Production. *International Journal of Integrated Engineering*, 3(2011): 5-8
- Estellé, J., Salagre, P., Cesteros, Y., Serra, M., Medina, F., & Sueiras, J. E. (2003). Comparative study of the morphology and surface properties of nickel oxide prepared from different precursors. *Solid State Ionics*, 156(1-2), 233–243
- Fan, X., Burton, R. And Zhou, Y. (2010) Glycerol (Byproduct of biodiesel production) as a source for fuels and chemicals – mini review. *The Open Fuels & Energy Science Journal*, 2010 (3): 17-22
- Fogler, H.S. (2006). *Elements of Chemical Reaction Engineering*. 4th ed. Upper Saddle River, NJ, USA: Pearson Education, Inc.
- Foo, S.Y., Cheng, C.K., Tuan-Huy Nguyen and Adesina, A.A. (2012) Syngas production from CH₄ dry reforming over Co-Ni/Al₂O₃ catalyst: Coupled reaction-deactivation kinetic analysis and the effect of O₂ co-feeding on H₂:CO ratio. *International Journal of Hydrogen Energy*, 37, 17019-17026
- Freitas, A.C.D. and Guirardello, R. (2012). Oxidative reforming of methane for hydrogen and synthesis gas production: Thermodynamic equilibrium analysis. *Journal of Natural Gas Chemistry*, 21(2012)571–580.
- Freitas, A.C.D. and Guirardello, R. (2014). Comparison of several glycerol reforming methods for hydrogen and syngas production using Gibbs energy minimization. *International Journal of Hydrogen Energy*, 39(2014): 17969-17984.
- Gallo, A., Pirovano, C., Ferrini, P., Marelli, M., Psaro, R., Santangelo, S., Faggio, G. and Dal Santo, V. (2012). Influence of reaction parameters on the activity of ruthenium based catalysts for glycerol steam reforming. *Applied Catalysis B: Environmental*, 121– 122 (2012) 40– 49.
- Gan, P. K. and Li, Z. D. (2008) An econometric study on long-term energy outlook and the implications of renewable energy utilization in Malaysia. *Energy Policy* 36 (2008): 890–899
- Guo, J., Hou, Z., Gao, J and Zheng, X. (2008) Syngas production via combined oxy-CO₂ reforming of methane over Gd₂O₃-modified Ni/SiO₂ catalysts in a fluidized-bed reactor. *Fuel*, 87, 1348-1354.
- Huang, Z.Y., Xu, C.H., Meng, J., Zheng, C.F., Xiao, H.W., Chen, J. and Zhang, Y.X. (2014). Glycerol steam reforming to syngas over Ni-based catalysts on commercial Linde-type 5A zeolite modified by metal oxides. *Journal of Environmental Chemical Engineering*, 2(1): 598-604.

Iaquaniello, G., Antonetti, E., Cucchiella, B., Palo, E., Salladini, A., Guarinori, A., Lainati, A. and Basini, L. (2012). Natural gas catalytic partial oxidation: A way to syngas and bulk chemicals production. (online) <https://www.intechopen.com/> (14 January 2017)

International Energy Outlook. (2016). EIA projects 48% increase in world energy consumption by 2040. (online) <https://www.eia.gov/todayinenergy> (12 December 2016)

Iriondo, A., Barrio, V., Cambra, J., Arias, P., Güemez, M., Navarro, R., Sánchez-Sánchez, M. and Fierro, J. (2008). Hydrogen Production from glycerol over nickel catalysts supported on Al₂O₃ modified by Mg, Zr, Ce or La. *Topics in Catalysis*, 49(1-2), 46-58.

Iulianelli, A., Seelam, P.K., Liguori, S., Longo, T., Keiski, R., Calabro, V. and Basile, A. (2011). Hydrogen production for PEM fuel cell by gas phase reforming of glycerol as byproduct of bio-diesel. The use of a Pd-Ag membrane reactor at middle reaction temperature. *International Journal of Hydrogen Energy*, 36 (2011), 3827-3834

Jeong, H. and Kang, M. (2010) Hydrogen production from butane steam reforming over Ni/Ag loaded MgAl₂O₄ catalyst. *Applied Catalysis B: Environmental*, 95 (3-4) 446–455

Kim, J., and Lee, D. (2013). Glycerol steam reforming on supported Ru-based catalysts for hydrogen production for fuel cells. *International Journal of Hydrogen Energy*, 38(27), 11853-11862.

Kolesarova, N., Hutnan, M., Bodik, I. and Spalkova, V. (2011). Utilization of biodiesel by-products for biogas production. *Journal of Biomedicine and Biotechnology*, 2011.

Lean, H. H. and Smyth, R. (2010). CO₂ emissions, electricity consumption and output in ASEAN. *Applied Energy*, 87, 1858-1864.

Lean, H. H. and Smyth, R. (2014). Disaggregated energy demand by fuel type and economic growth in Malaysia. *Applied Energy*, 132, 168–177.

Lee, H. C., Siew, K. W., Gimbu, J. and Cheng, C. K. (2013). Application of Cement Clinker as Ni-Catalyst Support for Glycerol Dry Reforming. *Bulletin of Chemical Reaction Engineering & Catalysis*, 8(2).

Lee, H.C., Siew, K. W., Gimbu, J. and Cheng, C. K. (2014). Synthesis and characterisation of cement clinker-supported nickel catalyst for glycerol dry reforming. *Chemical Engineering Journal*, 255: 245-256

Lin, Y.C. (2013). Catalytic valorization of glycerol to hydrogen and syngas. *International Journal of Hydrogen Energy*, 38(6): 2678-2700.

- Luo, N., Fu, X., Cao, F., Xiao, T. and Edwards, P.P. (2008) Glycerol aqueous phase reforming for hydrogen generation over Pt catalyst—Effect of catalyst composition and reaction conditions. *Fuel*, 87 (2008) 3483–3489
- Malveda, M., Blagoev, M., Funada, C., and Liu, J. (2012). Glycerine. (online). <http://chemical.ihs.com/CEH/Public/Reports/662.5000> (24 May 2014)
- Mardhiah, H.H., Ong, H.C., Masjuki, H.H, Lim, S and Lee, H.V. (2017) A review on latest developments and future prospects of heterogeneous catalyst in biodiesel production from non-edible oils. *Renewable and Sustainable Energy Reviews*, 67, 1225-1236
- Mastny, L. (2005). Global fossil fuel consumption surges. (online). <http://www.worldwatch.org/global-fossil-fuel-consumption-surges> (16 May 2014)
- Montero, C., Remiro, A., Arandia, A., Benito, P.L., Bilbao, J. and Gayubo, A.G. (2016) Reproducible performance of a Ni/La₂O₃- α Al₂O₃ catalyst in ethanol steam reforming under reaction-regeneration cycles. *Fuel Processing Technology*, 152 (2016), 215-222
- Montini, T., Singh, R., Das, P., Lorenzut, B., Bertero, N., & Riello, P. et al. (2010). Renewable H₂ from Glycerol Steam Reforming: Effect of La₂O₃ and CeO₂ Addition to Pt/Al₂O₃ catalysts. *Chemistry & Sustainability* 3(5), pp.619-628.
- Nor Shahirah, M.N., Gim bun, J., Asmida Ideris, Maksudur R. Khan and Cheng, C.K. (2017). Catalytic pyrolysis of glycerol into syngas over ceria-promoted Ni/ α -Al₂O₃ catalyst. *Renewable Energy*, 107, 223-234
- Organization of the Petroleum Exporting Countries (OPEC) (2010) World oil outlook 2010. (online). http://www.opec.org/opec_web/static_files_project/media (16 May 2014)
- Pairojpiriyakul, T., Croiset, E., Kiatkittipong, W., Kiatkittipong, K., Arpornwichanop, A. and Assabumrungrat, S. (2013). Hydrogen production from catalytic supercritical water reforming of glycerol with cobalt-based catalysts. *International Journal of Hydrogen Energy*, 38(2013) 4368-4379
- Parizotto N.V., Rocha, K.O., Damyanova, S., Passos, F.B., Zanchet, D., Marques, C.M.P. and Bueno, J.M.C. (2007). Alumina-supported Ni catalysts modified with silver for the steam reforming of methane: Effect of Ag on the control of coke formation. *Applied catalysis A: General*, 330, 12-22.
- Pena, M.A., Gomez, J.P. and Fierro, J.L.G. (1996). New catalytic routes for syngas and hydrogen production. *Applied Catalysis A: General*, 144, 7-57.
- Quispe, C.A.G., Coronado C.J.R. and Carvalho Jr., J.A. (2013). Glycerol: Production, consumption, prices, characterization and new trends in combustion. *Renewable and Sustainable Energy Reviews*, 27 (2013) 475–493

Renewable Energy Policy Network for the 21st Century. (2016) Renewable 2016 Global Status Report. (online) <http://www.ren21.net/status-of-renewables/global-status-report/> (14 January 2017)

Ross, J.R.H., van Keulen, V.N.J., Hegarty, M.E.S. and Seshan, K. (1996). The catalytic conversion of natural gas to useful products. *Catalysis Today*, 30, 193-199

Rosetti, I., Gallo, A., Dal Santo, V., Bianchi, C.L., Nichele, V., Signoretto, M., Finocchio, E., Ramis, G. and Di Michele, A. (2012) Nickel catalysts supported over TiO₂, SiO₂ and ZrO₂ for the steam reforming of glycerol. *ChemCatChem*, 5, 294-306.

Shaikh, P.H., Mohd Nor, N., Sahito, A.A., Nallagownden, P., Elamvazuthi, I. and Shaikh, M.S. (2016). Building energy for sustainable development in Malaysia: A review. *Renewable and Sustainable Energy Reviews, In Press*

Shao, S., Shi, A.W., Liu, C.L., Yang, R.Z. and Dong, W.S. (2014). Hydrogen production from steam reforming of glycerol over Ni/CeZrO catalysts. *Fuel Processing Technology*, 125, 1-7.

Shirai, T., Watanabe, H., Fuji, M. and Takahashi, M. (2009). Structural properties and surface characteristics on aluminium oxide powders. *Ceramic Foundation Engineering Research Center Annual Report*, 9: 23-31

Siew, K.W., Lee, H.C., Gimbun, J. and Cheng, C. K. (2014). Characterization of La-promoted Ni/Al₂O₃ catalysts for hydrogen production from glycerol dry reforming. *Journal of Energy Chemistry*, 23(1): 15-21.

Siew, K.W., Lee, H.C., Gimbun, J. and Cheng, C.K. (2013). Hydrogen Production via Glycerol Dry Reforming over La-Ni/Al₂O₃ Catalyst. *Bulletin of Chemical Reaction Engineering & Catalysis*, 8(2).

Slinn, M., Kendall, K., Mallon, C. and Andrews, J. (2008). Steam reforming of biodiesel by-product to make renewable hydrogen. *Bioresource Technology*, 99 (2008) 5851–5858.

Tan, H.W., Abdul Aziz, A.R. and Aroua, M.K. (2013). Glycerol production and its applications as a raw material: A review. *Renewable and Sustainable Energy Reviews*, 27(2013)118–127.

The Sustainability Cooperative. (2016) What are differences between biofuel, bioethanol, biodiesel and biogas? (online) <https://thesustainabilitycooperative.net/2013/12/26/the-difference-between-biofuel-bioethanol-biodiesel-and-biogas/> (14 January 2017)

Thyssen, V.V., Maia, T.A. and Assaf, E.M. (2013) Ni supported on La₂O₃–SiO₂ used to catalyze glycerol steam reforming. *Fuel*, 105 (2013): 358–363

Valle, B., Alonso, A., Atutxa, A., Gayubo, A. G. and Bilbao, J. (2005) Effect of nickel incorporation on the acidity and stability of HZSM-5 zeolite in the MTO process. *Catalysis Today*, 106 (2005), 118–122

- Valle, B., Remiro, A., Aguayo, A.T., Bilbao, J. and Gayubo, A.G. (2013) Catalysts od Ni/ α -Al₂O₃ and Ni/La₂O₃- α Al₂O₃ for hydrogen production by steam reforming of bio-oil aqueous fraction with pyrolytic lignin retention. *International Journal of Hydrogen Energy*, 38 (2013), 1307-1318.
- Wang, X., Li, M., Li, S., Wang, H., Wang, S. and Ma, X. (2010) Hydrogen production by glycerol steam reforming with/without calcium oxide sorbent: A comparative study of thermodynamic and experimental work. *Fuel Processing Technology*, 91(12): 1812-1818.
- Wang, X., Li, M., Wang, M., Wang, H., Li, S., Wang, S. and Ma, X. (2009) Thermodynamic analysis of glycerol dry reforming for hydrogen and synthesis gas production. *Fuel*, 88(11): 2148-2153.
- Wu, C., Wang, Z., Williams, P.T. and Huang, J. (2013). Renewable hydrogen and carbon nanotubes from biodiesel waste glycerol. *Scientific Report*, 3: 2742.
- Wu, C and Williams, P.T. (2009). Hydrogen production by steam gasification of polypropylene with various nickel catalysts. *Applied Catalysis B: Environmental*, 87(3-4): 152-161.
- Yang, G., Yu, H., Huang, X., Peng, F. and Wang, H. (2012). Effect of calcium dopant on catalysis of Ir/La₂O₃ for hydrogen production by oxidative steam reforming of glycerol. *Applied Catalysis B: Environmental*, 127, 89-98.