

Case Analysis: Ethical Issues in Predictive Genetic Testing of Minors for Adult-Onset Hereditary Conditions

medicine2.missouri.edu/jahm/case-analysis-ethical-issues-in-predictive-genetic-testing-of-minors-for-adult-onset-hereditary-conditions/
April 7, 2015

Lila S. Wahidi, BS1, Lea Brandt, OTD, MA, OTR/L2, Jan Sherman, PhD3, Michael Sherman, MD4

1University of Missouri, School of Medicine, Columbia, MO 2Center for Health Ethics, University of Missouri, School of Medicine Columbia, MO 3Sinclair School of Nursing, University of Missouri, Columbia, MO 4Department of Child Health, University of Missouri, School of Medicine Columbia, MO

Address for Correspondence

Phone number: 314-540-9488

Lila Wahidi
University of Missouri School of Medicine
Center for Health Ethics
CE722 1 Hospital Dr.
Columbia, MO 65201
Email: Lsw9qc@health.missouri.edu

Citation: L Wahidi, L Brandt, J Sherman, M Sherman, Case Analysis: Ethical Issues in Predictive Genetic Testing of Minors for Adult-Onset Hereditary Conditions. Journal of Academic Hospital Medicine 2015, Volume 7, Issue 2

Abstract

Introduction: Predictive genetic testing for adult-onset conditions in children is an issue that has initiated ethical discussions and polarized views.

Case Presentation: A genetic counselor is contacted by a mother requesting predictive genetic testing of her young son for Hereditary Nonpolyposis Colorectal Cancer (HNPCC) due to an extensive family history of the condition. The ethics team subsequently worked to balance professional guidelines and ethical considerations to evaluate whether to comply with the parental request. It was necessary to consider the importance preserving the child's future right to exercise his autonomy in participating in such testing, preserving the confidentiality of the test result, and considering the possibility of potential psychological harm.

Conclusion: Determining whether to perform predictive genetic testing in a minor for conditions of adult-onset should be guided by the potential outcomes that indicate that medical benefits obtained will outweigh the risks of testing.

Introduction

Pre-symptomatic and predictive genetic testing are rapidly developing technologies which allow for identification of genetic defects before manifestation of symptoms and inform individuals of their future health risks.1,2 Nevertheless, genetic testing in pediatrics remains controversial and has initiated ethical discussions and polarized views. Many parents seek genetic testing for their children when hereditary conditions are prevalent in the family in order to implement early interventions or to obtain the reassurance that accompanies a negative test result.3 These requests create a dilemma for the clinician, whose primary concern is with the child's best interest. This case analysis concerns a parent's request for predictive genetic testing of her young child for a hereditary disease of adult-onset.

Case Report

A woman with a family history of Hereditary Nonpolyposis Colorectal Cancer (HNPCC) contacted a genetic counselor to request genetic testing for her 4-year-old son. The mother reported multiple bloodlines in the family with a history of HNPCC, the youngest affected individual being 18 years of age at initial diagnosis with colorectal cancer (CRC). She requested testing of her son for HNPCC mutations and regular colonoscopy screenings. The cancer genetic counselor contacted the ethics team with concerns regarding predictive genetic testing of this young child.

There are two clinical questions identified in this case, both of which have ethical implications. First, is it appropriate to perform genetic testing for HNPCC in a child with a known family history of early-onset CRC? Second, is it appropriate to initiate colonoscopy screenings at this child's current age?

Discussion

HNPCC is an autosomal dominant cancer syndrome of adults. The mean age at initial CRC diagnosis is 45 years.4,5 Guidelines established by the American Gastroenterological Association (AGA) advocate screening for CRC in at-risk persons every 1-2 years beginning ages 20-25 or every 2-5 years before the youngest age of diagnosis of CRC in the family if diagnosed before age 25.4 Thus, the recommendation is to offer colonoscopy screenings to children in this family beginning as young as age 13.

Nevertheless, the American Academy of Pediatrics advises against genetic testing of children for conditions with adult-onset, recommending deferral of testing until adolescence or adulthood, after the development of mature decision-making capacities to request testing as an autonomous individual.3 This correlates with American College of Medical Genetics (ACMG) guidelines, which advocate delaying testing until adulthood unless there exists a risk of malignancy in childhood or adolescence.4,5,6 In this case, even if genetic testing were postponed until the age indicated by AGA or ACMG guidelines, the patient will have not yet reached adolescence and appeals to postpone testing until adulthood are not applicable.

The first consideration in genetic testing involves disclosure to the child about the hereditary disease and its implications. 7 Discussing this information throughout the child's stages of maturity enables him to make informed decisions about predictive genetic testing in the future and incorporate such knowledge into his self-identity. 7 Thereafter, the clinician should ensure that

https://ww

screening and testing recommendations are discussed in an age-appropriate manner with the child, as they are capable.3,8 The clinician must consider a plan for disclosure about the test and results, confidentiality of genetic information, and the psychological impact on the child.

Testing the immature child for a hereditary condition of adult-onset is ethically problematic as it disregards his future right to make informed, autonomous decisions.9,10 Young children are generally considered incapable of making complex medical decisions, therefore the authority usually falls to the parents. When the child has developed the capacity to participate in the decision-making process, he should be informed about pertinent medical issues. However, the repercussions of genetic testing and implications for future health suggest that discussions be deferred until the child is able represent his autonomy during the decision-making process .9,10

Medical benefit to the child must be the primary justification for genetic testing.9 The availability of preventative or therapeutic measures is supportive of testing and may serve as a requirement to perform a genetic test. In this case, preventative measures (regular colonoscopy screenings) are not indicated until the child reaches the age of 13-16, based on AGA guidelines.4 Therefore, the lack of medical benefit in testing the child as a minor supports the ethical indication to defer testing until adolescence. There are ethical concerns related to potential harm, as testing a young child may lead to a phenomenon known as "vulnerable-child syndrome," in which parents become overprotective of their child in the absence of symptoms.9,11 Further, the child who tests gene-positive may exhibit psychosocial harm to themselves, as knowledge of their health risks alters their self-concept and can lead to feelings of unworthiness and guilt, subsequently affecting relationships with family and peers.9,11

Nevertheless, there are several ethical arguments in support of predictive genetic testing. In response to concerns about the child's autonomy, it is asserted that parents are considered effective surrogates and thus should be provided with the right to make informed decisions about their child.9 Having early knowledge of gene status allows parents to help psychologically prepare their child for future medical interventions.9,10

Despite the potential psychosocial benefits for this 4-year-old child, the lack of indication for performing preventative screenings at his current age demonstrates that the risks outweigh likely medical benefits. It is recommended to defer discussions regarding HNPCC testing until the child has reached adolescence and can provide an autonomous decision regarding testing. This approach adheres to AGA guidelines and most fairly balances risks and benefits of predictive genetic testing.

Conclusion

As genetics become increasingly integrated into patient care, one must consider ethical indications for performing genetic testing. Decision-making regarding compliance with parental demands for predictive genetic testing of a minor should be guided by potential clinical benefits versus risks. This involves disclosing health risks to the child, preserving their future right to exercise autonomy, and considering potential psychological harm. In the case of testing a minor for HNPCC, the ultimate decision to defer genetic testing and screening until adolescence is supported by ethical considerations as well as professional guidelines which ultimately function to preserve the child's best interest.

- 1. Borry P, Goffin T, Nys H, Dierickx K. Predictive genetic testing in minors for adult-onset genetic diseases. Mt Sinai J Med. 2008 May-Jun;75(3):287-96.
- 2. Phadke S, Gowda M. Genetic testing in children. Indian Pediatr. 2013 Sep;50(9):823-7.
- 3. Caga-anan EC, Smith L, Sharp RR, Lantos JD. Testing children for adult-onset genetic diseases. Pediatrics. 2012 Jan;129(1):163-7.
- 4. Giardiello FM, Allen JI, Axilbund JE, Boland CR, Burke CA, Burt RW, Church JM, Dominitz JA, Johnson DA, Kaltenbach T, Levin TR, Lieberman DA, Robertson DJ, Syngal S, Rex DK. Guidelines on Genetic Evaluation and Management of Lynch Syndrome: A Consensus Statement by the US Multi-Society Task Force on Colorectal Cancer. Gastroenterology. 2014 Aug;147(2):502-26.
- 5. Hegde M, Ferber M, Mao R, Samowitz W, Ganguly A; Working Group of the American College of Medical Genetics and Genomics (ACMG) Laboratory Quality Assurance Committee. ACMG technical standards and guidelines for genetic testing for inherited colorectal cancer (Lynch syndrome, familial adenomatous polyposis, and MYH-associated polyposis). Genet Med. 2014 Jan;16(1):101-16.
- 6. Lwiwski N, Greenberg CR, Mhanni AA. Genetic testing of children at risk for adult onset conditions: when is testing indicated? J Genet Couns. 2008 Dec;17(6):523-5.
- 7. Malpas PJ. Why tell asymptomatic children of the risk of an adult-onset disease in the family but not test them for it? J Med Ethics. 2006 Nov;32(11):639-42.
- 8. Borry P, Evers-Kiebooms G, Cornel MC, Clarke A, Dierickx K; Public and Professional Policy Committee (PPPC) of the European Society of Human Genetics (ESHG). Genetic testing in asymptomatic minors: background considerations towards ESHG Recommendations. Eur J Hum Genet. 2009 Jun;17(6):711-9.
- 9. Duncan RE, Delatycki MB. Predictive genetic testing in young people for adult-onset conditions: where is the empirical evidence? Clin Genet. 2006 Jan;69(1):8-16; discussion 17-20.
- 10. Mand C, Gillam L, Delatycki MB, Duncan RE. Predictive genetic testing in minors for late-onset conditions: a chronological and analytical review of the ethical arguments. J Med Ethics. 2012 Sep;38(9):519-24.
- 11. Ross LF, Saal HM, David KL, Anderson RR; American Academy of Pediatrics; American College of Medical Genetics and Genomics. Technical report: Ethical and policy issues in genetic testing and screening of children. Genet Med. 2013 Mar;15(3):234-45.

Copyright © 2018 - The Curators of the <u>University of Missouri System</u>. All rights reserved. <u>DMCA</u> and <u>other copyright information</u>. An <u>equal opportunity/affirmative action</u> institution.