

An Approach to Task-based Parallel Programming for Undergraduate Students

Eduard Ayguadé^{a,b,*}, Daniel Jiménez-González^{a,b}

^a*Computer Architecture Department, Universitat Politècnica de Catalunya (UPC)*

^b*Computer Sciences Department, Barcelona Supercomputing Center (BSC-CNS)*

Abstract

This paper presents the description of a compulsory parallel programming course in the bachelor degree in Informatics Engineering at the Barcelona School of Informatics, Universitat Politècnica de Catalunya UPC–BarcelonaTech. The main focus of the course is on the shared-memory programming paradigm, which facilitates the presentation of fundamental aspects and notions of parallel computing. Unlike the “traditional” loop-based approach, which is the focus of parallel programming courses in other universities, this course presents the parallel programming concepts using a task-based approach. Tasking allows students to explore a broader set of parallel decomposition strategies, including linear, iterative and recursive strategies, and their implementation using the current version of OpenMP (OpenMP 4.5), which offers mechanisms (pragmas and intrinsic functions) to easily map these strategies into parallel programs. Simple models to understand the benefits of a task decomposition and the trade-offs introduced by different kinds of overheads are included in the course, together with the use of tools that allow an easy exploration of different task decomposition strategies and their potential parallelism (*Tareador*) and instrumentation and analysis of task parallel executions on real machines (*Extrae* and *Paraver*).

Keywords: Task decomposition strategies and programming, OpenMP tasking model, Performance models and tools

*Corresponding author

Email address: eduard@ac.upc.edu (Eduard Ayguadé)

1. Introduction

For decades, single-core processors were steadily improving in performance thanks to advances in integration technologies (bringing more transistors and ever-increasing clock speeds) and micro-architectural innovations (providing higher potential instruction-level parallelism, or ILP). The target's ILP could be satisfactorily exploited by the compiler, and sequential programming was the dominant paradigm. Programming courses for undergraduate students were based on this sequential paradigm, without the need for programmers to learn to consider parallelism. Concurrency was mainly presented in operating system (OS) courses as a way to express the concurrent execution of multiple activities, such as processes and/or threads, inside the OS. Parallel computing was a subject mainly considered in courses at the most advanced levels of computer science and engineering curricula.

This sequential paradigm was challenged by the move towards multicore architectures, caused by the power wall (due to ever-increasing clock frequencies) and increasing difficulties in exploiting the available ILP. Today, from mobile to desktops to laptops to servers, multicore processors and multiprocessor systems are commonplace. In order to utilise the increasing number of available cores, it is necessary to parallelise existing sequential applications. Unfortunately, neither hardware nor current compilers can automatically detect and exploit the levels of parallelism required to feed current parallel architectures.

Due to the increasing demand in the IT sector for parallel programming expertise, efforts have been made to introduce parallel programming to undergraduate students. In most cases the design of these parallel programming courses stayed rooted in “traditional” regular loop-level parallelisation strategies, not allowing parallelism to be exploited in more irregular applications, such as those traversing dynamically-allocated data structures (lists, trees, etc.) and making use of other control structures, such as recursion. In addition, it has been proven, both by the research community and through the evolution of parallel programming standards, that this “traditional” approach is not sufficient to pave the

31 path towards exploiting the potential scalability of future processor generations
32 and architectures. To provide an alternative to the loop-based approach, some
33 programming models and standards (such as OpenMP) evolved to include the
34 tasking model. The task-based approach offers a means to express irregular
35 parallelism, in a top down manner, that scales to large numbers of processors.

36 In this paper we present the proposed syllabus and framework for teaching
37 parallel programming to “fresh” students in *Parallelism*, a third-year compul-
38 sory subject in the Bachelor Degree in Informatics Engineering at the Barcelona
39 School of Informatics (FIB) of the Universitat Politècnica de Catalunya (UPC-
40 BarcelonaTech). This subject has been our first opportunity to teach parallelism
41 at the undergraduate level. The tasking model in OpenMP [1] (currently version
42 4.5 for C/C++) was chosen as the vertebral axis in the design of this course,
43 providing support for tasks (including task dependences) in addition to tradi-
44 tional loop-level parallelism, which is considered to be a particular case of the
45 generic tasking model. The course also includes models and tools to understand
46 the potential of task decomposition strategies (*Tareador* [2]) as well as to un-
47 derstand their actual behaviour when expressed in OpenMP and executed on
48 a real parallel architecture (*Extrae*, a dynamic tracing package, and *Paraver*, a
49 trace visualisation and analysis tool [3]). The complete framework motivates
50 the learning process, improves the understanding of the proposed task decom-
51 positions and significantly reduces the time to develop parallel implementations
52 of the original sequential codes.

53 The paper is organised as follows: Section 2 presents the context for the
54 subject presented in this paper. Then, Sections 3, 4, 5 and 6 describe the main
55 units in the subject, in terms of concepts and methodology. Finally, Section 7
56 concludes the paper by analysing how the proposed subject covers the main
57 topics identified in the *NSF/IEEE-TCPP Curriculum Initiative on Parallel and*
58 *Distributed Computing - Core Topics for Undergraduates*, and how the grad-
59 ual evolution from a traditional loop-based course has improved the students’
60 results.

61 2. Course description and context

62 The bachelor degree in Informatics Engineering at the Barcelona School
63 of Informatics of the Universitat Politècnica de Catalunya is designed to be
64 completed in seven terms (two terms per academic year) plus one term for a
65 final project. The four initial terms cover subjects that are mandatory for all
66 students, while the three final terms comprise mandatory and elective courses
67 within one specialisation (computer engineering, networks, computer sciences
68 and software engineering).

69 *Parallelism* (PAR) is the first subject in the above-mentioned degree that
70 teaches parallelism, and it is the one described in detail in this paper. It is
71 a compulsory subject, in the fifth term, that covers parallel programming and
72 parallel computer architecture fundamentals—basic tools to take advantage of
73 the multi-core architectures that constitute today’s computers. The subject
74 follows a series of subjects on computer organisation and architecture, operating
75 systems, programming and data structures, all of which are focussed on uni-
76 processor architectures and sequential programming.

77 2.1. Learning objectives and student learning outcomes

78 The three main learning objectives of PAR are the following: (1) to design,
79 implement and analyse parallel programs for shared-memory parallel architec-
80 tures; (2) to write simple models to evaluate different parallelisation strategies
81 and understand the trade-off between parallelism and the overheads of paral-
82 lelism; and (3) to gain an understanding of the architectural support for parallel
83 programming models (data sharing and synchronisation).

84 The expected student learning outcomes for PAR are summarised in Fig-
85 ure 1; these learning outcomes are related to the different theory/laboratory
86 sessions shown in Table 1 and described in the next subsection.

87 2.2. Complementary courses

88 Two elective subjects in the specialisation of Computer Engineering fol-
89 low PAR. First, *Parallel Architectures and Programming* (PAP) extends the

LO1	When given a serial application, students will be able to choose the most appropriate decomposition strategy to express parallelism: tasks, data.
LO2	When given a parallelization strategy for an application, students will be able to formulate simple performance models, that allow to estimate the influence of major architectural aspects: number of processing elements, data access cost, cost of interaction between processing elements, etc.
LO3	When given a sequential application and a parallelization strategy, students will be able to program in OpenMP the parallel version, applying the basic techniques to synchronize parallel execution, avoiding race conditions and deadlock, and enabling the overlap between computation and interaction, among others..
LO4	On having an OpenMP parallel code, students will be able to compile and execute it, using basic command line tools to measure the execution time.
LO5	On having an OpenMP application, students will be able to measure, using instrumentation, visualization and analysis tools, the performance achieved and to detect factors that limit this performance: granularity of tasks, equitable load, interaction between tasks, among others.
LO6	When given an OpenMP application, the student will be able to apply simple optimizations in parallel kernels to improve their performance for parallel architectures, attacking the factors that limit performance.
LO7	When given a computer architecture, the student will be able to identify the different types of parallelism that can be exploited (ILP, TLP, and DLP within a processor, multiprocessor and multicomputer) and describe its principles of operation.
LO8	When given a parallel programming model, students will be able to classify them and the main features of the different paradigms (shared memory vs. distributed, parallelization schemes, ...).

Figure 1: Student’s Learning Outcomes (LO) for PAR.

90 concepts and methodologies introduced in PAR, by focussing on the low-level
91 aspects of implementing a programming model such as OpenMP, making use
92 of low-level threading (*Pthreads*); the subject also covers cluster architectures
93 and how to program them using MPI. Second, *Graphical Units and Accelerators*
94 (TGA) explores the use of accelerators, with an emphasis on GPUs, to exploit
95 data-level parallelism.

96 PAR, PAP and TGA are complemented by a compulsory course in the Com-
97 puter Engineering specialisation, *Multiprocessor Architectures*, in which the ar-
98 chitecture of (mainly shared-memory) multiprocessor architectures is covered in
99 detail. Another elective subject in the same specialisation, *Architecture-aware*
100 *Programming* (PCA), mainly covers programming techniques for reducing the
101 execution time of sequential applications, including through SIMD vectorisation
102 and FPGA acceleration.

Week	Theory/problem solving		Laboratory		Learning Outcomes (LO)
	Topic	Session (2h)	Topic	Session (2h)	
1	Fundamentals	Motivation. Serial, multiprogrammed, concurrent and parallel execution	Environment	Compilation and execution of programs	LO1,4
2		Abstract program representation (TDG). Simple performance models and overheads.		Tools: Tareador	LO1
3		Amdahl's law. Strong vs. weak scalability		Tools: Paraver and Extrae	LO2,5,6
4		Wrap-up and exercises	OpenMP tutorial	Parallel and work-sharing	LO1,2
5	Task decomposition	Linear, iterative and recursive. Task granularities.		Tasking execution model	LO3
6	Task decomposition	Task ordering vs. data sharing constraints	Model analysis	Evaluation of overheads	LO3,6
7		Wrap-up and exercises	Embarrassingly Parallel	Design and analysis	LO1,3
8	More advanced exercises covering decomposition strategies and task ordering / data sharing constraints		Parallel	Implementation and analysis	LO1-6
9	1st Midterm Evaluation				
10	Architecture support for shared memory programming	How data is shared among processors?	Divide and conquer	Design	LO1,3,7,8
11		How are processors able to synchronise?		Implementation	LO3
12		Wrap-up and exercises		Analysis	LO1,3,7,8
13	Data decomposition	Strategies to improve data locality: think about data. Owner-computes rule	Geometric decomposition	Design	LO1,3
14		Why sharing data? Distributed memory and MPI		Implementation	LO8
15		Wrap-up and exercises		Analysis	LO1,3,7,8
	2nd Midterm Evaluation				

Table 1: Weekly course outline and student learning outcomes.

103 *2.3. Course outline*

104 Each term effectively lasts for 15 weeks. In PAR there are four contact hours
105 per week: two hours devoted to theory and problems (with a maximum of 60
106 students per class) and two hours for laboratory sessions (with a maximum of 15
107 students per class). Students are expected to invest about six additional hours
108 per week to complete homework and for personal study (over these 15 weeks).
109 Thus, the total effort devoted to the subject is six ECTS credits.¹

110 Table 1 shows the main contents of PAR and their weekly distribution in
111 theory/problem and laboratory sessions. After an introductory unit motivating
112 the course and presenting the differences between sequential, multiprogrammed,
113 concurrent and parallel execution, PAR continues with four units that cover the
114 objectives of the course: fundamentals of parallelism (described in Section 3),
115 task decomposition strategies (described in Section 4), introduction to parallel
116 computer architectures (described in Section 5) and data decomposition strate-
117 gies (described in Section 6).

118 Theory/problem contact classes follow the flipped classroom methodology:
119 before class students complete one or more interactive learning modules that
120 include videos explaining the main concepts, and during the class students ap-
121 ply the key concepts and extend them to more complex concepts. Finally, after
122 class, students check their understanding and extend their learning to more
123 complex tasks. In addition, there are several wrap-up sessions to help the learn-
124 ing process, and there are two midterm exams. As shown in Table 1, several
125 laboratory sessions are coordinated with the theory and problem contact classes.

126 The structure of the course and some of its main concepts are based on
127 two books: *Patterns for Parallel Programming* [4] and *Introduction to Parallel*
128 *Computing* [5]. The latest OpenMP specification [1] is also used as reference

¹The European Credit Transfer System (ECTS) is a unit of appraisal of the academic activity of the student. It takes into account student attendance at lectures and time of personal study, exercises, labs and assignments, together with the time needed to do examinations. One ECTS credit is equivalent to 25–30 hours of student work.

129 material. Finally, *Computer Architecture: a Quantitative Approach* [6] is rec-
 130 ommended as complementary material.

131 3. The fundamentals

132 After introducing the differences between serial, multiprogrammed, con-
 133 current and parallel execution, the subject starts by presenting an abstract
 134 representation for task-based parallelisation strategies: the *task dependence*
 135 *graph* (TDG), which allows an analysis of the parallelism of a particular de-
 136 composition into tasks. The TDG is a directed acyclic graph in which each
 137 node represents a task, which is an arbitrary sequential computation, and each
 138 directed edge represents a data dependence relationship between the predeces-
 139 sor and successor tasks. The weight of a node represents the amount of work to
 140 be done in the task. For illustration purposes, the left part of Figure 2 shows a
 141 simple TDG.




Figure 2: Left: Task Dependence Graph (TDG) example, with nodes annotated with task execution cost (in blue nodes that compose the critical path in the TDG). Right: computation of T_1 , T_∞ and *Parallelism* metrics for the TDG on the left.

142 With this abstraction of the task decomposition and a simplified machine
 143 abstraction that assumes identical processors, each processor executing one task
 144 at a time, the student is presented with the *parallelism* metric, defined as the
 145 quotient between T_1 , the time to execute all the nodes in the TDG on a single
 146 processor and T_∞ , the time to execute the critical path in the TDG with infinite
 147 processors and resources:

- 148 • $T_1 = \sum_{i=1}^{nodes} (work_node_i)$
- 149 • $T_\infty = \sum_{i \in criticalpath} (work_node_i)$
- 150 • $Parallelism = T_1/T_\infty$

151 The right part of Figure 2 shows the computation of these metrics: (a) T_1 ,
 152 defined above, (b) $T_{\{list\}}$, the execution time of each path *list* from the top
 153 node to the bottom node, (c) T_∞ , which equals the execution time of the largest
 154 path $T_{\{ABDFH\}}$, and (d) the *parallelism* metric. The *parallelism* metric of 1.175
 155 indicates that a parallel execution of this task decomposition can execute up to
 156 1.175 times faster than sequential if sufficient (e.g. infinite) resources are made
 157 available.

158 In order to perform the aforementioned TDG analysis, the student is pre-
 159 sented with the question of how to define the scope of a task, how to figure out
 160 the dependences among tasks, and the *granularity* concept (size of each node
 161 in the TDG). This is done using simple codes. For example, Figure 3 shows a
 162 simple *Jacobi* relaxation computation code in C (top) and different task gran-
 163 ularities to be considered (bottom). In this case, any task definition leads to
 164 a fully independent set of tasks, since there are no data dependencies among
 165 computations in different iterations of the innermost loop. By analysing T_∞ and
 166 the *Parallelism* metrics, the student can understand the concept of granular-
 167 ity and extract a first (premature) conclusion that could lead to an interesting
 168 discussion: finer-grain tasks are able to attain more parallelism.

169 The previous conclusion favouring fine-grain tasks (at the top) is dramati-
 170 cally changed once overheads are brought into consideration. The students are
 171 introduced to the three main sources of overhead: task creation, task synchro-
 172 nisation and data sharing.

173 3.1. Task granularity vs. task creation overhead

174 At this point, it is appropriate to introduce the effect of the task creation
 175 overhead, resulting in a trade-off between the granularity of the tasks and the
 176 parallelism that can be obtained when those overheads are considered. For

```

void compute(int n, double *u, double *utmp) {
int i, j;
double tmp;

for (i = 1; i < n-1; i++)
for (j = 1; j < n-1; j++) {
tmp = u[n*(i+1) + j] + u[n*(i-1) + j] + // elements u[i+1][j] and u[i-1][j]
u[n*i + (j+1)] + u[n*i + (j-1)] - // elements u[i][j+1] and u[i][j-1]
4 * u[n*i + j]; // element u[i][j]
utmp[n*i + j] = tmp/4; // element utmp[i][j]
}
}

```

Task is ... (granularity)	T_1	T_∞	Parallelism	Task creation ovh
All iterations of i and j loops	$n^2 \cdot t_{\text{body}}$	$n^2 \cdot t_{\text{body}}$	1	t_{create}
Each iteration of i loop	$n^2 \cdot t_{\text{body}}$	$n \cdot t_{\text{body}}$	n	$n \cdot t_{\text{create}}$
Each iteration of j loop	$n^2 \cdot t_{\text{body}}$	t_{body}	n^2	$n^2 \cdot t_{\text{create}}$
r consecutive iterations of i loop	$n^2 \cdot t_{\text{body}}$	$n \cdot r \cdot t_{\text{body}}$	$n \div r$	$(n \div r) \cdot t_{\text{create}}$
c consecutive iterations of j loop	$n^2 \cdot t_{\text{body}}$	$c \cdot t_{\text{body}}$	$n^2 \div c$	$(n^2 \div c) \cdot t_{\text{create}}$
A block of r x c iterations of i and j, respectively	$n^2 \cdot t_{\text{body}}$	$r \cdot c \cdot t_{\text{body}}$	$n^2 \div (r \cdot c)$	$(n^2 \div (r \cdot c)) \cdot t_{\text{create}}$

Figure 3: Jacobi relaxation example (top) and different task granularities to be explored (bottom). The number of iterations of the loops on i and j is approximated by n in order to make the analysis simple and simplify the expressions for the different metrics.

177 example in the *Jacobi* relaxation example we could consider the effect of the task
178 creation overhead (last column in Figure 3), assuming that one of the infinitely-
179 many processors is devoted to linearly creating all the tasks and creating each
180 task requires the same overhead of t_{create} . Adding this overhead to the initial
181 value of T_∞ already shows that making the tasks smaller will decrease the
182 per-task execution time and increase the total overhead: the execution time
183 decreases with r and c while the overall overhead increases.

184 3.2. Task ordering constraints and synchronisation overhead

185 The simple *Jacobi* relaxation example is evolved in order to introduce data
186 dependences between tasks. Figure 4 shows the main loop body for a simplified
187 *Gauss-Seidel* relaxation (top) and the TDG (bottom left) when a block task
188 decomposition strategy is applied (r times c consecutive iterations of the i and
189 j loops, respectively, per task). The concept of *true* (Read-After-Write, or
190 RAW) and *false* (Write-After-Read, or WAR, and Write-After-Write, or WAW)
191 data dependences is introduced. For different reasons, these true and false

192 data dependences will imply task synchronisation and, as will be seen later,
 193 they incur data sharing actions. The TDG in that figure shows in green one
 194 of the possible critical paths and the expression for the corresponding value
 195 of T_∞ , in which two components are included: the computation time, which
 196 depends only on the number of tasks in the critical path, and the synchronisation
 197 overhead introduced by the arrows between consecutive tasks in the critical path,
 198 each taking an overhead of t_{synchron} . In this case, to simplify the analysis, the
 199 task creation overhead is not considered. Again, the student is presented with
 200 the trade-off between these two components when exploring different possible
 201 granularities for the task. Plotting this expression as a function of c and r
 202 certainly helps to understand the trade-off.




Figure 4: Gauss-Seidel relaxation example and resulting TDG when each task is a block of $r \times c$ consecutive iterations of the i and j loops, respectively. Green nodes compose one of the possible critical paths in the TDG. Computation of T_∞ taking into account synchronisation overheads, t_{synchron} .

203 3.3. Mapping tasks to processors

204 Once these ideas are clear, students are presented with the need to map the
 205 tasks in the TDG to a particular number of processors P in the machine. With

206 this mapping, the students can compute T_p , the execution time of the tasks of
 207 the program when using P processors, and the speed-up metric, defined as the
 208 quotient $S_p = T_1/T_p$. The speed-up metric, S_p , gives the relative reduction in
 209 the execution time when using P processors, with respect to sequential. The
 210 efficiency metric, Eff_p , given by $Eff_p = S_p/P$, measures the fraction of time for
 211 which the processors are usefully employed. In addition, the notions of strong
 212 scaling and weak scaling are introduced in a natural way during the analysis of
 213 the dependence of S_p on the number of processors, P .

214 For the previous example in Figure 4, if we assume strong scaling and
 215 $p = n/r$, then T_p would have the same value as T_∞ , assuming the same synchro-
 216 nisation overhead. This can be derived from the timeline shown in Figure 5. In
 217 fact, only those dependences that are not internalised in the same processor (i.e.
 218 that are between tasks mapped to different processors) need to be considered
 219 in the computation of T_p .




Figure 5: Timeline for the execution of tasks in the Gauss–Seidel relaxation example, assuming that $p = n/r$ processors are used.

220 3.4. Data sharing overhead

221 Next, the students are presented with the last source of overhead that we
 222 consider: data sharing overheads. The initial simplified machine abstraction
 223 used to compute the basic metrics is now leveraged in order to consider that
 224 each processor has its own memory and processors are interconnected through
 225 an interconnection network. Processors access local data (in their own memory)

226 using regular load/store instructions, with zero overhead. Processors can also
227 access remote data (computed by other processors and stored in their memories)
228 using remote access instructions in the form of messages. To model the overhead
229 caused by these remote accesses we consider an overhead of the form $T_{\text{access}} =$
230 $t_s + m \times t_w$, where t_s is the start-up time spent in preparing the remote access and
231 t_w is the time spent in transferring each element from the remote location, which
232 is multiplied by the number of elements to access, m . Additional assumptions
233 are made to simplify the model, such as that a processor P_i can only execute
234 one remote memory access at a time and only serve one remote memory access
235 from another processor P_j at a time, but both can happen simultaneously. Later
236 in the course, students will see that these messages could be cache lines in a
237 shared-memory architecture or messages in a distributed-memory architecture
238 with message passing.

239 The easy-to-understand *owner-computes rule* can be stated at this point to
240 map data to processors. For example, for the code in Figure 4 one could say
241 that each processor will store in its local memory all those $r \times c$ elements of
242 matrix u that are computed by the tasks assigned to it. This would result in
243 the assignment of data to processors shown in the left part of Figure 6. But
244 in order to execute each assigned task, the processor will have to access the
245 upper, lower, left and right boundary elements, which are computed by other
246 tasks (shown with different colours for one of the tasks in the same figure).
247 Some of these elements are local to processor P_i (left and right boundaries
248 in yellow and green colours, respectively) but some others are stored in the
249 memory of neighbour processors P_{i-1} and P_{i+1} (upper and lower boundaries in
250 blue and orange colours, respectively). It is important to differentiate between
251 true and false data dependencies. True dependences force a task to wait for the
252 availability of data, which is what happens for the elements coloured in blue
253 (remote access happens once the producing task finishes). False dependencies
254 mean that the task has to access the data before the task that owns it starts
255 computation (elements coloured orange) because it overwrites the data due to
256 reuse.




Figure 6: Data mapping (left) and execution timeline (right), including data sharing overheads, for the mapping of tasks to processors for the Gauss–Seidel relaxation example.

257 Temporal diagrams, such as the one shown in the right part of Figure 6,
 258 are very useful at this point to understand where remote accesses should be
 259 performed (guaranteeing that when a task is ready to be executed all data that is
 260 needed is available), with the possibility of reducing the number of messages due
 261 to the effect of t_s , which is usually much larger than t_w). For example, remote
 262 accesses involved in the false data dependence could be done as soon as possible,
 263 at once for all tasks mapped to the same processor, before the parallel execution
 264 starts, as shown in the timeline and considered in the expression of T_p . Again,
 265 an analysis of the trade-off introduced by the reduction of the execution time
 266 when using more processors and the data sharing overheads allows students to
 267 extract interesting conclusions, having the possibilities of plotting the expression
 268 for T_p that is obtained and discussing how it changes with the parameters t_s
 269 and t_w , or even applying differentiation to see that there exists an optimum task
 270 granularity. Note that, for reasons of simplicity, at this point the task creation
 271 and synchronisation overheads are not explicitly considered in this analysis.

272 This unit finishes with the formulation of *Amdahl's law*, allowing students
 273 to understand the need for the program to have the highest possible parallel
 274 fraction to parallelise. The effect of the overheads previously addressed in the
 275 expression of *Amdahl's law* is also considered.

276 3.5. Methodology and support tools

277 This part of the course takes about three theory sessions (two hours each)
278 and three laboratory sessions (also two hours each) in which the students access
279 a shared-memory architecture (small cluster with nodes of 16 cores). For this
280 part of the course we also offer video material and online quizzes that cover the
281 fundamental concepts. This material is used by some professors to implement a
282 *flipped-classroom* methodology and offered by other professors simply as study
283 material for the students to consolidate the ideas presented in class. Finally a
284 collection of exercises is made available, some of which are solved in class in
285 order to assess the understanding of these fundamental concepts and metrics.

286 In the laboratory sessions, students take simple parallel examples written in
287 OpenMP, learning how to compile and execute them. At this point they do not
288 need to fully understand how the parallelism is expressed in OpenMP, but they
289 are able to easily capture the idea of the pragma-based parallel programming
290 approach. How to measure execution time is introduced, allowing students
291 to plot scalability as a function of the number of processors, observing how
292 easily the behaviour deviates from the ideal case. Students are presented with
293 *Tareador* (described in detail in [2]), a tool specifically developed to explore
294 the potential of different task decomposition strategies, visualise the TDG and
295 simulate its parallel execution.

296 Students are also presented with two tools, *Extrae* and *Paraver*, which in-
297 strument and visualise the actual parallel execution and visualise some of the
298 overheads explained in class. One session is devoted to measuring those over-
299 heads, observing that these overheads are non-negligible in comparison to the
300 time needed for the processor to execute an arithmetic instruction.

301 4. Task Decomposition Strategies

302 Once the fundamentals have been understood, students are faced with the
303 need to express the tasks that appear in the TDG of a sequential program,
304 which we call its *task decomposition*. In the proposed design, we present the

305 various task decomposition strategies for shared-memory architectures using the
306 OpenMP programming model, in particular, the OpenMP tasking model.

307 The unit starts by presenting three strategies for task decomposition: lin-
308 ear, iterative and recursive. In linear decompositions, a task is simply a code
309 block or procedure invocation. In iterative decompositions, tasks are originated
310 from the body of iterative constructs, such as countable or uncountable loops.
311 Finally, in recursive decompositions, tasks are originated from recursive pro-
312 cedure invocations, for example in divide-and-conquer and branch-and-bound
313 problems.

314 Three constructs from the OpenMP specification are introduced at this
315 point: `parallel single`, `task` and `taskloop`. The `parallel single` construct
316 simply creates a team of threads and its data context to execute tasks. In fact,
317 `parallel single` is the direct concatenation of two constructs in OpenMP:
318 `parallel`, which creates the team of threads, and `single`, which assigns to one
319 of these threads the execution of an implicit task that contains the body of
320 the `parallel` region in which explicit tasks will be created using the two other
321 constructs. The `single` construct could be avoided, resulting in all threads
322 executing an instance of the implicit task that corresponds to the body of the
323 `parallel` region, replicating its execution as many times as the number of
324 threads that were created. In order to effectively perform work in parallel, the
325 programmer will have to use intrinsic functions (to know which thread is execut-
326 ing the task instance) to manually decompose the work. This way of expressing
327 decompositions will be covered in a different unit, as a way to express the tasks
328 bearing in mind an explicit data decomposition strategy.

329 The `task` construct is presented to students as the key component for speci-
330 fying an explicit child task, whose execution will be (possibly) delegated to one
331 of the threads that are part of the team of threads. `Task` constructs can be
332 nested, allowing a rich set of possibilities to express parallelisation strategies.
333 The *task pool* is the main concept in the OpenMP tasking model, in which ex-
334 plicit tasks are created for asynchronous deferred dynamic execution. For this
335 reason, it is important to understand how the child task's data environment is

336 defined, partially regarding variables whose value is captured when the task is
337 created (**firstprivate** clause), variables that are shared with the parent task
338 (**shared** clause) and per-task private copies of variables (**private** clause).

339 The **taskloop** construct is presented to handle the specification of explicit
340 tasks in loops, which is in fact one of the most important sources of paral-
341 lelism. The **taskloop** construct includes two clauses to manage task granular-
342 ity: **grainsize** (used to define the number of consecutive loop iterations that
343 constitute each task generated from the loop) and **num_tasks** (used to define
344 the number of tasks to be generated).

345 *4.1. Linear and iterative task decompositions*

346 Figure 7 shows the simple vector addition example that is used in this unit
347 to illustrate the different linear and iterative task decomposition strategies and
348 how to express them using OpenMP constructs and clauses.

349 Tasking also allows the expression of iterative decompositions when the num-
350 ber of iterations is unknown (uncountable), such as in problems traversing dy-
351 namic data structures such as lists and trees. The list traversal in Figure 8 is one
352 of the simplest examples, showing the importance of capturing the whole scope
353 (basically the list element pointed by **p**) that needed by the task processing each
354 list element when executed in a deferred way (possibly) by another thread.

355 The dynamic nature of the tasking execution model does not assume any
356 static mapping of chunks of iterations (i.e. tasks) to threads, which may have
357 an important effect on data locality. These static mappings are considered later
358 in the course when covering data decomposition strategies, making use of the
359 so-called work-sharing constructs in OpenMP. We propose to present them once
360 students have been presented with the architectural support for data sharing
361 and the overheads that memory coherence may introduce when data locality is
362 not taken into account.

363 *4.2. Recursive task decomposition*

364 Once iterative decomposition strategies are well-understood, students are
365 faced with the necessity of expressing parallelism in recursive problems, and in

```

void main() {
    ....
    #pragma omp parallel
    #pragma omp single
    vector_add(a, b, c, N);
    ...
}
(a) Team of threads creation for task execution
void vector_add(int *A, int *B, int *C, int n) {
    #pragma omp task private(i) shared(A, B, C)
    for (int i=0; i< n/2; i++)
        C[i] = A[i] + B[i];
    #pragma omp task private(i) shared(A, B, C)
    for (int i=n/2; i< n; i++)
        C[i] = A[i] + B[i];
}
(b) Linear task decomposition, task granularity of  $n/2$  iterations
void vector_add(int *A, int *B, int *C, int n) {
    for (int i=0; i< n; i++)
        #pragma omp task firstprivate(i) shared(A, B, C)
        C[i] = A[i] + B[i];
}
(c) Iterative task decomposition with task, task granularity of 1 iteration
void vector_add(int *A, int *B, int *C, int n) {
    #pragma omp taskloop shared(A, B, C) grainsize(BS)
    for (int i=0; i< n; i++)
        C[i] = A[i] + B[i];
}
(d) Iterative task decomposition with taskloop, task granularity of  $BS$  iterations

```

Figure 7: Different alternatives in OpenMP to express iterative task decompositions in a vector addition example.

```

int main() {
    struct node *p;
    p = init_list(n);
    #pragma omp parallel
    #pragma omp single
    while (p != NULL) {
        #pragma omp task firstprivate(p)
        process_work(p);
        p = p->next;
    }
}

```

Figure 8: Using OpenMP to express an iterative task decomposition with unknown loop limits.

366 particular the two basic questions: “what should be a task?” and “how can I
367 control task granularities?” The first question is simply addressed by analysing a
368 recursive implementation of the vector addition example previously commented,
369 which is shown in Figure 9. Two possible decomposition strategies are presented:
370 1) the *leaf strategy*, in which a task corresponds to the code that is executed once
371 the recursion finishes (in the example, this is each invocation of `vector_add`);
372 and 2) the *tree strategy*, in which a task corresponds to each invocation of the
373 recursive function (`rec_vector_add` in the example). Figure 10 shows the leaf
374 and tree parallel implementations of the code in Figure 9. Figure 11 shows the
375 tasks that would be generated in both cases. The main difference between the
376 two approaches is that in the *leaf* approach tasks are sequentially generated by
377 the thread that entered the `single` region; however, in the *tree* approach tasks
378 also become task generators, so that the tasks that execute the work in the base
379 case are created in parallel.

380 4.3. Controlling task granularities

381 Once students have analysed the tasks generated in both cases, they are faced
382 with the second question, which is related to the control of task granularity.
383 With the simple observation that the task granularity depends on the depth of
384 recursion to reach the base case, students can propose different alternatives to
385 control the number of tasks generated and/or the granularity, which we call *cut-*
386 *off* control mechanisms. We usually discuss three different alternatives: stopping
387 task generation (a) after a certain number of recursive calls (static control),
388 (b) when the size of the vector is too small (static control), or (c) when the
389 number of tasks generated or pending to be executed is too large (dynamic
390 control). For example, the code in Figure 12 shows how depth-based cut-off
391 control could be implemented with the leaf strategy, either using conditional
392 statements (top) or using the `final` and `mergeable` clauses available on the
393 OpenMP `task` construct (bottom). It is important to differentiate the base
394 case from the cut-off mechanism since they have different functionalities.

395 Other cases in which recursive task decomposition could be applied include

```


#define N 1024
#define BASE_SIZE 64
void vector_add(int *A, int *B, int *C, int n) {
    for (int i=0; i<n; i++) C[i] = A[i] + B[i];
}

void rec_vector_add(int *A, int *B, int *C, int n) {
    if (n>BASE_SIZE) {
        int n2 = n / 2;
        rec_vector_add(A, B, C, n2);
        rec_vector_add(A+n2, B+n2, C+n2, n-n2);
    } else
        vector_add(A, B, C, n);
}

void main() {
    rec_vector_add(a, b, c, N);
}

```

(a) Sequential code



(b) Divide-and-conquer division of the vectors A, B and C originated after recursive invocations to function `rec_vector_add`.

Figure 9: Sequential recursive version for the vector addition example in Figure 7 and the resulting recursion tree.

396 *branch-and-bound* problems, for example the problem of placing n non-attacking
397 queens on a chess board or the travelling salesman problem. These together with
398 other examples based on divide-and-conquer are left to the student as problems
399 to be resolved and discussed in class.

400 4.4. Task ordering constraints

401 Once the students know the basic mechanisms available in OpenMP to ex-
402 press different kinds of task decomposition strategies, together with the mecha-
403 nisms to control task granularity, they are faced with the necessity of expressing

```

void main() {
    #pragma omp parallel
    #pragma omp single
    rec_vector_add(a, b, c, N);
}
(a) Main program
void rec_vector_add(int *A, int *B, int *C, int n) {
    if (n>BASE_SIZE) {
        int n2 = n / 2;
        rec_vector_add(A, B, C, n2);
        rec_vector_add(A+n2, B+n2, C+n2, n-n2);
    } else
        #pragma omp task
        vector_add(A, B, C, n);
}
(b) Leaf decomposition
void rec_vector_add(int *A, int *B, int *C, int n) {
    if (n>BASE_SIZE) {
        int n2 = n / 2;
        #pragma omp task
        rec_vector_add(A, B, C, n2);
        #pragma omp task
        rec_vector_add(A+n2, B+n2, C+n2, n-n2);
    } else
        vector_add(A, B, C, n);
}
(c) Tree decomposition


```

Figure 10: Leaf and tree recursive task decomposition strategies applied to the vector addition example in Figure 9.


404 task ordering and data sharing constraints. Task ordering constraints enforce
405 the execution of (groups of) tasks in a required order while data sharing con-
406 straints force data accesses to fulfil certain properties (write-after-read, exclu-
407 sive, commutative, etc.).

408 Task ordering constraints can be due to control dependences (e.g. the cre-
409 ation of a task depends on the outcome of one or more previous tasks) or data
410 dependences (e.g. the execution of a task cannot start until one or more previ-
411 ous tasks have computed some data). These constraints can be easily imposed
412 by sequentially composing dependent tasks, by inserting (global) task barrier
413 synchronisations, which avoid the creation of tasks until the tasks that introduce
414 the control/data dependency finish, or by expressing task dependencies.

415 The two different mechanisms available in OpenMP to express task barriers



(a) Leaf decomposition



(b) Tree decomposition

Figure 11: Tasks generated for the leaf and tree recursive task decomposition strategies in Figure 10.

416 are presented to students: `taskwait`, which suspends the current task at a
 417 certain point waiting for all child tasks to finish, and `taskgroup`, which suspends
 418 the current task (at the end of the structured block it defines) waiting on the
 419 completion of all its child tasks and their descendent tasks. Figure 13 shows a
 420 simple example that is used in class to explain these constructs. In the top-left
 421 corner we have a simple TDG, showing task durations, and a trace of an ideal
 422 execution of these tasks. Task barriers enforce dependences by not generating
 423 tasks that depend on previously generated tasks. This causes extra delays, as
 424 shown in the top-center and top-right codes and execution timelines that make

```

#define CUTOFF 3
void rec_vector_add(int *A, int *B, int *C, int n, int depth) {
    if (n>MIN_SIZE) {
        int n2 = n / 2;
        if (depth < CUTOFF) {
            #pragma omp task
            rec_vector_add(A, B, C, n2, depth+1);
            #pragma omp task
            rec_vector_add(A+n2, B+n2, C+n2, n-n2, depth+1);
        } else {
            rec_vector_add(A, B, C, n2, depth+1);
            rec_vector_add(A+n2, B+n2, C+n2, n-n2, depth+1);
        }
    } else vector_add(A, B, C, n);
}
(a) Using conditional statements to control task generation}

#define CUTOFF 3
void rec_vector_add(int *A, int *B, int *C, int n, int depth) {
    if (n>MIN_SIZE) {
        int n2 = n / 2;
        #pragma omp task final(depth >= CUTOFF) mergeable
        rec_vector_add(A, B, C, n2, depth+1);
        #pragma omp task final(depth >= CUTOFF) mergeable
        rec_vector_add(A+n2, B+n2, C+n2, n-n2, depth+1);
    } else vector_add(A, B, C, n);
}
(b) Using task clauses to control task generation

```

Figure 12: Depth-based cut-off control for the tree recursive task decomposition strategy.

425 use of `taskwait`. The two solutions at the bottom-left and bottom-center make
426 use of task nesting and combined use of `taskgroup` and `taskwait` constructs to
427 achieve the expected behaviour, using task control mechanisms to express data
428 dependencies, but requiring “global thinking” in an unnatural way.

429 The bottom-right code and execution timeline in Figure 13 show the use
430 of task dependences in OpenMP to express the TDG in a more natural “local
431 thinking” way (having in mind only what a task requires in order to be exe-
432 cuted and what it produces after being executed, independently of the task that
433 produces or uses the data). Task dependences among sibling tasks (i.e. from
434 the same parent task) are derived at runtime from the information provided
435 through directionality clauses, expressing which of the data used by the task is
436 read, written or both.

437 Task dependences are derived from the items in the `in`, `out` and `inout` vari-
438 able lists. These lists may include array sections. Figure 14 shows another
439 example that could be used to get a better understanding of how these direc-




Figure 13: Different alternatives to ensure the dependencies in a simple TDG using mechanisms available in OpenMP.

440 tionality clauses are used. The dependencies cause a wavefront execution of the
 441 tasks, similar to that studied in the previous unit (Figures 4 and 5).

442 4.5. Data sharing constraints

443 Finally in this unit the student is presented with mechanisms that allow the
 444 concurrent execution of tasks if exclusive access to certain variables or parts of
 445 them can be guaranteed. This implies that the execution of tasks is commu-
 446 tative in terms of their execution order, eliminating task ordering constraints.
 447 Two basic mechanisms are presented: *atomic accesses*, which guarantee atom-


```

447 #pragma omp parallel private(i, j)
448 #pragma omp single
449 {
450     for (i=1; i<n i++) {
451         for (j=1; j<n;j++) {
452             #pragma omp task // firstprivate(i, j) by default
453                 depend(in : block[i-1][j], block[i][j-1])
454                 depend(out: block[i][j])
455             foo(i,j);
456         }
457     }
458 }

```

Figure 14: Task dependences example, simplified *Gauss–Seidel* code.

448 icity for load/store instruction pairs, and *mutual exclusion*, which ensures that
449 only one task at a time can execute the code within the critical section or access
450 certain memory locations. The three specific mechanisms in OpenMP related to
451 tasks are presented: **atomic** (which includes atomic updates, reads and writes),
452 **critical** (with and without a name) and **locks**, including the intrinsic func-
453 tions for acquiring and releasing locks. Understanding the differences among the
454 three mechanisms is key, and examples are used to ensure that students achieve
455 a good understanding. Code excerpts based on the use of lists, hash tables, etc.,
456 are excellent examples to illustrate the differences among these mechanisms.

457 4.6. Methodology

458 This part of the course typically requires about four theory sessions (two
459 hours each) and five laboratory sessions (also two hours each). During the five
460 laboratory sessions, students receive two different assignments. Some examples
461 for these assignments are:

- 462 • Two-dimensional *Mandelbrot Set* computation. This is an embarrassingly
463 parallel iterative task decomposition in which students can experiment
464 with different task granularities, expressed using **task** and/or **taskloop**
465 with different values for the **grainsize**. Tasks are totally independent
466 unless the result is displayed on the screen while the set is computed, in
467 which case mutual exclusion is required to plot on the screen.
- 468 • *Sieve of Eratosthenes*. The program finds (and counts) all prime numbers

469 up to a certain given *lastNumber* and it is well suited for an iterative task
470 decomposition, using either `task` or `taskloop` to have a better control of
471 granularity. In order to improve locality, the computation of the prime
472 numbers is done in a range between `from` and `to` and then the program
473 uses an outer loop that sieves blocks of a certain block size in order to
474 cover the full range between 1 and *lastNumber*.

475 • *Multisort*, using a divide-and-conquer recursive task decomposition strat-
476 egy. The divide-and-conquer strategy recursively splits the vector to sort
477 into four parts, which are sorted with four independent invocations of
478 sort. Once these sort tasks end, two merge tasks follow, each one joining
479 the results of two sort tasks. Their results are merged again with a final
480 merge call. In this code `task`, task barriers (`taskwait` and `taskgroup`)
481 and task dependences are the main ingredients to effectively parallelise
482 the sequential code.

483 • *Sudoku*, using branch-and-bound recursive task decomposition. The code
484 is useful to show the need of data replication to enable exploratory par-
485 allelisation strategies and the need to control task generation based on
486 recursion depth or the number of tasks to avoid excessive overheads.

487 For each assignment, students first use *Tareador* to explore possible task de-
488 compositions, analyse the resulting dependences between tasks and identify the
489 variables that cause dependencies. The students try to understand the reasons
490 for the dependencies and decide how to enforce them in OpenMP. Given the
491 potential parallelism of the explored task decompositions, students start coding
492 different versions using OpenMP. As mentioned in the previous unit, *Extrae*
493 and *Paraver* are used to visualise and analyse the behaviour and performance
494 of their parallelisation strategies. An analysis of overheads and strong scalabil-
495 ity concludes each assignment, which also offers some optional parts to further
496 explore the possibilities of OpenMP and/or potential parallelisation strategies.

497 For this part of the course we also offer video material that covers the basic
498 task decomposition strategies and online quizzes to understand how and when

499 tasks are created and executed. As in the previous unit, this material is used
 500 by some professors to implement a *flipped-classroom* methodology and by other
 501 professors it is simply offered as study material for the students to consolidate
 502 the ideas presented in class.

503 As mentioned before, students have a collection of exercises available, some
 504 of which are solved in class. These exercises are an important component of the
 505 course methodology to assess the understanding of different task decomposition
 506 strategies and how to specify them in OpenMP via the available constructs for
 507 specifying tasks, guaranteeing task ordering and sharing data.

508 5. Architecture support to shared-memory programming

509 While students practise the concepts and strategies explained in the previ-
 510 ous unit in the laboratory sessions, they are exposed to the basics of parallel
 511 architectures, with a clear focus on understanding the support that different or-
 512 ganisations provide for two fundamental aspects covered in the previous units:
 513 *how is data shared among processors?* and *how are processors able to synchro-*
 514 *nise?* Figure 15 lists the three presented architectures.




Memory architecture	Address space(s)	Connection	Model for data sharing	Names
(Centralized) Shared-memory architecture	Single shared address space, uniform access time		Load/store instructions from processors. Snoopy-based coherence	<ul style="list-style-type: none"> SMP (Symmetric Multi-Processor) architecture UMA (Uniform Memory Access) architecture
Distributed-memory architecture	Single shared address space, non-uniform access time		Load/store instructions from processors. Directory-based coherence	<ul style="list-style-type: none"> DSM (Distributed-Shared Memory) architecture NUMA (Non-Uniform Memory Access) architecture
	Multiple separate address spaces		Explicit messages through network interface card	<ul style="list-style-type: none"> Message-passing multiprocessor Cluster Architecture Multicomputer

Figure 15: Classification of multiprocessor architectures.

515 *5.1. How data is shared between processors?*

516 Starting from the initial cache hierarchy for single-processor architectures
517 that they already know, the students try to evolve the system to accommodate
518 more than one processor, with the objective of sharing the access to mem-
519 ory. Private vs. shared cache hierarchies easily enter the discussion and the
520 cache coherence problem is presented. The two usual solutions (write-update
521 vs. write-invalidate coherence protocols) are described and their pros and cons
522 are analysed. Snoopy-based coherence mechanisms are presented first, based
523 on: 1) the fact that every cache that has a copy of a block from main memory
524 keeps its sharing status (*status distributed*); and 2) the existence of a *broadcast*
525 medium (e.g. a bus) that makes all transactions visible to all caches and defines
526 an *ordering*. The unit then focusses on understanding the basic MSI and MESI
527 write-invalidate snooping protocols, with their states and the state transitions
528 triggered by CPU events and bus transactions. The students' curiosity and in-
529 terest easily reveal the need for more advanced protocols, such as MOESI and
530 MESIF, in order to minimise the intervention of main memory.

531 Students are questioned about the scalability of a mechanism based on a
532 broadcast medium and are helped to evolve it to a distributed solution in which
533 the sharing status of each block in memory is kept in just one location (the
534 directory). The need to physically distribute main memory across different
535 nodes while keeping cache coherence has a price: non-uniformity in terms of
536 access time to memory (*NUMA* architectures). The structure of the directory is
537 presented (the need for a sharers list in addition to the status bits) together with
538 a simplified coherence protocol and the coherence commands that are exchanged
539 between nodes (local generating the request, owner of the line in main memory
540 and remote with clean/dirty copies).

541 At this point it is important to go back to a parallel program in OpenMP
542 (such as the well known *Gauss-Seidel* relaxation code) and analyse how the
543 memory accesses performed by one of the tasks trigger different coherence ac-
544 tions and cause changes in the state of memory/cache lines. Figure 16 shows
545 the example that is used to motivate the discussion. The example assumes

546 that 1) the blocks of the matrix are distributed in the main memories of three
 547 NUMA nodes (M_{0-2}) by rows and 2) the tasks computing the blocks in each
 548 node are executed by the processor in that node (P_{0-2} , respectively). Based
 549 on that, and the dependences that order the execution of tasks, the evolution
 550 of the lines shown in the figure is analysed based on the coherence commands
 551 issued from the processors in each NUMA node. Students are asked to think
 552 about what would happen if tasks were dynamically assigned to processors, as
 553 actually happens in the OpenMP tasking model, and use this as a motivation
 554 for the next unit in the subject (data decomposition strategies described in the
 555 next section).




Figure 16: Example based on the *Gauss-Seidel* computation that is used to understand the coherence traffic generated.

556 This is also a good point to see one of the problems that occur in cache-
 557 based parallel architectures: *false sharing* in contrast to *true sharing*, and ways
 558 to address it when defining shared data structures (e.g. use of padding).

559 *5.2. How are processors able to synchronise?*

560 Once students understand the key role of the memory system in provid-
 561 ing the shared-memory abstraction that OpenMP is based on, they are pre-
 562 sented with the need for low-level mechanisms to guarantee safety for accesses
 563 to shared-memory locations (e.g. mutual exclusion and atomicity) or to signal

564 certain events (e.g. task barriers and dependences). After motivating the im-
565 possibility of guaranteeing them at a higher level, the professor introduces the
566 first mechanism based on atomic (indivisible) instructions to fetch and update
567 memory on top of which other user-level synchronisation operations can be im-
568 plemented: test&set (read the value at a location and replace it by the value
569 one), atomic exchange (interchange of a value in a register with a value in mem-
570 ory) and fetch&op (read the value at a location and replace it with the result of
571 a simple arithmetic operation, usually add, increment, subtract or decrement).
572 Students are also presented with the other mechanism currently available based
573 on Load-linked Store-conditional instruction sequences (ll-sc), working through
574 some examples to see how to conditionally re-execute them in order to simulate
575 atomicity.

576 The basic mechanisms are used to code simple high-level synchronisation
577 patterns; after that the discussion goes back to memory coherence, analysing
578 how these synchronisation mechanisms increase coherence traffic and the interest
579 of using test-test&set or load-ll-sc whenever possible in order to avoid writing
580 to memory and invalidating other copies of the synchronisation variable.

581 This part finishes with an example in which, apparently, there is no need to
582 use any of the synchronisation mechanisms presented before to synchronise the
583 execution of tasks. The kind of example is shown on the left side of Figure 17. In
584 this code two tasks synchronise their execution through a shared variable `next`;
585 the second task always goes one iteration behind the first task, doing a busy-
586 wait while loop to ensure this. This example introduces the discussion about
587 memory consistency and the relaxed consistency model used in OpenMP. The
588 same code on the right side of Figure 17 solves the problem by using `#pragma`
589 `omp flush` to explicitly force consistency.

590 *5.3. Scaling through the distributed-memory paradigm*

591 Finally students are questioned about the need to actually share memory
592 and presented with the third paradigm in Figure 15: multiple separate address
593 spaces. However, the simplicity of the distributed-memory paradigm in terms

```

int next = 0;
#pragma omp parallel
#pragma omp single
{
    #pragma omp task
    for (int end = 0; end == 0; ){
        ...
        next++;
        #pragma omp flush(next)
        if (next==N) end=1;
    }
}

#pragma omp task
{
    int mynext = 0;
    for (int end = 0; end == 0; ){
        while (next <= mynext) {
            #pragma omp flush(next)
            ;
        }
        ...
        mynext++;
        if (mynext==N) end=1;
    }
}

```

Figure 17: Synchronisation through a shared variable and the use of `flush` to enforce consistency.

594 of hardware comes at the cost of programmability. The key point to understand
595 here is that since each processor has its own address space, a processor cannot
596 access data resident in the memory of other processors and any interaction with
597 them has to be done through the network interface card and interconnection
598 network. With the knowledge that students have about computer networks the
599 message passing paradigm flows very naturally. The basic primitives for data
600 exchange are presented, both in the form of point-to-point communication (basic
601 send and receive) and in the form of collectives (basic broadcast, scatter, gather
602 and reduction).

603 5.4. Methodology

604 This part of the course takes about three theory sessions (two hours each),
605 with no laboratory sessions. We offer to the students video material that covers
606 cache coherence for both bus and directory-based shared-memory architectures
607 and for distributed-memory architectures together with online quizzes to un-
608 derstand the main concepts. As in the previous unit, this material is used by
609 some professors to implement a *flipped-classroom* methodology and simply of-
610 fered by other professors as study material for the students to consolidate the
611 ideas presented in class. However, the video material used in this unit belong to
612 the course High Performance Computer Architecture from Georgia Tech Uni-
613 versity by Profs. Milos Prvulovic and Catherine Gamboa, which is available on
614 Udacity.

615 **6. Data decomposition strategies**

616 Once students understand the NUMA aspect of shared-memory architec-
 617 tures and the lack of data sharing in distributed-memory architectures, they
 618 are presented with an alternative approach to task decomposition. The new
 619 approach is based on extracting parallelism from the multiplicity of data (e.g.
 620 elements in vectors, rows/columns/slices in matrices, elements in a list, subtrees
 621 in a tree, and so on).

622 Data decomposition is first motivated by the excessive level of implicit data
 623 movement that may be introduced in NUMA architectures by a task decomposi-
 624 tion that is unaware of how data is accessed by tasks. The dynamic assignment
 625 of tasks to processors does not favour the data locality that would be required to
 626 minimise the negative effect of accessing remote data. This is motivated by the
 627 conclusions drawn from the analysis of the *Gauss-Seidel* example in Figure 16
 628 and by the new synthetic example shown in Figure 18, consisting of a sequence
 629 of loops in which the tasks originate from a `taskloop` construct that executes
 630 chunks of consecutive iterations. Observe also the use of the `nowait` clause to
 631 avoid the implicit barrier at the end of each `for` construct: data dependences
 632 between tasks are internalised within the execution of each implicit task.

```

#define n 100
#pragma omp parallel
#pragma omp single
for (iter=0; i<num_iters; iter++) {
  #pragma omp taskloop num_tasks(4)
  for (int i=0; i<n; i++)
    b[i] = foo1(a[i]);
  #pragma omp taskwait
  #pragma omp taskloop num_tasks(4)
  for (int i=0; i<n; i++)
    c[i] = foo2(b[i]);
  #pragma omp taskwait
  #pragma omp taskloop num_tasks(4)
  for (int i=0; i<n; i++)
    a[i] = foo3(c[i]);
  #pragma omp taskwait
}

```

Vectors **a**, **b** and **c** are distributed across the memories of the NUMA system, as follows

M ₀	M ₁	M ₂	M ₃
0..24	25..49	50..74	75..99

Possible assignment of iterations to processors (threads) in the different loops

P ₀	P ₁	P ₂	P ₃
25..49	50..74	0..24	75..99
25..49	75..99	0..24	50..74
50..74	25..49	75..99	0..24

Figure 18: Example used to illustrate the implicit data movement when task decomposition is applied. Tasks are dynamically executed by processors, as shown on the right for a possible assignment of tasks to processors. This dynamic assignment imply penalties in the access time to data accessed by the tasks.

633 It should be clear at this point that data locality could be easily improved if
634 the programmer takes into account the data that is accessed by each task and
635 controls the assignment of tasks to processors. The proposed parallel code in
636 the upper part in Figure 19 makes use of the implicit tasks that are generated
637 in `parallel` constructs in OpenMP: one implicit task per thread executing
638 the parallel region. As can be seen in the example, each implicit task queries
639 the identifier of the thread executing it (call to `omp_get_thread_num` intrinsic
640 function in OpenMP) and the number of threads that participate in the parallel
641 region (call to `omp_get_num_threads` intrinsic function in OpenMP). With this
642 information each implicit task decides on a range of iterations to execute, which
643 can be the same for all the loops in the sequence in order to improve data locality.
644 In this example, in addition, the use of task barriers (`taskwait` in Figure 18)
645 can be avoided because data dependences between tasks are internalised within
646 the execution of each implicit task.

647 *6.1. Loop vs. task-based approaches*

648 This is a good point to explain the `#pragma omp for` directive in OpenMP,
649 which clearly represents the “traditional” loop-based approach to teach paral-
650 lelism in a large body of parallel programming courses. As shown in the lower
651 part in Figure 19 the `for` work-sharing construct and `schedule(static [,`
652 `chunk])` clause in OpenMP allow the programmer to statically assign groups
653 of consecutive iterations (each group of size `chunk`) to consecutive threads in
654 a round-robin way; if `chunk` is omitted, then the compiler simply generates as
655 many groups of consecutive iterations as threads in the parallel region.

656 The *doacross* model introduced in the most recent OpenMP specification is
657 also presented as the mechanism available to define ordering constraints between
658 loop iterations. The `ordered` clause in the `for` work-sharing construct is used
659 to indicate the *doacross* execution, and the `depend` clauses in the `ordered` con-
660 struct are used to indicate the `source` and `sink` of the dependence relationships
661 between iterations, as shown in the two examples in Figure 20.

```

// Solution based on thread identifiers
#pragma omp parallel
{
    whoamI = omp_get_thread_num();
    howmany = omp_get_num_threads();
    chunk = n / howmany;
    lower = whoamI * chunk;
    upper = (whoamI == (howmany-1) ?
             n : lower+chunk);
    for (iter=0; i<num_iters; iter++) {
        for (int i=lower; i<upper; i++)
            b[i] = foo1(a[i]);
        for (int i=lower; i<upper; i++)
            c[i] = foo2(b[i]);
        for (int i=lower; i<upper; i++)
            a[i] = foo3(c[i]);
    }
}

// Solution based on for work-sharing
#pragma omp parallel
for (iter=0; i<num_iters; iter++) {
    #pragma omp for schedule(static) nowait
    for (int i=0; i<n; i++)
        b[i] = foo1(a[i]);
    #pragma omp for schedule(static) nowait
    for (int i=0; i<n; i++)
        c[i] = foo2(b[i]);
    #pragma omp for schedule(static) nowait
    for (int i=0; i<n; i++)
        a[i] = foo3(c[i]);
}

```

Vectors **a**, **b** and **c** are distributed across the memories of the NUMA system, as follows

M ₀	M ₁	M ₂	M ₃
0..24	25..49	50..74	75..99

Assignment of iterations to processors (threads) based on their thread identifier

P ₀	P ₁	P ₂	P ₃
0..24	25..49	50..74	75..99
0..24	25..49	50..74	75..99
0..24	25..49	50..74	75..99

Figure 19: Continuation of the example in Figure 18 to illustrate the use of implicit tasks in OpenMP (one implicit task per thread, each implicit task executing the body of the parallel region) to control the assignment of iterations (in chunks) to processors. The code on the top makes use of intrinsic functions in OpenMP to determine the identifier of the thread executing the implicit task and the total number of threads. The code on the bottom makes use of `#pragma omp for` to achieve the same assignment of iterations to threads.

6.2. Geometric and recursive data decompositions

The idea behind data decomposition is 1) to identify the data used and/or produced in the computations, which can be output data, input data or both; 2) logically partition this data across various tasks, with two possible strategies considered in this lesson (geometric decomposition and recursive decomposition) or consider the necessity of data replication; and 3) obtain a computational partitioning that corresponds to the data partitioning, following the owner-computes rule. For distributed-memory architectures, one more step will be required in order to add the necessary data allocation and movement actions.

With output data decomposition, the programmer selects data structures that are produced by the tasks and decides how to partition them; input data

```

#pragma omp for ordered(1)
for ( i = 1; i < N; i++ ) {
    A[i] = foo (i);
    #pragma omp ordered depend(sink: i-1)
    B[i] = goo( A[i], B[i-1] );
    #pragma omp ordered depend(source)
    C[i] = too( B[i] );
}

#pragma omp for ordered(2)
for (i = 1; i < N; i++) {
    for (j = 1; j < M; j++) {
        A[i][j] = foo(i, j);
        #pragma omp ordered depend(source)
        B[i][j] = alpha * A[i][j];
        #pragma omp ordered depend(sink: i-1,j)
        depend(sink: i,j-1)
        C[i][j] = 0.2 * (A[i-1][j] + A[i][j-1]);
    }
}

```

Figure 20: Example making use of the *doacross* loop execution mode in OpenMP.

673 structures may follow the same decomposition or require replication in order
674 to avoid task interactions, or they may incur implicit data movement. With
675 input data decomposition, the programmer selects data structures that are read
676 by the tasks and decides how to partition them; output data may or may not
677 follow the same decomposition, and require combining partial results in order
678 to generate the output data structures. Input and output data decomposition
679 could be combined. In both cases, the so-called *Owner Computes Rule* defines
680 who is responsible for performing the computations. In the case of output data
681 decomposition, the owner-computes rule implies that the output is computed
682 by the task to which the output data is assigned; in the case of input data
683 decomposition, the owner-computes rule implies that all computations that use
684 the input data are performed by the task to which the input is assigned.

685 Once the basic idea is captured, students are presented with different basic
686 alternatives for logically decomposing the data structures, which are shown in
687 Figure 21 for a two-dimensional matrix and Figure 22 for a recursive quad-tree
688 data structure, representing for example the particles in an n -body problem.
689 The code generation strategies that correspond to these different decompositions
690 are discussed in class and/or left as exercises. Recursive data decomposition
691 strategies are clearly more difficult to understand and implement, but they
692 represent a good opportunity for students to think about possibilities.

693 The granularity associated to the tasks generated out of a data decomposi-
694 tion strategy is clearly defined by the owner-computes rule, which determines
695 the amount of data assigned to each task. For example, the number of consec-
696 utive rows in a geometric block decomposition or the size of the subtree in a




Figure 21: Simple geometric data decomposition strategies for a 2D matrix: per row in a block, cyclic or block-cyclic way and per blocks.

697 recursive one. Different options are discussed to obtain a good load balancing.

698 6.3. Task interactions in distributed-memory architectures

699 For shared-memory architectures students already know the mechanisms
700 that can be used to guarantee task ordering and data sharing constraints;
701 the most appropriate ones for implicit tasks are reviewed: `barrier`, `atomic`,
702 `critical` and lock primitives.

703 The previous unit finished with an overview of distributed-memory archi-
704 tectures and the mechanisms available to move and exchange data among pro-
705 cessors that have disjoint address spaces, i.e. when a processor cannot directly
706 access data stored in the memory of another processor. Now is the time to show
707 students how these mechanisms could be used to ensure that the data needed to
708 perform the computation is available, without entering into much detail since
709 this is a topic to be studied in detail (using MPI) in the PAP subject later
710 in the Computer Engineering specialisation. A simple matrix multiplication




Figure 22: Recursive data decomposition strategy for a quad-tree representing the particles in an n -body problem.

711 code is used to glue the ideas and see how the different communication mecha-
 712 nisms can be used to broadcast and reduce data, scatter and gather data, or to
 713 exchange data point-to-point.

714 6.4. Methodology

715 This part of the course takes about three theory sessions (two hours each)
 716 and three laboratory sessions (also two hours each). During these three labora-
 717 tory sessions, the students receive a single assignment to understand the benefits
 718 of using a data decomposition.

719 One of the possible assignments for this unit is the computation of the well-
 720 known *heat equation*. Two different solvers are used: *Jacobi* and *Gauss-Seidel*,
 721 which students already know because they have been used in theory classes.
 722 The program solving the heat equation makes use of a two-dimensional data
 723 structure iteratively traversed using loop nests. Although *Jacobi* results in an
 724 embarrassingly parallel task decomposition, it is important to guarantee data
 725 locality for the matrices that are accessed. The *Jacobi* solver is invoked it-
 726 eratively in a sequential time-step loop, returning at each iteration a *residual*
 727 value that is used to determine convergence and the termination of the itera-
 728 tive loop. The iterative loop also finishes if convergence is not reached after a

729 certain number of iterations. Ensuring that the processors always work with
730 the same blocks of data is necessary to improve locality and reach a good scal-
731 ability. For the *Gauss-Seidel* solver, the same idea applies, but in this case
732 the task decomposition has dependences among tasks, as already commented.
733 The use of dependences between tasks allows students to express these data
734 dependence constraints albeit at the cost of worse data locality. The use of the
735 *doacross* model for the OpenMP `for` work-sharing construct is recommended
736 at this point as the way to enforce the dependences and ensure data locality.

737 **7. Final remarks**

738 This paper presented the design of a compulsory parallel programming course
739 (*Parallelism* – PAR) for undergraduate students, using the tasking execution
740 model as the backbone for presenting the main concepts and models. The task-
741 ing model is identified as more appropriate for this introductory parallel process-
742 ing course instead of the usual loop-based approach used by many courses that
743 teach parallel processing and OpenMP programming. In this section we show
744 how the proposed design covers the main topics contained in the *Curriculum*
745 *Initiative on Parallel and Distributed Computing - Core Topics for Undergrad-*
746 *uates* [7]. Table 7 shows the organisation of those main topics on Parallel and
747 Distributed Computing throughout the four main units in PAR.

748 *Architecture topics* are explained throughout the course and cover levels of
749 parallelism on single cores, multicores and SMP architectures, memory coher-
750 ence and writing-policy protocols, true/false sharing concepts, memory consis-
751 tency, synchronisation support, and performance metrics. Floating point rep-
752 resentation and precision issues are not studied in this course, since they have
753 already been presented in previous basic computer organisation courses.

754 *Programming topics* correspond to concepts and practices related to perfor-
755 mance, correctness and semantics, and paradigms and notations. Regarding
756 correctness and semantics, the main concurrency issues are presented in the in-
757 troduutory unit for the course, warning students about the potential problems

758 that may appear in concurrent and parallel programs. Performance metrics,
759 including speed-up, Amdahl's law and efficiency, among others, are presented
760 to students in the Fundamentals unit: performance issues due to task granular-
761 ities, synchronisation overheads and load balance are well covered in the unit,
762 but also kept in mind during the rest of the course. Once the students have as-
763 similated the above concepts, the main paradigms and notations are presented.
764 OpenMP, the standard shared-memory programming model, is used throughout
765 the course, both in theory sessions as well as in laboratory assignments. MPI is
766 briefly presented as the de facto standard for distributed-memory programming
767 in the Data Decomposition unit. SIMD instructions for data level parallelism
768 are not covered in depth in this course.

769 *Algorithm Topics* such as parallel and distributed models and complexity
770 are important concepts that are covered in this course. The directed task de-
771 pendency graph (TDG) is presented to students as a mechanism to model the
772 potential parallelism of a parallel strategy, based on the abstraction of infinite
773 resources for computation and communication. Afterwards, divide-and-conquer,
774 linear and iterative implementation strategies are analysed in the Task Decom-
775 position unit, where students begin to enjoy parallel programming. Different
776 explicit communications, as point-to-point and collective communications, are
777 presented in the Data Decomposition unit using a simple example: an MPI
778 implementation of matrix multiplication.

779 *Cross-cutting and Advanced Topics* are covered along the whole course. In
780 particular, we focus on data locality exploitation in some programming practices
781 by measuring the impact of memory access, and by doing exercises focussed
782 on concurrency issues and performance modelling to achieve correctness and
783 efficiency.

784 Table 7 also shows the main examples and practices used in the aforemen-
785 tioned topics. Practices are developed in a cluster of shared-memory nodes
786 with 16 cores (two sockets) per node, with the support of different parallel pro-
787 gramming tools mentioned in the paper: *Tareador* for the exploration of task
788 decomposition strategies, *Extrae* for the instrumentation of parallel programs
789 and *Paraver* to visualise the behaviour of the parallel execution and understand
790 performance bottlenecks and inefficiencies.

791 Finally, although the scope of this paper is the description of a compulsory
792 parallel programming course in the bachelor degree in Informatics Engineering,
793 we include in this final section a brief analysis of the evolution of the subject
794 for six academic years, considering: the percentage of students that pass the
795 subject, their level of satisfaction and the average grade obtained by the stu-
796 dents. We observed that the new methodology and course organisation have
797 contributed to improving the percentage of students that pass the course, being
798 currently over 80% with an average grade over 6.5 (out of 10). Results prior to
799 using the proposed course organisation showed average grades around 5.5 and
800 a percentage around 70% of students that pass the course, revealing a clear im-
801 provement in the student learning process. We also consider these results to be
802 very successful for a fifth-term mandatory course that includes all the bachelor
803 students of the degree (more than 150 per semester). The satisfaction of the
804 students expressed in the quality survey is superior to the rest of mandatory
805 subjects in the same term, and in general the comments received from the stu-
806 dents are very positive. The video lessons and quizzes made available through
807 a *moodle* platform for flipped-classroom and/or self-study is also considered by
808 the students to be a great addition to the classical written material (slides,
809 problems and laboratory assignments).

810 **Acknowledgments**

811 This work has been supported by the grant SEV-2015-0493 of the Severo
812 Ochoa Program, awarded by the Spanish Government, by the Spanish Ministry
813 of Science and Innovation (contract TIN2015-65316-P) and by Generalitat de

814 Catalunya (contracts 2014-MOOC-00057 and 2014-SGR-1051). We also thank
815 the anonymous reviewers and editor for their comments during the review pro-
816 cess, other professors that have been involved in the implementation of the
817 *PAR* course and Paul Carpenter at BSC for his corrections and suggestions to
818 improve the text.

819 References

- 820 [1] OpenMP application program interface: version 4.5. OpenMP Specification
821 [online] (2015). <http://www.openmp.org/>.
- 822 [2] E. Ayguadé, R. M. Badia, D. Jiménez, J. R. Herrero, J. Labarta, V. Subotic,
823 G. Utrera, Tareador: A tool to unveil parallelization strategies at under-
824 graduate level, in: Proceedings of the Workshop on Computer Architecture
825 Education, WCAE '15, 2015, pp. 1:1–1:8. doi:10.1145/2795122.2795123.
- 826 [3] Barcelona Supercomputing Center. BSC Performance Tools [online].
827 <https://www.bsc.es/computer-sciences/performance-tools>.
- 828 [4] T. Mattson, B. Sanders, B. Massingill, Patterns for Parallel Programming,
829 1st Edition, Addison-Wesley Professional, 2004.
- 830 [5] V. Kumar, Introduction to Parallel Computing, 2nd Edition, Addison-
831 Wesley Longman Publishing Co., Inc., Boston, MA, USA, 2002.
- 832 [6] J. L. Hennessy, D. A. Patterson, Computer Architecture, Fifth Edition: A
833 Quantitative Approach, 5th Edition, Morgan Kaufmann Publishers Inc., San
834 Francisco, CA, USA, 2011.
- 835 [7] S. Prasad, A. Chtchelkanova, F. Dehne, M. Gouda, A. Gupta, J. Jaja,
836 K. Kant, A. La Salle, R. Le Blanc, A. Lumsdaine, D. Padua, M. Parashar,
837 V. Prasanna, Y. Robert, A. Rosenberg, S. Sahni, B. Shirazi, A. Sussman,
838 C. Weems, J. Wu. Nsf/ieee-tcpp curriculum initiative on parallel and dis-
839 tributed computing - core topics for undergraduates, version I [online] (2012).
840 <http://www.cs.gsu.edu/tcpp/curriculum/>.

Unit	Parallel and Distributed Computing Topics				Codes
	<i>Architecture Topics</i>	<i>Programming Topics</i>	<i>Algorithm Topics</i>	<i>Crosscutting and Advanced Topics</i>	
Fundamentals	Performance Metrics	Paradigms and Notations Performance Metrics and Issues Correctness and semantics	Parallel/Distributed models and computing	Locality, Concurrency and Performance Modeling	Jacobi and Gauss-Seidel Relaxation
Task Decomposition	Performance Metric Usage	Paradigms and Notations for Shared Memory, Correctness and Semantics	Algorithm Paradigms		Mandelbrot Set, Eratosthenes Sieve, Multisort, Sudoku
Parallel Architectures	Architecture Classes, Memory Hierarchy, Performance Metrics	Performance Issues			Exercises and Overhead Measurements
Data Decomposition	Memory Hierarchy, Performance Metric Usage	Paradigms and Notations, Distributed Memory, Performance issues	Algorithm Problem		Jacobi and Gauss-Seidel Relaxation

Table 2: Coverage in PAR of the Core Topics in the Curriculum on Parallel and Distributed Computing.