

Repeatless: innovating print and pattern design with generative systems

Alex Russell
MIRIAD/Manchester School of Art,
Manchester Metropolitan University
(U.K.)

a.russell@mmu.ac.uk



Cloth Of Gold (Russell)

Interdisciplinary, design practice-led PhD

Design, generative systems, computer programming and complexity




Patterandom Worn Stripe 002 (Russell)

Print and pattern design, printed textiles,
surface pattern

Pattern that is printed onto fabric or any
other substrate

Wallpaper/furnishings, clothes, wrapping
paper...

...surrounded by it, but never heard of it



aram 1059 (Russell)

Pre-digital textile printing technology

Same design transferred repeatedly down fabric

Mechanised in industrial revolution

Copper roller, rotary screen

Design is physical part of printer mechanics



SPG Prints Rotary Screen Printer (SPG Prints)

Technology affects design

Designs have to create seamless pattern

Appears to flow down fabric

No element stands out



AVA Bridge (Russell)

Digital fabric printing also mechanical
(jet of colour)

Design not physical part of printer


Print head only needs to know small part
of a design at a time

Pattern could change as it's being
printed

Existing research/practice* has identified
potential for non-repeating pattern

Design completed, then sent to print

*Carlisle, 2002; Richardson, 2009; Häberle, 2011 and 2013;
Schofield, 2012; McDonald, 2013; Paramanik, 2013 et al.




aram 1591 (Russell)

If data changed all the time, so would the pattern

If possible to create dynamically evolving design, could stream to digital printer

Rather than completed, fixed dimension design being sent to print, design that changed in real time and of any (potentially infinite) length could be digitally printed

Repeatless: dynamic, non-repeating pattern



Patterandom Worn Spot 002b (Russell)

Exploit this potential

Generative design:
the generation of designs by a set of
rules or an algorithm, usually using
computers*

Not as established in textiles as in other
design fields (architecture, graphics)

Faber Finds**

Model for generative design needed

*Bruton and Radford, 2012: 166

**Schmidt and Bantjes, 2008



Faber Finds covers (Schmidt and Bantjes; Faber and Faber)

Idea that pattern could be assembled from a series of components

Day* outlines method of designing small-scale patterns


Method not dependant on imagery, but on structure by which it is arranged

Summarising de Quincy (1755-1849), McCullough** notes:

[he] was one of the first to suggest a universal grammar in place of a lexicon or taxonomy of forms in architecture. ... artefacts are related by an underlying essence, even if their outward appearance is quite different.

*Day, 1903: 128-138

**McCullough, 1998: 181



Sateen repeat method (Day)

How to develop a grammar for print/
pattern design

Traditional processes such as Day's
sateen repeat could be abstracted

Paradox of creating non-repeating
pattern from repeating grammar

Quality of traditional pattern design into
repeatless pattern



Rmx Caylx (Russell)

Balancing design

Avoiding tracking; no one element stands out

Design might appear random, but isn't

If actually random, elements will stand out



Tracking example (Russell)

System that allows elements within pattern to interact

Dynamic arrangement with underlying grammar

System could be a complex system:
... research that seeks to explain
how large numbers of relatively
simple entities organize themselves
... into a collective whole that
creates patterns, uses information*

*Mitchell, 2009: 4



Noah Sateen (Russell)

Cellular automata


Grid where each cell's state evolves in time to those around it via set of rules

Example: Game of life*

Parallel's with Day's system

Previous (MA) study

*Conway, 1970



Game of life (Conway)

Rules of CA could be grammar of pattern design

Pattern a grid of motifs

Motifs = values of sites

Arrangement = deterministic rules



Motif arrangement (Russell)

Developed algorithm

Wrote generative software application in Processing*

Process in two biological taxonomy in some studies of complex systems**

*Reas and Fry, 2007

**Bentley, 1999: 8; As and Schodek, 2008: 173



```
Repeatless0003_ClothOfGold_01a | Processing 2.0.2
Java

Repeatless0003_ClothOfGold_01a

int maxSeedSize = 5; // Assign maximum seed size
int minSeedSize = 1; // Assign minimum seed size
int folderTotal = 5; // Assign number of folders (families)
int fileTotal = 10; // Assign number of files (elements in each folder)
int sameWidth; // Declare width variable for sameFolderMove rules image
int sameHeight; // Declare height variable for sameFolderMove rules image
int differentWidth; // Declare width variable for differentFolderMove rules image
int differentHeight; // Declare height variable for differentFolderMove rules image
int moveShrinkRow = 5; // Assign move and shrink row (array starts at 0)
int sameMagnify = 2; // Assign factor to magnify movement for nearby motifs from
//same folder
int coveragePlugRow = 13; // Assign coverage and plug row (array starts at 0)
int countPrintImage = 1; // Assign print output number

// Create 2D array for genotype motif size, coverage, folder, file
int[][] motifSizeGeno = new int[cellColumns][cellRowsGeno];
int[][] motifCoverageGeno = new int[cellColumns][cellRowsGeno];
int[][] motifFolderGeno = new int[cellColumns][cellRowsGeno];
int[][] motifFileGeno = new int[cellColumns][cellRowsGeno];


// Create 2D array for next genotype motif size, coverage, folder, file
int[][] nextMotifSizeGeno = new int[cellColumns][cellRowsGeno];
int[][] nextMotifCoverageGeno = new int[cellColumns][cellRowsGeno];
int[][] nextMotifFolderGeno = new int[cellColumns][cellRowsGeno];
int[][] nextMotifFileGeno = new int[cellColumns][cellRowsGeno];

// Create 2D array for display genotype motif size, coverage, folder, file
int[][] dispMotifSizeGeno = new int[cellColumns][cellRowsGeno];
int[][] dispMotifCoverageGeno = new int[cellColumns][cellRowsGeno];
int[][] dispMotifFolderGeno = new int[cellColumns][cellRowsGeno];
int[][] dispMotifFileGeno = new int[cellColumns][cellRowsGeno];

// Create 2D array for phenotype motif size, coverage, folder, file
int[][] motifSizePheno = new int[cellColumns][cellRowsPheno];
int[][] motifCoveragePheno = new int[cellColumns][cellRowsPheno];
int[][] motifFolderPheno = new int[cellColumns][cellRowsPheno];
int[][] motifFilePheno = new int[cellColumns][cellRowsPheno];

// Create 2D array for next phenotype motif size, coverage, folder, file
int[][] nextMotifSizePheno = new int[cellColumns][cellRowsPheno];
int[][] nextMotifCoveragePheno = new int[cellColumns][cellRowsPheno];
int[][] nextMotifFolderPheno = new int[cellColumns][cellRowsPheno];
int[][] nextMotifFilePheno = new int[cellColumns][cellRowsPheno];
```

Part one: genotype, CA





Part two: phenotype, library of motifs mapped onto grid

Saved section by section to be printed

Library can be any imagery

Important for commercial/industrial application




Phenotype stage (Russell)

To date:

Prototype developed

Proof of principle

Positioning papers to assert claim for originality



Cloth Of Gold sketchbook (Russell)


Next:

Develop new software application

Test design outputs via peer review

Assess quality of designs

Iterative approach, reflect on results,
feedback into system



Patterandom Clean Stripe A 003 (Russell)

Innovation 01:

Pre-digital printing on industrial scale means large areas of fabric quickly covered with pattern

Trade-off that design does same thing over and over again

Digital hardware allows printing to be re-imagined; non-repeating designs printed




Cloth Of Gold Folder02 File02 (Russell)

Innovation 02:

Generative design produces ever-changing pattern in real time, streamed to a digital printer

CA, complex system governed by simple rules, ever-changing behaviour

Re-think pattern, any combination of predetermined motifs dynamically arranged design



Cloth Of Gold Library (Russell)


Innovation 03:

Existing methods of repeat design
quantified for CA rules

Processes used by practitioners to
conceal repeat used to develop
algorithms

Allow the quality of repeatless design to
be maintained at a consistently high
level

CA outputs complex motif arrangements;
obey guidelines yet never do same thing
twice



Cloth Of Gold (Russell)

Interdisciplinary research across science, technology and design

Method of re-thinking pattern

Need for repeat is eradicated without losing any of rich legacy of print/pattern

Combination of complexity, digital systems, traditional design techniques

Particular synthesis of elements from the different areas that make this work innovative, shifting the paradigms of what pattern is and the way it can be reproduced



Cloth Of Gold (Russell)