



Citation for published version:

Cooper, S & Hammond, G 2018, 'Decarbonising' UK industry: towards a cleaner economy', Proceedings of the Institution of Civil Engineers - Energy, pp. 1 - 11. <https://doi.org/10.1680/jener.18.00007>

DOI:

[10.1680/jener.18.00007](https://doi.org/10.1680/jener.18.00007)

Publication date:

2018

Document Version

Peer reviewed version

[Link to publication](https://doi.org/10.1680/jener.18.00007)

The final publication is available at ICE publishing via <https://doi.org/10.1680/jener.18.00007>

University of Bath

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Accepted manuscript doi: 10.1680/jener.18.00007

Accepted manuscript

As a service to our authors and readers, we are putting peer-reviewed accepted manuscripts (AM) online, in the Ahead of Print section of each journal web page, shortly after acceptance.

Disclaimer

The AM is yet to be copyedited and formatted in journal house style but can still be read and referenced by quoting its unique reference number, the digital object identifier (DOI). Once the AM has been typeset, an 'uncorrected proof' PDF will replace the 'accepted manuscript' PDF. These formatted articles may still be corrected by the authors. During the Production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal relate to these versions also.

Version of record

The final edited article will be published in PDF and HTML and will contain all author corrections and is considered the version of record. Authors wishing to reference an article published Ahead of Print should quote its DOI. When an issue becomes available, queuing Ahead of Print articles will move to that issue's Table of Contents. When the article is published in a journal issue, the full reference should be cited in addition to the DOI.

Accepted manuscript doi: 10.1680/jener.18.00007

Submitted: 27 March 2018

Published online in ‘accepted manuscript’ format: 01 May 2018

Manuscript title: ‘Decarbonising’ UK industry: towards a cleaner economy

Authors: Samuel J. G. Cooper¹ and Geoffrey P. Hammond^{1,2}

Affiliations: ¹Department of Mechanical Engineering, University of Bath, Bath, UK;

²Institute for Sustainable Energy and the Environment (I•SEE), University of Bath, Bath, UK

Corresponding author: Geoffrey P. Hammond, Institute for Sustainable Energy and the Environment (I•SEE), University of Bath, Bath, UK. Tel.: +44 1225 386168.

E-mail: ensgph@bath.ac.uk

Abstract

Reducing industrial energy demand and improving resource efficiency could make a substantial contribution towards the UK government's goal of achieving 80% reduction in carbon dioxide emissions by 2050, while simultaneously improving productivity and creating employment opportunities. In this context, the government released its *Clean Growth Strategy* in October 2017, although it has a number of limitations. The associated technology roadmaps exhibit quite large uncertainties, and reducing carbon dioxide emissions over the long-term will depend critically on the adoption of a small number of key technologies, alongside the 'decarbonisation' of electricity supply. 'Circular economy' interventions have the potential to make significant energy savings that are complementary to other energy efficiency measures. But the task for both industrial and policy decision-makers will still be challenging.

Keywords: Energy; Climate change; Business

1. Introduction: The Climate Change Challenge

Human development is underpinned by energy sources of various kinds that heat, power and transport its citizens in their everyday life. But, while energy supplies and technologies underscore continued economic development, they also give rise to unwanted side-effects. Arguably the principle environmental burden emanating from the energy sector is the prospect of global warming due to an enhanced greenhouse effect induced by fossil fuel combustion (Hammond, 2000; IPCC, 2013). Carbon dioxide is the principal ‘greenhouse gas’ (GHG) having an atmospheric residence time of about 100 years (Hammond, 2000). This mainly arises from the combustion of fossil fuels (coal and natural gas) in power stations and motor vehicles, as well as for heating in buildings and industrial processes. Changes in atmospheric concentrations of GHGs affect the energy balance of the global climate system. Human activities have led to quite dramatic increases since 1950 in atmospheric carbon dioxide; concentrations have risen from 330 ppm in 1975 to about 430 ppm currently (IPCC, 2013). The most recent (2013) scientific assessment by the *Intergovernmental Panel on Climate Change* (IPCC) asserts that it is ‘extremely likely’ that humans are the dominant influence on the observed global warming since the mid-20th Century. The 2015 *Paris Agreement* on climate change aims to keep temperatures ‘well below 2°C above pre-industrial levels and to pursue efforts to limit the temperature increase to 1.5°C above pre-industrial levels’ (Ares & Hirst, 2015). The 2°C figure is broadly consistent with the 2050 carbon dioxide emissions target established in the *United Kingdom of Great Britain and Northern Ireland* (UK). However, *bottom-up* national pledges received in connection with the Paris Conference for GHG mitigation efforts are expected to result in a warming of around 2.7°C (Ares & Hirst, 2015). So the world still faces a significant challenge of reducing GHG emissions further in order to bring global warming into line with the aspirations in the *Paris Agreement*.

The evolution of modern industrialised society has been interwoven with discoveries of sources and uses of energy (Hammond & Pearson, 2017), especially the exploitation of fossil fuel resource stocks, the assembly of energy infrastructures, and the development of end-use technologies and practices. With its coal reserves, ports and engineering skills, Britain lay at the heart of the first industrial revolution. Nowadays, while energy supplies underpin continued economic development, this fossil fuel dependence exposes the UK to major risks: supply and resource insecurities; increasing costs of energy supply; and damage to the quality and longer-term viability of the biosphere. The British government has therefore introduced a bold, legally binding target of reducing the nation's carbon dioxide emissions overall by 80% by 2050 in comparison to a 1990 baseline (DECC, 2011) in their 2008 *Climate Change Act* (Climate Change Act, 2008). This initiative led the way globally, and subsequent pathways for achieving such levels of GHG savings are now known as 'deep decarbonisation' in much of the industrialised world (see, for example, Åhman *et al.*, 2016; Bataille *et al.*, 2018; Wesseling *et al.*, 2017). The British government's independent *Committee on Climate Change* (CCC), established under the 2008 *Climate Change Act*, has advocated deep cuts in power sector operational emissions through the 2020s (CCC, 2015), with UK electricity generation being largely 'decarbonised' by 2030–2040. In recommending the *Fifth 'Carbon Budget'* for the period 2028–2032, they proposed a 57% fall in GHG emissions below 1990 levels by 2032. Achieving these carbon dioxide reduction targets will require a challenging transition in Britain's systems for producing, delivering and using energy that is not only 'low carbon', but also secure and affordable; thus resolving three components of the so-called energy policy 'trilemma' (Hammond & Pearson, 2017). Thus, these GHG reductions will necessitate a radical transition towards an energy system that delivers high quality energy services through low-carbon technologies and processes, that are also secure and at competitive prices.

2. The Importance of Industry in Securing a Clean Economy

Industry in the UK accounts for some 18% of total delivered energy and 21% of GHG emissions (BEIS, 2017; ONS, 2017) and so decarbonisation measures will be essential in order to achieve the 80% reduction target by 2050. There are large differences between industrial sub-sectors in the end-use applications of energy, especially in terms of products manufactured, processes undertaken, and technologies employed: see Fig. 1. They range from highly energy-intensive steel production and petrochemicals processing to low-energy electronics fabrication (Dyer *et al.*, 2008). The former sector typically employs large quantities of (often high-temperature) process energy, whereas the latter tends to be dominated by energy uses associated with space heating. Around 350 separate combinations of sectors, devices and technologies can be identified (Dyer *et al.*, 2008); each combination offers quite different prospects for energy efficiency improvements and carbon dioxide savings, which are strongly dependent on the specific technological applications. This large variation across industry does not facilitate a cross-cutting, 'one size fits all' approach to the adaptation of new technologies in order to reduce energy demand but, rather, requires tailored solutions for separate industries (Dyer *et al.*, 2008). Thus, it is widely recognised that of all

parts of the UK economy, industry has arguably the weakest data on industrial energy use and the potential for GHG emissions reduction.

There is clearly a great need for research aimed at providing better information in support of UK industrial strategy for policy makers, including the potential impact of fuel switching (particularly to potentially low-carbon energy carriers, notably electricity), as well as the identification of difficult sectors/processes to decarbonise and areas where investment could be targeted most effectively. GHG emissions are not the only environmental burden that stems from industrial activities. However, 'carbon footprints' have become the 'currency' of debate in a climate constrained world (Cranston & Hammond, 2012). The CCC view industrial decarbonisation as a *difficult* area in which to secure appropriate carbon dioxide savings.

3. From Industrial Sectoral Analysis to Strategy

The GHG emissions from UK industry can be split by sector (Hammond, 2014) as illustrated in the pie chart presented as Fig. 2. This includes emissions from energy use (including those indirectly emitted from electricity use) and process emissions. Thus, the production of cement (Griffin *et al.*, 2014; Griffin *et al.*, 2016; Hills *et al.*, 2016; Li *et al.*, 2013), for example, releases pure carbon dioxide directly into the atmosphere when calcium carbonate is heated to produce lime (calcium oxide; in a process known as *calcining*) which, in turn, requires energy input for the heating process itself (leading to additional carbon dioxide emissions upstream). Industrial sectors with significant process emissions are steel, chemicals, cement, aluminium, glass, ceramics and lime. Information on energy use, emission conversion factors and process emissions can be combined in order to determine the total emissions (Griffin *et al.*, 2016). 2015 data reveals that a number of sectors dominate GHG emissions from UK industry (see again Fig.2): metals (22%), chemicals (15%), non-metallic minerals (12%), food and drink (11%), construction (10%) and manufacturing (10%). This suggests *Pareto-like* priorities for bottom-up studies sector (of the type analysed by Griffin *et al.*, 2014; Griffin *et al.*, 2016; Griffin *et al.*, 2017; and Griffin *et al.*, 2018) with just six sub-sectors accounting for 81% of UK industrial emissions. Much of the activity in some of these sectors is due to a relatively small group of major players whose actions have a large influence on the bulk of sectoral performance. The post-2008 economic recession in the UK (and globally elsewhere) resulted in the closure of some large plants, particularly aluminium smelters and steel mills. The closure of the Redcar steelworks on Teesside in late 2015 is a major example of this; being the cause of nearly half the decline in industrial GHG emissions in 2016. The long-term future of these industrial sectors, and how much capacity other plants may change in response, is clearly uncertain. The closure of major industrial facilities must be set against the background of a general economic slowdown with significant closures also seen in the cement and paper sectors since 2008.

Reducing industrial energy demand and improving resource efficiency could make a substantial contribution towards the UK government's goal of significant (80%) decarbonisation by 2050 (Hammond, 2014), whilst simultaneously improving productivity and creating employment opportunities. Both fossil fuel and process GHG emissions will need to be significantly reduced over this timeframe. Ultimately, all industrial energy use and emissions result from the demand for goods and services. Energy is required at each stage in the manufacture of a product, or 'life-cycle', from raw material extraction through to the final distribution and eventual disposal. The required energy and associated GHG emissions at different points along these UK supply chains emanate from many different countries, due to the growth of globalisation. The UK government, led by its *Department for Business, Energy and Industrial Strategy* (BEIS), released its *Clean Growth Strategy* (CGS) in October 2017 (HM Government, 2017a), alongside seven *Industrial Decarbonisation and Energy Efficiency Action Plans* produced jointly with industrial partners covering different industrial sectors. Thus, the *Action Plans* contain voluntary commitments to reduce GHG emissions, whilst 'maintaining international competitiveness'.

The *Minister for Energy and Clean Growth* (the Rt Hon Claire Perry MP) regards the CGS as a 'march on a decarbonisation pathway' for the UK economy. A novel focus of the strategy is on the notion of growing national income whilst cutting GHG emissions. It is argued that this will improve productivity, create 'good jobs' and enhance the earning power of employees at the same time as meeting the climate change and environmental objectives of the UK. The CGS sets out an aim to improve energy productivity by at least 20% over the period to 2030. This will be stimulated, in part, by way of government investment of £162 million in clean growth innovation funding out to 2021 via a new BEIS *Energy Innovation Programme*, including greenhouse gas removal (GGR) technologies; much of it earmarked for industrial carbon dioxide capture and storage (CCS). £20 million will be used to support industrial demonstrations of switching to low-carbon fuels, whilst £18 million will assist with the establishment of a new industrial heat recovery programme. Many of the proposals in the CGS will be subject to various consultations, including that on a *Streamlined Energy and Carbon Reporting* (SECR) framework for large businesses. Claire Perry also has an ambition to create a 'gold standard' in accelerating green finance and regulatory frameworks that will encourage new business models for the UK. BEIS will seek to monitor progress with these measures via a *Clean Growth Inter-Ministerial Group*, aided by a new metric - the *Emissions Intensity Ratio* (EIR), defined in terms of GHG emissions per unit of national income. The government wants this EIR to fall by 63% between now and 2032. Subsequently, the CGS and associated *Action Plans* were underpinned by the government's *Industrial Strategy White Paper* published in November 2017 (HM Government, 2017b), which has as a *grand challenge* the aim of taking advantage of the 'global shift to clean growth' for the benefit of UK industry. The overall emphasis is on improving productivity via the encouragement of innovation, research and development (R&D), and skills training. It envisages a large increase in public investment in R&D, through an *Industrial Strategy Challenge Fund* (initially of £275 million), together with the commercialisation of its outputs.

4. Weaknesses in the UK ‘Clean Growth Strategy’

The much-delayed publication of the CGS (HM Government, 2017a), originally scheduled for 2016 (when it was known as the *Emissions Reduction Plan*), has been generally welcomed by both industry and civil society groups. In addition, organisations in the energy efficiency and carbon reduction field that were set up by previous UK governments, such as the *Carbon Trust* and *Energy Savings Trust* (now independent bodies), have expressed their pleasure at the content of the CGS. The CCC also welcomed it as representing a move in the right direction. However, they voiced concern over the vagueness of many of the suggested climate change mitigation actions and the potential reliance by the UK government on what they regard as ‘flexibilities’ in the 2008 *Climate Change Act* in order to meet the requirements of the *Fifth Carbon Budget* targets (CCC, 2015). The CCC view such flexibilities as ‘banking and borrowing’, whereas they believe that future carbon budgets out to 2032 at least should be met by way of domestic UK action (CCC, 2018). They regard banking emissions from the overachievement in emissions reductions under the *Second* and *Third Carbon Budgets* would be a retrograde step. It could put at risk the UK commitment to achieving the goals of the *Paris Agreement*, which includes a much greater challenge of moving towards 1.5°C global warming than the 2°C target in place when the CCC originally recommended their *Fifth Carbon Budget* goals. It would also undermine investor confidence in the development of innovative technologies, such as CCS or *carbon capture & utilisation* (CCU). Indeed many antagonists, not just those in the CCS community, have expressed disappointment at the rather modest ongoing support promised for *greenhouse gas removal* technologies. There is a clear need to explore whether CCU can be taken beyond a few niche products.

5. Technological Options for Industrial Decarbonisation

There is significant potential to secure efficiency gains in UK industry, including those associated with the use of heat and with improvements in processing. A series of studies at the University of Bath found that currently-available technologies are likely to lead to further, short-term energy and GHG emissions savings in industry, but that the prospects for the commercial exploitation of innovative (so-called ‘disruptive’) technologies by mid-21st century are far more speculative (Griffin *et al.*, 2014; Griffin *et al.*, 2016; Griffin *et al.*, 2017; Griffin *et al.*, 2018). There are a number of non-technological barriers to the take-up of such technologies (Griffin *et al.*, 2016). Consequently, the transition pathways to a low-carbon future in UK industry by 2050 will exhibit large uncertainties. The attainment of significant falls in GHG emissions over this period will depend critically on the adoption of a limited number of key technologies, viz.:

- **energy efficiency and heat recovery techniques** [including improved thermal insulation of industrial buildings, furnaces, and process equipment; energy-efficient lighting; modern heat

exchangers; *combined heat & power* (CHP) plants (particularly biomass-CHP); and industrial heat pumps]

- **fuel switching**; principally to biomass/bioenergy [but potentially to hydrogen (H₂)]
- **carbon capture, utilisation & storage** (CCU/CCS); although the CCS and CCU research communities in the UK have quite divergent views on the potential economics and take-up of these technologies. Bioenergy CCS (or BECCS) potentially gives rise to advantageous ‘negative emissions’. The development of CCS clusters, or GHG pipeline networks, between the carbon capture systems of electricity generators and industrial process plants, and offshore storage facilities, is obviously a key requirement.
- **decarbonisation of electricity supply**; facilitating, for example, low-carbon electrification of heating for both industrial buildings and processes.

The suitability of these measures depends, in large part, on the nature of the industrial sector concerned. Energy efficiency measures are normally economic (i.e., they use less energy in the most cost-effective manner), and have a relatively short payback period. Significant potential exists for reusing surplus (or waste) heat from industrial processes, particularly at low temperatures via the utilisation of heat exchangers (Hammond & Norman, 2014; Cooper *et al.*, 2016). Such heat could also be converted to electricity by employing innovative technologies, like *organic Rankine cycle* (ORC) devices (Chen *et al.*, 2016). These technologies exist in commercial applications, but are not well established, support for their development and installation is therefore required in order to increase their use. CHP plants are an important and available option at a large, industrial scale. Take-up is already encouraging in many industrial sub-sectors. In contrast, heat pumps are technologies which, at both a small (domestic) and industrial scale, have been slow to take off. International research groups, such as the *Energy research Centre of the Netherlands* (ECN), are working actively in this area.

Bioenergy can be produced from either biomass (any purpose-grown material, such as crops forestry or algae) or biogenic waste (including household, food and commercial waste, agricultural or forestry waste). Thus, bioenergy systems are largely available technologies, limited mainly by restrictions on indigenous, sustainable biomass and biogenic waste resources, delivery and social factors. Sustainable bioenergy is a renewable resource that is often low-carbon and potentially gives rise to ‘carbon sinks’ or ‘negative emissions’ when coupled to CCS facilities. BECCS is likely to have an important role in securing the 1.5°C global warming target under the *2015 Paris Agreement* on climate change. It will require continuing *research, development and demonstration* (RD&D) as it is typically regarded as an unproven technology at full-scale. There are currently just six operational pilot-scale BECCS projects worldwide; with another 12 in the planning or evaluation stage. The potential for generating a modern ‘bioeconomy’ is recognised in industrial sectors such as chemicals and the paper products industry. However, virtually no bioenergy is currently used in the chemicals sector, except for the production of bio-hydrogen. There is substantial prospects for producing high value chemicals from biomass feedstock in state-of-the-art

biorefineries (Griffin *et al.*, 2017). They will yield substitutes to many of the chemicals and plastics presently based on fossil fuel feedstocks. In addition to these options, there is scope in some industrial sectors [such as pulp & paper (Griffin *et al.*, 2018)] for the adoption of *Demand-side flexibility* (DSF) techniques, whereby levels of electricity demand are increased, reduced or shifted, and on-site energy storage then enables the optimisation of electricity usage. This also has major advantages in the context of an energy infrastructure designed to meet occasional peak demands.

Many industrialists view CCS/CCU as being costly technologies that will probably continue to be prohibitively expensive out to 2050 (Hammond, 2013). Possible exceptions to that are sectors with large processing facilities, such as chemicals and steel plants. The CCU community typically argues that the processing of usable products from carbon dioxide emissions adds economic value to offset the costs of ‘carbon capture’, whereas CCS (unless used in connection with enhanced oil or gas recovery) is a high cost process. [Some early work by the late Dutch physical chemist Willem van Gool in the mid-1970s proposed the capture of carbon dioxide emissions and their use as a feedstock in the production of durable consumer goods via chemical methods (van Gool, 1975; Hammond, 2007).] The clustering of GHG networks between electricity generators and industrial process plants, together with their coupling to offshore storage facilities, is an important requirement for the practical adoption of CCS (and possibly CCU) in the UK and elsewhere (Griffin *et al.*, 2016). This requires ongoing RD&D as part of a collaborative programme with the manufacturing/processing sectors and electricity and gas supply utilities. Nevertheless, all steam crackers and ammonia plant are situated within potential UK CCS cluster regions (Griffin *et al.*, 2017); see, for example, Fig. 3. The UK government (see, for example, DECC, 2012) has from time-to-time aimed at developing a sustainable CCS industry that might capture emissions from clusters of industrial process plants and electricity power stations linked together by a pipeline network transporting carbon dioxide to suitable storage sites offshore (Element Energy, 2010; Griffin *et al.*, 2016). These CCS clusters hold out the prospect of providing integrated carbon dioxide pipeline networks, which could be formed of multiple branches that link individual sources to a common hub and main pipeline; thereby sharing CCS infrastructure (DECC, 2012). Such integrated pipelines could considerably decrease the costs of transport, particularly from smaller carbon dioxide sources. In addition, CCS clusters could potentially reduce significantly the disruption and transaction costs, as well as investment risks (Hammond, 2013), associated with permitting and installing multiple point-to-point pipeline networks (Element Energy, 2010). Indeed, carbon dioxide transport and storage costs present a greater hurdle than that associated with capture costs themselves (Griffin *et al.*, 2016). But there are major challenges in commercially financing carbon dioxide pipelines (Hammond, 2013) that are likely to be over-sized in the period before CCS becomes a mature, commercial technology (Element Energy, 2010). Cluster regions of industrial activities have been identified for storage under both the North Sea (Element Energy, 2010) and the North East part of the Irish Sea (DECC, 2012). The distribution of these carbon dioxide point sources and potential UK CCS cluster regions are illustrated in Fig. 3 (adapted from Griffin *et al.*, 2016). They are principally along the East Coast of the

UK adjacent to depleted oil and gas fields in the North Sea: the Firth of Forth in Scotland, Teesside in the North East of England, and the Humber and Thames Estuaries on the East Coast of England. The main industrial area in Wales (and one of the largest agglomerations in the UK) is on its South Coast, but doesn't have an appropriate carbon dioxide storage locations in its vicinity, i.e., beneath the Bristol Channel. In contrast, the more modest industrial area in the North East of Wales could make use of the adjacent Liverpool-Manchester CCS cluster with storage capacity in the Irish Sea. Nevertheless, pipeline technology for building a carbon dioxide transport network is ready to be rolled out, and the UK already has preliminary plans for at least two large carbon dioxide transport hubs (see again Fig. 3), e.g., at St Fergus gas terminal in Central Scotland, with its multiple pipelines taking carbon dioxide via Peterhead Harbour out to North Sea storage sites [via the *Acorn CCS Project* that is part of the 'Advancing CCS Technologies' (ACT) Programme; funded by the *European Union* (EU)], and the corresponding *Teesside Collective CCS Project*. Indeed, the UK government is committed to the support of ongoing CCS/CCU initiatives to test the potential for the development of industrial carbon dioxide pipeline clusters on Teesside, Merseyside, South Wales, and Grangemouth as set out in its CGS (HM Government, 2017a). Roddy (2012) has studied the practical issues involved in building a carbon dioxide pipeline network in the North East of England (see again Fig. 3). He suggests that a medium-sized network is likely to be economic at estimated future carbon dioxide prices. Such clustering is viewed as one of the CCS enabling factors by BEIS in the UK (HM Government, 2017a).

6. Towards a 'Circular Economy'

Circular economy (CE) interventions – sometimes termed 'value chain collaboration' by BEIS – seek to reorganise products and services to improve resource use efficiency by designing out waste, recycling and reusing materials; thereby minimising their negative side-effects. Arguably, measures of this type will reduce product consumption sufficiently to achieve sustainable development goals and mitigate climate change. Such strategies will slow throughput of materials across the economy. The approach has also achieved prominence via the European Commission's *Circular Economy Package* (EU, 2015). A reassignment of material flows within the *circular economy* can be conceptualized by the EU (2015), and is represented schematically in Fig. 4. The concept has been championed by the *Ellen MacArthur Foundation*, who present it more broadly in terms of expanding the 'waste hierarchy', 'circling longer', or enabling cascaded use (EMAF, 2015). The *Foundation* claims that these approaches increase employment, more effectively capture value, mitigate exposure to supply chain and market risks, and better develop customer relationships. Such approaches can be viewed as an alternative to the conventional *linear 'take-make-consume-dispose'* economic model (see Fig. 4). 'Extended Producer Responsibility' (EPR) is one of various CE policy interventions under which producers are given a significant responsibility for the end-of-life treatment or disposal of post-consumer products. This effectively requires producers to internalise the cost of some of the market 'externalities' (Hammond & Winnett, 2006) associated with their products. Consumers are encouraged to

separate and recycle products such as used batteries and light bulbs. If producers make it easy to recycle such items, then consumers are much more likely to do so. In the UK only four EPR systems have currently been adopted with stimulus from the EU, which cover packaging, *waste electrical and electronic equipment* (WEEE), *end-of-life vehicles* (ELVs), and batteries. Even emerging rechargeable batteries will eventually need to be recycled (see, for example, Hammond & Hazeldine, 2015). A high level of embodied energy and carbon in goods and services – fuel use and GHG emissions that arise upstream of the point of production or use - are traded internationally. This consequently means that much of the reduction in energy use and GHG emissions that results from applying CE interventions will occur outside of the country in which they are utilised. Similarly, energy demand due to exports from a region is likely to decrease due to CE approaches applied elsewhere. The development of an international accounting system for embodied carbon dioxide emissions that takes account of these global flows would no doubt help countries work together to reduce global warming.

The implications of CE interventions have recently been studied analytically by Cooper *et al.* (2017a). They collated evidence on specific quantifiable approaches, calculated their combined overall supply chain impacts via *Input-Output* analysis and then used thermodynamic analysis to investigate the aggregate effects. Several potential CE interventions were examined in a global context, across the EU-27, and in the UK. They were found to have similar overall potential to save energy as industrial energy efficiency measures. Some CE approaches improve business-to-business interactions, whilst others ensure that the needs of consumers are met with less resources. These were broken down into the global potential energy savings that could be achieved through different subsets of CE approaches applied in the UK as illustrated in Fig. 5. CE interventions may be characterized as ‘*getting more out*’ and ‘*putting less in*’. Examples of the former include using products longer or more intensely, refurbishment and reuse of products. Examples of the latter include reducing material content of products via optimised designs or stronger materials, increasing material production yields, and enhanced recycling. Comparison of regional and temporal variations in the ratio of energy efficiency to energy productivity (Cooper *et al.* 2017b) indicate that there may be additional untapped potential for energy demand reductions relating to the service that products and energy provide. However, even without this, Cooper *et al.* (2017a) found that techniques for ‘*getting more out*’ have greater potential in the UK than those associated with ‘*putting less in*’.

7. The International Context

Technical opportunities for the ‘deep decarbonisation’ of industry have been under active development and appraisal elsewhere in the industrialised world. These have naturally been focused on *energy-intensive* (EI) industrial sectors, such as basic materials: iron & steel (Åhman *et al.*, 2016; Arens *et al.*, 2017; Bataille *et al.*, 2018; Leeson *et al.*, 2017; Morfeldt *et al.*, 2015; Napp *et al.*, 2014; Rootzén & Johnsson, 2015; Wesseling *et al.*, 2017), aluminium

(Åhman *et al.*, 2016; Bataille *et al.*, 2018; Wesseling *et al.*, 2017), cement (Åhman *et al.*, 2016; Bataille *et al.*, 2018; Hills *et al.*, 2016; Leeson *et al.*, 2017; Li *et al.*, 2013; Napp *et al.*, 2014; Rootzén & Johnsson, 2015; Wesseling *et al.*, 2017); chemicals (Bataille *et al.*, 2018), glass (Bataille *et al.*, 2018; Wesseling *et al.*, 2017), and pulp & paper (Bataille *et al.*, 2018; Leeson *et al.*, 2017; Wesseling *et al.*, 2017). The measures advocated largely reflect those identified in *Section 5* above, including the ‘*low hanging fruit*’ of improved energy efficiency, ‘resource efficiency’ (i.e., CE interventions), and the use of biofuels and bio-based materials, alongside decarbonised power generation (Lechtenböhmer *et al.*, 2016). In terms of disruptive technologies, the main focus has been on the potential role of industrial CCS (Åhman *et al.*, 2013; Hills *et al.*, 2016; Leeson *et al.*, 2017; Li *et al.*, 2013; Morfeldt *et al.*, 2015; Rootzén & Johnsson, 2015). Rootzén & Johnsson (2015) examined the potential of industrial CCS in EI sectors within a Nordic context, and found that large-scale CCS deployment would result in a significant ‘penalty’ in terms of both its energy use and additional carbon dioxide emissions. A techno-economic appraisal of CCS in several EI industries by Leeson *et al.* (2017) found that the main factor influencing cost reduction measures were the start date of large-scale deployment. Delays in instigating CCS demonstration projects, as in the case of the UK, will prove costly in the long-term.

The iron & steel and cement sectors collectively accounted for some 56% of global industrial carbon dioxide emissions in the recent past (Napp *et al.*, 2014), and have therefore been the subject of a number of international studies. In the iron & steel sector there are various ways in which the process-related GHG emissions associated with the production of virgin steel can be substantially reduced (Åhman *et al.*, 2016): process-integrated CCS, electrification (or ‘electrowinning’), and biomethane/hydrogen *direct reduced iron* (DRI). Morfeldt *et al.* (2015) used a global energy-economic systems model (ETSAP-TIAM), together with a *Scrap Availability Assessment Model*, to assess the links between steel demand, recycling rates, and the international availability of scrap. This northern European team (from Belgium, Sweden and The Netherlands) found that energy efficiency improvements would only secure iron & steel sector decarbonisation out to 2050 if coupled with CCS deployment. In contrast, these coupled models (Morfeldt *et al.*, 2015) indicated that H₂-based steel production could prove a major climate change option for virgin material should CCS not be feasible. In a German context, Arens *et al.* (2017) suggested that efforts to reduce carbon dioxide emissions from the iron & steel sector should focus on incremental improvements in the medium-term, because innovative processes (such as H₂-based DRI or steel from electrolysis employing carbon-dioxide-free electricity) will take decades to develop and deploy. But in the case of the cement sector, Hills *et al.* (2016) suggest that decarbonisation could be difficult or expensive without CCS. They went on to highlight the need for reducing shut-down times for capture plant construction, which lead to both increased overall cost and cumulative carbon dioxide emissions. Li *et al.* (2013) argue that large-scale demonstration of carbon dioxide capture in the cement sector will

require either public financial support or CCU. Nevertheless, Åhman *et al.* (2016), again from a northern European perspective (Belgium and Sweden) expressed the belief that the radical reductions in GHG emissions beyond 2050 will require disruptive technologies in the steel industry (e.g., electrowinning or the so-called Hisarna concept) or a magnesium or oxygen-based process with CCS to replace existing cement kilns. Griffin *et al.* (2016) also examined a number of innovative alternatives for substituting *ordinary Portland cement* (OPC) on a mass-scale, but noted that it might take a number of years to overcome regulatory barriers and establish new standards regimes and construction codes.

8. Concluding Remarks: Securing a Decarbonisation Pathway for Industry

A number of opportunities and priorities for industrial decarbonisation and improved resource efficiency in the UK have been articulated. But the task for both industrial and policy decision-makers will be challenging. The aspirations highlighted in the UK government's recent CGS need to be clarified and more clearly elaborated. In order to achieve its commitments under the *2015 Paris Agreement*, the UK government should not rely on accounting 'flexibilities' (what the CCC regard as 'banking and borrowing') or reliance on international carbon credits. The joint industry-government *Action Plans* and forthcoming *Sector Deals* will have to be delivered in partnership. The technology roadmaps to 2050 exhibit quite large uncertainties, and the attainment of significant falls in GHG emissions over the long-term will depend critically on the adoption of a small number of key technologies highlighted above, alongside the decarbonisation of the electricity supply (Griffin *et al.*, 2014; Griffin *et al.*, 2016; Griffin *et al.*, 2017; Griffin *et al.*, 2018). The latter implies the generation of electricity via various combinations of fossil-fuelled power plants with coupled CCS/CCU facilities, nuclear power, and various renewable energy technologies, principally large-scale wind or solar photovoltaic arrays at a range of geographic scales (Hammond & Pearson, 2017; Lechtenböhmer *et al.*, 2016). CHP plants will also have a role in a number of industrial sectors. Large and complex paper mills, for example, typically take control of their energy supplies by building CHP plants that are more efficient than separate supply of electricity and heat, and reduce GHG emissions and generating costs (Griffin *et al.*, 2018). A number of such CHP plants use biogenic (wood) waste to produce this 'auto-generated' electricity, which is a renewable resource and gives rise to further reductions in GHG emissions. The UK paper sector is consequently the largest user and producer of bioenergy in Europe. Thus, a credible range of technical measures for decarbonisation across the UK economy, and for industry in particular (see, for example, Åhman *et al.*, 2013; Åhman *et al.*, 2016; Arens *et al.*, 2017; Bataille *et al.*, 2018; Griffin *et al.*, 2016; Napp *et al.*, 2014; Wesseling *et al.*, 2017), need to be set out. Put 'meat on the bones' of the framework set out in the British government's strategy.

CE interventions have the potential to make significant energy savings that are complementary to other energy efficiency measures. In order to maximize the benefits from the adoption of CE approaches, they need to be applied widely and consistently (Cooper *et*

al., 2017); reflecting the international nature of supply chains. The actual interventions are varied in their nature and their scope. In general, the CE approaches that exhibit the greatest potential energy savings are those that can either be applied broadly or relate to relatively concentrated flows of goods or services. For example, some options to reduce food waste can be applied to a large proportion of the existing food waste, whereas some of the options to improve resource efficiency in manufacturing or construction are specific to particular processes. This does not negate the value of the approaches that are specific, but indicates that policies with broad applicability may have greater scope to facilitate change. Such measures and policies are often associated with both key users of goods (e.g., construction, retail, and public services) and with some of the key materials that are employed (e.g., steel, chemicals, cement, paper, plastics, and so on). There is greater overall scope for energy savings within the UK through CE interventions that make more effective use of products than through those that make production more resource efficient. However, the potential for each type of approach is significant. Policy measures that encourage the uptake of CE interventions should therefore target both sides of the supply relationship.

Clearly a range of policy and financial instruments are required in order to implement the UK government's *Clean Growth Strategy* (CGS) and its associated industrial opportunities. They will need further articulation over the coming months and years. To aid in this process, there is a growing body of international guidance on such instruments to encourage the take-up of industrial decarbonisation measures. Policy approaches will be required to support *research, development, demonstration and deployment* in order to stimulate near zero-carbon basic materials and novel, pre-commercial mitigation technologies in the future, although they may need international agreements, particularly on climate change, to offset the constraints of global, price-competitive markets (Åhman *et al.*, 2016; Bataille *et al.*, 2018; Napp *et al.*, 2014). Decarbonisation options for basic materials processing offer little by way of 'co-benefits' (Åhman *et al.*, 2016), and these technologies often give rise to significant additional costs. Napp *et al.* (2014) therefore advocated carbon pricing, subsidies and other economic instruments to incentivise fuel-switching and lost-cost efficiency measures. They also foresaw the need for energy and emissions monitoring systems; something that has been taken up as part of the BEIS *Streamlined Energy and Carbon Reporting* proposals (HM Government, 2017a). Åhman *et al.* (2013) also argued in favour of the use of public funds to finance the up-scaling and demonstration of new low-carbon technologies in order to share the risks. That is perhaps something that is more acceptable in a northern European context than in Britain. In any event, much still needs to be done on the both the technology and policy development fronts in order to decarbonise UK industry by 2050.

Acknowledgements

The work reported here forms part of a programme of research at the University of Bath on the technology assessment of energy systems and industrial decarbonisation that has been supported by a series of UK research grants and contracts awarded by various bodies associated with the *UK Research and Innovation (UKRI) Energy Programme* for which Professor Hammond was the holder. That associated with industrial energy demand and carbon emissions reduction originally formed a part of the ‘core’ research programme of the *UK Energy Research Centre (UKERC)*; Phase 2, 2009-2014 [under Grant NE/G007748/1]. This was part of a UKERC flexible funding project entitled ‘*Industrial Energy Use from a Bottom-up Perspective*’ [for which Professor Hammond was the Principal Investigator]. More recently, the ongoing studies have been supported by the *UK Engineering and Physical Sciences Research Council (EPSRC)* ‘End Use Energy Demand’ (EUED) Programme, as part of the *Centre for Industrial Energy, Materials and Products (CIE-MAP)* [under Grant EP/N022645/1]. Professor Hammond is one of the four Co-Directors of CIE-MAP. He was commissioned in 2015 to produce, jointly with several members of his research team, a technical peer review of the UK government’s *2050 Industrial Decarbonisation Roadmaps*. Subsequently, he was engaged in the development of the follow-on Industrial Decarbonisation ‘Action Plans’ in the areas of bioenergy and ‘value chain collaboration’ (i.e., ‘*circular economy*’ interventions). Dr Cooper is a Research Associate working on the CIE-MAP project with a focus on the improvement of energy and material efficiency of the industrial sector.

The authors’ names are listed alphabetically.

REFERENCES

- Åhman, M., Nikoleris, A. and Wyns, T., Decarbonizing industry: emerging roadmaps point to major need for financing radical innovation, *Carbon Management*, Vol. 4, No. 1, pp 5-7, 2013.
- Åhman, M., Nilsson, L.J., and Johansson, B., Global climate policy and deep decarbonization of energy-intensive industries, *Climate Policy*, Vol. 17, No. 5, pp 634-649, 2016.
- Arens, M., Worrell, E., Eichhammer, W., Hasanbeigi, A. and Zhang, Q., Pathways to a low-carbon iron and steel industry in the medium-term—the case of Germany, *Journal of Cleaner Production*, Vol. 163, pp 84-98, 2017.
- Ares, E., and Hirst, D., *Paris Climate Change Conference*. Briefing Paper CPB 7393, London, UK: House of Commons Library, 2015.
- Bataille, C., Åhman, M., Neuhoff, K., Nilsson, L.J., Fishedick, M., Lechtenböhrer, S., Solano-Rodriguez, B., Denis-Ryan, A., Stiebert, S., Waisman, H., Sartor, O., and Rahbar, S., A review of technology and policy deep decarbonization pathway options for making energy-intensive industry production consistent with the Paris Agreement, *Journal of Cleaner Production*, Vol. 187, pp 960-973, 2018.
- Chen, Q., Hammond, G.P. and Norman, J.B., Energy efficiency potentials: Contrasting thermodynamic, technical and economic limits for organic Rankine cycles within UK industry, *Applied Energy*, Vol. 164, pp 984-990, 2016.
- Climate Change Act 2008*. Chapter 27, London, UK: The Stationary Office Limited, 2008.
- Committee on Climate Change [CCC]. *The Fifth Carbon Budget – The next step towards a low-carbon economy*. London, UK: CCC, 2015.
- Committee on Climate Change [CCC]. *An Independent Assessment of the UK's Clean Growth Strategy: From ambition to action*. London, UK: CCC, 2018.
- Cooper, S.J.G., Hammond, G.P. and Norman, J.B., Potential for use of heat rejected from industry in district heating networks, GB perspective, *Journal of the Energy Institute*, Vol. 89, No. 1, pp 57-69, 2016.
- Cooper, S.J.G., Giesekam, J., Hammond, G.P., Norman, J.B., Owen, A., Rogers, J.G. and Scott, K., Thermodynamic insights and assessment of the 'circular economy', *Journal of Cleaner Production*, Vol. 162, pp 1356-1367, 2017a.
- Cooper, S.J.G., Hammond, G.P., and Norman, J.B., An empirical assessment of sector-level exergy analysis, *Energy Procedia*, Vol. 142, pp 4050-4055, 2017b.
- Cranston, G.R. and Hammond, G.P., Carbon footprints in a bipolar, climate-constrained world, *Ecological Indicators*, Vol. 16, pp 91–99, 2012.
- Department for Business, Energy and Industrial Strategy [BEIS]. *Energy Consumption in the UK* (ECUK), BEIS, London, 2017.
- Department of Energy and Climate Change [DECC]. *Planning our electric future: a White Paper for secure, affordable and low-carbon electricity*. London, UK: The Stationary Office Limited, 2011.

- Department of Energy and Climate Change [DECC]. *CCS Roadmap: Supporting deployment of Carbon Capture and Storage in the UK*. London, UK: DECC; 2012.
- Dyer, C.H., Hammond, G.P., Jones, C.I. and McKenna, R.C., Enabling technologies for industrial energy demand management, *Energy Policy*, Vol. 36, No. 12, pp 4434–4443, 2008.
- Element Energy. *Potential for the application of CCS to UK industry and natural gas power generation*. [Final Report for the UK Committee on Climate Change] Cambridge, UK: Element Energy; 2010.
- Ellen MacArthur Foundation [EMAF], *Towards the Circular Economy: Economic and Business Rationale for an Accelerated Transition*, Cowes, UK: EMAF, 2015.
- European Union [EU]. *Closing the Loop: An EU action plan for the circular economy*. COM (2015) 614 final. Brussels, Belgium: EU, 2015.
- Griffin, P.W., Hammond, G.P. and Norman, J.B., Prospects for emissions reduction in the UK cement sector, *Proc. Instn Civil. Engrs: Energy*, Vol. 167, No. 3, 1 pp 52-161, 2014.
- Griffin, P.W., Hammond, G.P. and Norman, J.B., Industrial energy use and carbon emissions reduction: A UK perspective, *WIREs Energy Environ.*, Vol. 5, No. 6, pp 684–714, 2016.
- Griffin, P.W., Hammond, G.P. and Norman, J.B., Industrial energy use and carbon emissions reduction in the chemicals sector: A UK perspective, *Applied Energy*, available online 12th August 2017 [DOI: 10.1016/j.apenergy.2017.08.010].
- Griffin, P.W., Hammond, G.P. and Norman, J.B., Industrial decarbonisation of the pulp and paper sector: A UK perspective, *Applied Thermal Engineering*, Vol. 134, pp 52-162, 2018.
- Hammond, G.P., Energy, environment and sustainable development: a UK perspective, *Trans IChemE Part B: Process Safety and Environmental Protection*, Vol. 78, No. 4, pp 304-23, 2000.
- Hammond, G.P., Industrial energy analysis, thermodynamics and sustainability (In memoriam: Willem van Gool), *Applied Energy*, Vol. 84, No.7-8, pp 675-700, 2007.
- Hammond, G., Briefing: Carbon dioxide capture and storage faces a challenging future, *Proc. Instn Civil. Engrs: Civil Engineering*, Vol. 166, No. 4, pp 147, 2013.
- Hammond, G.P., Progress in energy demand reduction - From here to 2050 (Editorial). *Proc. Instn Civil. Engrs: Energy*, Vol. 167, No. 3, pp 89-102, 2014.
- Hammond, G.P. and Hazeldine, T., Indicative energy technology assessment of advanced rechargeable battery technologies, *Applied Energy*, Vol. 138, pp 559-571, 2015. Hammond, G.P. and Norman, J.B., Heat recovery opportunities in UK industry, *Applied Energy*, Vol. 116, pp 387–397, 2014.
- Hammond, G.P., and Pearson, P.J.G., Realising transition pathways to a low-carbon future (Editorial), *Proc. Instn Mech. Engrs Part A: Journal of Power and Energy*, Vol. 231, No. 6, pp 435-439, 2017.
- Hammond, G.P. and Winnett, A.B., Interdisciplinary perspectives on environmental appraisal and valuation techniques, *Proc. Instn Civil. Engrs: Waste and Resource Management*, Vol. 159, No. 3, pp 117-130, 2006.

- Hills, T., Florin, N. and Fennell, P.S., Decarbonising the cement sector: A bottom-up model for optimising carbon capture application in the UK, *Journal of Cleaner Production*, Vol. 139, pp 1351-1361, 2016.
- HM Government, *The Clean Growth Strategy: Leading the way to a low carbon future*. London, UK: Department of Business, Energy and Industrial Strategy [BEIS], 2017a.
- HM Government, *Industrial Strategy: Building a Britain fit for the future*. London, UK: Department of Business, Energy and Industrial Strategy [BEIS], 2017b.
- Intergovernmental Panel on Climate Change [IPCC]. *Climate Change 2013 - The Physical Science Basis*. Geneva, Switzerland: World Meteorological Office (WMO)/United Nations Environment Programme (UNEP), 2013.
- Lechtenböhmer, S., Nilsson, L.J., Åhman, M. and Schneider, C., Decarbonising the energy intensive basic materials industry through electrification—Implications for future EU electricity demand, *Energy*, Vol. 115, pp 1623-1631, 2016.
- Leeson, D., Mac Dowell, N., Shah, N., Petit, C. and Fennell, P.S., A Techno-economic analysis and systematic review of carbon capture and storage (CCS) applied to the iron and steel, cement, oil refining and pulp and paper industries, as well as other high purity sources, *International Journal of Greenhouse Gas Control*, Vol. 61, pp 71-84, 2017.
- Li, J., Tharakan, P., Macdonald, D. and Liang, X., Technological, economic and financial prospects of carbon dioxide capture in the cement industry, *Energy Policy*, Vol. 61, pp 1377-1387, 2013.
- Morfeltdt, J., Nijs, W. and Silveira, S., The impact of climate targets on future steel production—an analysis based on a global energy system model, *Journal of Cleaner Production*, Vol. 103, pp 469-482, 2015.
- Napp, T.A., Gambhir, A., Hills, T.P., Florin, N. and Fennell, P.S., A review of the technologies, economics and policy instruments for decarbonising energy-intensive manufacturing industries, *Renewable and Sustainable Energy Reviews*, Vol. 30, pp 616-640, 2014.
- Office for National Statistics [ONS] *UK Environmental Accounts: 2017*, ONS, London, UK, 2017.
- Roddy, D.J., Development of a CO₂ network for industrial emissions, *Applied Energy*, Vol. 91, No. 1, pp 459-465, 2012.
- Rootzén, J. and Johnsson, F., CO₂ emissions abatement in the Nordic carbon-intensive industry—an end-game in sight?, *Energy*, Vol. 80, pp 715-730, 2015.
- Van Gool, W., Energy research and development program for The Netherlands, In: *Proceedings of the Energy Technology II Conference*, Washington DC, USA, pp 135-142, 1975.
- Wesseling, J.H., Lechtenböhmer, S., Åhman, M., Nilsson, L.J., Worrell, E. and Coenen, L., The transition of energy intensive processing industries towards deep decarbonization: Characteristics and implications for future research, *Renewable and Sustainable Energy Reviews*, Vol. 79, pp 1303-1313, 2017.


Fig. 1. Final UK energy demand by industrial subsector and end-use. *Source:* produced with data adapted from BEIS (2017).

Fig. 2. *Greenhouse gas* (GHG) emissions from UK industry. *Source:* produced with data adapted from BEIS (2017) and ONS (2017).


Fig. 3. Distribution of carbon dioxide point sources and CCS cluster regions in the UK. *Source:* Griffin *et al.* (2016).

Fig. 4. Schematic representation of material flows in a more '*circular economy*'. *Source:* EU (2015).


Fig. 5. Reduction in energy use possible for the UK through different subsets of '*circular economy*' interventions. *Source:* produced with the data of Cooper *et al.* (2017a).




CH_DecarbonisingIndustry_ener_Fig1_IndustrialEnergyUse




CH_DecarbonisingIndustry_ener_Fig2_GHGIndustrialEmissions



CH_DecarbonisingIndustry_ener_Fig3_CCScustering



CH_DecarbonisingIndustry_ener_Fig4_CEDiagram



CH_DecarbonisingIndustry_ener_Fig5_CElnterventions