# 1 Marine Microplastic

- 2 Tamara Galloway and Ceri Lewis
- 3 College of Life and Environmental sciences, University of Exeter, EX4 4QD UK
- 4 Contact <u>t.s.galloway@exeter.ac.uk</u>
- 5

## 6 What is microplastic?

7 Unless you've been out of contact with global media for a while, you will have heard of microplastic. 8 Microplastic is a word coined to describe the vast tide of microscopic plastic debris that is now found 9 throughout the worlds' oceans. Where ever we look, from beaches and coastlines, to subtropical 10 oceanic gyres, polar ice caps and even the deepest parts of the ocean, we find microplastic. 11 Microplastic (<1mm in size and with no lower size limit) is formed by the fragmentation of larger 12 plastic items, ropes and synthetic fabrics through the mechanical action of wind and waves or sunlight-13 induced photo oxidation. It is also made up of items manufactured to be small, such as the microbeads 14 added to cosmetics and shower gels as exfoliators to make skin feel soft and which then wash down 15 the drain into the wastewater system, or the tiny particles generated by 3D printers or used in paints 16 and coatings which reach the oceans through a similar route.

Plastics are synthetic polymers, which make up around 25% of the output of the global chemical industry, with around 4000 different formulations in current manufacture, worth billions to the global economy. Plastics are wonderful materials; lightweight and durable, cheap to manufacture and nontoxic. They can be made into endless colours, shapes and materials (Figure 1) depending on the addition of dyes, plasticisers, hardeners, softeners, UV screens and antimicrobial agents, allowing us to manufacture many of the constituents of daily modern life that we take for granted: plastic bags and bottles, packaging materials, computer screens, plant pots, construction materials, clothes,
medical disposables and even medicines themselves.

Hence the term 'microplastic' refers to a complex mixture of shapes and sizes, fragments, fibres and particles made from a multitude of polymer types and chemical additives. Unsurprisingly, it is our favourite plastics in terms of global tonnage that also form the major constituent of marine debris. Polymers that are less dense than seawater, like polyethylene and polypropylene are more likely to float on the ocean surface, whilst polymers with a greater density such as polyvinylchloride and polystyrene settle in the water column or accumulate on the ocean floor.

31

#### 32 How much is too much?

33 Think of a number, any number, multiply it by a million and you are probably not even close to the 34 amount of plastic currently in the oceans. Globally, we produce around 300 million tonnes of plastic, 35 of which around 50% is intended for single use before being discarded. Conservative estimates suggest 36 that there are over 5 trillion individual pieces of plastic floating on the oceans' surface, that's a million 37 pieces for each human being living on the planet! These eye watering numbers don't include the tiny 38 fragments at the nanoscale that form as microplastic breaks down to form nanoplastic, since we're 39 not yet able to measure this size range in the environment. If a gazillion was an actual number, it might 40 come close to describing this immensity and it has been suggested that there is now enough plastic to form a permanent and distinct layer in the fossil record. Interestingly, fibres outnumber fragments 41 42 and beads, at the sea surface, in sediments and in the bodies of marine animals. Black and blue fibres 43 are more common than any other colour.

44

#### 45 What harm does it do?

2

Just because microplastic is in the oceans, doesn't mean that it is doing any harm. Plastic is safe, right? The problem is that microplastic has accumulated in immense quantities in locations and in a form that was never envisaged when it was manufactured, and so most of the tests that have been performed to guarantee its safety in consumer items are inappropriate for determining its risk to marine life.

51

## 52 Size matters

53 Microplastic raises concern because its small size overlaps with the preferred prey items of many 54 marine animals, including indiscriminating filter, suspension and detritus feeders near the base of the food web, allowing them to be ingested along with, or instead of, normal food. Field studies have 55 revealed microplastic in the guts or tissues of hundreds of marine species, including planktonic species 56 57 from surface waters such as copepods and larval fish, and in bivalves, crustaceans, and worms from 58 the ocean floor. Microplastic is also found in the guts of larger animals such as sea turtles and in the 59 scat of seals and other marine mammals. Whether they got there through direct ingestion or through 60 consumption of contaminated prey is not yet known, but transfer of microplastic from prey to 61 predator has been demonstrated in laboratory studies.

62

#### 63 It's all about the surface

As things become smaller, so their relative surface area increases, providing a larger area for interaction with the outside environment. The hydrophobic nature of plastic attracts other substances, including organic and plant matter, bacteria, chemical contaminants and metals which absorb onto the surface. Following ingestion, these substances can potentially transfer to the tissues of animals. The jury is out over the relative contribution that microplastic makes to the transfer of contaminants to marine species compared to direct transfer across the skin or ingestion of

3

70 contaminated food, since many hazardous persistent organic pollutants, such as organochlorine 71 pesticides or polyaromatic hydrocarbons, are also prevalent in seawater. An intriguing possibility is 72 that microplastic is selective in what else it binds, preferentially accumulating certain chemicals or 73 substances deliberately secreted or exuded by marine life, including signalling molecules, pheromones 74 and predator prey infochemicals. When combined with the buoyancy and persistence of microplastic 75 and its tendency to be moved long distances across the ocean surface through the action of wind, 76 currents and tides, the resulting widespread distribution of these selected substances could alter 77 ecological processes in many ways.

78

#### 79 An emerging paradigm

80 If levels of microplastic contamination are sufficiently high, chronic exposure studies in the laboratory suggest a consistent pattern of adverse effects. Ingesting microplastic leads to altered feeding 81 82 behaviours, leaving animals with lower lipid stores which then reduces growth and reproductive 83 output. Carry-over effects in the next generation include reductions in offspring quality and growth 84 rates. Other reported adverse effects relate to the uptake of particles across the gut and across cell 85 membranes, triggering apoptosis and the upregulation of stress and damage repair pathways. Far fewer studies have been able to extrapolate from these findings to higher levels of biological 86 87 organisation, and none to date have been able to identify populations in the wild which have been 88 adversely affected. In part this is due to the technical challenges of identifying microplasticcontaminated animals in situ. It is also challenging to link cause and effect against the backdrop of 89 90 degraded marine habitats and multiple anthropogenic stressors to which many populations and 91 communities are subjected.

92

### 93 What would it take to do it differently?

4

94 Microplastic is on the face of it an easy problem to solve. It is a problem entirely generated by our 95 own behaviour. We could simply stop throwing plastic into the oceans. Achieving this aim is less 96 straightforward. Complex problems relating to patterns of consumer use, societal behaviour and 97 waste disposal infrastructure across developed and developing nations remain a barrier to 98 international agreements. The technological achievements that brought us plastic in the first place 99 could offer us the solution. Biodegradable biopolymers, which degrade completely to non-toxic 100 monomers, changing fashions in reusable containers and consumer preference for more thrifty use 101 and sustainable packaging can all make a difference. Societal pressure is potentially the most 102 compelling of these. By improving ocean literacy, ie teaching people more about how the oceans 103 function and the human behaviours that threaten them, we might stand more chance of achieving the 104 UN Sustainable Development Goal of conserving the oceans for future generations.

105

### 106 Acknowledgements

107 TG and CL acknowledge funding from the Natural Environment Research Council, UK grant NE/

108

#### 109 How can I find out more?

110 1 Marine Anthropogenic Litter. (2015). Editors Melanie Bergman, Lars Gutow, Michael Klages. Springer

111 Open. ISBN: 978-3-319-16509-7 (Print) ISBN 978-3-319-16510-3 (eBook) Available to download from

112 ink.springer.com/book/10.1007%2F978-3-319-16510-3

113 2. GESAMP (2015). "Sources, fate and effects of microplastics in the marine environment: a global

assessment" (Kershaw, P. J., ed.). (IMO/FAO/UNESCO-IOC/UNIDO/WMO/IAEA/UN/UNEP/UNDP Joint

115 Group of Experts on the Scientific Aspects of Marine Environmental Protection). Rep. Stud. GESAMP

116 No. 90, 96 p.

- 117 3. www.oceanliteracy.net
- 118
- 119 Figure footnote
- 120 Figure 1 Plastic items found in marine debris collected from beaches across the South West coastline
- 121 of England, UK. Credit: Tracey Williams, UK <u>https://www.facebook.com/LegoLostAtSea/</u>