brought to you by 🏋 CORE

Information for MAPS-Antarctic whale sighting data

Author	Elke Burkhardt
Project	MAPS: Marine Mammal Perimeter Surveillance from RV Polarstern

Program description:

Since 2005, AWI in cooperation with Reederei Laeisz, systematically and continuously logs all sightings of cetaceans near RV Polarstern in the Southern Ocean (Marine Mammal Perimeter Surveillance, MAPS). A corresponding sighting protocol is maintained by the nautical officer on duty on the bridge of the RV Polarstern. While the officers are advised to systematically log all sightings, no dedicated sighting efforts are taken. Neither does the ship follow a dedicated survey design.

The sightings hence are considered opportunistic sightings. However, in contrast to truly opportunistic sightings, logging occurs systematically and continuously and by a limited number of persons, who have received repeated briefing on marine mammal identification and generally several years of experience as nautical officers in the Southern Ocean.

Observations are made with the naked eye or handheld binoculars (7x50). Sightings were listed on a dedicated sightings form until Polarstern cruise ANT XXIV-4 (Figure 1). The paper form was replaced by electronic logs: WERUM Wallog for expeditions ANT XXV-1 through ANT XXV-4 (Figure 2); and AWI Walog (sic!) since ANT XXVI-1 (Figure 3).

In-field identification of sighted animals up to species level is aided by picture charts and common field guides. The fact that only 14 cetacean species are listed as true Antarctic species thereby greatly facilitates the identification effort. Additional post-event validation of the identification might be performed using photographs or a short video sequence if available.

For each cruise, the data sets are validated (test for plausibility of sighting location and time, standardization of species names, consideration of any "comments" and additional information (photo, video)) and entered into PANGAEA (one data set per cruise).

Within PANGAEA all data are aggregated relating to an "event label". Event labels used in Marine Mammal Observation contain information of the cruise, which animals were sighted as well as were and when sightings occurred.

Additional metadata information (atmospheric, oceanographic and operational conditions) may be accessed via the respective DOI's, as listed under "comments" on to each data set's description site.

Parameter: Whale Species [string]

Abbreviation: Whale Parameter no: 84756

As determined by the observer at the time of observation.

When supplementary information (e.g. photographs, videos, concurrent sightings in context of dedicated marine mammal sighting efforts) are available, a post event review of this information might result in modified "species" assignments. Some of the listed species don't qualify as "true Antarctic" species (e.g. harbour porpoise) but are mentioned here for the sake of completeness as they occur during transit cruises.

Whale, unidentified

On occasion, it is not possible to identify the animal. The observer is asked to classify the sighting according to size (large/small). If this is not possible, the sighting is generically listed as "Whale, unidentified".

Large whale, unidentified

On occasion, it is not possible to identify the animal. The observer is asked to classify the sighting according to size (large/small). If this is not possible, the sighting is generically listed as "Whale, unidentified".

Small whale, unidentified

On occasion, it is not possible to identify the animal. The observer is asked to classify the sighting according to size (large/small). If this is not possible, the sighting is generically listed as "Whale, unidentified".

Baleen whale, unidentified

On occasion, it is not possible to identify the animal. The observer is asked to classify the sighting according to size (large/small) and additional key features for baleen whales (e.g. fluke, fin, number of blow holes). If this is not possible, the sighting is generically listed as "Whale, unidentified".

Dolphins, unidentified

On occasion, it is not possible to identify the animals up to species level. These sightings are generically listed as "Dolphins, unidentified".

Balaenoptera borealis Abbreviation: B. borealis

Sei whale

Balaenoptera physalus Abbreviation: B. physalus

Fin whale

Balaenoptera aff. musculus Abbreviation: (B. musculus)

Blue whale

In the Southern Hemisphere, these sightings might comprise the Antarctic blue whale (*Balaenoptera musculus intermedia*) and the pygmy blue whale (*Balaenoptera musculus brevicauda*). At sea both are likely to be indistinguishable, and hence are listed as Balaenoptera musculus.

In the Northern Hemisphere only one subspecies, Balaenoptera musculus, exists.

Balaenoptera musculus intermedia Abbreviation: (B. m. intermedia)

Antarctic blue whale

Sighting of blue whale with subsequent species identification as *Balaenoptera musculus intermedia* (Antarctic blue whale) on the basis of video/photo footage or opinion of expert onboard.

Balaenoptera musculus brevicauda Abbreviation: (B. m. brevicauda)

Pygmy blue whale

Sighting of blue whale with subsequent species identification as *Balaenoptera musculus brevicauda* (pygmy blue whale) on the basis of video/photo footage or opinion of expert onboard.

Balaenoptera aff. bonaerensis

B. aff. bonaerensis

Minke whale

In the Southern Hemisphere, these sightings might comprise *Balaenoptera bonaerensis* (Antarctic minke whale) or *Balaenoptera acutorostrata ssp* (dwarf minke whale) as these are difficult to differentiate between at sea. If additional video/footage has led to a species identification of quality "certain", the correct scientific names are given as described below.

Balaenoptera bonaerensis

Abbreviation: B. bonaerensis

Antarctic minke whale

Sighting of "Minke whale" with subsequent species identification as *Balaenoptera* bonaerensis (Antarctic minke whale) on the basis of video/photo footage or opinion of expert onboard.

Balaenoptera acutorostrata ssp.

Abbreviation: B. acutorostrata ssp.

Dwarf minke whale

Sighting of "Minke whale" with subsequent species identification as *Balaenoptera* acutorostrata ssp. (Dwarf minke whale) on the basis of video/photo footage or opinion of expert onboard.

Balaenoptera acutorostrata

Abbreviation: B. acutorostrata

Common minke whale

Sighting of "Minke whale" with subsequent species identification as *Balaenoptera* acutorostrata on the basis of video/photo footage or opinion of expert onboard. In the Northern Hemisphere "Minke whale" sightings are listed as *Balaenoptera* acutorostrata.

Megaptera novaeangliae Abbreviation: M. novaeangliae

Humpback whale

Eubalaena australis Abbreviation: E. australis

Southern right whale

Physeter macrocephalus Abbreviation: P. macrocephalus

Sperm whale

Globicephala melas Abbreviation: G. melas

Long-finned Pilot whale

Orcinus orca Abbreviation: O. orca

Killer whale key: Orca

Ziphiidae spp.

Beaked whale, unidentified

Species identification for beaked whales is extremely difficult due to their elusive behavior. Therefore sightings are frequently identified only to the family level Ziphiidae. For the Antarctic treaty region (south of 60°S), the family of Ziphiidae includes:

Berardius arnouxii Abbreviation: B. arnouxii Key: Arnoux's beaked whale Abbreviation: H. planifrons Key: Southern bottlenose whale Abbreviation: M. layardii Key: Strap-toothed whale

Lagenorhynchus cruciger Abbreviation: L. cruciger

Hourglass dolphin

Lissodelphis peronii Abbreviation: L. peronii

Southern right whale dolphin

Cephalorhyncus commersonii Abbreviation C. commersonii

Commerson's dolphin

Phocoena phocoena Abbreviation: P. phocoena

Harbour porpoise

Stenella attenuata Abbreviation S. attenuata

Pantropical spotted dolphin

Delphinus delphis Abbreviation D. delphis

Short-beaked common dolphin

Parameter: Certainty of identification [string]

Abbreviation: Certainty Parameter no: 84757

As determined by the observer at the time of sighting.

When supplementary information (e.g. photographs, videos, concurrent sightings in context of dedicated marine mammal sighting efforts) are available, a post event review of this information might result in modified "certainty of identification" assignments with respect to the original data.

definite

Used if unambiguous characteristics (e.g. fluke, flippers, shape of blow, fin, color) have been observed *in-situ*, possibly supported by video/photo footage.

probable

Used if identification is supported by evidence strong enough to establish presumption but not proof of species.

possible

Used if the presumed identification has an indicated potential to be correct.

Parameter: Number of individuals [#]

Abbreviation: Ind [#] Parameter no: 84758

The number of individuals is binned according to the options given in the data acquisition software: 1, 2, 3, 4, \geq 5, \geq 10, \geq 20, \geq 50. More precise values may exist, due to observer comments.

Walbeobachtungen von Bord RV Polarstern

Weiße Felder: Bitte ausfüllen,

Graue Felder: Bitte ausfüllen falls möglich

Datum	Uhrzeit
Schiff: RV Polarstern	Beobachter
Position	Wassertiefe
Walart	Sicherheit der Bestimmung der Art
	sicher / wahrscheinlich / möglich (zutreffendes bitte einkreisen)
Gesamtzahl an Tieren:	Anzahl ausgewachsene Tiere
	Anzahl Kälber
Beschreibung (wie z.B. Größe, Kopfform	Photo oder Videoaufnahmen
Färbung und Muster, Größe, Form und Position der Rückenfinne, Richtung und Form des Blas)	Ja/Nein (zutreffendes bitte einkreisen)
,	Schwimmrichtung relativ zum Schiff
Verhalten ausweichend / annähernd / Kurs haltend (zutreffendes bitte einkreisen)	
	Schwimmrichtung geographisch:
taucht unter Schiff durch: Ja/Nein	Entfernung vom Schiff
Aktivität des Schiffes	Akustische Aktivitäten
	an aus unbekannt
□ Fahrt kn, Kurs°T □ auf Station	DoLog DWS-Lot Hydrosweep Parasound Simrad EK 60 ADCP
	AirGuns

Gesammelte Aufzeichnungen bitte bei Anlaufen B'hvn an Olaf Boebel, AWI (0471-4831-1879)

Figure 1: Copy of paper form for systematic recording of opportunistic cetacean sightings. In use for ANT XXII, ANT XXIII and ANT XXIV.



Figure 2: Screenshot of Werum Wallog program for systematic recording of opportunistic cetacean sightings in use for ANT XXV.




Figure 3: Screenshot of AWI Walog program for systematic recording of opportunistic cetacean sightings in use since ANT XXVI.