

PHOTOCATALYTIC DEGRADATION OF MESOTRIONE IN THE PRESENCE OF TiO₂ HOMBİKAT MODIFIED WITH DIFFERENT Au NANOPARTICLES**Daniela Šojić Merkulov, Marina Lazarević, Aleksandar Djordjevic, Nina Finčur, Vesna Despotović, Nemanja Banić, Biljana Abramović**

*University of Novi Sad, Faculty of Sciences, Department of Chemistry, Biochemistry and Environmental Protection, Trg Dositeja Obradovića 3, 21000 Novi Sad, Serbia
e-mail: daniela.sojic@dh.uns.ac.rs*

Abstract

Due to the harmful and toxic effects of organic pollutants scientists are searching for an effective method to remove these substances from the environment. One of the most efficient and environmentally friendly technologies for removing of organic water pollutants is photocatalytic degradation in the presence of various photocatalysts [1]. There are many metal-oxide photocatalysts which showed great photoactivity, but the most frequently used is TiO₂ [2]. Recently, great attention has been paid to Au nanoparticles because in the case of TiO₂ have showed extend of the spectral response to the visible light region in comparison with nonmodified TiO₂ [3], and efficiently suppress the e⁻-h⁺ recombination [4]. Mesotrione [2-(4-methylsulfonyl-2-nitrobenzoyl)-1,3-cyclohexanedione] is a selective herbicide for pre- and post-emergence control of broad-leaf and grassy weeds in corn. It was developed by the company Syngenta Crop Protection and it was registered in Europe in 2000, and in the United States in 2001. Beside good properties in control of weeds mesotrione has harmful and toxic effects on non-target organisms. Low sorption of mentioned herbicide may indicate the leaching potential in the groundwater from maize production fields [5], wherein its presence in environmental waters can lead to negative consequences on the aquatic ecosystem. In this paper, photocatalytic degradation of mesotrione using TiO₂ Hombikat modified with Au nanoparticles (nonmodified and modified with 2-mercaptoethanol, as well as with 2-mercaptoethanol and fullerenol nanoparticles) under simulated solar irradiation was investigated. Different volumes of various nanoparticles were added in suspension in order to enhance activity of commercial TiO₂ Hombikat under simulated sunlight.

Acknowledgments

The authors acknowledge financial support of the Ministry of Education, Science and Technological Development of the Republic of Serbia (Project No. 172042).

References

- [1] H. Dong, G. Zeng, L. Tang, C. Fan, C. Zhang, X. He, Y. He, *Water Res.* 79 (2015) 128.
- [2] J.-J. Chen, W.-K. Wang, W.-W. Li, D.-N. Pei, H.-Q. Yu, *ACS Appl. Mater. Interfaces* 7 (2015) 12671.
- [3] G. Wang, X. Wang, J. Liu, X. Sun, *Chem. Eur. J.* 18 (2012) 5361.
- [4] I. Bannat, K. Wessels, T. Oekermann, J. Rathousky, D. Bahnemann, M. Wark, *Chem. Mater.* 21 (2009) 1645.
- [5] K. Ferreira Mendes, M. Rodrigues dos Reis, M. Hiroko Inoue, R.F. Pimpinato, V.L. Tornisielo, *Geoderma* 280 (2016) 22.