

## CORRECTION

## Open Access



# Correction to: Detecting eukaryotic microbiota with single-cell sensitivity in human tissue

Susanne Lager<sup>1,2</sup>, Marcus C. de Goffau<sup>3</sup>, Ulla Sovio<sup>1,2</sup>, Sharon J. Peacock<sup>3,4,5</sup>, Julian Parkhill<sup>3</sup>, D. Stephen Charnock-Jones<sup>1,2</sup> and Gordon C. S. Smith<sup>1,2\*</sup>

## Correction

The author reported an error in an equation in the article [1].

The incorrect formula shown is the following:

$$\text{Correction factor} = \frac{1 + (99.9 - \text{Human}(\%))}{\text{Human}(\%)}$$

The correct formula should be:

$$\text{Correction factor} = 1 + \frac{99.9 - \text{Human}(\%)}{\text{Human}(\%)}$$

## Author details

<sup>1</sup>Department of Obstetrics and Gynaecology, University of Cambridge, National Institute for Health Research Cambridge Biomedical Research Centre, Cambridge, UK. <sup>2</sup>Centre for Trophoblast Research (CTR), Department of Physiology, Development and Neuroscience, University of Cambridge, Cambridge, UK. <sup>3</sup>Wellcome Trust Sanger Institute, Cambridge, UK. <sup>4</sup>Department of Medicine, University of Cambridge, Cambridge, UK. <sup>5</sup>London School of Hygiene and Tropical Medicine, London, UK.

Published online: 20 October 2018

## Reference

1. Lager S, de Goffau MC, Sovio U, Peacock SJ, Parkhill J, Stephen Charnock-Jones D, Smith GCS. Detecting eukaryotic microbiota with single-cell sensitivity in human tissue. *Microbiome*. 2018;6:151.

\* Correspondence: [gcss2@cam.ac.uk](mailto:gcss2@cam.ac.uk)

<sup>1</sup>Department of Obstetrics and Gynaecology, University of Cambridge, National Institute for Health Research Cambridge Biomedical Research Centre, Cambridge, UK

<sup>2</sup>Centre for Trophoblast Research (CTR), Department of Physiology, Development and Neuroscience, University of Cambridge, Cambridge, UK

