



# A Refined Mean Field Approximation for Synchronous Population Processes

Nicolas Gast, Diego Latella, Mieke Massink

## ► To cite this version:

Nicolas Gast, Diego Latella, Mieke Massink. A Refined Mean Field Approximation for Synchronous Population Processes. MAMA 2018 Workshop on MAThematical performance Modeling and Analysis, Jun 2018, Irvine, United States. pp.1-3. hal-01891629

**HAL Id: hal-01891629**

**<https://hal.inria.fr/hal-01891629>**

Submitted on 9 Oct 2018

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# A Refined Mean Field Approximation for Synchronous Population Processes

Nicolas Gast (Inria)

Diego Latella (CNR-ISTI)

Mieke Massink (CNR-ISTI)

## ABSTRACT

Mean field approximation is a popular method to study the behaviour of stochastic models composed of a large number of interacting objects. When the objects are asynchronous, the mean field approximation of a population model can be expressed as an ordinary differential equation. When the objects are synchronous the mean field approximation is a discrete time dynamical system. In this paper, we focus on the latter. We show that, similarly to the asynchronous case, the mean field approximation of a synchronous population can be refined by a term in  $1/N$ . Our result holds for finite time-horizon and steady-state. We provide two examples that illustrate the approach and its limit.

## 1. INTRODUCTION

The idea behind mean field approximation is to replace the study of the original stochastic system by the one of a, much simpler, deterministic dynamical system. Mean field approximation can be applied to a variety of systems [11]; it can be shown to be asymptotically optimal as the number of objects in the system goes to infinity [9, 3, 1] and is often very accurate also for systems of moderate size, composed of  $N \approx 100$  objects.

The mean field approximation of a given model is constructed by considering the limit of the original stochastic model as the number of objects  $N$  goes to infinity. There can be two types of limits. The first type arises when the dynamics of the objects are asynchronous. In this case the mean field approximation is given by a continuous time dynamical system (often a system of ordinary differential equations) – this is the most studied case *e.g.* [9, 1, 2]. The second type arises when the objects are synchronous. In this case the mean field approximation is a discrete time dynamical system [3, 5]. We focus on the latter.

In this paper, we consider a variant of the (synchronous) population models considered in [3, 5, 10]. Each object evolves in a finite state-space and  $M_i^{(N)}(t)$  denotes the proportion of objects in a state  $i$  at time  $t$ . The classical result of [3] states if  $M^{(N)}(0) = m$ , then for any time  $t$  the vector  $M^{(N)}(t)$  converges almost surely as  $N$  grows to a deterministic quantity  $\mu(t)$  that satisfies the recurrence equation

$$\mu(t+1) = \mu(t)\mathbf{K}(\mu(t)) \quad (1)$$

with  $\mu(0) = m$ . Our contribution consists in computing

the rate of convergence : We show that there exists a time-dependent vector  $V(t)$  such that

$$\mathbb{E} \left[ M^{(N)}(t) \right] = \mu(t) + \frac{1}{N}V(t) + o\left(\frac{1}{N}\right). \quad (2)$$

We show that  $V(t)$  satisfies a linear dynamical system that involves the first and second derivative of the function  $\Phi : m \mapsto m\mathbf{K}(m)$ . Moreover, when  $\Phi$  has a unique fixed point  $\mu(\infty)$  that is globally exponentially stable, then the same result holds for the steady-state.

We call the quantity  $\mu(t) + V(t)/N$  the *refined* mean field approximation. As opposed to the classical mean field approximation, it depends on the system size  $N$ . We use two examples to show that :

- If the mean field approximation has a unique attractor that is exponentially stable, then our refined model is more accurate than the classical approximation uniformly in  $t \in \mathbb{R} \cup \{\infty\}$ .
- When the mean field approximation does *not* have an exponentially stable attractor, the improved accuracy only holds for a *finite* time horizon.

Our results extend the recent results of [7]. The authors of [7] study the steady-state of asynchronous stochastic models (that therefore have a continuous-time mean field approximation). There are two differences in our work : First we focus on *synchronous* objects; Second we obtain results also for the *transient* regime. Note that the results of [7] and the one of the current paper follow from a series of recent results concerning the rate of convergence of stochastic models to their mean field approximation [4, 8, 12].

An extended version of the current paper has been accepted for publication in [6]. This paper and the simulations it contained are fully reproducible : [https://github.com/ngast/RefinedMeanField\\_SynchronousPopulation](https://github.com/ngast/RefinedMeanField_SynchronousPopulation).

## 2. MODEL AND RESULTS

We consider a system of  $N$  identical interacting objects; ( $N$  is called the *size* of the system). Each object evolves in a finite state space and the time is slotted. The vector  $M^{(N)}(t)$  denotes the occupancy measure at time  $t$  :  $M_j^{(N)}(t)$  is the *fraction* of objects in state  $j$  at  $t$ .

At each time step  $t \in \mathbb{N}$ , each object performs a local transition. The transition probabilities of an object state depend on the current local state of the object and may depend also on  $M^{(N)}(t)$ . We denote by  $K_{ij}(m)$  the probability for the object to jump from state  $i$  to state  $j$  in the system given that  $M^{(N)}(t) = m$ . We assume that, given the

occupancy measure, the transitions made by the objects are independent. Our model is identical to the one of [3] up to the fact that the authors of [3] add a continuous resource to the model and allow object transition matrix  $\mathbf{K}$  to depend also on the size  $N$  of the system. The results presented in this paper could be easily extended to the more general case.

The classical result (Theorem 4.1 of [3]) shows that if  $M^{(N)}(0)$  converges almost surely to the deterministic limit  $\mu(0)$  as  $N$  goes to infinity, then for any time  $t > 0$ ,  $M^{(N)}(t)$  converges almost surely to  $\mu(t)$  defined in Equation (1).

## 2.1 First Main Result : Transient Behaviour

Let  $\Phi_t$  be the function defined recursively by  $\Phi_1(m) = mK(m)$  and  $\Phi_{t+1}(m) = \Phi_1(\Phi_t(m))$ . We denote by  $(D\Phi_1)(m)$  and  $(D^2\Phi_1)(m)$  the first and second derivative of the function  $\Phi_1$  evaluated in  $m$ .

**THEOREM 1.** *Assume that the function  $\Phi_1$  is twice differentiable and that  $M^{(N)}(0)$  converges weakly to  $\mu(0)$ . Let  $A_t$  and  $B_t$  be respectively the  $n \times n$  matrix  $A_t = (D\Phi_1)(\mu(t))$  and the  $n \times n \times n$  tensor  $B_t = (D^2\Phi_1)(\mu(t))$ . Then*

$$\lim_{N \rightarrow \infty} N \mathbb{E} \left[ M^{(N)}(t) - \Phi_t(M^{(N)}(0)) \right] = V_t,$$

where  $V_t$  is a vector and  $W_t$  is an  $n \times n$  matrix defined by

$$\begin{aligned} V_{t+1} &= A_t V_t + \frac{1}{2} B_t \cdot W_t \\ W_{t+1} &= \Gamma(\mu(t)) + A_t W_t A_t^T, \end{aligned} \quad (3)$$

with  $V_0 = 0$ ,  $W_0 = 0$  and  $\Gamma(m)$  is the following  $n \times n$  matrix:

$$\begin{aligned} \Gamma_{jj}(m) &= \sum_{i=1}^n m_i \mathbf{K}_{ij}(m) (1 - \mathbf{K}_{ij}(m)) \\ \Gamma_{jk}(m) &= - \sum_{i=1}^n m_i \mathbf{K}_{ij}(m) \mathbf{K}_{ik}(m) \end{aligned}$$

The main idea is to consider a Taylor expansion of  $\mathbb{E}[h(\Phi_1(m))]$  around  $\Phi_1(m)$  for any function  $h$  (see [6]).

## 2.2 Second Main Result : Steady-State

Mean field approximation can also be used to characterise the steady-state behaviour of a population model when the mean field approximation has a unique attractor. Here, we show how to refine this model when the mean field has an exponentially stable attractor, *i.e.* a point  $\mu(\infty)$  such that

- $\mu(\infty)$  is an attractor: For any  $m$  :  $\lim_{t \rightarrow \infty} \Phi_t(m) = \mu(\infty)$ .
- $\mu(\infty)$  is exponentially stable : there exists  $a, b > 0$  s.t. for all  $m$  in a neighbourhood of  $\mu(\infty)$  :  $\|\Phi_t(m) - \mu(\infty)\| \leq a e^{-bt} \|m - \mu(\infty)\|$ .

**THEOREM 2.** *Assume that  $M^{(N)}$  has a unique stationary distribution (for each  $N$ ), that the function  $\Phi_1$  is twice differentiable and that the flow has a unique exponentially stable attractor  $\mu(\infty)$ . Then there exists a  $n \times 1$  vector  $V_\infty$  and a  $n \times n$  matrix  $W_\infty$  such that the constants  $V_t$  and  $W_t$  defined in Theorem 1 satisfy:*

$$\lim_{t \rightarrow \infty} V_t = V_\infty \quad \text{and} \quad \lim_{t \rightarrow \infty} W_t = W_\infty$$

Moreover

- (i)  $W_\infty$  is the unique solution of the discrete-time Lyapunov equation:

$$A_\infty W_\infty A_\infty^T - W_\infty + \Gamma(\mu(\infty)) = 0$$

and  $V_\infty = \frac{1}{2}(I - A_\infty)^{-1} B_\infty W_\infty$  with  $A_\infty = D\Phi_1(\mu(\infty))$ ,  $B_\infty = D^2\Phi_1(\mu(\infty))$  and  $I$  is the identity matrix.

- (ii) We can exchange the limits :

$$\begin{aligned} & \lim_{N \rightarrow \infty} \lim_{t \rightarrow \infty} N (\mathbb{E}[M^{(N)}(t)] - \Phi_t(M^{(N)}(0))) \\ &= \lim_{t \rightarrow \infty} \lim_{N \rightarrow \infty} N (\mathbb{E}[M^{(N)}(t)] - \Phi_t(M^{(N)}(0))) = V_\infty. \end{aligned}$$

## 3. FIRST EXAMPLE : SEIR


In this section we provide a simple example that illustrates the results for the refined mean field model of the simple computer epidemic SEIR example presented in [2]. Each object in the model consists of four local states: Susceptible (S), Exposed (E), Infected (I) (and active) and Recovered (R).

Its discrete time evolution is given by the following probability transition matrix  $\mathbf{K}$  in which  $m_S$ ,  $m_E$ ,  $m_I$  and  $m_R$  denote the fraction of objects in the system that are in local state S, E, I and R:

$$\mathbf{K}(m) = \begin{pmatrix} 1 - (\alpha_e + \alpha_i m_I) & \alpha_e + \alpha_i m_I & 0 & 0 \\ 0 & 1 - \alpha_a & \alpha_a & 0 \\ 0 & 0 & 1 - \alpha_r & \alpha_r \\ \alpha_l & 0 & 0 & 1 - \alpha_l \end{pmatrix}$$

In other words, a susceptible becomes exposed with probability  $(\alpha_e + \alpha_i m_I)$  - *i.e.*,  $\alpha_e$  denotes the external and  $\alpha_i$  the internal infection probability -; An exposed node activates his infection with probability  $\alpha_a$ ; An infected recovers with probability  $\alpha_r$ ; and  $\alpha_l$  is the probability to loose the protection against infection.

To give an idea of how the refined mean field approximation improves the accuracy compared to the classical mean field approximation, we plot in Figure 1 the difference between the two approximations with respect to the simulation : On the left panel, we plot  $\mathbb{E}[M^{(N)}(t)] - \mu(t)$ ; On the right panel we plot  $\mathbb{E}[M^{(N)}(t)] - (\mu(t) + V(t)/N)$  (in both cases for  $N = 10$ ). The expectation was computed by using an average of 50,000 runs of a stochastic simulation of the model. The values of the parameters are :  $\alpha_e = 0.01$ ,  $\alpha_i = 0.08$ ,  $\alpha_r = 0.02$ ,  $\alpha_l = 0.01$  and  $\alpha_a = 0.04$ . and the initial state was  $M_S(0) = 1$  and  $M_E(0) = M_I(0) = M_R(0) = 0$ .



Error of mean field approx.      Error of the refined approx.

**Figure 1: SEIR model: Quantification of the error of the mean field or refined mean field approximation ( $N = 10$ ).**

We observe that the refined mean field approximation (right panel) is an order of magnitude closer to the value obtained by simulation. This figure illustrates that Theorem 1 is not just valid asymptotically, but actually it refines the classical mean field approximation for relatively small values of  $N$ . In this case, the system has a unique attractor and the refined approximation can be used for estimating the steady-state expected values (see Table 1).

State	$S$	$E$	$I$	$R$
Simulation ( $N = 10$ )	0.191	0.115	0.231	0.462
Refined mean field ( $N = 10$ )	0.189	0.116	0.232	0.464
Mean field ( $N = 10$ )	0.164	0.119	0.239	0.478

**Table 1: SEIR model: Comparison of the accuracy of the mean field and refined mean field approximation for the steady-state proportion of objects in states  $S$ ,  $E$ ,  $I$  or  $R$ .**

#### 4. ACCURACY VERSUS TIME

In the previous example, the mean field limit has an exponentially stable attractor, which implies that the accuracy of the mean field approximation is uniform in time (Theorem 2(ii)). Here, we show that this is no longer the case if the model does not have an exponentially stable attractor.


We consider a system with  $N$  objects in which each object is in state 0 or 1. An object in state 1 goes to state 0 with probability 1 and an object in state 0 goes to 1 with probability  $\alpha m_0$ , where  $\alpha \in (0, 1)$  is a parameter. The transition matrix  $K$  is therefore

$$K(m) = \begin{bmatrix} 1 - \alpha m_0 & \alpha m_0 \\ 1 & 0 \end{bmatrix}$$


The function  $m \mapsto mK(m)$  has a unique fixed point whose first component is  $\mu_0(\infty) = (\sqrt{1 + 4\alpha} - 1)/(2\alpha)$ . This fixed point is exponentially stable if and only if  $\alpha < 0.75$ .

In Figure 2 and Figure 3, we plot the mean field  $\mu(t)$  and refined mean field approximation  $\mu(t) + V(t)/N$  as well as an exact value of  $\mathbb{E}[M(t)]$  for  $N = 10$  and  $N = 30$ . The initial value is  $m(0) = 0.7$ . The exact value of  $\mathbb{E}[M(t)]$  was computed by a numerical method that uses the fact that the system with  $N$  objects can be described by a Markov chain with  $N + 1$  states.

These figures show that the refined approximation always improves the accuracy compared to the classical mean field approximation for small values of  $t$ , both for  $\alpha = 0.6$  and  $\alpha = 0.75$ . The situation for large values of  $t$  is quite different. On the one hand, when the fixed point is exponentially stable ( $\alpha = 0.6$ , Figure 2), the refined approximation is very accurate for all values of  $t$ . On the other hand, when the fixed point is not exponentially stable ( $\alpha = 0.75$ , Figure 3), the refined approximation seems to be unstable and is not a good approximation of  $\mathbb{E}[M(t)]$  for values of  $t$  that are too large compared to  $N$  ( $t > 7$  for  $N = 10$  or  $t > 12$  for  $N = 30$ ).



**Figure 2: Exponentially stable case ( $\alpha = 0.6$ ).**



**Figure 3: Non-exponentially stable case ( $\alpha = 0.75$ ).**

#### 5. CONCLUSION AND EXTENSIONS

In this paper, we have shown that it is possible to adapt the refined mean field approximation proposed in [7] to the case of synchronous population processes, both for transient and steady-state state. This approximation is more accurate than the classical mean field approximation in many cases. Yet, when the mean field approximation does not have an exponentially stable attractor, this new approximation must be handled with care. We are currently working on extending this methodology to study the transient regime of asynchronous population processes, in which case Equation (3) can be replaced by an ordinary differential equation.

#### 6. REFERENCES

- [1] Michel Benaïm and Jean-Yves Le Boudec. A class of mean field interaction models for computer and communication systems. *Perform. Eval.*, 65(11-12):823–838, 2008.
- [2] Luca Bortolussi, Jane Hillston, Diego Latella, and Mieke Massink. Continuous approximation of collective system behaviour: A tutorial. *Perform. Eval.*, 70(5):317–349, 2013.
- [3] Jean-Yves Le Boudec, David D. McDonald, and Jochen Mundinger. A generic mean field convergence result for systems of interacting objects. In *Proceedings of QEST 2007*, pages 3–18. IEEE Computer Society, 2007.
- [4] Nicolas Gast. Expected values estimated via mean-field approximation are  $1/n$ -accurate. In *Proceedings of the 2017 ACM SIGMETRICS*, page 50. ACM, 2017.
- [5] Nicolas Gast and Bruno Gaujal. A mean field approach for optimization in discrete time. *Discrete Event Dynamic Systems*, 21(1):63–101, 2011.
- [6] Nicolas Gast, Diego Latella, and Mieke Massink. A refined mean field approximation of synchronous discrete-time population models. *Performance Evaluation*, 2018. Accepted for publication.
- [7] Nicolas Gast and Benny Van Houdt. A refined mean field approximation. *Proc. ACM Meas. Anal. Comput. Syst.*, 1(2):33:1–33:28, December 2017.
- [8] V. N. Kolokoltsov, J. Li, and W. Yang. Mean Field Games and Nonlinear Markov Processes. *ArXiv e-prints*, 2011.
- [9] Thomas G Kurtz. Solutions of Ordinary Differential Equations as Limits of Pure Jump Markov Processes. *Journal of Applied Probability*, 7:49–58, 1970.
- [10] Diego Latella, Michele Loreti, and Mieke Massink. On-the-fly PCTL fast mean-field approximated model-checking for self-organising coordination. *Sci. Comput. Program.*, 110:23–50, 2015.
- [11] Nikita Dmitrievna Vvedenskaya, Roland L'vovich Dobrushin, and Fridrikh Izrailevich Karpelevich. Queueing system with selection of the shortest of two queues: An asymptotic approach. *Problemy Peredachi Informatsii*, 32(1):20–34, 1996.
- [12] Lei Ying. On the approximation error of mean-field models. In *Proceedings of ACM SIGMETRICS'16*, New York, NY, USA, 2016. ACM.