

Working Paper No. 248

June 2008

Marginal Abatement Costs of Carbon-Dioxide Emissions: A Meta-Analysis

Onno Kuik^a, Luke Brander^a, and Richard S.J. Tol^{b,a,c,d}

Abstract. In this paper we carry out a meta-analysis of recent studies into the costs of greenhouse gas mitigation policies that aim at the long-term stabilization of these gases in the atmosphere. We find the cost estimates of the studies to be sensitive to the level of the stabilization target, the assumed emissions baseline, intertemporal optimisation, the choice of control variable (CO_2 only versus multigas), assumptions on future technological options (backstop and carbon capture and storage), and, to a lesser degree, the scientific "forum" in which the study was developed.

Keywords: greenhouse gas mitigation; meta-analysis, marginal abatement costs.

a) Institute for Environmental Studies, VU University Amsterdam, De Boelelaan 1085, 1081 HV Amsterdam, The Netherlands

b) Economic and Social Research Institute, Whitaker Square, Sir John Rogerson's Quay, Dublin, Ireland

c) Department of Spatial Economics, VU University Amsterdam, De Boelelaan 1105, 1081 HV Amsterdam, The Netherlands

d) Department of Engineering and Public Policy, Carnegie Mellon University, Pittsburgh, PA, USA.

ESRI working papers represent un-refereed work-in-progress by members who are solely responsible for the content and any views expressed therein. Any comments on these papers will be welcome and should be sent to the author(s) by email. Papers may be downloaded for personal use only.

Marginal Abatement Costs of Carbon-Dioxide Emissions: A Meta-Analysis

1. Introduction

In recent years, many research teams have developed computer-based economic models that have computed marginal abatement costs (MAC) of greenhouse gas emissions that are consistent with long-term climate policy targets. These targets are usually expressed in terms of the stabilization at a certain level of concentration of CO₂ or greenhouse gases in the atmosphere or stabilization at a certain level of radiative forcing or global mean temperature. It is possible to interpret these MAC as carbon permit prices in an idealized global emissions trading system that allows the participants maximum "where", and "when" flexibility, and in some models also "what" flexibility. This means that MAC are equalised across all sources ("where" flexibility), MAC change over time according to some intertemporal optimization rule ("when" flexibility), and that in some models MAC of abating different greenhouse gases are equalised, taking into account their relative warming potentials and different lifetimes ("what" flexibility).

We collected information from 26 different models that were presented in three so-called modelling fora in 2006. A modelling forum is a meeting or a series of meetings of modelling groups that address a common research question, and that use a commonly agreed set of assumptions and a common reporting format. One of the oldest of such fora is the Energy Modeling Forum (EMF) that was established at Stanford University in 1976 to provide a structured forum for discussing important energy and environmental issues. For this study we used the results of the models that participated in EMF-21 that specifically addressed "what" flexibility (trade-offs between different greenhouse gases). We also used results of the models that participated in the Innovation Modeling Comparison Project (IMCP) that specifically addressed the potential impact of induced technical change on long-term abatement and abatement costs and the U.S. Climate Change Science Program (USCCSP) that addressed all these issues.

These different models produce varying estimates of MAC. The analysis presented in this paper examines the sensitivity of MAC estimates to the specifications and assumptions underlying these models. By conducting a meta-analysis of model results we aim to identify consensus in the outcomes and the methodological characteristics that drive differences in results. In addition to

providing a statistical synthesis of model outcomes, the meta-regression function can also be used to predict MAC given specific values for explanatory variables included in the regression.

The meta-analysis in this paper uses more up-to-date model results than previous research (Repetto and Austin, 1997; Barker et al., 2002; Fisher and Morgenstern, 2005). This paper uses the same model results as Barker et al. (2006), but many more in addition.

The structure of this paper is as follows. Section 0 introduces the concept of long-term stabilization targets for greenhouse gas emissions in the atmosphere. Section 0 presents the meta-analysis research methodology used in this paper, and section 0 describes the data. Section 0 presents the results of the meta-analysis, while Section 0 concludes.

2. Stabilization Targets

The ultimate objective of the United Nations Framework Convention on Climate Change (UNFCCC) is the "stabilization of greenhouse gas concentrations in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate system. Such a level should be achieved within a time-frame sufficient to allow ecosystems to adapt naturally to climate change, to ensure that food production is not threatened and to enable economic development to proceed in a sustainable manner" (UNFCCC, art. 2). There is no consensus yet on the level at which GHG concentrations would need to be stabilised in order to prevent such dangerous anthropogenic interference, although the European Council and Parliament agreed on the objective to limit average global temperature increase to a maximum of 2°C compared to preindustrial levels (Asselt and Biermann 2007; Tol, 2007). The different studies that we analyse in this paper have examined different stabilization targets, both in terms of metrics and levels. To be able to compare study results we need to standardise the various stabilisation targets to a common metric. The most commonly used metrics are radiative forcing (W.m-2), concentrations of greenhouse gases in the atmosphere expressed in CO₂ equivalents (ppm CO₂-eq), the concentration of the greenhouse gas CO₂ (ppm CO₂), and global mean temperature (°C). Fisher, Nakicenovic et al. (2007) classified stabilization targets into six different categories (I...VI), and showed how the concordance between the targets in alternative metrics (see Table 1).

	Additional	CO ₂	CO ₂ -eq	Temperature
	radiative forcing	concentration	concentration	
Category	W.m ⁻²	Ppm	ppm	°C
Ι	2.5 - 3.0	350 - 400	445 - 490	2.1 (1.4–3.1)
II	3.0 - 3.5	400 - 440	490 - 535	
III	3.5 - 4.0	440 - 485	535 - 590	2.9 (1.9-4.4)
IV	4.0 - 5.0	485 - 570	590 - 710	3.6 (2.4–5.5)
V	5.0-6.0	570 - 660	710 - 855	4.3 (2.8–6.4)
VI	6.0 - 7.5	660 - 790	855 - 1130	5.5 (3.7-8.3)

Table 1 Concordance between stabilization targets in alternative metrics

Source: Fisher, Nakicenovic et al. (2007).

3. Research Approach: Meta-analysis

Meta-analysis is a statistical technique to combine the results of several studies that address a set of related research hypotheses. Meta-analysis extends beyond a standard literature review by analysing and synthesising the results of multiple studies in a statistical manner. This study is the second meta-analysis of MAC estimates, the first being Fischer and Morgenstern (2005).

In this paper, meta-analysis is used to examine whether modelled estimates of MAC are dependent upon some key modelling assumptions and structural characteristics of the models. To test such dependencies, a meta-regression model is constructed in which the dependent variable (MAC) is a linear function of a set of i explanatory variables (EVi) and a random error (ϵ):

$$MAC = \sum_{i} \beta_{i} EV_{i} + \varepsilon$$
⁽¹⁾

When the function is estimated, the estimate b of the coefficient β shows if and how the explanatory variable affects the dependent (MAC) variable. We are particularly interested in the significance (does the variable have a significant effect on MAC?) and sign (if the effect is significant, what is the direction of the effect: will an increase in the explanatory variable increase or reduce the MAC estimate?).

We estimated the meta-regression model by the Ordinary Least Square (OLS) method in the SPSS software package.

4. Description of the Database

The 26 models in our database provided "observations" of MAC for different points in time. We collected 62 observations of MAC for the years 2025 and 2050. We normalized these observations that are expressed in different dimensions and currencies into 2005 Euros per tonne of CO₂ (e^{2005}/tCO_2). For normalization, we used consumer price indices (CPI) from the OECD to

convert all prices to a common year (2005), market exchange rates from OECD to convert all currencies to a common currency (Euro, \in), and molecular weights to convert all physical dimensions to one common physical dimension (CO₂).

Differences between MAC estimates from different studies can be ascribed to differences in the stabilisation targets, assumptions on exogenous developments, and differences in model specification and parameterization. We selected a number of explanatory variables to include in the meta-regression model on the basis of general discussions on MAC in the literature, e.g. IPCC (Fisher, Nakicenovic et al. 2007), and on the basis of an earlier meta-analysis of models that were used to assess the compliance costs of the Kyoto Protocol (Fischer and Morgenstern 2005). The explanatory variables include stabilization target, emissions baseline, various model and policy assumptions, and also the particular forum in which the study was developed. Information on these variables was not available for all MAC estimates. From the 62 observations in our database, 47 (49) observations provided sufficient information to include in the meta-analyses for 2025 (2050). In describing the data below, we therefore make a distinction between the full and restricted data.

The mean MAC value across all 62 observations is $\notin 23.8$ per tonne of CO₂ in 2025 and $\notin 63.0$ in 2050. (Table 2). The median MAC are lower: $\notin 16.2$ in 2025 and $\notin 34.0$ in 2050. Table 2 shows that the spread of MAC across observations is quite large: for 2025 the minimum and maximum estimates are $\notin 0.0$ and $\notin 199.9$ and for 2050 the spread is $\notin 1.4$ to $\notin 449.3$ per tonne of CO₂. Table 2 also presents the descriptive statistics for the restricted database. The differences between the full database and the restricted database for 2025 are minor. The differences for 2050 are larger, to a large extent because of the exclusion of one study that reported a very high MAC of $\notin 449/t$ in 2050. The study was excluded from the restricted database because of incomplete information regarding its baseline emissions.

	202	5	2050		
	Full Restricted		Full	Restricted	
	database	database	database	database	
Mean	23.8	23.8	63.0	55.8	
Median	16.2	16.2	34.6	32.2	
Maximum	119.9	119.9	449.3	209.4	
Minimum	0.0	0.4	1.4	1.4	
St.dev.	26.7	27.9	72.5	52.9	
Ν	62	47	62	49	

Table 2 Summary statistics of MAC of 26 models (e^{2005}/tCO_2)

The large differences between mean and median MAC values suggest that the distribution of MAC values in our databases is skewed to the right, perhaps with a "thick" right tail with high

values. This is indeed the case, as is shown for the restricted data of the year 2050 in the left panel of Figure 1. Because this skewedness may lead to estimation problems, we have taken natural logs of the MAC values and used ln(MAC) as the dependent variable. The right panel of Figure 1 below shows that the distribution of ln(MAC) tends more towards the normal distribution.



Figure 1 Frequency distribution of MAC (left panel) and ln(MAC) (right panel)

The following description of data will focus on the restricted database that will be used for the actual meta-analysis.

Most of the studies we collected use stabilization targets in categories III and IV (approx. 3.5 to 4.7 W.m-2). These stabilization targets imply a peak of emissions between 2010 and 2030, and between 2020 and 2060, respectively. The change in global emissions in 2050 relative to emissions in 2000 range between -30 to +5 percent for category III targets, and +10 to +60percent for category IV targets (Fisher, Nakicenovic et al. 2007). Results of higher stabilization targets (categories V and VI) have been reported, but as Fisher et al (2007) have commented, they are not very ambitious and even overlap with low to medium baseline scenarios - that is, these targets may be reached without explicit climate policy. We have not included these studies in our analysis. Recent scientific evidence suggests that very low stabilization targets may be needed to avoid irreversible and catastrophic damages, and the European Commission recently confirmed its commitment to a long-term stabilization target of 450 ppmv CO₂-eq (= category I stabilization target) (EC 2007). The modelling fora did not, however, include studies that computed marginal CO₂ abatement costs for stabilization targets below 3.5 W.m-2 (categories I and II). In order to increase the range of the stabilization targets included in the data, one study that estimated MAC in accordance with a stabilization target of 350 ppmv CO₂ (450 ppmv CO₂-eq) was added to the database (Van Vuuren et al., 2006).

We converted all stabilization targets to ppmv CO_2 concentration measures. The variable TARGET ranges between 350 and 550 ppmv CO_2 . The average stabilization target across all observations in the restricted database is 506 ppmv CO_2 .

The studies use different assumptions on economic growth, industry structure and technological developments, resulting in widely differing baseline emissions paths over time. For example, in our restricted database, the increase in baseline CO_2 emissions from energy and cement over the period 2000-2100 ranges between 8 and 380 percent. Fisher et al. (2007) show that the range of baseline emissions for CO_2 and other greenhouse gases in the EMF-21 studies is comparable to the full range of the IPCC SRES scenarios. They report that the median increase in baseline CO_2 emissions in 133 post-SRES studies is 240 percent. The average increase in baseline emissions over the period 2000-2100 across all observations in our database is 174 percent and the median is 179 percent. The baseline in conjunction with the stabilization target determines the emissions reduction effort and thus, we conjecture, the MAC.

Recent studies have emphasized the cost savings potential of a multigas policy towards the stabilization of greenhouse gas concentrations and radiative forcing. The EMF-21 forum was for example specifically organised to assess this potential. On the basis of the EMF-21 studies, it can be concluded that a multigas policy ("what" flexibility) can potentially reduce marginal abatement costs substantially in comparison to a "CO₂ only" policy. Weyant et al. (2006) report that the EMF-21 studies find on average that MAC of a multigas policy in 2025 are 48 percent lower than a CO₂ only policy for the same long-term stabilization target. The reduction in MAC ranges from 15 to over 70 percent in individual models. In our database, we constructed the dummy variable MULTIGAS, which takes a value of 1 if the study examined a multigas policy, and 0 otherwise. Of the 49 observations in our database, 22 are for multigas.

Another "hot" issue in climate economics research is the impact of "induced" technical change on abatement costs. The IMCP forum specifically addressed this issue. The central idea of induced technical change is that the direction and magnitude of technical change in abatement technologies is dependent upon the overall greenhouse gas reduction policy and the subsequent carbon price. Hence, dynamic economic models should not take technical progress over time as given, but should explicitly model the interactions between policy and technical change. The models in the IMPC forum generally found that induced technical change would lower MAC in

comparison to a calculation without this feature.¹ An interesting result of induced technical change is that it can create "path dependency" in the sense that the transformation to a carbon-free energy system can become irreversible if the carbon-free technologies become the least-cost option because of (induced) technical progress. If this occurs, the carbon price can begin to decline. Some studies project such a turning point towards the end of this century. The dummy variable ITC has a value of 1 if the model included a specification of induced technical change, and 0 otherwise. 17 observations are for ITC.

In a meta-analysis of economic models that examined the economic consequences of the Kyoto Protocol, Fisher and Morgenstern (2005) found evidence that a model's level of aggregation of regions and sectors had an impact on its estimate of MAC. Statistical significance was found for the number of regions and the number of energy sources in a model. For both variables the relationship with MAC was positive. The authors suggested that greater disaggregation might result in a more realistic representation of rigidities in, for example, international energy markets. We constructed the variables REGIONS and ENERGIES, where REGIONS indicates the number of regions in a model, and ENERGIES the number of primary energy sources. In our database REGIONS varies between 1 and 77; ENERGIES varies between 1 and 9.

From the 1970s there has been a fierce debate on the relative advantages and disadvantages of socalled "top-down" and "bottom-up" approaches in modelling energy-economy interactions. Traditionally, bottom-up models are rich in technical detail, but poor in modelling microeconomic behaviour and macro-economic feedbacks, while the opposite is true for traditional topdown models. The "top-down/bottom-up" controversies have naturally propagated into the area of climate change economics. However, since the mid-1990s a productive dialogue has started between the proponents of the two approaches (Hourcade, Jaccard et al. 2006). Observers have noticed some convergence to a middle ground that they have labelled "hybrid modelling" (Hourcade, Jaccard et al. 2006). Nevertheless, there are still differences between the approaches that might affect the assessment of abatement costs. The dummy variable CGE takes a value of 1 when the model is CGE ("top-down") and 0 otherwise. 33 observations were derived from a CGE model.

A different issue concerns the treatment of intertemporal dynamics within the models. Some models assume the existence of long-lived decision-makers that optimize the timing of

¹ Note that Smulders and de Nooij (2003) argue that this result is likely in partial models of the knowledge market as used in the IMCP, but unlikely in a complete model of innovation and diffusion.

consumption, investments and abatement over the entire planning period (intertemporal optimization), while other models optimize only period for period (recursive dynamic). It might be that different dynamics lead to different emissions profiles over time, thereby affecting MAC in any particular year. For further reference we notice, however, that the more stringent the stabilization targets, the less flexibility there is for alternative emissions pathways (Fisher, Nakicenovic et al. 2007). The dummy variable IDO takes the value 1 when the model solves by intertemporal dynamic optimization (IDO), and 0 otherwise. 23 observations are from models that used IDO as the solution concept.

In some models, MAC are bound by some "backstop technology".² A backstop technology with respect to energy-related CO₂ emissions is a (hypothetical) technology that can produce any amount of CO₂-free energy at constant (high) cost. Marginal CO₂ abatement costs in a model with a backstop technology can never rise above a level for which the backstop technology would be the least-cost option. Some recent models have included the technology "carbon capture and storage" (CCS) as a sort of quasi-backstop technology. It is not a real backstop technology because the economic model still endogenously determines the price of CCS, but it nevertheless puts some quasi-cap on MAC.

We have constructed the dummy variable CCS that has value 1 if the model includes CCS or some undefined backstop technology, and 0 otherwise. Among the 49 observations, 26 have explicitly considered CCS or a backstop technology.

Finally, we have constructed dummy variables for the different modelling fora. The dummy variables IMCP and USCCSP have been introduced to check whether there are significant, but otherwise unexplained differences between the three modelling fora. This is all the more interesting as the IMCP models have been accused of making overly optimistic assumptions on technological progress and the costs of emissions abatement (Tol 2006).

The dummy variables IMCP and USCCSP have values 1 if the observation was presented in this forum, and 0 otherwise (some models participated in multiple fora). The forum EMF-21 does not have a dummy; the results of this forum are included in the constant of the regression in the following section. Among the 49 observations, 14 are from IMCP and 6 from USCCSP.

² In other models, the upper bound on the MAC is implicit and may be rather complex.

5. Results

We present the results of two meta-regression models in Table 3. The first model (model 1) includes all variables that were described above. The second model (model 2) was derived by stepwise regression and only includes variables that are at least significant at the 10% level. Results of models 1 and 2 are presented for the years 2025 and 2050.

Model 1 explains more than 50 percent of the variance in the projected MAC across the studies, and it explains the MAC for 2025 a little better than those for 2050. The unexplained share of the variance is due to unobserved differences in, e.g., model structure and parameterization. The sign and significance of the independent variables are as follows.

The stabilization target and the baseline emissions have a significant effect on MAC, as we would expect. The signs of the coefficients are also as expected: an increase in the stabilization target reduces MAC, and an increase in baseline emissions increases MAC.

A multigas policy, offering "what" flexibility in climate policy, reduces MAC in 2025. This result is as expected, as we argued above. While the coefficient of multigas is still negative in 2050, it is no longer significant. Overall, the difference between single gas and multigas models appears smaller than might be expected. As argued in Tol (2006), the option to mitigate other greenhouse gases than carbon dioxide increases flexibility and so reduces costs. However, the only way to stabilize climate change is to reduce carbon dioxide emissions to zero. Therefore, the other greenhouse gas emissions have a substantial effect on costs only in the medium term. Furthermore, differences between models in the treatment of non-CO₂ greenhouse gases are large, and some models have many such gases while other models have few. The distance between baseline emissions and target emissions depends on the gases included in the analysis. Therefore, the multigas results are noisier than the single gas results, and this also explains the lack of significance in 2050.

The dummy variable indicating the assumption of induced technical change is significant for 2025, but not for 2050. What is remarkable, however, is that the 2025 coefficient seems to have an unexpected sign. The assumption of ITC seems to increase MAC rather than reduce it. This is not completely contrary to the conclusions of the IMCP forum, that emphasized the large differences among models regarding assumptions on, for example, existing market distortions, long-term investment behaviour and the nature of the technological options considered

(Edenhofer, Lessmann et al. 2006). In general we might conclude that the inclusion of ITC in IAMs is still, to a large extent, in an experimental phase.

Contrary to the results of Fisher and Morgenstern (2005) we do not find significant effects for aggregation characteristics across our models. There is no significant difference between MAC from models with a high level of detail in terms of primary energy sources and regions and those with low levels of detail.

	MAC2025			MAC2050				
	Model 1		Model 2		Model 1		Model 2	
	b	t	b	Т	b	t	b	t
CONSTANT	10.623	5.218 ***	8.922	6.523 ***	10.594	5.480 ***	8.217	7.355 ***
TARGET	016	-4.565 ***	015	- 5.487 ***	013	-3.902 ***	010	-4.204 ***
BASELINE	.667	3.524 ***	.677	4.202 ***	.267	1.487	.308	2.124 **
MULTIGAS	643	-1.787 *			499	-1.459		
ITC	.586	1.908 *	.607	2.115 **	021	073		
REGIONS	.000	.030			.006	.593		
ENERGIES	061	869			017	247		
CGE	444	977			009	022		
IDO	791	-2.229 **	790	-2.930 **	822	-2.441 **	852	-3.433 ***
CCS	511	-1.302	636	-2.153 **	250	670		
IMCP	727	-1.338			764	-1.481		
USCCSP	.415	.785			.146	.290		
R2	.650		.602		.536		.477	
R2 (adjusted)	.533		.551		.381		.439	
* significant at	10% leve	el	•		-		•	

Table 3 Results of meta-analys

** significant at 5% level

*** significant at 1% level

There are also no significant differences between CGE and other models. The absence of a significant difference might be interpreted as a confirmation of the suggestion of Hourcade, Jaccard et al. (2006) suggestion of a convergence of the modelling approaches – or at least the results.

Intertemporal dynamic optimisation is significant and has the expected sign. Flexibility in choosing the optimal reduction path ("when" flexibility) seems to matter a great deal.

The difference between models that include backstop technologies and CCS is significant for 2025 (for Model 2), but not for 2050. The sign of the coefficients is negative, suggesting that backstop technologies and CCS reduce MAC in comparison to models that do not include these options. The signs seem to make sense, and are contrary to the results of Fisher and Morgenstern (2005).

Compared to the EMF-21 modelling forum, the models in the IMCP forum tend to report lower MAC, and the models in USCCSP tend to report higher values. The coefficients, however, are not significant. The lower values for MAC in IMCP are not due to their inclusion of ITC. In the first place, the data include IMCP both results computed with and without ITC. Furthermore, in the regression model ITC is already accounted for in a separate variable.

In sum, the meta-analysis suggests that differences between MAC across studies can to some extent be explained by differences in target and baseline, intertemporal optimization, the inclusion of non-CO₂ gases, and the inclusion of CCS or a backstop technology. Other technical features of models, such as type (CGE or not), ITC, and aggregation issues, have random effects on MAC. There is some influence of the Modelling Forum on the MAC results: the more "experimental" models of the IMCP forum tend to report lower values than the more mature and standard models that participated in the USCCSP forum. This gives some support to the critique of Tol (2006) on IMCP. The EMF-21 forum takes a middle position.

The estimated meta-regression functions can be used to predict MAC given specific values for the significant explanatory variables. We have tried to examine the association between MAC and TARGET based on the estimated meta-models (model 2). A problem in using these models for prediction is that the dependent variable is a logarithmic transformation of MAC and not MAC itself. We therefore use the following formula to recover the MAC value in original dimension from the estimated function.

$$MAC = EXP\left(\ln(MAC) + \frac{1}{2}\sigma^2\right)$$
(2)

where σ^2 is the variance of the error term of the regression. The half-variance term is included in the exponent of Eq. (2) because the logarithmic transformation is a non-linear transformation (Verbeek 2004).

Figure 2 shows the association between MAC and TARGET for the full range of TARGET values in our database (350-550 ppmv). Figure 2 also shows the 95% prediction interval around the central prediction. The prediction interval quickly increases if we leave the range 450-550 ppmv where the bulk of our observations are. According the Figure 2, MAC for a stringent long-term target of 350 ppmv CO₂, which is more or less consistent with the EU's 2°C target (see Table 1), could be between \notin 74 and \notin 227 in 2025 and between \notin 132 and \notin 381 in 2050.





As explained in the Introduction, our MAC estimate can be viewed as the carbon permit price in an idealized global emissions trading system. We can compare this "ideal global" MAC with two recent policy estimates at country and EU levels. The first relates to the United Kingdom's (UK) target of achieving a 60% reduction in greenhouse gas emissions by 2050³, and the second to the recently announced policy targets of the EU (EC 2007; Elzen, Lucas et al. 2007).⁴ Table 4 presents estimated MAC for the UK and EU targets in 2020 and 2050 (2050 for the UK only). Table 4 shows that estimated MAC (across the target range 550-350 ppmv) span the full range of the national estimates for both years.

Table 4 National and regional MAC (e^{2005}/tCO_2)

	2020	2050	source
UK	15 - 60	142 - 193	(Watkiss 2005)
EU27	23 - 93		(Elzen, Lucas et al. 2007)
MAC*	13 – 119**	34 - 212	This paper

* MAC across the target range 550-350 ppmv CO₂.

** These values refer to 2025.

6. Conclusions and Discussion

We have analysed information on MAC from 62 recent studies that assessed the economic impacts of meeting long-term stabilization targets of greenhouse gases in the atmosphere. All the studies computed a least-cost trajectory of global abatement efforts to meet such a target. The MAC assessed by these studies were shown to depend on the level of the stabilization target, the

³ The Energy White Paper "Our Energy Future – Creating a Low Carbon Economy" (2003).

⁴ In January 2007, the European Commission proposed that the EU should (in the context of international negotiations) pursue the objective of a reduction of 30 percent in greenhouse gas emissions by 2020 (compared to 1990). Without international cooperation the EU should unilaterally commit to a reduction target of 20 percent in 2020 (EC, 2007).

assumed emissions baseline, intertemporal optimisation, the choice of control variable (CO_2 only versus multigas), assumptions on future technological options (backstop and CCS), and, to a lesser degree, on the scientific "forum" in which the study was developed.

The estimated MAC can be considered as "idealized global MAC": they assume a perfectly rational, efficient and global policy that would equate MAC across a ll sources of emissions at each point in time and would also result in an optimal trajectory of MAC over time. In less "ideal" settings, the MAC may well be substantially higher. We compared our "ideal global MAC" with MAC that were assessed in the context of real policy proposals in the UK and the EU and found that the policy-specific estimates and our central estimates are of the same order of magnitude. We also found, however, that the uncertainty of the estimates increases quickly if we move in the direction of more stringent targets.

No.	Model	Platform
1	AIM	EMF-21, IMCP
2	AMIGA	EMF-21
3	GTEM	EMF-21
4	GEMINI	EMF-21
5	PACE	EMF-21
6	EDGE	EMF-21
7	EPPA	EMF-21
8	IPAC	EMF-21
9	SGM	EMF-21
10	WIAGEM	EMF-21
11	COMBAT	EMF-21
12	FUND	EMF-21
13	GRAPE	EMF-21
14	MERGE	EMF-21, USCCSP
15	IMAGE	EMF-21
16	MESSAGE	EMF-21, IMCP
17	MiniCAM	EMF-21, USCCSP
18	POLES	EMF-21
19	DEMETER-ICCS	IMCP
20	DNE21+	IMCP
21	E3MG	IMCP
22	ENTICE-BR	IMCP
23	FEEM-RICE	IMCP
24	GET-LFL	IMCP
25	IMACLIM-R	IMCP
26	IGSM	USCCSP

1.1 Annex I Database of GHG stabilization studies

References

- Asselt, H. v. and F. Biermann (2007). "European emissions trading and the international competitiveness of enery-intensive industries: a legal and political evaluation of possible supporting measures." <u>Energy Policy</u> **35**: 497-506.
- Barker, T., J. Koehler and M. Villena (2002). "The Costs of Greenhouse Gas Abatement: A Metaanalysis of Post-SRES Mitigation Scenarios". <u>Environmental Economics and Policy Studies</u> 5: 135-166.
- Barker, T., M.S. Qureshi and J. Koehler (2006). <u>The Costs of Greenhouse Gas Mitigation with</u> <u>Induced Technological Change: A Meta-Analysis of Estimates in the Literature</u>. HM Treasury, London. <u>http://www.hm-treasury.gov.uk/independent_reviews/stern_review_economics_</u> climate change/stern review supporting documents.cfm
- Bickel, P. and R. Friedrich, Eds. (2005). <u>ExternE Externalities of Energy</u>, <u>Methodology 2005 Update</u>. Brussels, EU Directorate-General for Research: Sustainable Energy Systems.
- EC (2007). Limiting global climate change to 2 degrees Celcius. The way ahead for 2020 and beyond. Impact Assessment Summary. Brussels.
- Edenhofer, O., K. Lessmann, et al. (2006). "Induced Technical Change: Exploring its Implications for the Economics of Atmospheric Stabilization: Synthesis Report from the Innovation Modeling Comparison project." <u>The Energy Journal: Endogenous Technical Change and the Economics</u> of Atmospheric Stabilisation: 57-107.
- Elzen, M. G. J. d., P. L. Lucas, et al. (2007). Exploring European countries' emission reduction targets, abatement costs and measures needed under the 2007 EU reduction objectives. Bilthoven, Netherlands Environmental Assessment Agency (MNP): 155.
- Fischer, C. and R. D. Morgenstern (2005). Carbon Abatement Costs: Why the wide range of estimates? Washington D.C., Resources for the Future: 18.
- Fisher, B. S., N. Nakicenovic, et al. (2007). Issues related to mitigation in the long term context. <u>Mitigation. Contribution of Working Group III to the Fourth Assessment Report of the Inter-governmental Panel on Climate Change</u>. B. Metz, O. R. Davidson, P. R. Bosch, R. Dave and L. A. Meyer. Cambridge, Cambridge University Press.
- Hourcade, J.-C., M. Jaccard, et al. (2006). "Hybrid Modelling: New answers to old challenges. Introduction to the Special Issue of the Energy Journal." <u>The Energy Journal: Hybrid</u> <u>Modeling of Energy-Environment Policies: Reconciling Bottom-up and Top-down:</u> 1-11.
- Repetto, R. and D. Austin (1997). <u>The Costs of Climate Protection: A Guide for the Perplexed</u>. Washington, D.C., World Resources Institute
- Smulders, S. and M. de Nooij (2003). "The Impact on Energy Conservation on Technology and Economic Growth." <u>Resource and Energy Economics</u> **25** (1): 59-79.
- Tol, R. S. J. (2005). "The marginal damage costs of carbon dioxide emissions: an assessment of the uncertainties." <u>Energy Policy</u> **33**(16): 2064-2074.
- Tol, R. S. J. (2006). "The Stern review on the economics of climate change: a comment." <u>Energy & Environment</u> **17**(6): 977-981.
- Tol, R.S.J. (2006). "Multi-Gas Emission Reduction for Climate Change Policy: An Application of FUND." Energy Journal (Multi-Greenhouse Gas Mitigation and Climate Policy Special Issue): 235-250.
- Tol, R.S.J. (2007). "Europe's Long Term Climate Target: A Critical Evaluation." <u>Energy Policy</u> **35** (1): 424-434.
- UN, EC, et al. (2005). Handbook of National Accounting: Integrated Environmental and Economic Accounting 2003. New York, United Nations.
- Verbeek, M. (2004). <u>A Guide to Modern Econometrics</u>. Chichester, West Sussex, England, John Wiley & Sons Ltd.
- Watkiss, P. (2005). The Social Cost of Carbon. The Social Costs of Carbon (SCC) Review Methodological Approaches for Using SCC Estimates in Policy Assessment. Didcot, Oxon, UK, AEA Technology Environment: 109.
- Weyant, J. P., F. C. d. l. Chesnaye, et al. (2006). "Overview of EMF-21: Multigas Mitigation and Climate Policy." <u>The Energy Journal: Multi-Greenhouse Gas Mitigation and Climate Policy</u>: 1-32.

Year	Number	Title/Author(s) ESRI Authors/Co-authors Italicised
2008	247	Incorporating GHG Emission Costs in the Economic Appraisal of Projects Supported by State Development Agencies <i>Richard S.J. Tol</i> and <i>Seán Lyons</i>
	246	A Carton Tax for Ireland <i>Richard S.J. Tol, Tim Callan, Thomas Conefrey, John D. Fitz Gerald, Seán Lyons, Laura Malaguzzi Valeri</i> and <i>Susan Scott</i>
	245	Non-cash Benefits and the Distribution of Economic Welfare <i>Tim Callan</i> and <i>Claire Keane</i>
	244	Scenarios of Carbon Dioxide Emissions from Aviation <i>Karen Mayor</i> and <i>Richard S.J. Tol</i>
	243	The Effect of the Euro on Export Patterns: Empirical Evidence from Industry Data <i>Gavin Murphy</i> and <i>Iulia Siedschlag</i>
	242	The Economic Returns to Field of Study and Competencies Among Higher Education Graduates in Ireland <i>Elish Kelly, Philip O'Connell</i> and <i>Emer Smyth</i>
	241	European Climate Policy and Aviation Emissions Karen Mayor and Richard S.J. Tol
	240	Aviation and the Environment in the Context of the EU-US Open Skies Agreement <i>Karen Mayor</i> and <i>Richard S.J. Tol</i>
	239	Yuppie Kvetch? Work-life Conflict and Social Class in Western Europe <i>Frances McGinnity</i> and <i>Emma Calvert</i>
	238	Immigrants and Welfare Programmes: Exploring the Interactions between Immigrant Characteristics, Immigrant Welfare Dependence and Welfare Policy <i>Alan Barrett</i> and Yvonne McCarthy
	237	How Local is Hospital Treatment? An Exploratory Analysis of Public/Private Variation in Location of Treatment in Irish Acute Public Hospitals Jacqueline O'Reilly and Miriam M. Wiley

236	The Immigrant Earnings Disadvantage Across the Earnings and Skills Distributions: The Case of Immigrants from the EU's New Member States in Ireland <i>Alan Barrett, Seamus McGuinness</i> and <i>Martin O'Brien</i>
235	Europeanisation of Inequality and European Reference Groups <i>Christopher T. Whelan</i> and <i>Bertrand Maître</i>
234	Managing Capital Flows: Experiences from Central and Eastern Europe Jürgen von Hagen and <i>Iulia Siedschlag</i>
233	ICT Diffusion, Innovation Systems, Globalisation and Regional Economic Dynamics: Theory and Empirical Evidence Charlie Karlsson, Gunther Maier, Michaela Trippl, <i>Julia Siedschlag,</i> Robert Owen and <i>Gavin Murphy</i>
232	Welfare and Competition Effects of Electricity Interconnection between Great Britain and Ireland Laura Malaguzzi Valeri
231	Is FDI into China Crowding Out the FDI into the European Union? Laura Resmini and <i>Iulia Siedschlag</i>
230	Estimating the Economic Cost of Disability in Ireland John Cullinan, Brenda Gannon and <i>Seán Lyons</i>
229	Controlling the Cost of Controlling the Climate: The Irish Government's Climate Change Strategy Colm McCarthy, <i>Sue Scott</i>
228	The Impact of Climate Change on the Balanced- Growth-Equivalent: An Application of <i>FUND</i> David Anthoff, <i>Richard S.J. Tol</i>
227	Changing Returns to Education During a Boom? The Case of Ireland <i>Seamus McGuinness, Frances McGinnity, Philip</i> O'Connell
226	'New' and 'Old' Social Risks: Life Cycle and Social Class Perspectives on Social Exclusion in Ireland <i>Christopher T. Whelan</i> and <i>Bertrand Maître</i>

	225	The Climate Preferences of Irish Tourists by Purpose of Travel <i>Seán Lyons, Karen Mayor</i> and <i>Richard S.J. Tol</i>
	224	A Hirsch Measure for the Quality of Research Supervision, and an Illustration with Trade Economists <i>Frances P. Ruane</i> and <i>Richard S.J. Tol</i>
	223	Environmental Accounts for the Republic of Ireland: 1990-2005 Seán Lyons, Karen Mayor and Richard S.J. Tol
2007	222	Assessing Vulnerability of Selected Sectors under Environmental Tax Reform: The issue of pricing power J. Fitz Gerald, M. Keeney and S. Scott
	221	Climate Policy Versus Development Aid Richard S.J. Tol
	220	Exports and Productivity – Comparable Evidence for 14 Countries <i>The International Study Group on Exports and</i> <i>Productivity</i>
	219	Energy-Using Appliances and Energy-Saving Features: Determinants of Ownership in Ireland Joe O'Doherty, <i>Seán Lyons</i> and <i>Richard S.J. Tol</i>
	218	The Public/Private Mix in Irish Acute Public Hospitals: Trends and Implications Jacqueline O'Reilly and Miriam M. Wiley
	217	Regret About the Timing of First Sexual Intercourse: The Role of Age and Context <i>Richard Layte</i> , Hannah McGee
	216	Determinants of Water Connection Type and Ownership of Water-Using Appliances in Ireland Joe O'Doherty, <i>Seán Lyons</i> and <i>Richard S.J. Tol</i>
	215	Unemployment – Stage or Stigma? Being Unemployed During an Economic Boom <i>Emer Smyth</i>
	214	The Value of Lost Load <i>Richard S.J. Tol</i>
	213	Adolescents' Educational Attainment and School Experiences in Contemporary Ireland <i>Merike Darmody, Selina McCoy, Emer Smyth</i>

212	Acting Up or Opting Out? Truancy in Irish Secondary Schools <i>Merike Darmody, Emer Smyth</i> and <i>Selina McCoy</i>
211	Where do MNEs Expand Production: Location Choices of the Pharmaceutical Industry in Europe after 1992 <i>Frances P. Ruane</i> , Xiaoheng Zhang
210	Holiday Destinations: Understanding the Travel Choices of Irish Tourists Seán Lyons, Karen Mayor and Richard S.J. Tol
209	The Effectiveness of Competition Policy and the Price-Cost Margin: Evidence from Panel Data Patrick McCloughan, <i>Seán Lyons</i> and William Batt
208	Tax Structure and Female Labour Market Participation: Evidence from Ireland <i>Tim Callan</i> , A. Van Soest, <i>J.R. Walsh</i>
207	Distributional Effects of Public Education Transfers in Seven European Countries <i>Tim Callan,</i> Tim Smeeding and Panos Tsakloglou