

TECHNICAL UNIVERSITY OF MOLDOVA Ministry of Education of the Republic of MOLDOVA Ministry of Agriculture and Food Industry of MOLDOVA National Audit Centre of Alcoholic Products Agricultural Technical Institute MECAGRO of A.S. M. Scientific-Practical Institute of Horticulture and Food Technologies of A.S. M

# PROCEEDINGS

of the International Conference

MODERN TECHNOLOGIES, IN THE FOOD INDUSTRY-2012

## MTFI - 2012

### Volume II

1-3 November, 2012 Chişinău (Republic of Moldova) CZU 663/664 (082) M 84

The authors are responsible for the content of the work and their wording



Descrierea CIP a Camerei Naționale a Cărții

"Modern Technologies, in the Food Industry – 2012", inter. conf. (2012; Chisinau). Proceedings of International Conference "Modern Technologies, in the Food Industry – 2012" (MTFI -2012) : [in 2 vol.]. – Ch. : S. n., 2012 (Tipogr. "Bons Offices"). – ISBN 978-9975-80-644-2

Vol. 2. -2012. – 400p. – Antetit.: Techn. Univ. of Moldova, The Min. of Education of the Rep. of Moldova, The Min. of Agriculture and Food Industry of Moldova [et al.]. – Bibliogr. La sfarsitul art.

150 ex. ISBN 978-9975-80-646-6.

ISBN 978-9975-80-646-6

© authors

### INTERNATIONAL SCIENTIFIC COMMITTEE

BOSTAN Ion
Technical University of Moldova, Chişinău, Moldova,
ALEXE Petru
University "Dunărea de Jos", Galați, România
BANU Constantin
University "Dunărea de Jos", Galați, România
BURDO Oleg
National Academy of Food Technologies of Odessa, Ukraine
FÎNARU Adriana
University of Bacău, Romania
GAINA Boris
Academy of Sciences of Moldova, Chişinău, Moldova
GORIN Alexandr
National University of Economics and Trade of Donetsk "Tugan-
Baranovski", Ukraine
GUTT Sonia
University "Stefan cel Mare" Suceava, România
KARPILENKO Ghennadii
State University of Food Technologies in Moscow, the Russian Federation
MALEJIC Ivan
National University of Food Technologies in Kiev, Ukraine
MARECHAL Pierre-André
Université de Bourgogne, Dijon, France
NICOLAU Anca
University "Dunărea de Jos", Galați, România
OPOPOL Nicolae
State University of Medicine and Pharmacy "N.Testimitanu", Moldova
POTAPOV Vladimir
State University of Food and Trade in Harikov
ŞAPOVALENCO Oleg
National University of Food Technologies in Kiev, Ukraine
STEFANOV Stefan
University of Food Technologies, Plovdiv, Bulgaria
TATAROV Pavel
Technical University of Moldova, Chişinău, Moldova
TURTOI Maria
University "Alma-Mater", Sibiu, România

#### **ORGANISING COMMITTEE**

BALAN Evghenii, univ. prof.,dr.
BĂLĂNUȚĂ Anatol, univ. prof., dr.
BERNIC Mircea, associate prof., dr.
CARTOFEANU Vasile, associate prof., dr.
CIUMAC Jorj, associate , prof., dr.
DESEATNICOV Olga, associate prof., dr.
GHENDOV-MOŞANU Aliona, associate prof., dr.
MACARI Artur, associate, prof., dr.
MAMALIGA Vasile, associate prof., dr.
MUSTEAȚĂ Grigore, associate prof., dr.
REŞITCA Vladislav, associate prof., dr.
SANDULACHI Elizaveta, associate prof., dr.
STURZA Rodica, univ. prof., dr.
VEREJAN Ana, associate prof., dr.

#### **CONFERENCE THEMES:**

- 1. Modern Processes and Equipment in the Food Industry
- 2. Food Technology
- 3. Chemistry and Microbiology of Food
- 4. Economics and Management in the Food Industry

### CONTENTS

#### Section II Food Technology

1.	Musteață G., Furtuna N. Establishment of chemical compounds
	responsible for odorant areas of three wines from local grape varieties
•	from Moldova
2.	Musteață G., Gherciu-Musteață L., Popov V., et al. The antioxidant
2	properties dynamic of aged red wines Nosenko T., Mank V., Maksimova O. Isoflavones distribution in the
3.	process of soy protein recovery
4.	<b>Obadă L., Golenco L., Mîndru A., et al.</b> Study on reducing the calcium
4.	concentration in white wines
5.	<b>Obadă L., Mîndru A., Rusu E., et al.</b> Valorisation of local red varieties
	in diversifying wine assortment
6.	<b>Omelchuk S., Melnik I.</b> Nut beer as a functional drink
7.	Parshakova L., Popel S., Cropotova J., et al. Optimisation of fatty-acid
	composition of vegetable oils
8.	Popel S., Parshacova L., Cropotova J., et al. A study on oxidative
	stability of vegetable oil blends with optimal ratio of polyunsaturated
	fatty acids
9.	Popel S., Draganova E., Cropotova J. Functional bread with iodine
10.	Popel S., Draganova E., Condrashova I. Modern experience of the use
	of iodinated salt in the production of canned vegetables
11.	Popel S., Draganova E., Parshakova L., et al. Prospects of the use of
	vitamin and mineral complexes developed for elimination of iron and
	acid folic deficiency in the republic of Moldova
12.	<b>Popescu L.</b> Rheological properties of yogurt with germinatedsorizflour
13.	Popescu L. Study of hydration germinated soriz flour
14.	Popovici C., Capcanari T., Boaghi E., et al. Effect of nitrogen
. –	treatment on quality of cold pressed walnut oil
15.	Popovici C., Gîtin L., Alexe P. Supercritical fluid extraction of bioactive
	compounds from walnut leaves
16.	Purice G., Rubtov S. Study on microflora of vegetable salads
17.	Rasheva V., Valtchev G., Tasheva S. Defining of aseptic tank position
10	in the production process of cosmetic and pharmaceutic products
18.	<b>Rasheva V.</b> <i>Posibilities for energy saving in a student hostel "maritza 4"</i>
10	of university of food technologies
19.	<b>Rasheva V.</b> Feasibility evaluation of some methods and installations for
20	cleaning of working air from industrial plants
20.	Romanovska T., Nikolaenko O. Technology for producing vegetable oil
<b>31</b>	for preventive Rusu E., Obadă L., Dumanov V., et al. Aromatic compounds of wine
21.	obtained from the new variety of domestic selection viorica
22.	Shapovalenko O., Ianiuk T., Ganzenko V., et al. Protein supplements
44.	based on soy, flax seeds and dry milk serum
	бизей он зоу, јих зеейз ини игу тик зегит

\_\_\_\_

23.	Simac V. Functional foods and health claims in the context of european
24.	legislation
	(sorghum oryzoidum) grains and groats
5.	<b>Skorbanov E., Taran N., Cernei M., et al.</b> <i>Biologically active substances in red moldovian wines.</i>
6.	Slavov A., Denkova Z., Hadjikinova M., et al. Bacterial and yeast strain selection for treatment of goose down washing wastewater
7.	Slavova V., Petrov S., Baeva M. A study on the change of transport and selective properties of ultrafiltration polymer membranes after vacuum metallization with iron-chromium-nickel alloy
8.	<b>Sleagun G., Popa M.</b> Comparative evaluation of vacuum and air over moisture content determination methods for some varieties of dried fruits and vegetables
9.	<b>Şleagun G., Popa M.</b> The infrared analyzer ma35 sartorius application for moisture determination in dried apples and carrots
0.	<b>Sturza R., Bîlici C., Prida I.</b> Autentification of geografical origin of wines by inductively coupled plasma atomic emission spectroscopy (ICP-AES)
1.	<b>Sturza R., Covaci C.</b> Principles and modalities to diminish the influence of the cork taint on wine quality
2.	Tanasa F., Zanoaga M. Polymers from renewable resources for food packaging
3.	<b>Tasheva S., Damianova S., Ergezen M., et al.</b> Coefficient of diffusion of aromatic products from anatolian hawthorn (Crataegus Orientalis Pall. Ex. Bieb.)
4.	<b>Tasheva S.</b> Technology regimes of distillation plants as process coriander
5.	Tatarov P. Physicochemical changes of walnut oil (Juglans Regia L.)
ó.	Vasilyeva E., Gladkaya A. Technology of semi-finished products on the base of quince for whipped sweet dishes
7.	Vizireanu C., Sturza A., Motruc N., et al. Antioxidant activity of sweet products with anthocyanins extracts use as a natural food colorant
8.	Zanoaga M., Tanasa F. Food industry waste as resource of bio-active compounds

#### Section III Chemistry and Microbiology of Food

1.	Antova G., Vasileva E., Ivanova D., et al. Studies on the composition of	010
	organic and conventional milk products	219
2.	Buculei A., Amariei S., Poroch - Serițan M., et al. Study on the development of the material balance focused on the metal transfer	
	between the system can-lacquering and canned vegetables	225
3.	Buret E., Cartaşev A., Coev G. Improvement of textural properties of	
	fermented milk by using streptococcus thermophilus strains	230
4.	<b>Coropceanu E.</b> Some 3d-metals dioximates– biostimulators for enzymes	
	production of industrial importance	235

5.	Duca G., Sturza R., Lazacovici D. The study of the phthalates removing
	process from alcoholic products 23
6.	Gheorghieva T., Cozma I., Rubţov S. Action uv radiation on microbiota
7.	Gusina L., Dragancea D, Verejan A., et al. Synthesis and study of some
	dioxovanadium(v) coordination compounds based on isonicotinoyl-
	hydrazone of salicylaldehyde and its derivatives
8.	Haritonov S., Sturza R., Verejan A., et al. Research on the iodized oil 25
9.	Iorga E., Soboleva I., Achimova T., et al. Modern methods for identification of counterfeit food products
10.	<b>Iorga E., Golubi R., Achimova T., et al.</b> Use of grape of vitis labrusca
10.	variaty in the republic of moldova
11.	Nicolaescu M-M., Bureț E., Coev G. Autochthonous symbiotic cultures
11.	for goat's milk yogurt obtaining
12.	<b>Obreshkov I.</b> Physico-chemical characteristics of some bulgarian
14.	honeys
13.	Sandulachi E., Tatarov P. Quality study of walnut oil Juglans Regia L 27
13. 14.	Sandulachi E., Tatalov I. Quanty study of wainin on sugarts Regit L 27 Sandulachi E., Costis V., Chirita E. Physico chemical parameters of
14.	some varieties of walnuts (Juglans Regia L) grown in moldova
15.	Sandulachi E., Chirita E., Costis V. Enzymes' impact on quality of
13.	walnuts (Juglans Regia L.) and walnut oil
16.	Sandulachi E., Gurjui A., Silivestru E. Microbial contamination of
10.	Juglans Regia L. walnuts stored in Moldova
17	Sandulachi E., Radu O., Fuior A. Estimation of apical necosis in
17.	Junglans Regia L. walnuts harvested in Moldova
18.	Sofilkanych A., Konon A., Grytsenko N. Intensification of surfactants'
10.	synthesis on fried oil and glycerol containing medium
19.	<b>Sturza R., Lazacovici O.</b> Comparison of two immobile phases used in
17.	hplc analysis of organic acids in wine
20.	<b>Stefirta I., Coev G., Gudima A., et al.</b> Storing poultry in vacuum
20.	packages and in gas adjusted environment
21.	<b>Taran N., Soldatenco E., Morari B., et al.</b> Influence of technological
41.	treatments on phenolic complex and colors indices in raw red wines
22.	<b>Taran N., Soldatenco O., Sova A., et al.</b> Study of yeast strains
<i>44</i> .	saccharomyces vini from wine centre "Cicova" on the temperature factor 31
23.	<b>Taran N., Soldatenco O., Sova A., et al.</b> <i>Technological appreciacion of</i>
23.	yeast strains from the wine center "Cricova"
24	
24.	Taran N., Soldatenco O., Şova A., et al. Aromatic potential as an
25	alternative method for characterization of yeast strains
25.	Teneva O., Zlatanov M., Antova G., et al. Lipid composition of flax         seed oil
26.	Vasilache V., Ciotau C. Studies regarding the incidence of bacteria
<b>_</b> 0.	from listeria genus in fish meat
27.	Verejan A., Deseatnic A., Bologa O. 3D-metal coordination compounds
<i>_</i> ,.	- biostimulators growth
28.	Zadorojnâi L., Verejan A., Haritonov S., et al. Research hyaluronic
40.	acid complexation with bioactive metal ions
	acta compression with bibactive metal tons

\_\_\_\_

Zadorojnâi L., Zadorojnâi A. Investigation of the extraction process of							
hyaluronic acid from natural sources							
Zgherea G., Stoian C., Peretz S. Modern study of behavior sucrose							
Section IV							
Economics and Management in the Food Industry	_						
Bugaian L., Lazar D., Ghetiu S. Branding moldavian wines							
Hadzhiev B., Prokopov T., Pasheva A. Increasing of ECO-efficiency in							
food industry by processes reengineering							
Levchuk N. Perspectives of innovation development of Ukraine							
Luca D., Crucerescu C. Promoting moldavian wines on international markets and development of a national brand							
Osipov D., Mamaliga V. Analysis of public transport in Chisinau							
Vladimirov L. Risk assessment of dust contamination of air							
<b>Vladimirov L.</b> <i>Protection's technology of contamination of river's waters</i> with animal blood							
	hyaluronic acid from natural sources						

Section III

## **Chemistry and Microbiology of Food**



#### STUDIES ON THE COMPOSITION OF ORGANIC AND CONVENTIONAL MILK PRODUCTS

#### \*<sup>1</sup>Antova Ginka, <sup>2</sup>Vasileva Elka, <sup>2</sup>Ivanova Daniela, <sup>1</sup>Kirilova Siika

<sup>1</sup>University of Plovdiv "Paisii Hilendarski" – Plovdiv, Bulgaria <sup>2</sup>University of National and World Economy – Sofia, Bulgaria

#### Antova Ginka, E-mail: ginant@uni-plovdiv.bg

**Abstract:** The changes in the basic physicochemical characteristics and the lipid composition of Bulgarian organic and conventional dairy products (cow's yoghurt and cow's cheese) during the winter and summer period have been investigated. There were no significant changes in the basic physicochemical characteristics for organic and conventional milk products (fat content in dry matter, content of milk protein, dry matter, acidity, salt content) in the studied periods. Organic yoghurt has lower acidity in comparison with conventional yoghurt. Organic cheese is the only one with a degree of maturity (21.7% and 20.5%), corresponding to the regulated value in the Bulgarian state standards for cheese (not less than 14%). The lipids have identical fatty acid composition, dominated by saturated fatty acids (68.7% -74.5\%) and that their content is higher in winter. During the summer period quantities of trans fatty acids in mono- ( $C_{18:1}$ ) and polyunsaturated fatty acids ( $C_{18:2}$  and  $C_{18:3}$ ) was higher than in winter. The content of tocopherols in the yoghurt fats is minimal, as their values in summer period is higher, such in the various trademarks cheese tocopherols not detected.

**Keywords:** organic and conventional dairy products, cow's yoghurt, cow's cheese, physicochemical characteristics, fatty acid composition, trans fatty acids

#### Introduction

Milk and milk products are highly evaluated for their nutrient properties. Certain organic milk products have been produced lately to feature lower contaminants percent. Comparative studies on the differences between the organic and conventional foods are rare to find in the scientific literature while no data on the composition of the organic and conventional type milk products being distributed through the retail trade system in Bulgaria is available at all. The current study aims to track the alterations across the general and lipid compositions of various organic and conventional milk products (yoghurt and cheese) brands during the winter and summer seasons.

#### Materials and methods

#### Milk sample collection

Cow's yoghurt – Organic cow's yoghurt "Harmonica" and conventional cow's yoghurt "Elena"; Cow's cheese – Organic cow's cheese "Kostovi - Saedinenie" and conventional white cow's cheese "Kostovi - Saedinenie" and "Elena". Dairy products were examined during winter and summer.

#### Methods

*Fat content.* The Gerber method was used to determine the fat content of the milk [8]. The fat content of the cheeses was determined according to a Shmid-Bondzynski-Ratzlaff method [12].

*Moisture content and total solid.* The determination of moisture was done by oven drying at  $100^{\circ}$ C until a constant weight was obtained [1]. The dry matter is calculated by 100 - moisture content.

*Titratable acidity.* The titratable acidity was determined by titrating of the milk and the solution of cheese with 0.1 M sodium hydroxide solution in presence of phenolphthalein indicator [1].

**Protein content.** The protein content of the milk was determined by the Kjeldahl method and was calculated from the nitrogen content using factor 6.38 [6]. **Soluble protein.** Soluble proteins were extracted with hot water and subjected to digestion, distillation and titration in similar manner to total protein in cheese.

*Salt.* Salt (sodium chloride) was extracted with hot water, and then titrated with standard solution of  $0.1N \text{ AgNO}_3$  according to BS 8274:1982 [7].

Analysis of fatty acids. The total fatty acid composition as well as the fatty acid composition of oils was determined by gas chromatography (GC) after transmethylation with 2 N NaOH in absolute  $CH_3OH$  at 50°C [3]. GC was performed on a HP 5890 gas chromatograph equipped with a 30 m x 0.25 mm capillary EC-Wax column and a flame ionization detector [4]. Total content of Trans isomeric fatty acids was determinate in the oils by IR- spectrophotometry [2], which takes into account quantitatively the presence of trans double bonds as elaidic acid.

*Analysis of tocopherols.* Tocopherols were determined directly in the oil by high performance liquid chromatography on a "Merck-Hitachi" instrument equipped with 250 mm x 4 mm Nucleosil Si 50-5 column and fluorescent detector "Merck-Hitachi" F 1000 [5].

#### **Results and discussion**

The basic physicochemical characteristics of the yoghurt and Bulgarian white brine cheese brands under study during both seasons are given in a Table 1 below.

The organic and conventional yoghurts under study have failed to comply with certain required Bulgarian standard measures such as fat contents, moisture contents and dry matter respectively. No significant differences in the basic measures during both seasons (summer and winter) have been detected while changes within protein contents and titrable acidity of the yoghurt depending on the season have been recorded only.

The organic cheese has shown higher fat contents (23.4 and 27.7% respectively) during either season compared to the conventional cow cheese (21.5 - 23.4% respectively). Higher fat contents during the summer season has been found with the organic cheese only while both conventional cheeses "Elena" and "Saedinenie" have demonstrated higher fat contents during the winter season. The organic and conventional cheese brands under study have shown greater fat contents (16.0% - 18.4%) than that specified for the milk products (14.0 - 16.0%). The total amount of protein involves the most important cheese production measure - namely the degree of maturity. Based on the degree of maturity (21.7%) and moisture content (54.0%) only the organic cheese meets the Bulgarian state standard requirements in either seasons. The results obtained on the salt contents have shown measures close to the required standard one ( $3.5\pm0.5\%$ ). All milk products brands under study have shown titratable acidity to comply with the required one.

		Cow's yoghurt							
Physicochemical characteristics		Winter time		Sun	<u>ımer time</u>	Req	Requirements		
		Organic	Elena	Organi	c Elena		Bulgarian yoghurt [9]		
Fat content, %		3.4±0.1	3.5±0.1	3.5±0.1	3.2±0.1	not les	s than 3.6		
Moisture co	ontent, %	88.7±0.1	87.8±0.1	88.4±0.	1 87.7±0.	1 no mor	re than 88.2		
Dry matter,	,%	11.3±0.1	12.2±0.1	11.6±0.	1 12.3±0.	1 not les	s than 11.8		
Protein con	tent, %	3.3±0.01	3.8±0.02	3.2±0.0	1 3.5±0.0	1 not les	s than 3.2		
Titratable a	cidity, <sup>0</sup> T	80.0±2.0	102±1.0	89.0±2.	0 124.0±1	1.0 from 9	0 to 150		
Physico-				Cow's chee	se				
chemical characteris-		Winter time	:	S	ummer time	е	Requirement s for cow's		
tics	Organic	Saedinenie	Elena	Organic	Saedinenie	Elena	cheese [10]		
Fat in product,%	23.4±0.1	23.4±0.2	21.6±0.4	27.7±0.1	21.5±0.1	21.7±0.2	-		
Fat in dry matter, %	50.9±0.1	52.9±0.2	55.4±0.4	51.8±0.1	49.9±0.1	48.1±0.2	not less than 44.0		
Moisture content,%	54.0±0.1	55.8±0.4	61.0±0.1	54.3±0.3	54.8±0.2	59.5±0.2	54.0		
Dry matter, %	46.0±0.1	44.2±0.4	39.0±0.1	45.7±0.3	45.2±0.2	40.6±0.2	not less than 46.0		
Protein content,%	16.5±0.1	17.2±0.1	16.0±0.1	18.4±0.1	16.3±0.1	17.5±0.1	14.0-16.0		
Degree of maturity, %	21.7±0.1	13.5±0.1	9.5±0.1	21.7±0.2	11.5±0.1	5.3±0.1	not less than 14.0		
Titratable acidity, ⁰T	240±5.0	243±3.0	210±5.0	293±8.0	253±3.0	213±5.0	200-270		
Salt content,%	3.5±0.1	3.5±0.1	5.3±0.2	2.9±0.1	4.1±0.2	3.6±0.1	3.5±0.5		

Table 1 Physicochemical characteristics of studies cow's yoghurt and white cow's cheese


The fatty acid composition of the milk fats from the tested organic and conventional milk product brands during both seasons is given in the Table 2 below.

The caprylic acid quantity varies from 0.4% to 0.7% during the winter only at that while its quantity has been found to be lower that that recorded by other authors [13]. The capric acid varies from 0.7% to 3.7% while its quantity during the winter is found to be 2 to 5 times higher than in the summer. The quantity of the palmitic and oleic acids in lipides being isolated out from organic and conventional milk products brands dominates. The palmitic acid contents within the fat phase ("Saedinenie" cheese in the summer season) varies from 32.9% to 37.3% ("Elena" yoghurt in summer season) while the oleic acid content (organic yoghurt in the winter season) varies from 20.8% to 28.9% (organic yoghurt in the summer season). The linoleic acid quantity varies from 0.7% to 1.5% while in the summer is twice as high compared to that in the winter season and the essential linoleic acid is scarcely present varying from 0.1% to 0.3%.

	any arra com		tion of the fat from cow's yoghurt and cow's cheese Cow's yoghurt							
Fat	ty acids %	Wi	nter time	Su	Summer time					
	·	Organic	Elena	Organ	ic	Elena		[13]		
C <sub>4:0</sub> Butanoic		-	-	-		-		3.6		
C <sub>6:0</sub>	Caproic	-	-	-		-		2.2		
C <sub>8:0</sub>	Caprylic	0.4±0.05	0.7±0.1	-		-		1.2		
C <sub>10:0</sub>	Capric	3.6±0.1	3.7±0.3	0.7±0.	.1 1.8±0		l	2.8		
C <sub>12:0</sub>	Lauric	5.7±0.1	5.3±0.1		2.4±0.1		Į	2.8		
C <sub>12:1</sub>	Lauricoleic	0.2±0.01	0.2±0.01	0.1±0.0	)1	0.1±0.0	1	-		
C <sub>14:0</sub>	Myristic	17.8±0.03	15.2±0.3		12.5±0.3		2	10.1		
C <sub>14:1</sub>	Myristoleic	1.3±0.1	1.1±0.1	0.5±0.0	)1	0.9±0.0	5	-		
C <sub>15:0</sub>	Pentadecano	ic 1.6±0.1	1.6±0.01	1.5±0.	1	1.5±0.1	l	-		
C <sub>16:0</sub>	Palmitic	33.9±1.0	36.2±0.5	33.3±0	.5	37.3±0.	5	25.0		
C <sub>16:1</sub>	Palmitoleic	1.6±0.1	1.7±0.05	1.5±0.	1	1.8±0.1	l	2.6		
C <sub>17:0</sub>	Margaric	0.6±0.1	0.7±0.01	0.9±0.	1	0.7±0.1		-		
C <sub>18:0</sub>	Stearic	10.8±0.5	10.7±0.4	15.9±0		11.9±0.	2	12.1		
C <sub>18:1</sub>	Oleic	20.8±1.0	21.2±0.4	28.9±0	.3	23.7±0.	4	27.1		
C <sub>18:2</sub>	Linoleic	0.7±0.1	0.7±0.01	1.5±0.	1	1.5±0.1	l	2.4		
C <sub>18:3</sub>	Linolenic	0.1±0.01	0.1±0.01	0.1±0.0		0.1±0.0		2.1		
C <sub>20:0</sub>	Arachidic	0.1±0.1	0.1±0.05	0.2±0.0	0.2±0.01		1	-		
C <sub>20:1</sub>	Gadoleic	0.3±0.05	0.2±0.1	-	-			-		
C <sub>20:2</sub>	Eicosadienoi	ic 0.5±0.05	0.6±0.05	-	-			-		
Fatty			Cow's cheese							
acids		Winter time		Summer time						
%	Organic	Saedinenie	Elena	Organic	Saed	linenie	El	ena		
C <sub>8:0</sub>	0.5±0.05	0.7±0.05	0.5±0.01	-		-		-		
C <sub>10:0</sub>	1.4±0.2	3.1±0.1	2.2±0.1	0.7±0.05		9±0.1		±0.05		
C <sub>12:0</sub>	2.4±0.2	4.1±0.1	3.5±0.1	2.6±0.1		3±0.2		±0.1		
C <sub>12:1</sub>	0.1±0.01	0.2±0.01	0.2±0.01	0.1±0.01		2±0.01		±0.01		
C <sub>14:0</sub>	10.6±0.2	14.1±0.3	14.2±0.01	13.0±0.2		.6±0.2		5±0.3		
C <sub>14:1</sub>	0.5±0.01	1.0±0.01	0.7±0.01	0.6±0.05		8±0.05		±0.1		
C <sub>15:0</sub>	1.4±0.01	1.5±0.01	1.9±0.1			8±0.1		1.8±0.1		
C <sub>16:0</sub>	33.6±0.5	36.1±0.5	35.2±0.2	36.5±0.2		.9±0.4		1±0.3		
C <sub>16:1</sub>	1.4±0.01	1.5±0.01	1.5±0.01	1.4±0.1		6±0.1		±0.2		
C <sub>17:0</sub>	0.9±0.1	0.8±0.01	1.0±0.01	0.9±0.1		8±0.05		±0.1		
C <sub>18:0</sub>	17.4±0.1	12.5±0.1	14.1±0.1	15.6±0.2		14.5±0.1				7±0.1
C <sub>18:1</sub>	26.7±0.2	21.7±0.4	21.4±0.2	25.5±0.3		25.0±0.3		4±0.2		
C <sub>18:2</sub>	0.7±0.1	0.7±0.1	0.9±0.1	1.1±0.1		2±0.1		±0.1		
C <sub>18:3</sub>	0.3±0.01	0.2±0.01	0.2±0.01	0.1±0.01		1±0.01		±0.05		
C <sub>20:0</sub>	0.3±0.01	0.2±0.01	0.3±0.01	0.3±0.05	0.3	3±0.01	0.4	±0.05		
C <sub>20:1</sub>	0.2±0.1	0.3±0.1	0.2±0.1	-		-		-		
C <sub>20:2</sub>	1.4±0.1	1.3±0.1	1.8±0.1	-		-		-		
C <sub>22:0</sub>	0.2±0.01	-	0.2±0.01	-		-		-		

*Table 2* Fatty acid composition of the fat from cow's yoghurt and cow's cheese

The ratios between the saturated and unsaturated acids as well as the trans isomeric fatty acids contents are illustrated in the Fig. 1.



*Fig. 1.* Content of saturated (SFA) and unsaturated (MUSFA - monounsaturated, PUSFA - polyunsaturated) and trans fatty acids (TFA) in fat from cow's yoghurt and cow's cheese

High content of saturated fatty acids (over 67.4%) has been observed with all lipides being isolated out of the milk products brands under study. During the winter season both organic and "Elena" yoghurts have demonstrated the highest percent of saturated fatty acids (74.5% and 74.2% respectively) while both organic and "Saedinenie" cow's cheese have demonstrated higher content of saturated acids during the summer season (71.2%). The organic yoghurt has demonstrated the lowest percent of saturated fatty acids during the summer season – 67.4%  $\mu$  and the organic and "Elena" cheeses – 68.7% during the winter season respectively while showing higher percent of monounsaturated acids (31.0% and 31.3% respectively). The quantity of the monounsaturated acids with the milk products under study is higher in the summer season which can most probably be accounted for by the grass grazing as the grass contains certain quantity of dien and trien fatty acids.

In the winter season lower percent of trans fatty acids has been found with the organic and conventional milk products (2,8%) with the milk and 4.4 - 4.5% with the cheese respectively) in comparison with that in the summer: 4,3% with the yoghurt and 6.2 - 7.2% with the cheese respectively. The milk lipids under study have not demonstrated higher percent of trans isomeric fatty acids in comparison with the cited data (1.0 - 7.0%) [11]. The percent of the trans fatty acids content in yoghurt varies from 0.1% to 0.15% while in cheese its within 1.0 to 1.8%.

The organic and conventional yoghurts are found to contain tocopherols in minimal percent at that (Organic – 14.6 mg/kg winter time and summer time – 23.6mg/kg and for "Elena" 5.9 and 25.5 mg/kg respectively). The  $\alpha$  - tocopherol (100%) is the basic representative in the tocopherols list. Cheese is not found to contain tocopherols. Most probably this is due to the low percent of tocopherols in the milk itself and their probable decomposition while the milk is being processed into cheese.

#### Conclusions

Most of the Bulgarian milk products do not comply with the Bulgarian state standard requirements based on their physicochemical measures. The moisture contents, fat contents, titratable acidity, degree of maturity and salt content are found to deviate from their allowable measures. The organic and conventional milk products have not been found to show differences between their composition as well as between the different milk products under study during both seasons. The lipides being isolated out of the organic and conventional milk products type brands under study are found to show identical fatty acid composition dominated by the saturated fatty acids (67.4 - 74.5%). Mono-, polyunsaturated and tran sisomeric fatty acids are found to show higher percent in the summer season.

#### Acknowledgements

The investigations were carried out with the financial support of the Bulgarian National Science Fund, contract ID 02 - 155/2009 and the Research Scientific Department, University of Plovdiv "Paisii Hilendarski", contract 11 - 007.

#### References

**1.** AOAC (1995) (16<sup>th</sup> ed.). *Official methods of analysis*. Washington, DC: Association of Official Analytical Chemists.

**2.** AOAC Official Methods 965.34 "Isolated trans Isomers in Margarines and Shortenings, Infrared Spectrometric Method," *Official methods of Analysis of AOAC International*, 18 th ed., W. Horwitz, 2005

**3.** Animal and vegetable fat and oils (2000). EN ISO 5509. Preparation of methyl esters of fatty acids.

**4.** Animal and vegetable fat and oils (2000). ISO 5508. Determination of methyl esters of fatty acids - Gas chromatographic method.

**5.** Animal and vegetable fat and oils (1997). ISO 9936. Determination of tocopheros (HPLC method).

6. BS EN ISO 8968-1:2002 Milk - determination of nitrogen content - Part 1 Kjeldahl method

7. BS 8274:1982. Milk and milk product. Determination of content of sodium chloride.

8. BS EN ISO 1211:2010, Milk. Determination of fat content. Gravimetric method

9. BS 12:2010 Bulgarian yoghurt

10. BS 15:2010 Bulgarian white cheese

**11.** Gladkiy M., H. Fedyakina, Oils and fats - for and against, Food Processing Industry, 9, 46-48, 2006

**12.** ISO TC 34/SC 5 2002. Cheese and processed cheese product – Determination of fat content – Gravimetric method (Reference method)

**13.** O' Brien D.Richard, Walter E. Farr, Peter J. Wan, Introduction to Fats and Oils Technology, AOCS Press, 2 edition, 2000

Achimova T., 254, 259, III Alexe P., 84, II Amariei S., 225, III Angelova - Romova M., 331, III Antova G., 219, 331, III Baeva M., 146, II Bîlici C., 164, II Boaghi E., 78, II Bologa O., 342, III Buculei A., 225, III Bugaian L., 362, IV Bulgaru V., 131, II Bulhac I., 247, III Buret E., 230, III Bureț E., 264, III Capcanari T., 78, II Cartaşev A., 230, III Cernei M., 135, II Chirita E., 279, 283, III Cibuc M., 28, 32, 115, II Ciobanu C,. 203, II Ciotau C., 336, III Coev G., 230, 264, 308, III Colesnicenco A., 44, 60, II Condrashova I., 41, 44, 55, 60, II Coropceanu E., 235, III Cosciug L., 131, II Costis V., 279, 283, III Covaci C., 166, II Covalciuc O., 28, 32, II Cozma I., 244, III Cropotova J., 41, 44, 49, 60, II Crucerescu C., 379, IV Damianova S., 181, II Degteari N., 135, II Denkova Z., 140, II Deseatnic A., 342, III Deseatnicova O., 78, II Dragancea D., 247, III Draganova E., 49, 55, 60, II Duca G., 239, III Dumanov V., 115, II Ergezen M., 181, II Fiodorov S., 259, III Fuior A., 295, III Furtuna N., 10, II Ganzenko V., 121, II

Gheorghieva T., 244, III Gherciu-Musteață L., 16, II Ghetiu S., 362, IV Gîtin L., 84, II Gladkava A., 198, II Golenco L., 28, 32, II Golubi R., 254, 259, III Grytsenko N., 301, III Gudima A., 308, III Gurjui A., 289, III Gusina L., 247, III Gutt G., 225, III Hadjikinova M., 140, II Hadzhiev B., 369, IV Haritonov S., 251, 344, III Ianiuk T., 121, II Iorga E., 254, 259, III Ivanova D., 219, III Kirilova S., 219, III Konon A., 301, III Kosulya I., 121, II Lazacovici D., 239, III Lazacovici O., 304, III Lazar D., 362, IV Levchuk N., 375, IV Luca D., 379, IV Luca V., 319, 323, 327, III Maksimova O,. 22, II Mamaliga V., 383, IV Mank V., 22, II Marcheva M., 331, III Melnik I., 38, II Merdzhanov P., 181, II Mihalkov N., 140, II Mîndru A., 28, 32, II Morari B., 314, III Motruc N., 203, II Musteață G., 10, 16, II Nedov S., 28, II Nicolaescu M-M., 264, III Nikolaenko O., 112, II Nojac E., 259, III Nosenko T., 22, II Obadă L., 28, 32, 115, II Obreshkov I., 268, III Omelchuk S., 38, II Osipov D., 383, IV

398

Parshakova L., 41, 44, 60, II Pasheva A., 369, IV Peretz S., 353, III Petrov S., 146, II Popa M., 152, 158, II Popel S., 41, 44, 49, 55, 60 II Popescu L., 66, 72, II Popov V., 16, II Popovici C., 78, 84, II Poroch - Serițan M., 225, III Prida I., 164, II Prokopov T., 369, IV Purice G., 90, II Rabotnicova L., 254, III Radu O., 295, III Rasheva V., 94, 100, 106, II Reșitca V., 78, II Rinda P., 135, II Romanovska T., 112, II Rubtov S., 90, II; 244, 308, III Rusu E., 32, 115, II Sandulachi E., 273, 279, 283, 289, 295, III Shapovalenko O., 121, II Silivestru E., 289, III Simac V., 125, II Siminiuc R., 131, II Skorbanov E., 135. II Slavov A., 140, II Slavova V., 146, II Şleagun G., 152, 158, II Soboleva I., 41, II; 254, III Sofilkanych A., 301, III

Soldatenco E., 314, III Soldatenco O., 314, 319, 323, 327, III Şova A., 319, 323, 327, III Ștefîrța I., 308, III Stefîrtă M., 131, II Stoian C., 353, III Stoleicova S., 314, III Stoyanova A., 181, II Sturza A., 203, II Sturza R., 164, 166, 239, 251, 304 II Subotin I., 251, 344, III Tampei O., 135, II Tanasa F., 172, 209, II Taran N., 135, II; 314, 319, 323, 327, III Tasheva S., 94, 181, 187, II Tatarov P., 192, II; 273, III Teneva O., 331, III Ţîra V., 319, 323, 327, III Ursu S., 16, II Valtchev G., 94, II Vasilache V., 336, III Vasileva E., 219, III Vasilyeva E., 198, II Verejan A., 247, 251, 342, 344, III Vizireanu C., 203, II Vlădicescu M., 259, III Vladimirov L., 388, 394, IV Zadorojnâi A., 348, III Zadorojnâi L., 344, 348, III Zanoaga M., 172, 209, II Zgherea G., 353, III Zlatanov M., 331, III