

Original citation:

Shi, Lei, Al Qudah, Dana and Cristea, Alexandra I. (2013) Social E-learning in topolor : a case study. In: IADIS International Conference, Prague, Czech Republic, 23-26 Jul 2013 (Submitted)

Permanent WRAP url:

http://wrap.warwick.ac.uk/54271

Copyright and reuse:


The Warwick Research Archive Portal (WRAP) makes the work of researchers of the University of Warwick available open access under the following conditions. Copyright © and all moral rights to the version of the paper presented here belong to the individual author(s) and/or other copyright owners. To the extent reasonable and practicable the material made available in WRAP has been checked for eligibility before being made available.

Copies of full items can be used for personal research or study, educational, or not-forprofit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

A note on versions:

The version presented here is a working paper or pre-print that may be later published elsewhere. If a published version is known of, the above WRAP url will contain details on finding it.

For more information, please contact the WRAP Team at: wrap@warwick.ac.uk



http://go.warwick.ac.uk/lib-publications

SOCIAL E-LEARNING IN TOPOLOR: A CASE STUDY

Lei Shi, Dana Al Qudah, Alexandra I. Cristea Department of Computer Science, The University of Warwick Coventry CV4 7AL, UK

ABSTRACT

Social e-learning is a process through which learners achieve their learning goals via social interactions with each other by sharing knowledge, skills, abilities and educational materials. Adaptive e-learning enables adaptation and personalization of the learning process, based on learner needs, knowledge, preferences and other characteristics. In this paper, we present a case study that analyzes the social interaction features of a social personalized adaptive e-learning system developed at the University of Warwick, called Topolor. We discuss the results of a quantitative case study that evaluates the perceived *usefulness* and *usability*. The results demonstrate a generally high level of learner satisfaction with their learning experience. We extend the discussion of the results to explore future research directions and suggest further improvements for the studied social personalized adaptive e-learning system.

KEYWORDS

Social E-Learning, Adaptive E-Learning, Adaptive Educational Hypermedia System, Evaluation, Social Interaction.

1. INTRODUCTION

The Internet and the World Wide Web have made it possible to provide new types of learning environments where learners can interact with their peers and engage in effective and attractive learning experiences (Welsh, 2003). Social media is comprised of Internet-based applications that stand on the ideological and technological foundations of Web 2.0. These applications allow creation and exchange of user generated contents like never before (Kaplan, 2010). The increasing use of social media and Web 2.0 tools as well as various social features such as sharing, tagging, rating, commenting in e-learning process (McLoughlin, 2011). Discussions and group work are often integrated into collaborative and participative learning practice, providing a range of educational benefits, which are thoroughly discussed in the literature (e.g. (Hrastinski, 2009), (Rovai, 2004) and (Woo, 2007)).

Adaptive (Educational) Hypermedia (A(E)H) (Brusilovsky, 2004) is another research direction that offers improvements to the area of e-learning. AEH systems (e.g. (Cristea, 2007), (Ghali, 2009) and (Foss, 2009)) provide personalized learning experiences to individual learners, according to a range of characteristics, such as learning goals, background knowledge and preferences (Rosmalen, 2009). The use of adaptation, along with the social affordances of Web 2.0 tools, carries a great potential for improving e-learning systems and learning experiences. However, the review of the previous work indicates that current e-learning systems have only marginally explored the integration of social interaction features and adaptation techniques. This research intends to address this gap by evaluating a system that was developed to foster effective social and adaptive e-learning experiences.

The overall aim of this research is to improve learning experience and learning outcomes to learners via a social adaptive learning paradigm, based on the hypothesis that *extensive social features, personalized recommendations and Facebook-like appearance of a system, anticipated to make the environment more familiar to learners, subsequently increases the usefulness and usability of the system.* To isolate research variables, this paper focuses exclusively on studying the *usefulness* and *usability* of the social features in adaptive social e-learning. It is based on our recent quantitative case study that explores the use of Topolor (Shi, *et al.*, 2013a; Shi, *et al.*, 2013b) – a social personalized adaptive e-learning system developed at the University of Warwick.

The rest of the paper is organized as follows. Section 2 reviews the research background. Section 3 depicts the social interaction tools in Topolor. Section 4 and 5 describe the design and the results analysis of the case study. Section 6 discusses the findings of the case study. And finally, the conclusions and the outline of future work are described in section 7.

2. RESEARCH BACKGROUND

Learning is inherently a social experience. Social aspects of learning have been emphasized in a range of theoretical frameworks developed to explain how people learn (e.g. (Vygotsky, 1978) and (Wenger, 2009)). Yet, developing effective and efficient online social learning environment remains an open problem. While online interaction via social networking services has become widely accepted and heavily embedded in day-to-day life, providing solutions that foster creation of effective e-learning spaces are not straightforward.

Online interaction tools have also been integrated and used in AEH (Brusilovsky, 2004). This enabled adaptation of educational hypertext to the personalized needs of learners (Brusilovsky, 2000) in e-learning systems. Since early 2000s, many AH frameworks have been proposed, such as AHAM (Wu, 2002), the Munich model (Koch, 2006), XAHM (Cannataro, 2002), LAOS (Cristea, 2003) and GAF (Knutov, 2008). Few were later extended to accommodate some social features, e.g., Social LAOS (SLAOS) (Ghali, 2009b) added a collaboration mechanism into the framework, and led to the development of the MOT 2.0 system (Ghali, 2009c). It introduced social features such as a chat tool, tagging, rating and commenting on learning content. However, while these systems cater for personal needs within specific learning contexts, they are often limited in their strategies for adapting to social needs or in their social features. Some recent work (Šimko, 2010) has already proposed the need for creating adaptive and highly interactive integrated learning environments. However, their work suggests only a limited number of mechanisms for enabling social interaction. Hence, there is a gap for extending and evaluating social interaction tools in adaptive e-learning settings. Additionally, their framework does not take into account the role of learner familiarity with other social interaction tools from e-learning environments and social networking websites, such as Facebook.

In fact, the features that many of the learners are familiar with from social networking websites remain missing from the current e-learning systems. For instance, sharing a learning status, engaging in a simple question/answer exchange and sharing notes remain cumbersome or impossible in many of the available systems. Subsequently, the potential of adaptation, recommendation and personalization that is based on the use of the above social features remains largely unexplored.

In this paper we address the above gap by introducing and evaluating a range of social features previously missing from the available adaptive e-learning systems.

3. THE TOPOLOR SYSTEM

To evaluate our hypothesis (SECTION 1), we have developed the Topolor system built on the Yii Framework¹ and Bootstrap². Topolor is made available open source and is hosted on Github³ for easy sharing and version control. It is deployed⁴ and used as a social learning environment to support some postgraduate level modules in the University of Warwick. The registration for using the Topolor system has been recently opened to public. Thus, a larger cohort of users is expected in the near future, providing opportunities for collecting feedback, usage data and suggestions for further improvements.

The Topolor system mainly consists of three sub-systems (Figure 1). Each of these contains a set of interaction features that are generally referred to here as the social interaction toolset (Shi, *et al.*, 2013c). The subsystems of Topolor are the following:

- *Topolor-Home* provides a chronological list of the learning statuses posted by individual learners. It also provides access to a set of interaction tools that encourage informal communication and collaboration such as commenting on, sharing and favoring of learning statuses (Figure 1a).
- Module Center offers a warehouse of online courses, as well as provides adaptive learning content recommendation, learning expert recommendation, and interaction tools that encourage personalized social e-learning such as sending messages to recommended learning experts (Figure 1b and Figure 1d).

¹ http://yiiframework.com

² http://twitter.github.com/bootstrap

³ https://github.com/aslanshek/topolor

⁴ http://www.topolor.com

• *Q&A Center* maintains some lists of questions/answers related to the learning contents, and provides adaptive question recommendation, learning topic recommendation, expert peer adaptation and social interaction tools for discussions and practices (Figure 1c).

Topolor Home Module Center	GBA Center 💡 shite -	Topolor Home Module Center	OBA Center 😤 shiel -	
shilei Shared 3 Commented 4 Favourites 3	Status Message QLA Note Todo	shitel My modules: 1 Concepts learning: 13	Collaborative Filtering + CF and Adaptive Web	
	What's up?	Concepts Learnt 7	Take a Quiz Kent >	
MENU .		RECONNENCES CONCEPTS		
News Feed Nessages	shiel I share this note for you guys ()	Explicit v.s. Implicit Ratings	Tage adaptive web comparison explicit limitation prediction	
# 054s	12/00 10:24 PM Share (1) · Details >	Social Navigation	These early collaborative filtering systems were designed to explicitly provide users with	
@ Notes @ To-Do	0101 0927 AM Comment	toruses Answers -	information about tems. That is, users visited a website for the purpose of receiving recommendations from the CF system. Later, websites began to use CF systems behind the	
WY WOOLLEB			scenes to adapt their content to users, such as choosing which news articles a website should be presenting prominently to a user.	
 Colaborative Filtering 	yony asks a question	alexandra 1 answer(s)	The remainder of this chapter will discuss collaborative filtering in more depth by considering	
TOP USERS Commented -	tipo og 35 AM Share (1) · Details x	usern 1.atswer(s)	 The tasks for which users might use a CF system, things a CF system is good at, and the kinds of domains for which CF is appropriate 	
LET dana	11/30 09/36 AM Comment		 Algorithms that CF systems employ How types of ratings in a CF system affect design choices 	
\$ comment(s)	0	study suddes Learning -	Open questions in the continuing development of CF systems	
alexandra 4 comment(s)	Submit Cancel	amorbanath		
A yanga 3 comment(s)		At 11/30 Ok 40 AM	Comments (2) G&As (2) My note (1) My tode (1)	
NOT IN	users, asks a question	At 11/29 11:36 AM	10x	
0 comment(s)	11/29 11:54 AM Connect (2)	A1 11 29 11:31 AM	Description	
	a. Topolor - Home		b. Module Center - Topic	
opolor Home Module Center	G&A Center 2 shiel -	Topolor Home Module Center	G&A Center 🔮 shiel	
	Recent Answered Unanswered Shared Favourtes	shitei		
Shilei Wy questions: 2		My modules: 1 Concepts learning: 13	Collaborative Filtering » Properties of Domains Suitable for CF » Quiz	
Wy answers: 2	dans Can I get back to the concept I was in when I leave to check	Concepts Learnt 7		
	other questions ? 11/29-11:01 AM Details >	RECOMMENDED CONCEPTS	Cancel	
# Trends			1. Collaborative filtering is not considered useful when:	
Concepts Taps	Ny answer	Explicit v.x. Implicit Ratings Social Navigation	There is subjective criteria for poodness.	
- CSAs	6 answers		There personal taste is involved.	
Wy questions Wy answers		torustra Answers -	 There is objective oriteria of goodness. There are weighted subjective oriteria to be compared. 	
	amorbanum: Explicit rating: why do people do it? 11(29-10.30 AM Cetals -	alexandra 1.answer(s)	· · · · ·	
TOP LIBORS - Answers -		DES users	Properties such as centralized data and data transience are suitable to be used within CF application systems	
alexandra	My answer	1 answer(s)	True.	
15 answers(a)	4 answers		O False.	
7 answers(s)		studreubles Learning -	3. Users rating multiple items	
dana 3 answers(s)	siexandra: CF upfront versus hidden CF	At 11/30 09:40 AM	O Provides some summary of information.	
she	1100 00 53 PM Details >	Mobola At 11/29 11:36 AM	Provides information to relate items to each other.	
2 answers(s)			 Provides information to recommend items. 	
	c. Q&A Center	d. N	Module Center - Quiz for a Topic	

Figure 1. User Interface of Topolor

The social interaction toolset is one of the most important components in the Topolor system. To provide easy access to interaction, this toolset can be accessed from many places in the system. For instance, Figure 2 shows the interaction with this toolset from the *Topolor-Home* index page (Figure 1a).

This paper focuses on three social interaction tools. The *status tool* (Figure 2a) is used to share learning statuses. Learners can favorite and comment on each other's posted learning statuses; the *messaging tool* (Figure 2b) is used to send private messages to others; and the Q&A tool (Figure 2c) is used to ask and answer questions. Learners can also use Q&A tool for discussions.

Status Message Q&A Note Todo	Status Message Q&A Note Todo	
What's up?	Ask a question	
a. create a Status	Description	
Status Message Q&A Note Todo		
Send a message	CF System Functionality 💽 tags	
Send Cancel	Submit Cancel	
b. send a Message	c. ask a Question	

Figure 2. Social interaction toolset: (a) learning status creation tool; (b) messaging tool; (c) Q&A tool

4. CASE STUDY DESIGN

In this section, we present the design of the conducted case study. The case study was comprised of three consecutive stages: 1) the experiment of using the Topolor system, 2) the questionnaire about the usefulness and ease of use, and 3) the analysis of the questionnaire results and some qualitative feedback from the users.

4.1 Experiment Design

The experiment was conducted with the help of 21 students from the Department of Computer Science at the University of Warwick, who were registered for a 4th year MSc level module 'Dynamic Web-Based Systems', and a lecturer who was leading this module. The experiment lasted for 2 hours, during which the students were asked to learn a lesson on 'Collaborative Filtering' from the system as well as ensuring to perform specific tasks to familiarize themselves with the features related to the provided social interaction toolset. The full list of the 18 tasks completed by the students is listed in Table 1.

Table 1. Tasks Performed by The Student

Status	Message	Q&A: Question	Q&A: Answer
Create (1)	Send (7)	Create (9)	Create (12)
Edit (2)	Replay (8)	Edit (10)	Edit (13)
Remove (2)		Remove (11)	Remove (14)
Comment on (4)		Share (15)	
Favorite (5)		Favorite (16)	
Share (6)		Add Tag (17)	
		Edit Tag (18)	


4.2 Questionnaire Design


Usefulness and *ease of use* are fundamental determinants of user acceptance for a tool usage (Adams, 1992). After running the experiment, each student was asked to fill in a questionnaire to measure *usefulness* and *ease of use* of the social interaction toolset. Likert Scale (McIver, 1981) questions were used to get the feedback on all available features, as tested by tasks in Table 1. The students had to select one of the five responses for *usefulness* and *ease of use*, respectively, as shown below. A score was assigned to each response, on a scale of 1-5 as numbered below. After collecting the questionnaires, the responses of the students were analyzed.

- *usefulness*: 1) very useless, 2) useless, 3) neither useless nor useful, 4) useful, and 5) very useful.
- *ease of use*: 1) very hard, 2) hard, 3) neither hard nor easy, 4) easy; and 5) very easy.

5. ANALYSIS AND RESULTS

Out of the 21 students who participated in the experiment, 10 students responded to the optional questionnaire. The results extracted from the questionnaire are presented below. Figure 3a shows the mean of the responses, and Figure 3b shows the standard deviation.





The number of total questions in the questionnaire was 36, of which 18 questions were for testing *usefulness* and 18 for *ease of use*.

5.1 Usefulness

The blue columns in Figure 3a and Figure 3b present the *usefulness* results. The *means* of the summative results rank between 3.7 and 4.6. The *standard deviations* of the overall results are between 0.516 and 0.994. All the reported values of a *mean* are much larger than 3 (the neutral response), suggesting students' attitudes to be generally positive.

5.2 Ease of Use

The red columns in Figure 3a and Figure 3b present the *ease of use* results. The *means* of the overall results rank between 3.8 and 4.7. The *standard deviations* of the overall results are between 0.483 and 1.135. As all the *means* are greater than 3, it enables us to infer that most of the students found the social interaction toolset to be relatively *easy to use*.

5.3 Reliability

We adopted *Cronbach's alpha* to measure the reliability of the test. According to Carmines, a *Cronbach's Alpha* of 0.8 is considered as highly reliable (Carmines, 1979). The values of *Cronbach's Alpha* for each of the questions are shown in Table 2. Both *usefulness* and *ease of use* are considerably larger than 0.8, suggesting a high level of reliability of the results.

Table 2. Cronbach's Alpha (Reliability Statistics)

	Cronbach's Alpha	Cronbach's Alpha Based on Standardized Items	Number of Items
Usefulness	.934	.944	18
Ease of Use	.948	.957	18

6. **DISCUSSION**

In addition to the questionnaire data collected from the students, we also received some qualitative feedback from both students and the lecturer of the module. The general feedback was consistent with the results of the questionnaire. However, the responses included some specific suggestions for further improving some of the social interaction features, which ranked lower from the point of *usability* and *ease of use*. Due to the space limitation, this paper focuses mainly on the quantitative results from the questionnaire. However, some of the qualitative feedback is discussed below as appropriate.

Overall, the results from the questionnaire demonstrate that the social interaction toolset is perceived to be useful and easy to use. 83% of all the features have been rated by the students as useful, and 78% of the features as easy to use (i.e., average mean \geq 4). Consistently with the questionnaire, qualitative feedback included a description of the system as "similar to known social networking sites (e.g. Facebook); fast and responsive". Another respondent said: "One of the best aspects of Topolor is the ability to interact with others during the process of learning". We now proceed to a detailed discussion of the individual social interaction tools, namely *status, messaging* and *Q&A*.

6.1 Status

The questionnaire results demonstrate that the feature (4), *commenting on a status*, was rated as the third most useful feature (mean = 4.5), and its *ease of use* was ranked as the fourth highest (mean = 4.5) among all the social interaction features. This result is further supported by the qualitative feedbacks. For example, one of the respondents explicitly mentioned that commenting on each other's *statuses* was one of his favorite features for interacting with other students.

On the other hand, (5) *favoring a status* had the lowest rating (mean = 3.7) on *usefulness*. The possible reason for this could be that the students might not have known what the use of favoring a status was. We assume that it would be necessary to develop a mechanism for providing basic information on less familiar

features such as favoring. Additionally, wider use of favoring with other features such as questions/answers might also affect the future patterns of use. Furthermore, the possible reason for the second lowest rating on (5) *favoring a status* for its *ease of use* (mean = 3.9), can be that labels for favoring/unfavoring statuses became visible only when the status message was being hovered over. The suggested improvement would be to keep the labels and the number of times the statuses are favored always visible.

6.2 Messaging

The rating for (7), *sending a message*, was, whilst high, the second lowest (mean = 3.9) with regards to its *ease of use*. The possible reason for this is the current notification mechanism for new messages. More specifically, if a student was on the messaging page, on receiving a new message a notification button, like 'You have 2 new messages', would show up. Clicking on that button would refresh the webpage with an AJAX response and show the received messages on the top of the message list. However, if the students were on other webpages, they wouldn't know whether they received any new messages. Therefore, the students might have had no idea when and how to start messaging. Additionally, whilst most of the webpages in the Topolor system provide at least one tool for sending messages to other students, such as 1) a new message box (Figure 2b) and 2) an avatar list of the recommended learning peers (Figure 4a) that could be clicked on, and then a messaging box (Figure 4b) would pop-up. There are still other webpages that did not provide such tools, potentially affecting the results on the *ease of use* of sending messages.



Figure 4. a. Avatar list of recommended learning peers to send messages to; b. the resulting pop-up messaging box

6.3 Asking and Answering Questions

The questionnaire results indicated that (12) *answering a question* was rated as the most useful feature (mean = 4.6) as well as the easiest feature to use (mean = 4.7), among all the social interaction features. A similar result was found from the qualitative feedback, where the way of asking and answering questions was explicitly mentioned as favorable. Furthermore, (9) *asking a question* was rated very high on the *usefulness* (mean = 4.5) and *ease of use* (mean = 4.5) too. Therefore, we can report with confidence that the students were very satisfied with features of asking and answering questions.

However, the *usefulness* of (18) *editing the tags of a question* was rated as the second lowest (mean=3.8), and the *usefulness* of (17) *adding tags to a question* was rated as the fourth lowest (mean=4.1). It seems that *tagging on questions* was not considered as useful as other features of the Topolor system. We can conjecture that when a student asked a question in a given learning content area, the relation between the question and the learning content would have been automatically established, so that tagging the question would not have brought additional benefits. Posting questions beyond the learning content area would be necessary to further comment on this feature.

The *ease of use* of the feature for asking/answering questions, (10) *editing a question* was rated the lowest (mean = 3.8). To provide an attractive user experience, we used AJAX calls to implement the feature. For example, when a student clicked on the title or the description of a question, it would activate the HTML editing box; and when the editing box lost focus, it would be replaced by the updated HTML text. No explicit buttons were provided to trigger editing actions. This might have not attracted student attention to the existence of this functionality. Even though the style of the mouse cursor changes when hovering the title or the description of a question, this hint might not have been a clear enough indication to the students about the

provided editing functionality. Moreover, *editing a question* may require engagement with the system over a longer period of time, so the evaluation of this feature is to be finalized after using the system in the long term.

7. CONCLUSION

In this paper, we have 1) presented the social interaction toolset of the Topolor system, 2) reported a case study with a quantitative analysis on its *usefulness* and *ease of use*, and 3) discussed the results and identified potential improvements of the toolset. The developed Topolor system, as shown in Table 1, was designed to include a wider range of social interaction features than previous AEH systems. The results of the case study show that the social interaction toolset is found to be *useful* and *easy to use*. The overall attitude of the students towards the social interaction toolset in particular was very positive. The oral feedback was that they would have wanted to have more lessons in it. Decisive in this, we believe, was the fact that a lot of the social features had a look and feel familiar to them, similar to the popular Facebook environment, familiarity that is essential to consider in designing such systems.

Although all of the questions received positive responses from the students, we are still keen to improve the social interaction toolset further. We reviewed the relatively lower rated features and discussed the possible reasons that might have led to lower ratings. To improve this toolset, we intend to conduct further research based on the presented results and the discussion, particularly in the following directions:

- *Redesign the favoring tool.* First, we intend to find a better way of favoring and un-favoring learning statuses, questions, and learning topics. Second, we intend to explore the use of data on favored items for adaptation and personalization.
- *Provide a status-filtering tool.* We intend to extend the existing mechanism of learning status sharing by introducing a support for filtering and evaluating its benefits for collaboration. This feature has the potential to improve the process of locating relevant statuses and communicating with learning peers.
- *Provide an auto-tagging tool.* While tagging enables to connect various concepts within the system, students are usually reluctant to tag. Hence, we intend to enable Topolor to automatically generate tags for questions and explore inter-relations.
- *Improve AJAX notification messaging*: We intend to identify a more appropriate mechanism for delivering system notifications.
- *Enhance the messaging tool.* We intend to enhance the messaging tool by supporting instant messaging and appropriate notification.

The development of the next version of the Topolor system has been initiated. Future experiments will focus on evaluation of the new and improved features. The future deployment of the enhanced system will especially enable further inquiry into the role of social interaction in adaptive e-learning environments and the benefits for enriching *learning experiences* and improving *learning outcomes*.

ACKNOWLEDGEMENT

This research is partially supported by the BlogForever Project, funded by the European Commission FP7 (Contract No. 269963).

REFERENCES

Adams, D. A., Nelson, R. R. and Todd, P. A., 1992. Perceived usefulness, ease of use, and usage of information technology: a replication. MIS Quarterly, Vol. 16 No. 2, pp. 227–247.

Hrastinski, S., 2009. A theory of online learning as online participation. *Computers & Education*, Vol.52, No.1, pp.78-82.

Brusilovsky, P., 2000. Adaptive hypermedia: From intelligent tutoring systems to Web-based education. Intelligent Tutoring Systems, pp. 1-7.

Brusilovsky, P., 2011. Adaptive hypermedia, User modeling and user-adapted interaction, Vol. 11, No. 1-2, pp. 87-110.

Brusilovsky, P., 2004. Adaptive Educational Hypermedia: From generation to generation. *Proceedings of 4th Hellenic Conference on Information and Communication Technologies in Education*. Athens, Greece, pp. 19-33.

- Cannataro, M. et al., 2002. Modeling adaptive hypermedia with an object-oriented approach and XML, *In 2nd International Workshop on Web Dynamics*.
- Carmines, E. and Zeller, R., 1979. Reliability and Validity Assessment, Sage, Beverly Hill, CA.
- Cristea, A. and De Mooij, A., 2003. LAOS: Layered WWW AHS authoring model and their corresponding algebraic operators. *Proceedings of WWW'03, Alternate Track on Education*. Budapest, Hungary.
- Cristea, A., Smits, D. and de Bra, P., 2007. Towards a generic adaptive hypermedia platform: a conversion case study. *Journal of Digital Information*, Vol. 8, No. 3.
- Corbett, A., Koedinger, K. and Anderson, J., 1997. Intelligent tutoring systems, *Handbook of humancomputer interaction*, pp. 849-87.
- Ghali, F. and Cristea, A., 2009a. MOT2.0: A Case Study on the Usefulness of Social Modeling for Personalized E-Learning Systems. Proceedings of the 2009 conference on Artificial Intelligence in Education: Building Learning Systems that Care: From Knowledge Representation to Affective Modelling. Brighton, UK, pp. 333-340.
- Ghali, F. and Cristea, A., 2009b. Social Reference Model for Adaptive Web Learning. *Proceedings of International Conference on Web-based Learning*. Aachen, Germany, pp. 162-171.
- Ghali, F. and Cristea, A., 2009c. Authoring for e-learning 2.0: A case study, *Proceedings of 9th IEEE International Conference on Advanced Learning Technologies*. Riga, Latvia, pp. 170-174.
- Foss, J. and Cristea, A., 2009. Adaptive Hypermedia Content Authoring using MOT3.0. In A3H: 7th International Workshop on Authoring of Adaptive and Adaptable Hypermedia Workshop, Proceedings of the 4th EC-TEL International Conference, Nice, France.
- Haythornthwaite, C., 2002. Building social networks via computer networks: Creating and sustaining distributed learning communities. *Building virtual communities: Learning and change in cyberspace*, pp. 159-190.
- Kaplan, A. and Haenlein, M., 2010. Users of the world, unite! The challenges and opportunities of Social Media. Business horizons, Vol. 53, No. 1, pp. 59-68.
- Knutov, E., 2008. GAF: Generic adaptation framework. Proceedings of the 5th International Conference on Adaptive Hypermedia and Adaptive Web-Based Systems. Hannover, Germany, pp. 400-404.
- Koch, N. and Wirsing, M., 2006. The Munich reference model for adaptive hypermedia applications, *Proceedings of the* 4th Adaptive Hypermedia and Adaptive Web-Based Systems. Dublin, Ireland, pp. 213-222.
- McIver J. and Carmines, E. G., 1981. Unidimensional Scaling, Vol. 24, pp. 40-55.
- McLoughlin, C. and Lee, M., 2011. Pedagogy 2.0: Critical challenges and responses to Web 2.0 and social software in tertiary teaching, In *M. J. W. Lee and C. McLoughlin (Eds.), Web 2.0-based e-learning: Applying social informatics for tertiary teaching*, pp. 43–69.
- Rosmalen, Van, et al., 2009. Authoring a full life cycle model in standards-based, adaptive e-learning. *Proceedings of the* 9th IEEE International Conference on Advanced Learning Technologies. Riga, Latvia, pp. 170-174.
- Rovai, A. P., 2004. A constructivist approach to online college learning. *The Internet and Higher Education*, Vol. 7, No. 2, pp. 79-93.
- Scotton, J., et al., 2009. A Case Study on Merging Strategies for Authoring QoE-based Adaptive Hypermedia. In A3H: 7th International Workshop on Authoring of Adaptive and Adaptable Hypermedia Workshop, Proceedings of the 4th EC-TEL International Conference, Nice, France.
- Shi, L., et al., 2013a. Topolor: A Social Personalized Adaptive E-Learning System. *Proceedings of 21st Conference on User Modeling, Adaptation and Personalization*. Rome, Italy (in press).
- Shi, L., et al., 2013b. Social Personalize Adaptive E-Learning Environment Topolor: Implementation and Evaluation. Proceedings of 16th International Conference on Artificial Intelligence in Education. Memphis, USA (in press).
- Shi, L., et al., 2013c. Designing Social Personalized Adaptive E-Learning. *Proceedings of the 18th Annual Conference on Innovation and Technology in Computer Science Education*. Canterbury, UK (in press).
- Šimko, M., Barla, M. and Bieliková, M., 2010. ALEF: A framework for adaptive web-based learning 2.0, Key Competencies in the Knowledge Society, pp. 367-378.
- Vygotsky, L., 1978. Mind in society.
- Welsh, E., et al., 2003. E-learning: emerging uses, empirical results and future directions. International Journal of Training and Development, Vol. 7, No. 4, pp. 245-258.
- Wenger, E., 2009. A social theory of learning. *Contemporary theories of learning: learning theorists in their own words*, pp. 209-218.
- Woo, Y. and Reeves, T., 2007. Meaningful interaction in web-based learning: A social constructivist interpretation. *The Internet and Higher Education*, Vol. 10, No. 1, pp. 15-25.
- Wu, H., 2002. A reference architecture for Adaptive Hypermedia Applications (Doctoral dissertation, Technische Universiteit Eindhoven).