



"We were treated like adults"—development of a pre-medicine summer school for 16 year olds from deprived socioeconomic backgrounds: action research study

Trisha Greenhalgh, Jill Russell, Petra Boynton, Frances Lefford, Nikhil Chopra and Lisa Dunkley

BMJ 2006;332:762-767; originally published online 22 Feb 2006;
doi:10.1136/bmj.38755.582500.55

Updated information and services can be found at:
<http://bmj.com/cgi/content/full/332/7544/762>

These include:

Data supplement

"Additional details"

<http://bmj.com/cgi/content/full/bmj.38755.582500.55/DC1>

References

This article cites 3 articles, 2 of which can be accessed free at:

<http://bmj.com/cgi/content/full/332/7544/762#BIBL>

1 online articles that cite this article can be accessed at:

<http://bmj.com/cgi/content/full/332/7544/762#otherarticles>

Rapid responses

One rapid response has been posted to this article, which you can access for free at:

<http://bmj.com/cgi/content/full/332/7544/762#responses>

You can respond to this article at:

<http://bmj.com/cgi/eletter-submit/332/7544/762>

Email alerting service

Receive free email alerts when new articles cite this article - sign up in the box at the top right corner of the article

Topic collections

Articles on similar topics can be found in the following collections

[Other Medical Education](#) (352 articles)

Notes

To order reprints of this article go to:

<http://www.bmjournals.com/cgi/reprintform>

To subscribe to *BMJ* go to:

<http://bmj.bmjournals.com/subscriptions/subscribe.shtml>

We thank the clinical cytogeneticists from the participating departments of clinical genetics for supplying data: AC Knegt, Academic Medical Centre, Amsterdam; K Madan, V U Medical Centre, Amsterdam; R Hochstenbach, University Medical Centre, Utrecht; KBJ Gerssen-Schoorl, University Medical Centre, Groningen; CH Wouters, Erasmus Medical Centre, Rotterdam; and KBM Hansson, Leiden University Medical Centre. We also thank A Melim, research nurse, for her participation and collection of data.

Contributors: See bmj.com.

Funding: Supported by ZonMW, the Netherlands Organisation for Health Research and Development (945-02-032).

Competing interests: None declared.

Ethical approval: Review board of University of Amsterdam.

- 1 Dutch Society of Obstetricians and Gynecologists. *Habitual abortion*. Utrecht: NVOG, 1999. Guideline no. 20.
- 2 American College of Obstetricians and Gynecologists. Management of recurrent early pregnancy loss. ACOG practice bulletin. *Int J Gynaecol Obstet* 2002;78:179-90.

- 3 Royal College of Obstetricians and Gynecologists. *The investigation and treatment of couples with recurrent miscarriage*. London: RCOG, 2003. Guideline no. 17.
- 4 Carp H, Feldman B, Oelsner G, Schiff E. Parental karyotype and subsequent live births in recurrent miscarriage. *Fertil Steril* 2004;81:1296-301.
- 5 Sugiura-Ogasawara M, Ozaki Y, Sato T, Suzumori N, Suzumori K. Poor prognosis of recurrent aborters with either maternal or paternal reciprocal translocations. *Fertil Steril* 2004;81:367-73.
- 6 FitzSimmons J, Jackson D, Wapner R, Jackson L. Subsequent reproductive outcome in couples with repeated pregnancy loss. *Am J Med Genet* 1983;16:583-7.
- 7 Sachs ES, Jahoda MG, Van Hemel JO, Hoogetboom AJ, Sandkuyl LA. Chromosome studies of 500 couples with two or more abortions. *Obstet Gynecol* 1985;65:375-8.
- 8 Fortuny A, Carrio A, Soler A, Cararach J, Fuster J, Salami C. Detection of balanced chromosome rearrangements in 445 couples with repeated abortion and cytogenetic prenatal testing in carriers. *Fertil Steril* 1988;49:774-9.
- 9 Portnoi MF, Joye N, van den AJ, Morlier G, Taillemite JL. Karyotypes of 1142 couples with recurrent abortion. *Obstet Gynecol* 1988;72:31-4.
- 10 *ISCN 1995: Recommendations of the international standing committee on human cytogenetic nomenclature*. Basel: Karger, 1995. (Accepted 24 December 2005)

doi 10.1136/bmj.38735.459144.2F

“We were treated like adults”—development of a pre-medicine summer school for 16 year olds from deprived socioeconomic backgrounds: action research study

Trisha Greenhalgh, Jill Russell, Lisa Dunkley, Petra Boynton, Frances Lefford, Nikhil Chopra

Editorial by Carr and Edelin

Department of Primary Care and Population Sciences, University College London, London N19 5LW
Trisha Greenhalgh
professor of primary health care

Jill Russell
non-clinical lecturer
Petra Boynton
non-clinical lecturer
Frances Lefford
GP tutor

Nikhil Chopra
medical student

Academic Centre for Medical Education, London N19 5LW
Lisa Dunkley
clinical lecturer

Correspondence to: T Greenhalgh
p.greenhalgh@peps.ucl.ac.uk

BMJ 2006;332:762-6

Abstract

Objective To develop a one week widening access summer school for 16 year old pupils from non-traditional backgrounds who are considering applying to medical school, and to identify its short term impact and key success factors.

Design Action research with partnership schools in deprived inner-city areas in five overlapping phases: schools liaison, recruitment of pupils and assessment of needs, programme design, programme delivery, and evaluation. The design phase incorporated findings from one-to-one interviews with every pupil, and workshops and focus groups for pupils, parents, teachers, medical student assistants, NHS staff, and other stakeholders. An in-depth process evaluation of the summer school was undertaken from the perspective of multiple stakeholders using questionnaires, interviews, focus groups, and observation.

Participants 40 pupils aged 16 years from socioeconomically deprived and under-represented ethnic minority groups.

Results The summer school was popular with pupils, parents, teachers, and staff. It substantially raised pupils' confidence and motivation to apply to medical school. Critical success factors were identified as an atmosphere of “respect”; a focus on hands-on work in small groups; the input of medical students as role models; and vision and leadership from senior staff. A particularly popular and effective aspect of the course was a grand round held on the last day, in which pupils gave group presentations of real cases.

Conclusion An action research format allowed us to draw the different stakeholders into a collaborative endeavour characterised by enthusiasm, interpersonal support, and mutual respect. The input from pupils to the programme design ensured high engagement and low drop-out rates. Hands-on activities in small groups and social drama of preparing and giving a grand round presentation were particularly important.

Introduction

“Widening access” programmes designed to increase applications to medical school from “non-traditional” pupils (that is, those from lower socioeconomic backgrounds, certain ethnic minority groups, and those whose parents did not attend university) have had mixed success.^{1 2} The failure of such pupils to apply to medical school, and to stay the course once accepted, is mainly to do with lack of confidence, lack of support, low motivation, unrealistic images of medicine and medical school, and thinking of themselves as “not a university type.”^{3 4}


We developed a widening access summer school for pupils from under-represented groups to encourage application to medical school and measured its



Details of using the IMS score, suggestions for improving the scheme, and quotes from pupils are on bmj.com



This is the abridged version of an article that was posted on bmj.com on 22 February 2006: <http://bmj.com/cgi/doi/10.1136/bmj.38755.582500.55>



Summary of project design and methods

impact on participants and staff. We also identified aspects of the programme that were critical to its success with a view to replicating these in other settings.

Methods

Study design

The study linked educational development and research by drawing on the principles of action research.⁵ This is an emergent approach, in which data are systematically and successively gathered to develop a picture of the problem and inform the next phase of action. The figure and the table summarise the phases of the study.

Management and governance

A broad-based steering group was established with representation from funders, participating schools, the local NHS trust, medical students from University College London, and evaluators.

Schools liaison

Using a database of existing "partnership" schools in inner London, we interviewed eight key contacts and discussed the project with six head teachers. Based on these discussions, we set the following eligibility criteria for pupils: attending a participating school; recommended by a teacher, based on assessment of motivation and ability; and parents did not go to university. We also used the index of multiple deprivation score, derived from the pupil's home postcode, to prioritise applicants from the most deprived backgrounds (see box A on bmj.com).

Recruitment of pupils and assessment of needs

Of 70 nominated pupils, 41 were offered places and all accepted them, though one withdrew because of illness. Twenty seven of the 29 pupils who we turned down were refused places because both parents had been to university, they had relatively affluent backgrounds, or they lived outside London.

Seventeen (41%) of the 41 accepted pupils were male, 16 were first generation immigrants, and a further 18 were the children of immigrants. The cohort was drawn from 19 different countries of origin and spoke 16 ethnic languages. We interviewed consenting pupils (40 of the 41) with the outline schedule (see box B on bmj.com). Interviews were audiotaped, transcribed, and analysed thematically,⁶ as were each pupil's one page personal statement submitted as part of their application. We presented a summary of findings to the project steering group, our team of medical student assistants at a half day workshop, and pupils and their parents at an evening meeting. Through their feedback, we developed and refined the programme for the summer school. We arrived at the key design points for the summer school through this consultation process (box 1).

Phases in action research study with summary data sources and key findings

Phase	Goals	Main actions	Data sources	Key findings
Schools liaison (month 1-3)	Identify and build relationships with partnership schools; estimate level of interest; identify challenges	Interviews with teachers, careers officers, and local education authority's widening participation officers	UCL's existing database of local secondary schools in deprived inner city areas ("partnership schools"); field notes from visits to schools; interview notes	Many interested local schools; staff highly motivated but have multiple competing priorities; project aligned well with wider goals for post-16 education locally and nationally
Recruitment of pupils (month 3-8)	Seek applications; ascertain eligibility; identify pupils' hopes, fears, and expectations about medicine in general and summer school in particular	Work with key contacts in participating schools to identify suitable pupils; confirm "non-traditional" background; interview every pupil individually	Semistructured (qualitative) interviews with 40 of 41 pupils, taped and transcribed; written personal statement from all pupils; demographic data from application form (postcode, whether parents went to university, ethnicity); publicly available database of index of multiple deprivation scores by postcode	33 of 41 pupils lived in the lowest quarter of socioeconomic deprivation; pupils lacked confidence and understated their achievements; surgery, accident and emergency, and high technology specialities predominated in pupils' perceptions and expectations
Design (month 7-11)	Plan summer school in liaison with pupils and parents	Develop draft programme; seek input from pupils and parents in refining programme; train staff	Sticky notes and flip chart paper from pupil and parent workshops; feedback from staff and medical student training sessions; risk assessment in liaison with local education authority officers	Hands-on, confidence building activities required small groups and high staff to pupil ratio; watching operations was possible with meticulous planning and prior risk assessment
Delivery (month 12)	Deliver summer school	Run summer school; capture process data	Ethnographic observation of all sessions by qualitative researchers; documentation of tasks and challenges by all team members	Culture of "respect" in which pupils are expected to work independently and creatively in small groups was a powerful context for learning and personal development
Evaluation (month 10-16)	Evaluate summer school	Collate and sort previously collected process data; capture reflections of pupils, parents, and staff after summer school	All above, plus pupil and parent evaluation forms; semistructured survey of teachers and guest tutors; focus groups for staff and medical student assistants	Summer school was seen as a successful educational opportunity by pupils, parents, and staff; its longer term impact has not yet been established

Box 1: Key design features of summer school identified in initial interviews and stakeholder consultation

The summer school should:

- Promote confidence, motivation, and the development of professional identity
- Provide opportunities for developing friendships and peer support networks
- Expose pupils to a wide range of medical student and medical role models, if possible from appropriate social, ethnic, and sex backgrounds
- Provide an “insider view” on acute specialties (for example, surgery) but also enlighten pupils about the breadth of medicine (for example, laboratory specialties, preventive care, chronic disease management, and general practice)
- Provide guidance on practical issues (financial planning, constructing personal statements, interviews)

Programme design

We addressed non-cognitive objectives (in relation to self esteem, confidence, motivation, peer support, etc) by basing the programme around small groups with medical student assistants present as “buddies.” We asked medical students to nominate suitable guest tutors (kind, supportive, inspirational) from the medical school faculty, each of whom was invited to lead a 90 minute hands-on session, preferably with a real patient. In consultation with guest tutors, we developed objectives and structured lesson plans that reflected key priorities identified in our thematic analysis (for example, watching operations, meeting transplant patients). We undertook a detailed risk assessment, for which a separate report is available.

Programme delivery

After an interactive orientation and objective-setting plenary session, around 90% of the taught programme was delivered in small groups by guest tutors, with medical students acting as mentors, guides, and troubleshooters. We took pupils out of the timetabled activities two at a time to watch an operation. At the end of the day students were debriefed in small groups. One specific activity designed to develop peer group bonding and boost confidence was the grand round (box 2).

Evaluation

JR and FL evaluated the summer school from the perspective of pupils, parents, teachers, medical student assistants, patients, and others (full details are available on bmj.com).

Results

Overall, feedback was extremely positive, and pupils thought that all their objectives had been met. The following quote from a pupil is typical:

“It’s a fantastic opportunity and a truly amazing experience that I am grateful to have been a part of as I am now prepared for university and am reassured about going into medicine.”

All but three thought their confidence had increased.

Many guest tutors and medical student assistants commented on pupils’ high level of engagement. Only two of 40 pupils withdrew, and attendance for all sessions was close to 100%. The medical students were impressed by the pupils’ level of maturity and “the extent to which they really wanted to learn.” Guest tutor comments included:

“What surprised me was the extent to which the students were focused on preparing for their grand round tasks. Their motivation was really high with this task—they were working together as teams and really dynamic in their approach. This was very impressive.”

Table A on bmj.com lists the most important things pupils thought they had learnt at the summer school.

The evaluators identified four key critical success factors from the evaluation data:

The fostering of respect—Pupils greatly valued their views being taken seriously and being treated “like responsible adults in a hospital.” A core tutor said, “There was constant reinforcement during the week that we believed in them.”

The input of medical student assistants—Pupils described them as “helpful, motivating, and inspirational.”

The value of working in small groups—described by pupils as “fantastic,” “fun,” “motivating,” “made me want to learn,” “increased my confidence,” as well as many comments that “ours was the best group.”

Box 2: The grand round—building confidence through a complex group task

The grand round was held in a lecture theatre on the final day of the course. Each group of 10 pupils had to describe the history of a real patient and present relevant investigations, treatment plans, and the patient’s progress. To prepare for their presentation, each group of 10 pupils was required to:

- Interview a real patient in-depth about his or her illness and the impact it has had
- Divide up the tasks of finding x ray films, ECG recordings, histology slides, and other relevant materials from different hospital departments
- Collect the empty boxes for the patient’s medication and find out the action and side effects of each drug
- Look up the “evidence base” for the patient’s management with the help of a librarian
- Work together to collate all these into a PowerPoint presentation
- Address issues of patient confidentiality (for example, gaining consent, anonymising data)
- Allocate presentation roles and practise their presentation to achieve the 15 minute time limit
- Present to an audience that included medical students and senior doctors as well as parents, teachers, and careers officers.

Various staff around the hospital and medical school were primed to assist with the preparation of the grand round, and many prepared material in advance to supply to the pupils when they visited the relevant department. The grand round thus took on the aura of an escalating (and highly competitive) treasure hunt that built up over the week, with each group adding material to its presentation during lunch and tea breaks, and developing creative ideas for outperforming the other groups

The vision and leadership of senior staff was also important.

The medical students supported and enriched the pupils' learning by developing close and trusting relationships with their groups, helping tutors in teaching sessions, and joining in informal discussions and activities. The type of knowledge imparted by students was sometimes factual (such as explaining what aortic stenosis is), but was more often experiential (such as, "I've failed exams but they don't throw you out"). Furthermore, they personalised advice so as to make it relevant for the individual and context (such as, "I wouldn't wear that T shirt for Dr X's session" or "You should put your pharmacy job on your personal statement").

The medical students were an important driver for the strong sense of commonality and camaraderie between pupils, which emerged through what one of the pupils described as "working with a great group of peers who share the same passion and dreams as me." Through close daily contact with their "buddies," pupils learnt that medical students are "normal" and, importantly, that "you don't need to be a super genius or come from a wealthy background to be a doctor." Perhaps the key dimension of "leadership and vision" as a critical success factor was the energy and commitment with which senior staff visited schools to capture pupils' and teachers' priorities and tailored the course accordingly (for example, by building in a strong focus on developing pupils' confidence). The evaluation identified many suggestions (mostly operational and administrative) for improving the course (see box C on bmj.com).

Discussion

The research and policy literature on widening access emphasises the high academic potential of many non-traditional pupils,^{7,8} their low application rates to university,^{7,9} and high drop-out rates.⁷ It suggests a large untapped reservoir of non-traditional pupils who have much to offer but whose commitment is fragile and who require enrichment and support to make it to, and through, university.

Bruner (among others) has criticised the literature on educational attainment in underprivileged children for conceptualising the problem as a "deficit" in the child that must be made good.¹⁰ Writing mainly about US enrichment programmes for the under 5s, he argues that it is the environment that we should think of as requiring enrichment, not the learner. Our experience with these pupils, who engaged enthusiastically with the design of the summer school and seized the opportunities they had helped create, strongly supports this conceptual model.

Bloom proposed that educational experiences have three dimensions: cognitive (imparting knowledge), psychomotor (acquiring skills), and affective (changing attitudes and motivation).¹¹ The literature on group work in educational settings suggests that the small group format is not especially effective in achieving cognitive objectives but is highly effective in developing complex skills and in changing the attitudes and perspectives that underpin learning and make it meaningful.¹² The mechanisms for this may include

What is already known on this topic

Pupils from poor backgrounds, certain ethnic groups, and those whose parents did not go to university are less likely to apply to medical school and more likely to drop out

"Widening access" initiatives to increase application and subsequent retention in such groups have had mixed success

What this study adds

Action research can be used to engage schools and pupils in the design and delivery of a summer school

Hands-on activities in small groups and a "grand round" in which all pupils participate are effective learning methods

Close contact with medical student "buddies" can boost confidence and motivation

- Social modelling (observing peers behaving in a certain way or expressing particular views)¹³—for example, learning elementary "bedside manners"
- Vicarious experience (being inspired to action (or put off) by what happened to someone else)¹³—for example, watching someone struggle with questions in a mock interview
- Development of social capital (such as friends, contacts, and local knowledge)^{14,15}
- Collective sense making (in which the group questions, negotiates, and reframes the meaning of information until it is expressed in a way that is acceptable, meaningful, and sensible)¹⁶
- Transmission and personalisation of "tacit" knowledge (that is, practical know how that is difficult to articulate formally and that you don't often find in books)^{17,18}
- Reframing of identity (for example, from "someone who isn't a university type" to "someone who is"^{16,19})
- Social drama (the group members being caught up in a real unfolding story)²⁰—for example, in the grand round task.

We found no evidence in these pupils of anti-academic values or attempts to subvert the educational aims of the summer school. In our own previous research, both these themes had been prominent in white and African-Caribbean boys volunteering for pre-medicine activities.⁴ Other researchers have described anti-academic values and subversive behaviour in boys of both white²¹ and mixed ethnicity⁹ in the UK and in (mostly white) girls in the US.²² We believe that inviting teachers personally to nominate individual pupils for a limited number of places served to filter out disaffected and half hearted pupils. This probably means that despite our best efforts, we have still failed to access a cohort of able pupils who have been "turned off" academic career options before the age of 16. Further research with younger age groups is needed to explore this hypothesis.

In conclusion, we have shown that it is feasible to work in partnership with aspiring applicants to medical school from socioeconomically deprived

backgrounds and with no family tradition of higher education to design and deliver a successful short term educational opportunity. We have identified what we consider are the critical success factors of such a programme and predict that, if these can be replicated, the summer school should be broadly transferable to other settings. But we have not yet shown a long term impact of this initiative on pupils' identity, confidence, motivation, or action. We are continuing to follow these pupils as they enter the sixth form and begin to construct their applications to medical school, and we hope to publish data at a later stage on their success rates and subsequent progress.

We congratulate the pupils who participated in the Dick Whittington project for their enthusiasm and hard work. We thank all participating schools for their engagement and collaboration and Mohammed Lais for help with interviews. The summer school could not have been possible without the positive support and cooperation of the management and staff of the Whittington Hospital Trust and especially the many clinicians who served as guest tutors. We are extremely grateful to our three sponsors who provided funding and active input to the project steering group.

Contributors: See bmj.com.

Funding: Sutton Trust, Department of Education and Skills (via Islington 14-19 Pathfinder), UCL Widening Participation Fund.

Competing interests: None declared.

Ethical approval: Approval was obtained from NHS and university research ethics committees.

- 1 Secretary of State for Education. *Medical schools: delivering the doctors of the future*. London: Department for Education and Skills, 2004.
- 2 Terrell C, Beaudreau J. 3000 by 2000 and beyond: next steps for promoting diversity in the health professions. *J Dent Educ* 2003;67:1048-52.

- 3 Archer L, Hutchings M. *Bettering yourself? Discourses of risk, cost and benefit in young working class non-participants' constructions of higher education*. London: STORM, University of North London, 2000.
- 4 Greenhalgh T, Seyan K, Boynton P. "Not a university type": focus group study of social class, ethnic, and sex differences in school pupils' perceptions about medical school. *BMJ* 2004;328:1541.
- 5 Waterman H, Tillen D, Dickson R, de Koning K. Action research: a systematic review and guidance for assessment. *Health Technol Assess* 2001;5:iii-157.
- 6 Green J, Thorogood N. *Qualitative methods for health research*. London: Sage, 2004.
- 7 Universities UK. *Fair enough: wider access to university by identifying potential to succeed*. London: Universities UK, 2003.
- 8 Department of Health. *Drive for more doctors and nurses from deprived backgrounds: New plans to train more underprivileged students*. Press release 10 August 2004. www.dh.gov.uk/PublicationsAndStatistics/PressReleases/fs/en (accessed 14 February 2006).
- 9 Council of Heads of Medical Schools. Medical education and research: CHMS statement of principles. www.chms.ac.uk/key_prin.html (accessed 14 February 2006).
- 10 Bruner J. *The culture of education*. London: Harvard University Press, 1997.
- 11 Bloom BS. *Taxonomy of educational objectives*. Boston, MA: Allyn and Bacon, 1984.
- 12 Elwyn G, Greenhalgh T, Macfarlane F. *Groups—a hands-on guide to small group work in education, management and research*. Oxford: Radcliffe, 2000.
- 13 Bandura A. *Social foundations of thought and action: a social cognitive theory*. Englewood Cliffs, NJ: Prentice-Hall, 1986.
- 14 Schuller T, Preston J, Hammond C, Brasset-Grundy A, Bynner J. *The benefits of learning. The impact of education on health, family life and social capital*. London: Routledge Farmer, 2004.
- 15 Wenger E. *Communities of practice: learning, meaning and identity*. Cambridge: Cambridge University Press, 1996.
- 16 Weick KE. *Sensemaking in organizations*. Thousand Oaks, CA: Sage, 1995.
- 17 Polanyi M. *The tacit dimension*. New York: Anchor Day, 1962.
- 18 Eraut M. Non-formal learning, implicit learning and tacit knowledge. In: Coldfield F, ed. *Informal learning*. Bristol: Policy Press, 1999.
- 19 Goffman E. *The presentation of self in everyday life*. New York: Penguin, 1969.
- 20 Turner V. Social dramas and stories about them. *Critical Inquiry* 1980;7:141-68.
- 21 Willis P. *Learning to labour: how working class kids get working class jobs*. Farnborough: Saxon House, 1977.
- 22 Brown LM. *Raising their voices: the politics of girls' anger*. London: Harvard University Press, 1998.

(Accepted 22 December 2005)

doi 10.1136/bmj.38755.582500.55

A memorable patient

Sticking with tradition

Last year I was involved in the care of a young woman who had had Hodgkin's disease diagnosed some 18 months previously. Initial chemotherapy was complicated by her severe learning disability—she lacked insight into her illness and capacity to consent to treatment. We managed to work our way round all the problems, and she sailed through six months of investigations and treatment, always leaving the unit with a smile and a chuckle.

Everyone was upset when she relapsed and required further treatment. Her venous access had deteriorated so infusional chemotherapy had to be given through a Hickman line. On her first return visit to the unit all went well until it was time to leave. She steadfastly refused to move from her chair and was visibly distressed. The nurses and carers tried to tempt her with offers of food, fruit juice, and a sleep when she got home, but to no avail. She became more upset and at one point jumped up and started raking about in the dressing pack that had been used to clean her line. We wondered whether she had lost something and helped her to unpack her rucksack to check that all was accounted for. Nothing was missing.

As a last resort, we tried to think of what might have been different between her previous experiences at the chemotherapy suite and those on that day. One nurse who had cared for her previously remembered the special ceremony that always surrounded applying a sticking plaster to her venepuncture site to signify "time for home." Now that she had a line in place there had been no need for a plaster. We found one and

applied it next to the line with much aplomb. Our patient seemed delighted, leapt up, put on her rucksack, smiled at everyone, and left for home.

This encounter reminded me of the difficulties that one may experience when the usual channels of communication are lacking and that patients often have fixed expectations of a consultation. Deviations from the usual ritual of events can be unsettling and frankly unacceptable to some. I will always try to keep this in mind in the future.

Sarah H Oram *specialist registrar in haematology, University College Hospital, London*
(helenoram@doctors.net.uk)

The patient's father and advocate were pleased to hear that caring for this woman had made the doctors and nurses looking after her reflect on important themes and felt that it was a shame that more doctors could not share our experience. We sought their opinion about the article before submission as we did not wish to cause offence inadvertently. Her advocate, social worker, and carers all supported her father's consent to publication.

We welcome articles up to 600 words on topics such as *A memorable patient, A paper that changed my practice, My most unfortunate mistake*, or any other piece conveying instruction, pathos, or humour. Please submit the article on <http://submit.bmj.com> Permission is needed from the patient or a relative if an identifiable patient is referred to.