

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Faculty Publications from the Harold W. Manter
Laboratory of Parasitology

Parasitology, Harold W. Manter Laboratory of

1998

Revised List of Type Specimens on Deposit in the University of California Davis Nematode Collection

S. Patricia Stock

University of California - Davis

Steven A. Nadler

University of California - Davis, sanadler@ucdavis.edu

Follow this and additional works at: <https://digitalcommons.unl.edu/parasitologyfacpubs>



Part of the [Parasitology Commons](#)

Stock, S. Patricia and Nadler, Steven A., "Revised List of Type Specimens on Deposit in the University of California Davis Nematode Collection" (1998). *Faculty Publications from the Harold W. Manter Laboratory of Parasitology*. 745.

<https://digitalcommons.unl.edu/parasitologyfacpubs/745>

This Article is brought to you for free and open access by the Parasitology, Harold W. Manter Laboratory of at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Faculty Publications from the Harold W. Manter Laboratory of Parasitology by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

Revised List of Type Specimens on Deposit in the University of California Davis Nematode Collection

S. PATRICIA STOCK AND STEVEN A. NADLER¹

Abstract: The list of deposited type specimens is updated for the University of California Davis Nematode Collection, as recommended by the International Code of Zoological Nomenclature. The type collection includes 1,001 species and more than 11,000 individual specimens mounted on microscope slides. This list can be used as a reference to locate specimens but is not meant to clarify ambiguities that may exist concerning the type status of particular specimens.

Key words: collection, list, nematode, species, type specimens.

The University of California Davis Nematode Collection (UCDNC), which was founded by M. W. Allen in 1944 (see Noffsinger [1982] for history), is among the largest and most comprehensive collections of plant-parasitic, free-living soil, freshwater, and marine nematodes in the world. This revised and updated repository list supersedes one published 16 years ago (Noffsinger, 1982), which catalogued 630 species in the type slide collection at that time. The type slide collection now includes more than 3,500 primary types (>11,000 specimens) representing 1,001 species and 16 of the 18 orders sensu Maggenti (1991). Although the International Code of Zoological Nomenclature (Ride et al., 1985) recommends that repositories of type specimens “publish lists of name-bearing types in its possession or custody” (Recommendation 72G), future amendments and updates to this list will be available in electronic form only (UC-Davis Nematology homepage: <http://ucdnema.ucdavis.edu/>).

Detailed policies governing the use of specimens in the collection are posted on the web site and are also available from the authors. Key policies governing the deposit and loan of type slide specimens in the UCDNC include the following guidelines: i) Specimens other than primary types (i.e., allotypes, neotypes, lectotypes) are available for loan to qualified specialists (and their students) for up to one year; students re-

questing loans must also submit supporting documentation from their advisor (e.g., a co-signed letter, a supporting e-mail message). ii) All specimens and their associated data, including primary types, are available for study at UC Davis. iii) Species for which there is only one specimen, one of either sex, or one slide are loaned only under exceptional circumstances. iv) Researchers are not permitted to remove specimens from a slide, remount specimens, or alter the original slide labels; methods of study must be non-destructive. v) Type slides are not to be handled by students in classes but may be used for class demonstrations under supervision of the specialist to whom the loan was made. vi) Upon deposit, specimens become the property of the UCDNC.

For convenience, the type specimen list provides genus and species names in alphabetical order. Nomenclatural changes were made only for the Criconelematoidea, which are well represented in the UCDNC, following the revision of Raski and Luc (1987); other taxon names are given as provided by the authors when the types were deposited. Two holotype slides were renumbered because the original publication listed a number that was already in use; *Chronogaster chilensis* Raski & Maggenti was renumbered as UCNC 1618 (listed in Noffsinger [1982] as 1617), and *Filenchus terrestris* Raski & Geraert was renumbered as UCN 2038 (listed in Noffsinger [1982] as 2022). The complete author reference is not given for each species—only author, date, and source as in the previous list (Noffsinger, 1982). Also listed are author designations of types other than those of the original type series. Slide num-

Received for publication 8 September 1997.

¹ Department of Nematology, University of California Davis, Davis, CA 95616-8668.

E-mail: spstock@ucdavis.edu; sanadler@ucdavis.edu

bers of the holotypes have been included; other type numbers are available upon request. Species formerly deposited in the collection of Oregon State University (OSU) are marked with superscript "a"; UCNC numbers for holotype specimens from the OSU collection are followed by the OSU number in parentheses. Juveniles or young are listed as they appear on a slide, unless the author explicitly indicated that they are not types. Although the zoological code does not recognize cotypes, specimens with this designation exist in the UCDNC and are shown because of their potential scientific value. Listing of slides is not meant to clarify any ambiguities that may exist concerning the type status of particular specimens.

Symbols and abbreviations

f = female(s)
 m = male(s)
 (S) = section (includes en face views; cross, longitudinal, perineal sections; vulval cones, etc.)

Y = juveniles

Aber = aberrant specimen from type series

Allo = allotype

Co = cotype(s)

Holo = holotype

Lecto = lectotype(s)

Neo = neoparatype

Neol = neoallotype

Para = paratype(s)

Paralect = paralectotype(s)

Paraneo = paraneotype(s)

Syn = syntype(s)

Topo = topotype(s)

^aSlides formerly deposited in OSU

^bOriginal labels changed by revisers

Type Specimens

- Acontylus vipriensis* Meagher, J. W. 1968. *Nematologica* 14:94-100. 1f-Para.
- Achromadora walcheri* Al Banna, L., & S. L. Gardner. 1993. *Proc. Helminthol. Soc. Wash.* 60:243-249. f-Holo. UCNC 2925.
- Acrobeles chelatus* Thomas, P. R., & M. W. Allen. 1965. *Nematologica* 11:3473-382. f-Holo. UCNC 321; m-Allo; 6f, 4m-Para.
- Acrobeles ciliatus* von Linstow, O. F. B. 1877. *Arch. Naturg. Berlin* 1:1-18. f-Neo. UCNC 319 = Thomas, P. R. & M. W. Allen. 1965. *Nematologica* 11:373-382.
- Acrobeles dimorphus* Heyns, J., & W. L. Hoge-wind. 1969. *Phytophylactica* 1:19-22. 2f, 1m-Para.
- Acrobeles ensicaudatus* Thomas, P. R., & M. W. Allen. 1965. *Nematologica* 11:373-382. f-Holo. UCNC 320; 13f. 10Y-Para.
- Acrobeles sheasbyi* Heyns, J., & W. L. Hoge-wind. 1969. *Phytophylactica* 1:19-22. 1f, 1m-Para.
- Acroboloides bodenheimeri* (Steiner, J. G. 1936) Thorne, G. 1937. *Proc. Helminthol. Soc. Wash.* 4:1-16. 3f-Voucher of Ferris, Eyre, Venette & Lau. 1996. *Soil Biol. Chem.* 28:271-280.
- Acroboloides buetschlii* (de Man, J. G. 1884) Steiner, G., & J. Buhner. 1933. 3f-Voucher of Ferris, Eyre, Venette & Lau, 1996. *Soil Biol. Chem.* 28:271-280.
- Acroboloides uberrinus* Anderson, R. V. 1965. *Proc. Helminthol. Soc. Wash.* 32:232-235. 9f-Para.
- Aduncospiculum halacti* Giblin, R. M., & H. K. Kaya. 1984. *Rev. Nematol.* 7:189-197. f-Holo. UCNC 2029; 1m-Allo.
- Agamermis australoegans* Baker, G. L., & G. O. Poinar, Jr. 1994. *Fundam. Appl. Nematol.* 17:303-321. f-Holo. UCNC 3301; 1m-Allo; 1f, 1m-Para.
- Agamermis buraki* Baker, G. L., & G. O. Poinar, Jr. 1994. *Fundam. Appl. Nematol.* 17:303-321. f-Holo. UCNC 3306; m-Allo.
- Agamermis catadecaadata* Baker, G. L., & G. O. Poinar, Jr. 1995. *Fundam. Appl. Nematol.* 18:139-148. 1m-Holo. UCNC 3469; 1f-Allo; 3m, 5f-Para.
- Agamermis decaudata* Cobb, N. A., Steiner, G., & J. R. Christie. 1923. *J. Agric. Res.* 28:921-926. 1f, 1m, 7Y-Parlect. = Nickle, W. R. 1972. *J. Nematol.* 4:113-146.
- Agamermis mirabinda* Baker, G. L., & G. O. Poinar, Jr. 1994. *Fundam. Appl. Nematol.* 17:303-321. f-Holo. UCNC 3308; m-Allo.; 2m-Para.
- Aglenchus dakotensis* Geraert, E., & D. J. Raski. 1988. *Nematologica* 34:6-46. f-Holo. UCNC 2269; 11f, 6m-Para.
- Alaimus asifkhalili* Mulk, M. M., & A. Coomans, 1979. *Nematologica* 25:445-457. 1f, 1m-Para.
- Alaimus thompsoni* Mulk, M. M., & A. Coomans. 1979. *Nematologica* 25:445-457. 1f, 1m-Para.
- Amphimermis acridiorum* Baker, G. L., & G. O. Poinar, Jr. 1994. *Fundam. Appl. Nematol.* 17:303-321. f-Holo. UCNC 3295; m-Allo; 2f-Para, 2f-Voucher.
- Amphimermis tinyi* Nickle, W. R. 1972. *J. Nematol.* 4:113-146. 1f, 1m-Para.
- Amplimerlinius globigerus* Siddiqi, M. R. 1979. *Syst. Parasitol.* 1:43-59. 2f, 3m, 1Y-Para.
- Anandranema phlebotophaga* Poinar, G. O., Jr., Ferro, C., Morales, A., & R. B. Tesch. 1993. *Fundam. Appl. Nematol.* 16:11-16. Infective f-Holo. UCNC 3382; 1 parasitic f-Allo.
- Anaplectus granulosis* (Bastian, H. C. 1865. *Trans. Linn. Soc. London.* 25:73-184) de Coninck, L. A., & J. H. Schuurmans Stekhoven. 1933. *Mem. Mus. Hist. Nat. Belg.*, No. 58:1-163. f-Neo. UCNC 838; 3f, 1m, 1Y-Topo. = Allen, M. W. and E. M. Noffsinger. 1968. *Proc. Helminthol. Soc. Wash.* 35: 77-91.
- Anaplectus magnus* Brzeski, M. W. 1963. *Bull. Acad. Po-*

- land Sci. Ser. Sci. Biol. 11:35–38. f-Holo. UCNC 442; m-Allo.
- Anaplectus porosus* Allen, M. W., & E. M. Noffsinger. 1968. Proc. Helminthol. Soc. Wash. 35:77–91. f-Holo. UCNC 840; 3f, 3m-Para.
- Anaplectus similis* Allen, M. W., & E. M. Noffsinger. 1968. m-Holo. Proc. Helminthol. Soc. Wash. 35:77–91. UCNC 839; 25f, 10m, 6Y-Para.
- Anaplectus varicaudatus* Allen, M. W., & E. M. Noffsinger. 1968. Proc. Helminthol. Soc. Wash. 35:77–91. f-Holo. UCNC 841; 4f, 3m, 1Y-Para.
- Anatonchus alleni* Mulvey, R. H. 1961. Can. J. Zool. 39:807–826. f-Holo. UCNC 248, m-Allo; 4f, 3m, 1Y-Para.
- Anatonchus ginglymodontus* Mulvey, R. H. 1961. Can. J. Zool. 39:807–826. f-Holo. UCNC 250; 3f, 1Y-Para.
- Anatonchus subacutus* Mulvey, R. H. 1961. Can. J. Zool. 39:807–826. f-Holo. UCNC 249; f-Allo; 9f, 6m-Para.
- Anguina pacifica* Cid del Prado Vera, I., & A. R. Maggent. 1984. J. Nematol. 16:386–392, f-Holo. UCNC 2123; 6f, 5m, 2Y-Para.
- Anguina picridis* Kirjanova, E. S. 1944. Izv. Tadzhih. Fill Akad. Nauk. SSSR 5:83–94. 35f, 35m, 104Y-Syn.
- Anguina plataginis* Hirschmann, H. 1977. J. Nematol. 9:229–243. 10f, 10m, 16Y-Para.
- Anguina tridomina* Kirjanova, E. S. 1957. Pp. 81–82 in Planovo-metodicheskoe Soveshch. Zashch. Rast. Severozapadnoi Zone SSR, Tezisy Dokl., Riga. 1m, 94Y-Topo.
- Anomyctus xenurus* Allen, M. W. 1940. Proc. Helminthol. Soc. Wash. 7:96–98. 28f-Syn. (S).
- Anoplostoma sunderbanae* Timm, R. W. 1967. Proc. Pak. Acad. Sci. 4:1–13. 6f, 12m, 9Y-Para.
- Anoplostoma viviparum* (Bastian, H. C. 1865. Trans. Linn. Soc. London 25:73–184) Butschli, O. 1874. Abh. Senckenb. Naturforsch. Ges. 9:237–292. 1f-Syn. of Chitwood, B. G. 1960. Trans. Amer. Microsc. Soc. 79:347–384.
- Antarcticonema comicapitatum* Timm, R. W. 1978. Biol. Antarct. Seas VI, Antarct. Res. Ser. 26:225–226. 2f, 2m-Para.
- Aorolaimus helicus* Sher, S. A. 1963. Nematologica 9:267–295. f-Holo. UCNC 223; m-Allo; 10f, 4m-Para.
- Apenodraconema chlidosis* Allen, M. W., & E. M. Noffsinger. 1978. Univ. Calif. Publ. Zool. 109:1–133. f-Holo. UCNC 1437.
- Aphanolaimus chilensis* Raski, D. J., & A. Coomans. 1990. Rev. Nematol. 37:279–288. 1f-Holo. UCNC 2272; 8f, 8m, 15Y-Para.
- Aphanolaimus elegans* Raski, D. J. & A. Coomans. 1990. Rev. Nematol. 37:279–288. f-Holo. UCNC 2752; 3f, 1m, 1Y-Para.
- Aphanolaimus fueguensis* Raski, D. J., & A. Coomans. 1990. Rev. Nematol. 37:279–288. f-Holo. UCNC 2274; 3f, 2m, 7Y-Para.
- Aphanolaimus seshadrii* Raski, D. J., & A. Coomans. 1990. Rev. Nematol. 37:279–288. f-Holo. UCNC 1615; 5f, 4m, 13Y-Para.
- Aphanolaimus tudorancei* Zullini, A. 1988. Rev. Nematol. 11:279–288. 1f, 1m-Para.
- Aphanolaimus yamani* Raski, D. J., & A. Coomans. 1990. Rev. Nematol. 7:81–86. f-Holo. UCNC 2271; 10f, m, 14Y-Para.
- Aphanonchus intermedius* Coomans, A., & D. J. Raski. 1991. Nematologica 37:8–19. f-Holo. UCNC 2275; 6f, 2m, 2Y-Para.
- Aphanonchus israeli* Sher, S. A. 1963. Rev. Nematol. 7:81–86. f-Holo. UCNC 225; m-Allo; 6f, 2m-Para.
- Aphanonchus leipogrammus* Sher, S. A. 1963. Rev. Nematol. 7:81–86. f-Holo. UCNC 227; m-Allo; 6f, 2m, 2Y-Para.
- Aphasmatylenchus nigeriensis* Sher, S. A. 1965. Proc. Helminthol. Soc. Wash. 32:172–176. f-Holo. UCNC 630, m-Allo; 8f, 2m, 4Y-Para. (S).
- Aphasmatylenchus straturatus* Germani, C. 1970. Proc. Helminthol. Soc. Wash. 37:48–51. 2f-Para.
- Aphasmatylenchus variabilis* Germani, C., & M. Luc. 1984. Rev. Nematol. 7:81–86. 1f, 1m-Para.
- Aphelenchoides besseyi* Christie, J. R. 1942. Proc. Helminthol. Soc. Wash. 9:82–84. f-Neo. UCNC 19 = Allen, M. W. 1952. Proc. Helminthol. Soc. Wash. 19:108–120.
- Aphelenchoides cibolensis* Riffle, J. W. 1970. Proc. Helminthol. Soc. Wash. 37:78–80. 2f-Para.
- Aphelenchoides fragariae* (Ritzema Bos, J. 1890. Masndbl. Naturwetensch. 16:107–117) Christie, J. R. 1932. Plant Dis. Rep. 16:113–114. f-Neo. UCNC 16 = Allen, M. W. 1952. Proc. Helminthol. Soc. Wash. 19:108–120.
- Aphelenchoides gynotylurus* Timm, R. W., & M. T. Franklin. 1969. Nematologica 15:370–375. 1f, 1m-Para.
- Aphelenchoides marinus* Timm, R. W., & M. T. Franklin. 1969. Nematologica 15:370–375. 5f, 5m, 24Y-Para.
- Aphelenchoides parietinus* (Bastiani, 1865) Steiner, G. 1932. J. Parasitol. 19:90. 1f-Para.
- Aphelenchoides ritzemabosi* (Schwartz, M. 1911. Arb. K. Biol. Anstalt Land Forst-wirtsch., Berlin 8:303–334) Steiner, G. 1932. J. Parasitol. 19:90. f-Neo. UCNC 17 = Allen, M. W. 1952. Proc. Helminthol. Soc. Wash. 19:108–120.
- Aphelenchoides subtenuis* (Cobb, N. A. 1926. U.S. Dep. Agric., Off. Rec. 5:3) Steiner, G., & E. M. Buhner. 1932. Phytopathology 22:927–928. f-Neo. UCNC 18 = Allen, M. W. 1952. Proc. Helminthol. Soc. Wash. 19:108–120.
- Aporcelaimoides californicum* Heyns, J. 1965. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 10:1–51. f-Holo. UCNC 717.
- Aproctonema chapmani* Nickle, W. R. 1969. J. Nematol. 1:49–54. 2f, 2m-Para.
- Aranimermis aptispicula* Poinar, G. O., Jr., & C. L. C. Benton, Jr. 1986. Syst. Parasitol. 8:33–38. 1f-Holo. UCNC 2148; 1m-Allo.
- Atalodera festucae* Baldwin, J. G., E. C. Bernard, & M. Mundo-Ocampo. 1989. J. Nematol. 21:48–68. 4f, 7Y-Para.
- Atalodera trilineata* Baldwin, J. G., E. C. Bernard, & M. Mundo-Ocampo. 1989. J. Nematol. 21:48–68. 3f, 5Y-Para.
- Atalodera ucri* Wouts, W. M., & S. A. Sher. 1971. J. Nematol. 3:129–144. 3f, 9m, 23Y-Para.
- Austrialaimus alpinus* Gerber, K. 1981. Nematologica 27:353–356. 4f-Para.

- Bakernema dauniense* Vovlas, N. 1992. *J. Nematol.* 24:54-60. 5f, 1m-Para.
- Bakernema variabile* Raski, D. J., & A. M. Golden. 1966. *Nematologica* (1965) 11:501-565. f-Holo. UCNC 542; f-Allo; 46f, 3m, 3Y-Para. (S).
- Bakernema velatum* Mehta, U. K., D. J. Raski, & A. Valenzuela. 1982. *Nematologica* 28:398-411. 1f-Holo. UCNC 565; 57f, 10Y-Para.
- Basiria paragracilis* Geraert, E., & D. J. Raski. 1986. *Nematologica* 31:266-288. 1f-Holo. UCNC 2082; 1f, 1m-Para.
- Basirienchus costatus* Geraert, E., & D. J. Raski. 1986. *Nematologica* 31:266-288. 1f-Holo. UCNC 2080; 6f, 6m, 6Y-Para.
- Basirienchus elenae* Geraert, E., & D. J. Raski. 1986. *Nematologica* 31:266-288. 1f-Holo. UCNC 2081; 48f, 21m, 4Y-Para.
- Basirienchus uncinatus* Geraert, E., & D. J. Raski. 1986. *Nematologica* 31:266-288. 1f-Holo. UCNC 2079; 2f, 5m, 2-Para.
- Basirotyleptus rugosus* Sauer, M. R. 1966. *Nematologica* 12:215-218. 4f-Para.
- Bathysilonema brachycephalum* Steiner, G. 1931 in *Die Nematoden der Deutschen Sudpolar-Expedition 1901-1093*. 22. XX: 1:170-216. 3f, 2m, 2Y-Voucher.
- Bathysilonema drygalskii* Steiner, G. 1931 in *Die Nematoden der Deutschen Sudpolar-Expedition 1901-1903*. 22. XX: 1:170-216. 1m-Voucher.
- Blandicephalanema bosi* Reay, F. 1987. *Rev. Nématol.* 10: 309-318. 2f, 1m-Para.
- Blandicephalanema pilatum* Mehta, U. K., & D. J. Raski. 1971. *Indian J. Nematol.* 1:145-198. f-Holo. UCNC 1249; m-Allo: 3f, 1m-Para. (S).
- Blandicephalanema serratum* Mehta, U. K., & D. J. Raski. 1971. *Indian J. Nematol.* 1:145-198. f-Holo. UCNC 1241; m-Allo; 19f, 3Y-Para. (S).
- Brachydorus swarupi* Koshy, P. K., D. J. Raski, & U. K. Sosamma. 1981. *J. Nematol.* 13:401-404. 1f-Holo. UCNC 1599; 1m-Allo; 2f, 2m-Para.
- Bulbodacnitis ampullastoma* Maggenti, A. R. 1971. *Proc. Helminthol. Soc. Wash.* 38:80-85. f-Holo. UCNC 188; m-Allo; 23f, 13m-Para. (S).
- Bullacnema argutum* Sauer, M. R. 1968. *Nematologica* (1967) 13:525-528. 1f, 1m-Para.
- Bunonema husseyi* Bernard, E. C. 1979. *J. Nematol.* 11: 344-358. 4f, 1Y-Para.
- Bursaphelenchus kevinii* Giblin, R. M., J. L. Swan, & H. K. Kaya. 1984. *Rev. Nématol.* 7:177-187. 1m Holo. UCNC 2025; 1f Allo; 2f, 1m-Para.
- Bursaphelenchus leoni* Baujard, P. 1980. *Rev. Nématol.* 3:167-177. 2f, 2m-Para.
- Bursaphelenchus naujaci* Baujard, P. 1980. *Rev. Nématol.* 3:167-177. 2f, 2m-Para.
- Bursaphelenchus pinasteri* Baujard, P. 1980. *Rev. Nématol.* 3:167-177. 2f, 2m-Para.
- Bursaphelenchus seani* Giblin, R. M., & H. K. Kaya. 1983. *Rev. Nématol.* 6:39-50. 1m-Holo. UCNC 2003; 1f-Allo; 1f, 1m-Para.
- Bursaphelenchus xylophilus* (Steiner, W., & E. Buhrer, 1934) Nickle, W. R. 1970. *J. Nematol.* 2:375-392. UCNC 1849; 2f, 2m-Paralect.
- Bursilla labiata* (Volk, 1950) Andrassy, I. 1983. A taxonomic revision of the suborder Rhabditina (Nematoda: Secernentea). Paris: ORSTOM. 3f, 3m-Voucher of Ferris, Eyre, Venette & Lau. 1996. *Soil Biol. Chem.* 28:271-280.
- Cactodera eremica* Baldwin, J. G., & A. H. Bell. 1985. *J. Nematol.* 17:187-227. 12f, 3m, 8Y-Para.
- Caenorhabditis elegans* (Maupas, E. F. 1900) Dougherty, E. C. 1953. *Thaper. Comm. Vol.* 69-76. 3f-Voucher of Ferris, Eyre, Venette & Lau. 1996. *Soil Biol. Chem.* 28:271-280.
- Californidorus clavicaudatus* Robbins, R. T. 1985. *Rev. Nématol.* 8:215-227. 1f-Holo. UCNC 2007; 2f, 3m, 17Y-Para.
- Californidorus cralleyi* Robbins, R. T. 1985. *Rev. Nématol.* 8:215-227. 1f-Holo. UCNC 2010; 7f, 15Y-Para.
- Californidorus cylindricaudatus* Robbins, R. T. 1985. *Rev. Nématol.* 8:215-227. 1f-Holo. UCNC 2013; 5f, 30Y-Para.
- Californidorus pinguicaudatus* Robbins, R. T., & A. C. Weiner. 1978. *Rev. Nématol.* 1:189-195. f-Holo. UCNC 1592; 6f, 12Y-Para.
- Campbellenchus poae* Wouts, W. M. 1978. *N. Z. J. Zool.* (1977) 4:213-216. 9f, 8m, 1Y-Para.
- Carcharolaimus lucidus* Sauer, M. R. 1967. *Nematologica* 13:311-317. 1f, 1m-Para.
- Carcharolaimus multicostatus* Sauer, M. R. 1967. *Nematologica* 13:311-317. 3f-Para.
- Carcharolaimus taurus* Sauer, M. R. 1967. *Nematologica* 13:311-317. 1f-Para.
- Cephalenchus brevicaudatus* Raski, D. J., & E. Geraert. 1986. *Nematologica* 32:56-78. 1f-Holo. UCNC 2215; 14f, 14m, 2Y-Para.
- Cephalenchus chilensis* Raski, D. J., & E. Geraert. 1986. *Nematologica* 32:56-78. 1f-Holo. UCNC 2214; 6f, 6m, 3Y-Para.
- Chronogaster aspinata* Raski, D. J., & A. R. Maggenti. 1984. *Nematologica* 30:117-130. 1f-Holo. UCNC 1486; 46f, 17Y-Para.
- Chronogaster chilensis* Raski, D. J., & A. R. Maggenti. 1984. *Nematologica* 30:117-130. 1f-Holo. UCNC 1618; 24f, 15Y-Para.
- Chronogaster elegans* Raski, D. J., & A. R. Maggenti. 1984. *Nematologica* 30:117-130. 1f-Holo. UCNC 1485.
- Chronogaster floridensis* Raski, D. J., & A. R. Maggenti. 1984. *Nematologica* 30:117-130. 1f-Holo. UCNC 1487; 28f, 15Y-Para.
- Chronogaster spiniocarpus* Raski, D. J., & A. R. Maggenti. 1984. *Nematologica* 30:117-130. 1f-Holo. UCNC 1568; 1m-Allo; 14f, 10m, 10Y-Para.
- Corethrellonema grandispiculosum* Nickle, W. R. 1969. *J. Nematol.* 1:49-54. 3f, 4m-Para.
- Coslenchus japonicus* Mizukubo, T., & N. Minagawa. 1977. *Jap. J. Nematol.* 74:28-39. 3f, 3m-Para.
- Cosmocerca panamensis* Martinez, S. A., & A. R. Maggenti. 1989. *Proc. Helminthol. Soc. Wash.* 56:97-103. 1m-Holo. UCNC 1606; 1f-Allo; 5f, 10m-Para.
- Crassibucca macrocauda* Mulvey R. H., & H. J. Jensen. 1967. *Can. J. Zool.* 45:667-727. 2f-Para.
- Crassibucca penicula* Mulvey, R. H., & H. J. Jensen. 1967. *Can. J. Zool.* 45:667-727. 6f-Para.
- Criconema celestum* Wu, L. Y. 1960. *Can. J. Zool.* 38:913-916. 14f-Para.
- Criconema certesi* Raski, D. J., & A. Valenzuela. 1986. *J. Nematol.* 18:252-266. 39f, 6m, 111Y-Para.
- Criconema civellae* Steiner, G. 1949. *Proc. Soil Sci. Soc.*

- Fla. (1942) 4-B:72-117. 29-Parlect. = Golden, A. M., & W. Friedman. 1964. Proc. Helminthol. Soc. Wash. 31:47-59.
- Criconema giardi* (Certes, 1889) Micoletzky, H. 1925. 1f-Neo UCNC 2037; 2f, 2m-Para; 161f, 55Y-Topo; 1f, 14m, 1Y-Paraneo.
- Criconema inaequale* Taylor, A. L. 1936. Trans. Amer. Microsc. Soc. 55:391-421. 2f-Parlect. = Golden, A. M., & W. Friedman. 1964. Proc. Helminthol. Soc. Wash. 31:47-59.
- Criconema navarinoense* Raski, D. J., & A. Valenzuela. 1987. Nematologica 33:149-166. 1f-Holo. UCNC 2231; 1f-Para.
- Criconema orellani* Raski, D. J., & A. Valenzuela. 1987. Nematologica 33:149-166. 1f-Holo. UCNC 2230.
- Criconema osornoense* Raski, D. J., & A. Valenzuela. 1987. Nematologica 33:149-166. 1f-Holo. UCNC 2231.
- Criconema proclivis* Hoffman, J. K. 1973. J. Nematol. 5: 155-157. 3f-Para.
- Criconema sulcatum* Golden, A. M., & W. Friedman. 1964. Proc. Helminthol. Soc. Wash. 31:47-59, 5f, 5Y-Para.
- Criconema (Variasquamata) gracile* Mehta, U. K., & D. J. Raski. 1971. Indian J. Nematol. 1:145-198. f-Holo. UCNC 1257; 27f, 2Y-Para.(S).
- Criconema (Varisquamata) rhombosquamatum* Mehta, U. K., & D. J. Raski. 1971. Indian J. Nematol. 1: 145-198. f-Holo. UCNC 1246; 7f, 2Y-Para.(S).
- Criconemella aberrans* Jairajpuri, M. S., & A. H. Siddiqi. 1963. Z. Parasitenk. 23:340-347. 9f-Para.(S).
- Criconemella annulata* (Cobb in Taylor, 1936) Raski, D. J., & M. Luc. 1987. Rev. Nematol. 4:3-21. 3f, 3m-Voucher.
- Criconemella arcanus* Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:501-565. f-Holo. UCNC 566; 24f, 1Y-Para.(S).
- Criconemella axeste* Fassuliotis, G., & C. E. Williamson. 1959. Nematologica 4:205-210. 9f, 4m-Para.
- Criconemella basili* Jairajpuri, M. S. 1963. Nematologica 9:381-385. 6f-Para.(S).
- Criconemella caelatus* Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:501-565. f-Holo. UCNC 520; 21f, 4Y-Para.(S).
- Criconemella calvus* Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:501-565. f-Holo. UCNC 536; 4f-Para.(S).
- Criconemella canadiensis* (Ebsary, B. A. 1981) Ebsary, B. A. 1982. Can. J. Zool. 60:3033-3047. 1f-Para.
- Criconemella complexus* Jairajpuri, M. S. 1963. Nematologica 9:381-385. 15f-Para.
- Criconemella crenatus* Loof, P. A. A. 1964. Versl. Meded. Plantenziekten. Dienst. Wageningen 141:160-168. 1f, 1m, 3Y-Para.
- Criconemella crotaloides* (Cobb, N. A. 1924. J. Parasitol. 11:102) Taylor, A. L. 1936. Trans. Amer. Microsc. Soc. 55:391-421. 2f-Parlect. = Raski, D. J., and A. M. Golden. 1966. Nematologica (1965) 11:501-565.
- Criconemella curvatus* Raski, D. J. 1952. Proc. Helminthol. Soc. Wash. 19:85-99. f-Holo. UCNC 6; m-Allo; 37f, 4m, 11Y-Para.
- Criconemella decipiens* Loof, P. A. A., & S. Barooti. 1991. Nematologica 19:83-95. 3f-Para.
- Criconemella dividus* Raski, D. J., & J. W. Riffle. 1967. Proc. Helminthol. Soc. Wash. 34:212-29. f-Holo. UCNC 784; 5f-Para.(S).
- Criconemella featherensis* Al-Banna, L., & S. L. Gardner. 1993. Proc. Helminthol. Soc. Wash. 60:243-249. 1f-Holo. UCNC 2923; 1f-Para.
- Criconemella grassator* Adams, R. E., & N. A. Lapp. 1967. Nematologica 13:63-66. 2f-Para.
- Criconemella hispalensis* Arias Delgado, M., J. M. Lopez Pedregal, & F. Jiménez Millan. 1963. Boll. R. Soc. Esp. Hist. Nat. Secc. Biol. 61:35-43. 1f-Para.
- Criconemella humilis* Raski, D. J., & J. W. Riffle. 1967. Proc. Helminthol. Soc. Wash. 34:212-219. f-Holo. UCNC 790; 27f, 17Y-Para.(S).
- Criconemella incisus* Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:505-565. f-Holo. UCNC 509; 13f-Para.(S).
- Criconemella incrasatus* Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:507-565. f-Holo. UCNC 460; 20f, 7Y-Para.(S).
- Criconemella informis* (Micoletzky, H. 1922. Arch. Naturg. Berlin (1921) 87:1-650) Taylor, A. L. 1936. Trans. Amer. Microsc. Soc. 55:391-421. f-Neo. UCNC 15 = Raski, D. J. 1952. Proc. Helminthol. Soc. Wash. 19:85-99.
- Criconemella insigne* Siddiqi, M. R. 1961. Proc. Helminthol. Soc. Wash. 28:19-34. 1f-Para.
- Criconemella irregularis* de Grisse, A. 1964. Meded. Landbouwhogesch. Opzoek. Staat Gent 29:734-761. 2f-Topo. = de Grisse, A., & P. A. A. Loof. 1965. Meded. Landbouwhogesch. Opzoek. Staat Gent 30:575-603.
- Criconemella juniperi* Edward, J. C., & S. L. Misra. 1964. Nematologica 10:95-100. 1f-Para.
- Criconemella lamellatus* Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:501-565. f-Holo. UCNC 527; 45f-Para.(S).
- Criconemella macrorodum* Taylor, A. L. 1936. Trans. Amer. Microsc. Soc. 55:391-421. 22-Parlect. = Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:501-565.
- Criconemella macrolobatus* Jairajpuri, M. S., & A. H. Siddiqi. 1963. Z. Parasitenk. 23:340-347. 3f-Para.(S).
- Criconemella magnoliae* Edward, J. C., & S. L. Misra. 1964. Nematologica 10:95-100. 1f-Para.
- Criconemella meridiana* Raski, D. J., U. K. Mehta, & A. Valenzuela. 1983. Indian J. Nematol. 1:145-198. 1f-Holo. UCNC 1567.
- Criconemella microserratus* Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 1:501-565. 2f-Para.
- Criconemella multiannulata* Doucet, M. E. 1982. Rev. Ciencias Agropec. 3:17-27. 1f-Para.
- Criconemella mutabilis* Taylor, A. L. 1936. Trans. Amer. Microsc. Soc. 55:391-421. 7f, 8Y-Parlect. = Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:501-565.
- Criconemella nainitalense* Edward, J. C., & S. L. Misra. 1964. Nematologica 10:95-100. 2f-Para.
- Criconemella neoaxeste* Jairajpuri, M. S., & A. H. Siddiqi. 1963. Z. Parasitenk. 23:340-347. 2f-Para.
- Criconemella oostenbrinki* Loof, P. A. A. 1964. Nematologica 10:201-300. 1f, 1m-Para.
- Criconemella ornatus* Raski, D. J. 1958. Proc. Helminthol.

- Soc. Wash. 25:139-142. f-Holo. UCNC 8; 19f, 8Y-Para.(S).
- Criconemella parareedi* (Ebsary, B. A. 1981) Ebsary, B. A. 1982. Can. J. Zool. 60:3033-3047. 2f-Para.
- Criconemella parvum* Raski, D. J. 1952. Proc. Helminthol. Soc. Wash. 19:85-99. f-Holo. UCNC 3; 5f, 5Y-Para.(S).
- Criconemella permistus* Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:501-565. f-Holo. UCNC 482; m-Allo; 11f, 1m-Para.(S).
- Criconemella pleriannulatus* Ebsary, B. A. 1979. Can. J. Zool. 57:1-5. 1f-Para.
- Criconemella ravidus* Raski, D. J., & M. Golden, 1966. Nematologica (1965) 11:501-565. f-Holo. UCNC 538; 5f-Para.(S).
- Criconemella riamorphus* de Grisse, A., & P. A. A. Loof. 1965. Meded. Landbouwhoges. Opzoek. Staat Gent 30:575-603. 1f-Para.
- Criconemella ritteri* (Doucet, M. E. 1980) Raski, D. J., & M. Luc. 1987. Rev. Nématol. 4:3-21. 1f-Para.
- Criconemella rosae* Loof, P. A. A. 1964. Versl. Meded. Plantenziekten. Dienst. Wageningen 141:160-168. 3f, 1m-Para.
- Criconemella rotundicauda* Loof, P. A. A. 1964. Versl. Meded. Plantenziekten. Dienst. Wageningen 141:160-168. 1f-Para.
- Criconemella sicula* (Vovlas, N. 1982) Raski, D. J., & M. Luc, 1987. Rev. Nématol. 4:3-21. 2f-Para.
- Criconemella sphaerocephala* Taylor, A. L. 1936. Trans. Amer. Microsc. Soc. 55:391-421. 1f, 2Y-Parlect. = Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:501-565.
- Criconemella teres* Raski, D. J. 1952. Proc. Helminthol. Soc. Wash. 19:85-99. f-Holo. UCNC 4; 9f-Para.(S).
- Criconemella tribulis* Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:501-565. f-Holo. UCNC 559; 17f, 1Y-Para.(S).
- Criconemella vadensis* Loof, P. A. A. 1964. Versl. Meded. Plantenziekten. Dienst. Wageningen 141:160-168. 5f-Para.
- Criconemella verna* Raski, D. J., & A. M. Golden. 1966. Nematologica (1965) 11:501-565. f-Holo. UCNC 534; 3f-Para.(S).
- Criconemella xenoplax* Raski, D. J. 1952. Proc. Helminthol. Soc. Wash. 19:85-99. f-Holo. UCNC 1; m-Allo; 75 f, 11m, 8Y-Para.(S).
- Crossonema capitospinosum* Ebsary, B. A. 1979. Can. J. Zool. 57:2319-2324. 3f-Para.
- Crossonema fmcivatatum* Khan E., M. L. Chawla, & M. Saha. 1976. Indian J. Nematol. (1975) 5:70-100. 1f-Para.
- Crossonema taylatum* Chawla, M. L., & M. Saha. 1976. Indian J. Nematol. (1975) 5:70-100. f-Para.
- Crossonema* (*Crossonema*) *aquitane* (Fies, M. 1968. Nematologica 14:45-54) 7f-Para. = Mehta, U. K., & D. J. Raski. 1971. Indian J. Nematol. 1:145-198.
- Crossonema* (*Crossonema*) *civellae* (Steiner, G. 1949. Proc. Soil Sci. Soc. Civ. (1942) 4-B:72-117) 35f, 3Y-Topo.(S) = Mehta, U. K., & D. J. Raski. 1971. Indian J. Nematol. 1:145-198.
- Crossonema* (*Crossonema*) *latens* Mehta, U. K., & D. J. Raski, 1971. Indian J. Nematol. 1:145-198. f-Holo. UCNC 1240; 3f-Para.(S).
- Crossonema* (*Seriespinula*) *cobbi* (Micoletzky, M. 1925. K. Danske Vidensk. Selsk. Skr. 10:57-310) 124f, 15Y-Topo.(S). = Mehta, U. K., & D. J. Raski. 1971. Indian J. Nematol. 1:145-198.
- Crossonema* (*Seriespinula*) *hungaricum* (Andrassy, I. 1962. Acta. Zool. Hung. 8:1-23) 1f-Para. = Mehta, U. K., & D. J. Raski. 1971. Indian J. Nematol. 1:145-198.
- Crossonema* (*Seriespinula*) *venustum* Mehta, U. K., & D. J. Raski. 1971. Indian J. Nematol. 1:145-198. f-Holo. UCNC 1237; 47f, 34Y-Para.(S).
- Cruzonema tripartitum* (Linstow, O. F. L. 1906) Zullini, A. 1982. 2f, 2m-Voucher of Ferris, Eyre, Venette & Lau. 1996. Soil Biol. Chem. 28:271-280.
- Cucillitylenchus amazonensis* Huang, C. S., & D. J. Raski. 1986. Rev. Nématol. 9:209-219. 4f, 1m-Para.
- Cuticonema vivipara* Sanwal, K. C. 1959. Can. J. Zool. 37:223-229. 1f, 1m-Para.
- Cygnonema steineri* Allen, M. W., & E. M. Noffsinger. 1978. Univ. Calif. Publ. Zool. 109:1-133. 2f, 1m, 4Y-Para.
- Cynipanguina danthoniae* Maggenti, A. R., W. H. Hart, & G. A. Paxman. 1974. Nematologica (1973) 19:491-497. f-Holo. UCNC 1300; m-Allo; 10f, 12m-Para.
- Daubaylia olsoni* Poinar, G. O., Jr. 1984. Proc. Helminthol. Soc. Wash. 51:217-220. 1f-Holo. UCNC 2183; 1m-Allo.
- Deladenus apopkaetus* Chitambar, J. J. 1991. Rev. Nématol. 14:427-444. 1f-Holo. UCNC 3252; 10f, 8m-Para.
- Desmoscolex brevisetosus* Decraemer, W. M. 1974. Zool. Scripta 3:172-176. 2f-Para.
- Desmoscolex californicus* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1121; m-Allo; 1f, 1m-Para.
- Desmoscolex cosmopolites* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. m-Holo. UCNC 1125; f-Allo; 3f, 5m-Para.
- Desmoscolex draconemoides* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1132.
- Desmoscolex frigidus* Timm, R. W. 1978. Biol. Antarct. Seas VI, Antarct. Res. Ser. 26:225-236. 2f, 1m-Para.
- Desmoscolex nymphianus* Decraemer, W. M. 1974. Zool. Scripta 3:172-176. 1f-Para.
- Desmoscolex italicus* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1133.
- Desmoscolex longisetosus* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1134; m-Allo; 16f, 2m-Para.
- Desmoscolex maxi* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1143; m-Allo; 5m-Para.
- Desmoscolex quadricomoides* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1148; m-Allo.
- Desmoscolex remifer* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. 1f, 1m-Para.
- Desmoscolex rostratus* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1152.
- Diplogaster* (*Diplogastrellus*) *cerea* Kiontke, K., & W. Sudhaus. 1996. Nematologica 42:173-197. 2f, 2m-Para.

- Diplolaimella ocellata* Chitwood, B. G. 1951. *Tex. J. Sci.* 3:617-672. f-Para.
- Discocriconemella baforti* de Grisse, A. 1967. *Biol. Jaarb.* 35:66-125. 1f, 1Y-Para.
- Discocriconemella degrijsi* Loof, P. A. A., & R. D. Sharma. 1980. *Meded. Faec. Landbouw. Rijksuniv. Gent* 45:795-806. 1f-Para. 3f-Voucher.
- Discocriconemella mineira* Vovlas, N., S. Ferraz, & J. M. Dos Santos. 1989. *J. Nematol.* 21:335-341. 2f-Para.
- Discocriconemella morelensis* Cid del Prado-Vera, I., & P. A. A. Loof. 1984. *Nematologica* 30:178-186. 3f-Para.
- Discocriconemella pannosa* Sauer, M. R., & R. Winoto. 1975. *Nematologica* 21:333-340. 5f-Para.
- Discocriconemella paraglabrannulata* Cid del Prado-Vera, I., & P. A. A. Loof. 1984. *Nematologica* 30:178-186. 3f-Para.
- Discocriconemella perseae* Cid del Prado-Vera, I., & P. A. A. Loof. 1984. *Nematologica* 30:178-186. 3f-Para.
- Discocriconemella repletus* Pinochet, J., & D. J. Raski. 1976. *J. Nematol.* 8:327-330. f-Holo. UCNC 1560; m-Allo; 4f, 3Y-Para.
- Discocriconemella retroversa* Sauer, M. R., & R. Winoto. 1975. *Nematologica* 21:333-340. 8f, 4m-Para.
- Discocriconemella sphaerocephaloides* de Grisse, A. 1967. *Biol. Jaarb.* 35:66-125. 1f-Para.
- Discolaimus agricolus* Sauer, M. R., & C. M. Anells. 1985. *Nematologica* 31:121-133. 3f-Para.
- Discolaimus silvicolus* Sauer, M. R., & C. M. Anells. 1985. *Nematologica* 31:121-133. 2f-Para.
- Distolabrellus veechi* Anderson, R. V. 1983. *J. Nematol.* 15:70-75. 2f-Para.
- Ditylenchus filicauda* Geraert, E., & D. J. Raski. 1990. *Rev. Nématol.* 13:297-301. 1f-Holo. UCNC 2471; 4f, 2m, 1Y-Para.
- Ditylenchus flagellicauda* Geraert, E., & D. J. Raski. 1990. *Rev. Nématol.* 13:297-301. 1f-Holo. UCNC 2472; 1f, 1m-Para.
- Ditylenchus leptosoma* Geraert, E., & Y. E. Choi. 1990. *Nematol. Medit.* 18:27-31. 3f, 2m, 1Y-Para.
- Ditylenchus dryadis* Anderson, R. V., & R. H. Mulvey. 1980. *Can. J. Zool.* 58:363-368. 5f, 3m-Para.
- Diximeris peterseni* Nickle, W. R. 1972. *J. Nematol.* 4:113-146. 1f, 1m-Para.
- Dolichodorus grandispicatus* Robbins, R. T. 1982. *J. Nematol.* 14:507-511. 7f, 5m, 21Y-Para.
- Dolichodorus minor* Loof, P. A. A., & R. D. Sharma. 1975. *Rev. Theabroma* 5:35-41. 1f, 1m-Para.
- Dolichodorus obtusus* Allen, M. W. 1957. *Proc. Helminthol. Soc. Wash.* 24:95-98. f-Holo. UCNC 101; m-Allo; 24f, 14m-Para.
- Dolichodorus pulvinus* Khan, E., A. R., Seshadri, B. Weisacher, & K. Mathen. 1971. *Indian J. Nematol.* 1:116-127. 1f, 1m-Para.
- Dolichodorus silvestris* Gillespie, W. H., & R. E. Adam. 1962. *Nematologica* 8:93-98. 17f, 18m, 13Y-Para.
- Dolichodorus similis* Golden, A. M. 1958. *Proc. Helminthol. Soc. Wash.* 25:17-20. 3f, 1m-Para.
- Dolicholaimus raskii* Chitwood, B. G. 1960. *Trans. Amer. Microsc. Soc.* 79:347-384. f-Holo. UCNC 138; f-Allo; 6m-Para.
- Dolichorhynchus elegans* Germani, C., & M. Luc. 1984. *Rev. Nématol.* 7:81-86. 1f, 1m.
- Dolichorhynchus prophasmsis* 2f, 2m-Para.
- Dorylaimoides angustus* Sauer, M. R. 1967. *Nematologica* (1966) 12:523-529. 35f, 3m-Para.
- Dorylaimoides buccinator* Sauer, M. R. 1967. *Nematologica* (1966) 12:523-529. 1967. f-Para.
- Dorylaimoides mitis* Sauer, M. R. 1967. *Nematologica* (1966) 12:523-529. f-Para.
- Dorylaimoides websteri* Sauer, M. R. 1967. *Nematologica* (1966) 12:523-529. 1f, 1m-Para.
- Dracogalerus afrikaanus* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. f-Holo. UCNC 1440; 1m-Para.
- Dracogalerus bastiani* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. f-Holo. UCNC 1441.
- Dracognomus chitwoodi* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. f-Holo. UCNC 1427; 2f-Para.
- Dracognomus cobbi* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. m-Holo. UCNC 1422; 1f-Para.
- Dracognomus demani* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. m-Holo. UCNC 1425; 5f, 4m, 10Y-Para.
- Dracognomus filipjevi* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. m-Holo. UCNC 1424; 5f, 3m, 3Y-Para.
- Dracognomus gerlachi* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. f-Holo. UCNC 1429; 1f, 1Y-Para.
- Dracognomus kreisi* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. m-Holo. UCNC 1428; f-Para.
- Dracognomus marioni* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. m-Holo. UCNC 1438; 4f, 6m, 2Y-Para.
- Dracognomus mawsoni* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. m-Holo. UCNC 1423; 1f, 2m-Para.
- Dracognomus notohalensis* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. f-Holo. UCNC 1439; 1f-Para.
- Dracognomus stenkhoveni* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. m-Holo. UCNC 1430; 8f, 22m-Para. (S).
- Dracognomus timmi* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. m-Holo. UCNC 1426; 15f, 30m, 2Y-Para. (S).
- Dracognomus wieseri* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. m-Holo. UCNC 1431; f-Para.
- Dracograllus antillensis* Decraemer, W. M., & N. Gourbault. 1986. *Zool. Scripta* 16:107-118. 4f, 2m-Para.
- Draconactis cutus* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. f-Holo. UCNC 1436; 1m-Para.
- Draconema antarcticum* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. 13f, 10m, 19Y-Para.
- Draconema chilense* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1-133. m-Holo. UCNC 1416; 4f, 6m-Para.
- Dracotoranema trispinosum* Allen, M. W., & E. M. Noffsinger.

- singer. 1978. Univ. Calif. Publ. Zool. 109:1-133. f-Holo. UCNC 1432; 2f, 2m, 6Y-Para.
- Drilomeris leioderma* Poinar, G. O. Jr., & J. J. Petersen. 1978. J. Nematol. 10:20-23. f-Holo. UCNC 1982; m-Allo.
- Echphyadophora caelata* Raski, D. J., & E. Geraert. 1985. Nematologica 31:244-265. 1f-Holo. UCNC 2039.
- Echphyadophora quadrata* Raski, D. J., P. K. Koshi, & V. K. Sosamma. 1982. Rev. Nématol. 5:119-138. 1f-Para.
- Echphyadophora tarjani* Raski, D. J., P. K. Koshi, & V. K. Sosamma. 1982. Rev. Nématol. 5:119-138. 5f, 5m-Para.
- Echphyadophora teres* Raski, D. J., P. K. Koshi, & V. K. Sosamma. 1982. Rev. Nématol. 5:119-138. 1f-Holo. UCNC 1600; 1m-Allo; 102f, 28m, 60Y-Para.
- Echphyadophoroides leptocephalus* Raski, D. J., P. K. Koshi, & V. K. Sosamma. 1982. Rev. Nématol. 5:119-138. 1f-Holo. UCNC 1563; 1m-Allo; 2Y-Para.
- Echphyadophoroides macrocephalus* Raski, D. J., P. K. Koshi, & V. K. Sosamma. 1982. Rev. Nématol. 5:119-138. 1f-Holo. UCNC 1602.
- Echphyadophoroides sheri* Raski, D. J., P. K. Koshi, & V. K. Sosamma. 1982. Rev. Nématol. 5:119-138. 1f-Holo. UCNC 1601; 13f, 12Y-Para.
- Eckphyatodera thomasoni* Baldwin, J. G., E. C. Bernard, & M. Mundo-Ocampo. 1989. J. Nematol. 21:48-68. 4f, 5m, 6Y-Para.
- Ektaphelenchoides compsi* Baujard, P. 1984. Rev. Nématol. 7:147-171. 1f, 1m-Para.
- Ektaphelenchus musae* Baujard, P. 1984. Rev. Nématol. 7:147-171. 1984. 2f-Para.
- Empidomermis cozi* Poinar, G. O., Jr. 1977. Can. J. Zool. 55:1475-1479. f-Holo. UCNC 1984; m-Allo.
- Enchodelus morgensis* Loof, P. A. A. 1988. Nematologica 34:62-70. 1f, 1m-Para.
- Encholaimus taurus* Golden, A. M., & D. G. Murphy. 1967. Proc. Helminthol. Soc. Wash. 34:94-98. 2f-Para.
- Epicharinema keralense* Raski, D. J., A. R. Maggenti, P. K. Koshy, & V. K. Sosam-ma. 1980. Rev. Nématol. 3:297-304. f-Holo. UCNC 1598; m-Allo; 36f, 43m, 68Y-Para.
- Epsilonema cyrtum* Steiner, G. 1931 in Die Nematoden der Deutschen Sudpolar-Expedition 1901-1903. 22. XX: 1:170-216. 15f, 22m, 7Y-Voucher.
- Epsilonema docidocrinum* Steiner, G. 1931 in Die Nematoden der Deutschen Sudpolar-Expedition 1901-1903. 22. XX: 1:170-216. 7f, 4m, 3Y-Voucher.
- Ereptonema fimbriatum* Anderson, R. V. 1966. Can. J. Zool. 44:923-935. 2f-Para.
- Etamphidelus acucephalus* Coomans, A., & D. J. Raski. 1988. J. Nematol. 20:9-22. 1f-Holo. UCNC 2233.
- Etamphidelus fueguensis* Coomans, A., & D. J. Raski. 1988. J. Nematol. 20:9-22. 1f-Holo. UCNC 2266.
- Etamphidelus yamami* Coomans, A., & D. J. Raski. 1988. J. Nematol. 20:9-11. 1f-Holo. UCNC 2234.
- Eudesmoscolex californicus* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1153; 1Y-Para.
- Eutylenchus africanus* Sher, S. A., D. C. M. Corbett, & R. C. Colbran. 1966. Proc. Helminthol. Soc. Wash. 33:60-66. m-Holo. UCNC 632; f-Allo; 2f, 1m-Para.
- Eutylenchus fuegoensis* Valenzuela, A., & D. J. Raski. 1985. J. Nematol. 17:330-336. 1f-Holo. UCDCN 2074.
- Eutylenchus setiferus* (Cobb, N. A. 1893. Agric. Gaz. N. S. W. 4:808-833) Cobb, N. A. 1913. J. Wash. Acad. Sci. 3:132-144. 2f, 1m, 3Y-Topo. = Sher, S. A., D. C. M. Corbett, & R. C. Colbran. 1966. Proc. Helminthol. Soc. Wash. 33:60-66.
- Filenchus adelinae* Raski, D. J., & E. Geraert. 1986. Nematologica 32:265-311. 1f-Holo. UCNC 2225; 2f-Para.
- Filenchus chilensis* Raski, D. J., & E. Geraert. 1986. Nematologica 32:265-311. 1f-Holo. UCNC 1616.
- Filenchus elegantulus* Raski, D. J., & E. Geraert. 1986. Nematologica 32:265-311. 1f-Holo. UCNC 2226.
- Filenchus neonanus* Raski, D. J., & E. Geraert. 1986. Nematologica 32:265-311. 1f-Holo. UCNC 1617.
- Filenchus terrestris* Raski, D. J., & E. Geraert. 1986. Nematologica 32:265-311. 1f-Holo. UCNC 2038; 3f-Para.
- Filiponema philippense* Timm, R. W., & A. R. Maggenti. 1966. Proc. Helminthol. Soc. Wash. 33:177-184. 4f, 1m-Para.
- Globodera zelandica* Wouts, W. M. 1984. N. Z. J. Zool. 11:129-135. 5f, 3m, 6Y-Para.
- Gracilacus anceps* (Cobb, N. A. 1923. J. Wash. Acad. Sci. 13:254-257) f-Neo. UCNC 208 = Raski, D. J. 1962. Proc. Helminthol. Soc. Wash. 29:189-207.
- Gracilacus braziliensis* Brzeski, M. W. 1995. Nematologica 41:535-565. 1f-Para.
- Gracilacus capitatus* Adams, R. E., & J. J. Eichenmuller, Jr. 1962. Nematologica 8:87-92. 8f, 1m-Co.
- Gracilacus costata* Raski, D. J. 1976. J. Nematol. 8:97-115. f-Holo. UCNC 1442; m-Allo; 9f, 13m, 10Y-Para.(S).
- Gracilacus elegans* Raski, D. J. 1962. Proc. Helminthol. Soc. Wash. 29:189-207. f-Holo. UCNC 211; 7f-Para.(S).
- Gracilacus enata* Raski, D. J. 1976. J. Nematol. 8:97-115. f-Holo. UCNC 1444; 3-Allo; 18f, 2m, 6Y-Para.
- Gracilacus epacris* (Allen, M. W., & H. J. Jensen. 1950. Proc. Helminthol. Soc. Wash. 17:10-14) f-Lecto. UCNC 207; 92f, 21m-Parlect. = Raski, D. J. 1962. Proc. Helminthol. Soc. Wash. 29:189-207.
- Gracilacus idalima* Raski, D. J. 1962. Proc. Helminthol. Soc. Wash. 29:189-207. f-Holo. UCNC 214; m-Allo; 20f, 25m-11Y-Para.
- Gracilacus intermedia* Raski, D. J. 1962. Proc. Helminthol. Soc. Wash. 29:189-207. f-Holo. UCNC 210; 42f, 46Y-Para.
- Gracilacus latescens* Raski, D. J. 1976. J. Nematol. 8:97-115. f-Holo. UCNC 1446; 3-Allo; 54f, 1m, 45Y-Para.
- Gracilacus macrodora* (Brzeski, M. W. 1963. Bull. Acad. Polon. Sci. Cl. II 11:277-280) 8f, 3Y-Para. = Raski, D. J. 1976. J. Nematol. 8:97-115.
- Gracilacus mirus* Raski, D. J. 1962. Proc. Helminthol. Soc. Wash. 9:189-207. f-Holo. UCNC 209; 6f, 7Y-Para.
- Gracilacus pandata* Raski, D. J. 1976. J. Nematol. 8:97-115. f-Holo. UCNC 1399; m-Allo; 25, 3m-Para.
- Gracilacus paroula* Raski, D. J. 1976. J. Nematol. 8:97-115. f-Holo. UCNC 1449; m-Allo.

- Gracilacus peraticus* Raski, D. J. 1962. Proc. Helminthol. Soc. Wash. 29:189-207. f-Holo. UCNC 212; m-Allo; 6f, 22Y-Para.
- Gracilacus solivaga* Raski, D. J. 1976. J. Nematol. 8:97-115. f-Holo. UCNC 1448; 5f-Para.
- Gracilacus teres* Raski, D. J. 1976. J. Nematol. 8:97-115. f-Holo. UCNC 1450; m-Allo 7f, 1m, 13Y-Para.
- Gracilacus vera* Brzeski, M. W. 1995. Nematologica 41: 535-565. 1f-Para.
- Greeffella alleni* Schrage, M., & S. A. Gerlach. 1975. Veroff. Inst. Meeresforsch. Bremerhaven 15:37-64. m-Holo. UCNC 1411.
- Greeffella antarctica* Timm, R. W. 1978. Biol. Antarct. Seas VI, Antarct. Res. Ser. 26:225-236. 8f, 3m, 1Y-Para.
- Greeffella australis* Schrage, M., & S. A. Gerlach. 1975. Veroff. Inst. Meeresforsch. Bremerhaven 15:35-64. m-Holo. UCNC 1414; 1f-Para.
- Greeffella myponga* Schrage M., & S. A. Gerlach. 1975. Veroff. Inst. Meeresforsch. Bremerhaven 15:35-64. m-Holo. UCNC 1413; 2f, 1Y-Para.
- Greeffella pierrii* Schrage, M., & S. A. Gerlach. 1975. Veroff. Inst. Meeresforsch. Bremerhaven 15:35-64. m-Holo. UCNC 1412; 6f, 3m-Para. 1f-Aber.
- Hadronchus bisexualis*^s Mulvey, R. H., & H. J. Jensen. 1967. Can. J. Zool. 45:667-724. 5f-Para.
- Hadronchus monohystera*^a Mulvey, R. H., & H. J. Jensen. 1967. Can. J. Zool. 45:667-724. 6f, 3Y-Para.
- Halalaimus algeriensis* Coomans, A., & L. J. Jacobs, 1983. Hydrobiologica 102:39-44. 1f-Para.
- Halenchus mexicanus* Chitwood, B. G. 1951. Texas J. Sci. 3:617-672. m-Holo. UCNC 274.
- Heleidomermis magnapapula* Poinar, G. O., Jr., & B. A. Mullens. 1987. Rev. Nematol. 10:387-391. 1f-Holo. UCNC 3189; 1m-Allo.
- Helicotylenchus anhelicus* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 622; m-Allo; 4f, 1m, 3Y-Para.
- Helicotylenchus belli* Sher, S. A. 1966. Nematologica 12: 1-56. 4f, 7Y-Para.
- Helicotylenchus californicus* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 616; m-Allo; 6f, 7m, 2Y-Para.
- Helicotylenchus canadis* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 605; 2f-Para.
- Helicotylenchus carolinensis* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 613; 9f, 1Y-Para.
- Helicotylenchus cavenessi* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 608; 4f, 2Y-Para.
- Helicotylenchus clarkei* Sher, S. A. 1966. Nematologica 12: 1-56. f-Holo. UCNC 628; m-Allo; 3f, 1m, 1Y-Para.
- Helicotylenchus crenacaudus* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 602; 7f, 2Y-Para.
- Helicotylenchus digonicus* Perry, V. G. 1959 in Perry, V. G., H. M. Darling, and G. Thorne. 1959. Univ. Wisc. Res. Bull. 207:224. 17f-Para.
- Helicotylenchus dolichodoryphorus* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 620; m-Allo; 4f, 4m-Para.
- Helicotylenchus egyptiensis* Tarjan, A. C. 1964. Nematologica 10:185-191. 3f-Para.
- Helicotylenchus exallus* Sher, S. A. 1966. Nematologica 12: 1-56. f-Holo. UCNC 611; m-Allo; 7f, 10m, 1Y-Para.
- Helicotylenchus girus* Saha, M., M. L. Chawla, & E. Khan. 1974. Indian J. Nematol. (1973) 3:83-87. 1f-Para.
- Helicotylenchus hydrophilus* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 614; m-Allo; 6f, 3m-Para.
- Helicotylenchus labiodiscinus* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 627; 8f-Para.
- Helicotylenchus leiocephalus* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 606; 5f, 2Y-Para.
- Helicotylenchus lobus* Sher, S. A. 1966. Nematologica 12: 1-56. f-Holo. UCNC 601; 15f-Para.
- Helicotylenchus longicaudatus* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 603; 7f-Para.
- Helicotylenchus martini* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 609; m-Allo; 2f, 2Y-Para.
- Helicotylenchus microcephalus* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 604; 15f-Para.
- Helicotylenchus microlobus* Perry, V. G. 1959 in Perry, V. G., H. M. Darling, and G. Thorne. 1959. Univ. Wisc. Res. Bull. 207:1-24. 7f-Para.
- Helicotylenchus minzi* Sher, S. A. 1966. Nematologica 12: 1-56. f-Holo. UCNC 624; m-Allo; 6f, 2m-Para.
- Helicotylenchus neopaxilli* Inseerra, R. N., & N. Vovlas. 1979. Nematologica 12:1-56; Golden, A. M., 1979. J. Nematol. 11:56-62. 5f-Para.
- Helicotylenchus nigeriensis* Sher, S. A. 1966. Nematologica 12:1-56. f-Holo. UCNC 618; m-Allo; 9f, 7m-Para.
- Helicotylenchus oleae* Inseerra, R. N., N. Vovlas, & A. M. Golden. 1979. J. Nematol. 11:56-62. 6f-Para.
- Helicotylenchus paracanalisis* Sauer, M. R., & R. Winoto. 1976. Nematologica 21:341-350. 4f, 3m-Para.
- Helicotylenchus paragirus* Saha, M., M. L. Chawla, & E. Khan. 1974. Indian J. Nematol. (1973) 3:83-87. 14f-Para.
- Helicotylenchus pasohi* Sauer, M. R., & R. Winoto. 1975. Nematologica 21:341-350. 4f, 4m-Para.
- Helicotylenchus platyurus* Perry, V. G. 1959 in Perry, V. G., H. M. Darling, and G. Thorne. 1959. Univ. Wisc. Res. Bull. 207:1-24. 10f-Para.
- Helicotylenchus rotundicauda* Sher, S. A. 1966. Nematologica 12:1-56. m-Holo. UCNC 607; 13f-Para.
- Helicotylenchus spicaudatus* Tarjan, A. C. 1964. Nematologica 10:185-191. 25f-Para.
- Hemicriconemoides alexis* Vovlas, N. 1980. Nematol. Medit. 8:73-79. 4f-Para.
- Hemicriconemoides annulatus* Pinchochet, J., & D. J. Raski. 1975. J. Nematol. 7:263-270. f-Holo. UCNC 1398; 20f-Para.
- Hemicriconemoides brevicaudatus* Dasgupta, D. R., D. J. Raski, & S. D. Van Gundy. 1969. J. Nematol. 1: 126-145. f-Holo. UCNC 1049; 6f-Para.
- Hemicriconemoides californianus* Pinchochet, J., & D. J. Raski. 1975. J. Nematol. 7:263-270. f-Holo. UCNC 1389; m-Allo; 80f, 2f-Para.
- Hemicriconemoides coronatus* Reay, F., & R. C. Colbran. 1986. Rev. Nematol. 9:325-336. 5f-Para.
- Hemicriconemoides digitatus* Reay, F., & R. C. Colbran. 1986. Rev. Nematol. 9:325-336. 2f-Para.
- Hemicriconemoides insignia* Dasgupta, D. R., D. J. Raski, & S. D. Van Gundy. 1969. J. Nematol. 1:126-145. f-Holo. UCNC 1056; 45m-Para.
- Hemicriconemoides intermedius* Dasgupta, D. R., D. J.

- Raski, & S. D. Van Gundy. 1969. *J. Nematol.* 1: 126-145. f-Holo. UCNC 1061; 9f-Para.
- Hemicriconemoides microdoratus* Dasgupta, D. R., D. J. Raski, & S. D. Van Gundy. 1969. *J. Nematol.* 1: 126-145. f-Holo. UCNC 1033; 5f-Para.
- Hemicriconemoides nitida* Pinochet, J., & D. J. Raski. 1975. *J. Nematol.* 7:263-270. f-Holo. UCNC 1396; m-Allo; 7f, 1m-Para.
- Hemicriconemoides parvus* Dasgupta, D. R., D. J. Raski, & S. D. Van Gundy. 1969. *J. Nematol.* 1:126-145. f-Holo. UCNC 1040; 8f, m-Para.
- Hemicriconemoides promissus* Vovlas, N. 1980. *Nematol. Medit.* 8:73-79. 4f-Para.
- Hemicriconemoides snoecki* Van Doorselaere, R., & L. Samsoen. 1993. *Rev. Nématol.* 5:51-63. 1f-Para.
- Hemicriconemoides strictathecatus* Esser, R. P. 1960. *Nematologica* 5:64-71. 1f-Para.
- Hemicriconemoides taiwanensis* Pinochet, J., & D. J. Raski. 1975. *J. Nematol.* 7:263-270. f-Holo. UCNC 1388; 15f-Para.
- Hemicycliophora arenaria* Raski, D. J. 1958. *Proc. Helminthol. Soc. Wash.* 25:125-131. f-Holo. UCNC 114; m-Allo; 9f, 15m, 1Y-Para.
- Hemicycliophora argiensis* Khan, E., & C. K. Nanjappa. 1973. *Indian J. Nematol.* (1972) 2:59-68. 1f-Para.
- Hemicycliophora armandae* Al-Banna, L., & S. L. Gardner. 1993. *Proc. Helminthol. Soc. Wash.* 60:243-249. 1f-Holo. UCNC 2927; 1f-Para.
- Hemicycliophora belemnis* Germani, C., & M. Luc. 1973. *Cah. ORSTOM Biol.* 1:67-74. 1f, 1m-Para.
- Hemicycliophora biloculata* Colbran, R. C. 1969. *Queensl. J. Agric. Anim. Sci.* 26:181-192. 2f, 1Y-Para.
- Hemicycliophora biosphaera* Chitambar, J. J., T. R. Mahato, M. A. McClure, & B. D. V. Marino. 1998. *J. Nematol.* 29:329-335. 1f-Holo. UCDC 3636, 14f-Para.
- Hemicycliophora brevicauda* Sauer, M. R. 1958. *Proc. Linn. Soc. N. S. W.* 83:217-221. 6f-Para.
- Hemicycliophora brevis* Thorne, G. 1955. *Proc. Helminthol. Soc. Wash.* 22:1-16. 15f-Topo. = Raski, D. J. 1958. *Proc. Helminthol. Soc. Wash.* 25:125-131.
- Hemicycliophora californica* Brzeski, M. W. 1974. *Zesz. Probl. Post. Nauk Roln.* 154:237-330. 12f-Para.
- Hemicycliophora charlestoni* Reay, F. 1984. *Rev. Nématol.* 7:367-384. 1f, 1Y-Para.
- Hemicycliophora dahoensis* German, C., & M. Luc. 1973. *Cah. ORSTOM Biol.* 1:67-74. 1f-Para.
- Hemicycliophora diolaensis* Germani, C., & M. Luc. 1973. *Cah. ORSTOM Biol.* 1:67-74. 1f, 1m-Para.
- Hemicycliophora epicharis* Raski, D. J. 1958. *Proc. Helminthol. Soc. Wash.* 25:125-131. f-Holo. UCNC 110; m-Allo; 23f, 12m-Para.
- Hemicycliophora epicharoides* Loof, P. A. A. 1968. *Meded. Landb. Hooges. Wageningen* 68:1-43. 25f-Para.
- Hemicycliophora eucalypti* Reay, F. 1984. *Rev. Nématol.* 7:367-384. 1f-Para.
- Hemicycliophora ferrisae* Brzeski, M. W. 1974. *Zesz. Probl. Post. Nauk Roln.* 154:237-330. 4f-Para.
- Hemicycliophora filicaudata* Doucet, M. E. 1982. *Rev. Nématol.* 5:309-320. 1f-Para.
- Hemicycliophora fragilis* Doucet, M. E. 1982. *Rev. Nématol.* 5:309-320. 1f-Para.
- Hemicycliophora hesperis* Raski, D. J. 1958. *Proc. Helminthol. Soc. Wash.* 25:125-131. f-Holo. UCNC 113; 2f-Para.
- Hemicycliophora iberica* Castillo, P., A. Gomez-Barcina, & P. A. A. Loof. 1989. *Nematologica* 17:77-82. 2f-Para.
- Hemicycliophora iranica* Loof, P. A. A. 1984. *Nematologica* 30:22-41. 1f-Para.
- Hemicycliophora iwia* Brzeski, M. W. 1974. *Zesz. Probl. Post. Nauk Roln.* 154:237-330. 2f-Para.
- Hemicycliophora litoralis* Reay, F. 1984. *Rev. Nématol.* 7: 367-384. 4f, 2Y-Para.
- Hemicycliophora longicaudata* Loos, C. A. 1948. *Ceylon J. Sci., Sect. B, Zool.* 23:119-124. 8f, 2m-Co.
- Hemicycliophora lutosa* Loof, P. A. A., & J. Heyns. 1969. *Nematologica* 15:464-472. 5f-Para.
- Hemicycliophora lutosoides* Loof, P. A. A. 1984. *Nematologica* 30:22-41. 1f-Para.
- Hemicycliophora macrodorata* Raski, D. J., & A. Valenzuela. 1986. *Nematologica* 30:22-41. 1f-Holo. UCNC 2210; 21f, 10m, 55Y-Para.
- Hemicycliophora madagascariensis* Germani, C., & M. Luc. 1973. *Cah. ORSTOM Biol.* 1:67-74. 1f-Para.
- Hemicycliophora megalodiscus* Germani, C., & M. Luc. 1973. *Cah. ORSTOM Biol.* 1:67-74. 1f-Para.
- Hemicycliophora monticola* Mehta, U. K., D. J. Raski, & A. Valenzuela. 1982. *Nematologica* 28:398-411. 1f-Holo. UCNC 2021; 1f, 2Y-Para.
- Hemicycliophora musae* Khan, E., & C. K. Nanjappa. 1973. *Indian J. Nematol.* (1972) 2:59-68. 25m-Para.
- Hemicycliophora nigeriensis* Germani, C., & M. Luc. 1973. *Cah. ORSTOM Biol.* 1:67-74. 1f-Para.
- Hemicycliophora nortoni* Brzeski, M. W. 1974. *Zesz. Probl. Post. Nauk Roln.* 154:237-330. 1f-Para.
- Hemicycliophora nucleata* Loof, P. A. A. 1968. *Meded. Landb. Hooges. Wageningen* 68:1-43. 4f-Para.
- Hemicycliophora oostenbrinki* Luc, M. 1958. *Nematologica* 3:15-23. 429, 2f-Topo.
- Hemicycliophora paradoxa* Luc, M. 1958. *Nematologica* 3:15-23. 19f, 2m-Topo.
- Hemicycliophora pauciannulata* Luc, M. 1958. *Nematologica* 3:15-23. 55f-Topo.
- Hemicycliophora pinocheti* Mehta, U. K., & Raski, D. J. 1984. *Rev. Nématol.* 7:347-353. 1f-Holo. UCNC 2042; 4f, 8Y-Para.
- Hemicycliophora quercea* Mehta, U. K., & D. J. Raski, 1984. *Rev. Nématol.* 7:347-353. 1f-Holo. UCNC 2040; 1m-Allo; 6f, 2m, 4Y-Para.
- Hemicycliophora raskii* Brzeski, M. W. 1974. *Zesz. Probl. Post. Nauk Roln.* 154:237-330. f-Holo. UCNC 1921; 17m, 15Y-Para.
- Hemicycliophora rionegrensis* Doucet, M. E. 1982. *Rev. Nématol.* 5:309-320. 3f-Para.
- Hemicycliophora rotundicauda* Thorne, G. 1955. *Proc. Helminthol. Soc. Wash.* 22:1-16. f-Holo. UCNC 104; 11f, 4Y-Para.
- Hemicycliophora saueri* Brzeski, M. W. 1974. *Zesz. Probl. Post. Nauk Roln.* 154:237-330. 2f, 2Y-Para.
- Hemicycliophora sculpturata* Loof, P. A. A. 1984. *Nematologica* 30:22-41. 1f-Para.
- Hemicycliophora signata* Orton Williams, K. J. 1978. *Rev. Nématol.* 1:197-205. 1f-Para.

- Hemicycliophora spinituberculata* Loof, P. A. A. 1984. *Nematologica* 30:22-41. 1f-Para.
- Hemicycliophora spinosa* Colbran, R. C. 1969. *Queensl. J. Agric. Anim. Sci.* 26:181-192. 1f-Para.
- Hemicycliophora straturata* Germani, C., & M. Luc. 1973. *Cah. ORSTOM Biol.* 1:67-74. 1f-Para.
- Hemicycliophora striatula* Thorne, G. 1955. *Proc. Helminthol. Soc. Wash.* 22:1-16. f-Holo. UCNC 896; 8f, 5Y-Para.
- Hemicycliophora sturhani* Loof, P. A. A. 1984. *Nematologica* 30:22-41. 1f-Para.
- Hemicycliophora tenuistriata* Doucet, M. E. 1982. *Rev. Nématol.* 5:309-320. 2f-Para.
- Hemicycliophora typica* de Man, J. G. 1921. *Capita Zool.* 1:3-62. f-Neo. UCNC 116; f-Neol. = Thorne, G. 1955. *Proc. Helminthol. Soc. Wash.* 22:1-16.
- Hemicycliophora vidua* Raski, D. J. 1958. *Proc. Helminthol. Soc. Wash.* 25:125-131. f-Holo. UCNC 112; 11f, 5Y-Para.
- Hemicycliophora vitiensis* Orton Williams, K. J. 1978. *Rev. Nématol.* 1:197-205. 2f, 1m-Para.
- Hemicycliophora wallacei* Reay, F. 1984. *Rev. Nématol.* 7:367-384. 3f-Para.
- Hemiplectus muscorum* Zell, H. 1991. *Zool. Anz.* 226:298-306. 1f-Holo. UCNC 3191.
- Heterodera achilleae* Golden, A. M., & O. Klindic. 1973. *J. Nematol.* 5:196-201. 24 cysts, 2m, 1Y-Para. (S).
- Heterodera betulae* Hirschmann, H., & R. D. Riggs. 1969. *J. Nematol.* 1:169-179. 2 cysts, 3m, 5Y-Para. (S).
- Heterodera cajani* Koshy, P. K. 1967. *Indian Phytopathol.* 20:272-274. 1 cyst, 1m-Para. (S).
- Heterodera ciceri* Vovlas, N., N. Greco, & M. Di Vito. 1985. *Nematol. Medit.* 13:239-252. 14f, 5m, 7Y-Para.
- Heterodera cyperi* Golden, A. M., G. J. Rau, & G. S. Cobb. 1962. *Proc. Helminthol. Soc. Wash.* 29:168-173. 45f, 8m, 10Y-Para.
- Heterodera graminophila* Golden, A. M., & W. Birchfield. 1972. *J. Nematol.* 4:147-154. 10 cysts, 7m, 15Y-Para. (S).
- Heterodera latipons* Franklin, M. T. 1969. *Nematologica* 15:535-542. 8f, 2 cysts, 5m, 14Y-Para. (S).
- Heterodera lespedezae* Golden, A. M., & G. S. Cobb. 1963. *Proc. Helminthol. Soc. Wash.* 30:281-286. 13f-Para.
- Heterodera longicolla* Golden, A. M., & O. J. Dickerson. 1973. *J. Nematol.* 5:150-154. 17 cysts, 2m, 4Y-Para. (S).
- Heterodera mediterranea* Vovlas, N., R. N. Inserra, & A. R. Stone. 1981. *Nematologica* 27:129-138. 11f, 3m, 5Y-Para.
- Heterodera oryzicola* Rao, Y. S., & A. Ja-yaprakash. 1978. *Nematologica* 24:341-346. 1f-Para. (S).
- Heterodera raskii* Basnet, C. P., & A. Ja-yaprakash. 1984. *J. Nematol.* 16:213-216. 5f, 5Y-Para.
- Heterodera solanacearum* Miller, L. I., & B. J. Gray. 1972. *Nematologica* 18:404-413. 63 cysts, 24m, 9Y-Para. (S).
- Heterodera sorghi* Jain, K. K., C. L. Sethi, G. Swarup, & A. N. Srivastava. 1982. *Rev. Nématol.* 5:201-204. 2m-Para.
- Heterodera tabacum* Lownsbery, B. F., & W. Lownsbery. 1954. *Proc. Helminthol. Soc. Wash.* 21:42-47. f-Holo. UCNC 31; m-Allo; 1f, 1m-Para.
- Heterodera thornei* Golden, A. M., & D. J. Raski. 1977. *J. Nematol.* 9:93-112. 23f, 36 cysts, 13m, 19Y-Para. (S).
- Heterodera virginiae* Miller, L. I., & B. J. Gray. 1968. *Nematologica* 14:535-543. 32f, 41 cysts, 2m 1Y-Para. (S).
- Heterodera weissii* Steiner, G. 1949. *Proc. Soil Sci. Soc. Fla.* (1942) 4B:72-117. 33 cysts, 25f, 24Y-Topo. (S) = Golden, A. M., & D. J. Raski. 1977. *J. Nematol.* 9:93-112.
- Heterorhabditis bacteriophora* Poinar, G. O., Jr. 1976. *Nematologica* (1975) 21:463-470. f-Holo. UCNC 1845; m-Allo; 1f-Para; 1f-Voucher.
- Heterorhabditis hawaiiensis* Gardner, S. L., S. P. Stock, & H. K. Kaya. 1994. *J. Parasitol.* 80:100-106. 1m-Holo. UCNC 3234; 1f-Allo; 10f, 5m, 5Y-Para.
- Heterorhabditis hepialius* Stock, S. P., D. R. Strong, & S. L. Gardner. 1996. *Fund. Appl. Nematol.* 19:585-592. 1m-Holo. UCNC 3271; 1f-Allo; 10f, 5m, 15Y-Para.
- Heterorhabditis indicus* Poinar, G. O., Jr., G. K. Karanukar, & H. David. 1994. *Fund. Appl. Nematol.* 15:467-472. 1m-Holo. UCNC 3380; 1f-Allo.
- Heterorhabditis marelatus* Liu, J., & R. E. Berry. 1996. *J. Invert. Pathol.* 67:48-54. 6f, 4m, 10Y-Para.
- Heterotylenchus autumnalis* Nickle, W. R. 1967. *J. Parasitol.* 53:398-401. 3f, 1m-Para.
- Hexameris cathetospiculae* Poinar, G. O., Jr., & P. M. Chang. 1985. *J. Nematol.* 17:60-363. 1m-Holo. UCNC 2350; 1f-Allo.
- Hexameris dactylocercus* Poinar, G. O., Jr., & B. Linares. 1985. *Rev. Nématol.* 8:109-111. 1f-Holo. UCNC 2352; 1m-Allo.
- Hirschmanniella belli* Sher, S. A. 1968. *Nematologica* 14:243-276. f-Holo. UCNC 758; m-Allo; 1f-Voucher.
- Hirschmanniella caudacrena* Sher, S. A. 1968. *Nematologica* 14:243-276. f-Holo. UCNC 760; m-Allo; 7f, 6m-Para.
- Hirschmanniella concaudajuvenecus* Golden, A. M., & N. A. Minton. 1970. *J. Nematol.* 2:161-166. 159f, 167m, 99Y-Para.
- Hirschmanniella diversa* Sher, S. A. 1968. *Nematologica* 14:243-276. f-Holo. UCNC 756; m-Allo; 59f, 3Y-Para.
- Hirschmanniella imamuri* Sher, S. A. 1968. *Nematologica* 14:243-276. f-Holo. UCNC 752; f-Allo; 2f, 3m, 1Y-Para.
- Hirschmanniella indicus* Sher, S. A. 1963. *Nematologica* 9:267-295. f-Holo. UCNC 221; m-Allo; 10f, 10m, 4Y-Para. (S).
- Hirschmanniella loofi* Sher, S. A. 1968. *Nematologica* 14:243-276. f-Holo. UCNC 746; m-Allo.
- Hirschmanniella magnistylus* Robbins, R. T. 1982. *J. Nematol.* 14:500-506. 5f, 2m, 19Y-Para.
- Hirschmanniella mangaloriensis* Mathur, V. K., & S. K. Prasad. 1971. *Indian J. Nematol.* 1:220-226. 1f, 1m-Para.
- Hirschmanniella marina* Sher, S. A. 1968. *Nematologica* 14:243-276. f-Holo. UCNC 332; 3-Allo; 2f-Para.
- Hirschmanniella microtyla* Sher, S. A. 1968. *Nematologica* 14:243-276. f-Holo. UCNC 754; m-Allo; 5f-Para.
- Hirschmanniella miticausa* Bridge, J., J. J. Mortimer, & G. V. H. Jackson. 1983. *Rev. Nématol.* 6:285-290. 9f, 5m-Para.

- Hirschmanniella montanus* Minagawa, N. 1984. Japan. J. Nematol. 14:15-19. 1f-Para.
- Hirschmanniella pomponiense* Abdel-Rhman, F. H., & A. R. Maggenti. 1987. J. Nematol. 19:147-151. 1f-Holo. UCNC 1994; 1m-Allo; 1f, 1m-Para.
- Hirschmanniella stephanus* Sher, S. A. 1963. Nematologica 9:267-295. f-Holo. UCNC 216; m-Allo; 5f, 1m, 10Y-Para. (S).
- Hirschmanniella thornei* Sher, S. A. 1968. J. Nematol. 19:147-151. f-Holo. UCNC 750; m-Allo.
- Homungella siamense* Timm, R. W. 1966. Biologia (Lahore) 12:1-5. 15f, 8m-Para.
- Hoplolaimus californicus* Sher, S. A. 1963. Nematologica 9:267-295. f-Holo. UCNC 218; m-Allo; 5f, 2m-Para.
- Hoplolaimus columbus* Sher, S. A. 1963. Nematologica 9:26-295. f-Holo. UCNC 220; 9f-Para.
- Huntaphelenchoides huntii* (Steiner, G. 1935. Proc. Helminthol. Soc. Wash. 2:104-110) 1f, 1m-Parlect. = Nickle, W. R. 1970. J. Nematol. 2:375-392.
- Hylonema ivorense* Luc, M., D. T. Taylor, & P. Cadet. 1978. Rev. Nematol. 1:73-76. 1f, 2m, 5Y-Para.
- Hypoperine graminis* Sledge, E. B., & A. M. Golden. 1964. Proc. Helminthol. Soc. Wash. 31:83-88. 17f, 5m, 4Y-Para.
- Hypoperine ottersoni* Thorne, G. 1969. Proc. Helminthol. Soc. Wash. 36:98-102. 24f-Para. (S).
- Iotonchium californicus* Poinar, G. O., Jr. 1991. Rev. Nematol. 14:565-580. 1m-Holo. UCNC 3293; 1f-Allo.
- Iotonchus antedontus* Mulvey, R. H. 1963. Can. J. Zool. 41:79-98. f-Holo. UCNC 284; m-Allo; 2f-Para.
- Iotonchus acuticaudus*^a Mulvey, R. H., & H. J. Jensen. 1967. Can. J. Zool. 45:667-727. 7f, 7m-Para.
- Iotonchus aimostomus*^a Buangsuwon, D. K., & H. J. Jensen. 1966. Nematologica 12:259-274. 1f-Holo. UCNC 3374 (= OSU Thailand 11).
- Iotonchus bangkokensis*^a Buangsuwon, D. K., & H. J. Jensen. 1966. Nematologica 12:259-274. 1f-Holo. UCNC 3373 (= OSU Thailand 48D).
- Iotonchus chantaburiensis*^a Mulvey, R. H., & H. J. Jensen. 1966. Nematologica 12:259-274. 1f-Holo. UCNC 3369 (= OSU Thailand 45E); 3f-Para.
- Iotonchus clarki*^a Mulvey, R. H., & H. J. Jensen. 1967. Can. J. Zool. 45:667-727. 9f, 14Y-Para.
- Iotonchus nigeriensis*^a Mulvey, R. H., & H. J. Jensen. 1967. Can. J. Zool. 45:667-727. 6f, 7m-Para.
- Iotonchus parabasiontus*^a Mulvey, R. H., & H. J. Jensen. 1967. Can. J. Zool. 45:667-727. 1f, 1m-Para.
- Iotonchus rayongensis*^a Buangsuwon, D. K., & H. J. Jensen. 1966. Nematologica 12:259-274. 1f-Holo. UCNC 3372 (= OSU Thailand 33); 1f-Para.
- Iotonchus tarjani*^a Mulvey, R. H., & H. J. Jensen. 1967. Can. J. Zool. 45:667-727. 9f, 1m-Para.
- Iotonchus thailandensis*^a Buangsuwon, D. K., & H. J. Jensen. 1966. Nematologica 12:259-274. 1f-Holo. UCNC 3375 (= OSU Thailand 35); 1f-Para.
- Isolaimium californicum* Timm, R. W. 1969. J. Nematol. 1:9-106. 1f, 1m-Para.
- Isolaimium multipapillatum* Timm, R. W. 1969. J. Nematol. 1:9-106. f-Holo. UCNC 1076; m-Allo; 2f-Para.
- Isolaimium nigeriense* Timm, R. W. 1969. J. Nematol. 1:9-106. m-Holo. UCNC 1071; f-Allo; 2f, 2m-Para.
- Laimaphelenchus pini* Baujard, P. 1981. Rev. Nematol. 4:75-92. 2f, 2m-Para.
- Lambertia uliginosa* Brzeski, M. J. 1977. Nematol. Medit. 5:51-55. 3f, 3m-Para.
- Lelenchus elegans* Raski, D. J., & E. Geraert. 1985. Nematologica 31:244-265. 1f-Holo. UCNC 2078.
- Lelenchus filicaudatus* Raski, D. J., & E. Geraert. 1985. Nematologica 31:244-265. 1f-Holo. UCNC 2075.
- Leptoplectonema fuegoensis* Coomans, A., & D. J. Raski. 1991. Rev. Nematol. 14:197-205. 1f-Holo. UCNC 2634; 2f-Para.
- Lobocriconema iyatomi* Minagawa, N. 1988. Bull. Nat. Inst. Agro-Environ. Sci. 4:105-124. 1f, 5Y-Para.
- Lobocriconema nasuense* Minagawa, N. 1988. Bull. Nat. Inst. Agro-Environ. Sci. 4:105-124. 1f-Para.
- Lobocriconema orixae* Minagawa, N. 1988. Bull. Nat. Inst. Agro-Environ. Sci. 4:105-124. 1f-Para.
- Lobocriconema thornei* Knobloch, N., & G. W. Bird. 1978. J. Nematol. 10:61-70. 7f, 6Y-Para.
- Longidoroides cedari* Khan, E., M. L. Chawla, & M. Saha. 1978. Indian J. Nematol. (1976) 6:47-62. 1f-Para.
- Longidorus africanus* Merny, G. 1966. Nematologica 12:385-395. 2f-Para.
- Longidorus breviannulatus* Norton, D. C., & J. K. Hoffman. 1975. J. Nematol. 7:168-171. 4f-Para.
- Longidorus cohni* Heyns, J. 1969. Isr. J. Agric. Res. 19:179-183. 2f, 2m-Para.
- Longidorus cylindricaudatus* Kozłowska, J., & J. W. Seinhorst. 1979. Nematologica 25:42-53. 4f, 1Y-Para.
- Longidorus dunensis* Brinkman, H., P. A. A. Loof, & D. Barbez. 1987. Rev. Nematol. 10:299-307. 1f-Para.
- Longidorus intermedius* Kozłowska, J., & J. W. Seinhorst. 1979. Rev. Nematol. 10:299-307. 3f-Para.
- Longidorus kuiperi* Brinkman, H., P. A. A. Loof, & D. Barbez. 1987. Rev. Nematol. 10:299-307. 1f, 1m-Para.
- Longidorus orientalis* Loof, P. A. A. 1982. Nematologica 28:307-317. 1f-Para.
- Longidorus pawneensis* Luc, M., & A. Coomans. 1988. Rev. Nematol. 11:137-142. 1f-Para.
- Longidorus raskii* Lamberti, F., & A. Agostinelli. 1993. Nematol. Medit. 21:243-246. 1f-Holo. UCNC 3349; 7f, 3m-Para.
- Longidorus saginus* Khan, E., A. R. Seshadri, B. Weischer, & K. Mathen. 1971. Indian J. Nematol. 1:116-127. 1f-Para.
- Loofia acuta* Reay, F. 1984. Rev. Nematol. 7:367-384. 1f-Para.
- Macroposthonia annulatifomis* de Grisse, A., & P. A. A. Loof. 1967. Nematologica 13:459-465. 1f, 1m-Para.
- Macroposthonia cafeum* Khan, E., M. L. Chawla, & M. Saha. 1976. Indian J. Nematol. (1975) 5:70-100. 1f-Para.
- Macroposthonia coomansi* de Grisse, A. 1967. Biol. Jaarb. 35:66-125. 3f, 2Y-Para.
- Macroposthonia involuta* Loof, P. A. A. 1987. Med. Fac. Landbouww. Rijksuniv. Gent 52:107-111.
- Macroposthonia oachirai* Khan, E., A. R. Seshadri, B.

- Weischer, & K. Mathen. 1971. *Indian J. Nematol.* 1:116-127. 1f-Para.
- Macroposthonia pseudahercyniensis* de Grisse, A., & H. Koen. 1964. *Nematologica* 10:197-200. 1f-Topo. = de Grisse, A., & P. A. A. Loof. 1965. *Meded. Landbouwhoges. Opzoek. Staat Gent* 30:577-603.
- Macroposthonia pseudosoliavagum* de Grisse, A. 1964. *Meded. Landbouwhoges. Opzoek. Staat Gent* 29:734-761. 2f-Topo. = de Grisse, A. & P. A. A. Loof. 1965. *Meded. Landbouwhoges. Opzoek. Staat Gent* 30:577-603.
- Macroposthonia raskensis* de Grisse, A. 1964. *Meded. Landbouwhoges. Opzoek. Staat Gent* 29:734-761. 1m-Para.
- Macroposthonia rusium* Khan, E., M. L. Chawla, & M. Saha. 1976. *Indian J. Nematol.* (1975) 5:70-100. 1f-Para.
- Madinema loma* Khan, E., M. L. Chawla, & M. Saha. 1976. *Indian J. Nematol.* (1975) 5:70-100. 1f-Para.
- Madinema maglia* Khan, E., M. L. Chawla, & M. Saha. 1976. *Indian J. Nematol.* (1975) 5:70-100. 1f-Para.
- Malenchus andrassyi* Merny, G. 1970. *Cah. ORSTOM Biol.* 11:3-43. 1f-Para.
- Malenchus leioderms* Geraert, E., & D. J. Raski. 1986. *Nematologica* 32:22-55. 1f-Holo. UCNC 2219.
- Malenchus macrorodus* Geraert, E., & D. J. Raski. 1986. *Nematologica* 32:22-55. 1f-Holo. UCNC 2218.
- Malenchus nanellus* Siddiqi, M. R. 1979. *Nematologica* 25:215-236. 1f, 2m-Para.
- Malenchus parthenogenicus* Geraert, E., & D. J. Raski. 1986. *Nematologica* 32:22-55. 1f-Holo. UCNC 2216.
- Malenchus tantulus* Siddiqi, M. R. 1979. *Nematologica* 25:215-236. 1f-Para.
- Malenchus williamsi* Geraert, E., & D. J. Raski. 1986. *Nematologica* 32:22-55. 1f-Holo. UCNC 2217.
- Megodontolaimus coxbazari* Timm, R. W. 1969. *Proc. Helminthol. Soc. Wash.* 36:36-39. f-Holo. UCNC 1080; m-Allo.
- Megodontolaimus sonadiae* Timm, R. W. 1969. *Proc. Helminthol. Soc. Wash.* 36:36-39. f-Holo. UCNC 1082; m-Allo; 4f, 3m-Para.
- Meiodorus hollisi* Siddiqi, M. R. 1976. *Nematologica* 22:390-416. 1f, 1m-Para.
- Meloidogyne californiensis* Abdel-Rhman, F. H., & A. R. Maggenti. 1987. *J. Nematol.* 19:207-217. 1f-Holo. UCNC 1998; 1m-Allo; 9f, 15m, 11Y-Para.
- Meloidogyne camelliae* Golden, A. M. 1979. *J. Nematol.* 11:175-189. 36f, 4m, 8Y-Para.(S).
- Meloidogyne caroliniensis* Abdel-Rhman, F. H., & A. R. Maggenti. 1987. *J. Nematol.* 19:207-217. 7f, 5m, 7Y-Para.
- Meloidogyne chitwoodi* Golden, A. M., J. H. O'Bannon, G. S. Santo, & A. M. Finley. 1980. *J. Nematol.* 12:319-327. 18f, 3m, 120Y-Para.(S), 1f-Voucher.
- Meloidogyne enterolobii* Yang, B., & J. D. Eisenback. 1983. *J. Nematol.* 15:387-391. 18f, 13m, 114Y-Para.
- Meloidogyne grahami* Golden, A. M., & L. J. Slana. 1978. *J. Nematol.* 10:355-361. 42f, 4m, 121Y-Para.(S).
- Meloidogyne graminicola* Golden, A. M., & W. Birchfield. 1965. *Proc. Helminthol. Soc. Wash.* 32:228-231. 37f, 8m, 63Y-Para.(S).
- Meloidogyne hapla* Chitwood, B. G. 1949. *Proc. Helminthol. Soc. Wash.* 16:90-104. 1f, 1m, 4Y-Syn.
- Meloidogyne incognita* (Kofoid, C. A., & W. A. White, 1919. *J. Amer. Med. Assoc.* 72:567-569) 1f, 1m-Topo. = Chitwood, B. G. 1949. *Proc. Helminthol. Soc. Wash.* 16:90-104.
- Meloidogyne incognita acrita* Chitwood, B. G. 1949. *Proc. Helminthol. Soc. Wash.* 16:90-104. f-Allo.
- Meloidogyne javanica* (Treub, M. 1885. *Meded. Lands Plantentuin (Buitenzorg)* 2:1-39). 1f, 1m-Topo; 1f-Voucher = Chitwood, B. G. 1949. *Proc. Helminthol. Soc. Wash.* 16:90-104.
- Meloidogyne naasi* Franklin, M. T. 1965. *Nematologica* 11:79-86. 6f, 1m, 5Y-Para.(S).
- Meloidogyne oryzae* Maas, P. W., H. Sanders, & J. Dede. 1978. *Nematologica* 24:305-311. 16f, 1m, 10Y-Para.(S).
- Meloidogyne querciana* Golden, A. M. 1979. *J. Nematol.* 11:175-189. 14f, 14Y-Para.(S).
- Meloidogyne thamesi* Chitwood, B. G. 1952. *in* Chitwood, B. G., A. W. Specht, and L. Havis. 1952. *Plant Soil* 4:7-95. 4m, 3Y-Syn.
- Merlinius acuminatus* Minagawa, N. 1985. *Edaphologica* 34:15-20. 1f, 1m-Para.
- Merlinius paniculoides* Vovlas, N., & R. P. Esser. 1990. *J. Nematol.* 22:79-85. 4f, 2m-Para.
- Mermis athysanota* Kirjanova, E. S., R. P. Karavaeva, & K. E. Romanenko. 1959. *Trudi Kirgizskoi Lesnoi Opitnoi Stanskii* 2:195-240. 1f, 1m-Voucher of Baker, G. L., & G. O. Poinar, Jr. 1988. *Rev. Nematol.* 11:343-350.
- Mermis changodudus* Poinar, G. O., Jr., M. Remillet, & D. van Waerebeke. 1978. *Nematologica* 24:100-104. f-Holo. UCNC 1593; m-Allo.
- Meroicronema braziliensis* Raski, D. J., & J. Pinochet. 1976. *Indian J. Nematol.* (1975) 5:22-25. f-Holo. UCNC 1484; 9f, 3Y-Para.(S).
- Mesidionema praecomaculata* Poinar, G. O., Jr. 1978. *Proc. Helminthol. Soc. Wash.* 45:9-102. f-Holo. UCNC 1988; m-Allo.
- Mesocriconema ornicauda* Vovlas, N., R. N. Inserra, & R. P. Esser. 1991. *J. Nematol.* 23:48-57. 3f-Para.
- Mesodorylaimus macrospiculum* Zullini, A. 1988. *Rev. Nematol.* 3:279-288. 1f-Holo. UCNC 3161; 6f, 2m-Para.
- Metacrobeles togoensis* Loof, P. A. A. 1962. *Nematologica* 7:114-118. 1f, 1m-Para.
- Metoncholaimus longiorum* Chitwood, B. G. 1960. *Trans. Amer. Microsc. Soc.* 79:347-384. 1f, 1m-Co.
- Miconchus californicus* Mulvey, R. H. 1962. *Can. J. Zool.* 41:65-81. f-Holo. UCNC 251; m-Allo; 1f-Para.
- Miconchus kansasensis* Mulvey, R. H., & O. J. Dickerson. 1970. *Can. J. Zool.* 48:231-234. 1f, 1m, 2Y-Para.
- Miconchus pararapax*^a Mulvey, R. H., & J. H. Jensen. 1967. *Can. J. Zool.* 45:667-727. 6f, 1m, 5Y-Para.
- Miconchus thornei*^a Mulvey, R. H., & H. J. Jensen. 1967. *Can. J. Zool.* 45:667-727. 5f, 2Y-Para.
- Miconchus triodontus*^a Buangsuwon, D. K., & H. J. Jensen. 1966. *Nematologica* 12:259-274. 1f-Holo. UCNC 3377; 5f-Para.
- Micronema deletrix* Anderson, R. V., & W. J. Bemrick.

1965. Proc. Helminthol. Soc. Wash. 32:74-75. 13f-Para.
- Miculenchus elegans* Raski, D. J., & E. Geraert. 1984. Nematologica 30:419-428. 1f-Holo. UCNC 2038.
- Monobutlerius macrogubernaculum* Chitambar, J. J. 1990. Rev. Nématol. 13:369-373. 1f-Holo. UCNC 3161; 6f, 2m-Para.
- Monotrichodoros sacchari* Baujard, P., & C. Germani, 1995. Rev. Nématol. 8:35-39. 1f, 1m-Para.
- Morulaimus arenicolus* Sauer, M. R. 1966. Nematologica 11:609-618. 15f, 4m-Para.
- Morulaimus genimlatus* Sauer, M. R. 1966. Nematologica 11:609-618. 2f, 2m-Para.
- Morulaimus selerus* Sauer, M. R. 1966. Nematologica 11:609-618. 2f, 2m, 2-Para.
- Morulaimus simplex* Sauer, M. R., & C. M. Annells. 1981. Nematologica 4:422-431. 2f, 2m-Para.
- Morulaimus simpsoni* Nobbs, J. M. 1989. Nematologica 35:399-412. 1f, 1m-Para.
- Morulaimus soldus* Colbran, R. C. 1969. Queensl. J. Agric. Anim. Sci. 26:181-192. 1f, 1m, 2Y-Para.
- Mylonchulus curvicaudus*^a Mulvey, R. H., & H. J. Jensen. 1967. Can. J. Zool. 45:667-727. 1f-Para.
- Mylonchulus leiocephalus* Doucet, M. E. 1981. Rev. Nématol. 4:191-197. 1f-Para.
- Mylonchulus prodenticulatus* Mulvey, R. H. 1961. Can. J. Zool. 39:665-696. m-Holo. UCNC 252.
- Mylonchulus sigmatorellus* Mulvey, R. H. 1961. Can. J. Zool. 39:665-696. f-Holo. UCNC 254; m-Allo; 2f-Para.
- Nacobdodera chitwoodi* Golden, A. M., & H. J. Jensen. 1974. J. Nematol. 6:30-37. 1f, 1m, 3Y-Para.
- Nacobbus aberrans* (Thorne, 1935) Thorne, G., & M. W. Allen. 1944. Proc. Helminthol. Soc. Wash. 11:27-31. 1f-Voucher.
- Neodolichodoros citri* Jacob, J. J., & P. A. A. Loof. 1996. Nematologica 42:275-281. 1f, 1m-Para.
- Neomalenchus ovalis* Siddiqi, M. R. 1979. Nematologica 25:215-236. 5f, 2m-Para.
- Neosteinernema longicurvicauda* Nguyen, K. B., & G. C. Smart. 1994. J. Nematol. 26:162-174. 10f, 10m, 14Y-Para.
- Nothacrobeles cardamomi* Khan, E., & C. K. Nanjappa. 1973. Indian J. Nematol. (1972) 2:59-68. 1f-Para.
- Nothacrobeles coorgi* Khan, E., & C. K. Nanjappa. 1973. Indian J. Nematol. (1972) 2:59-68. 1f-Para.
- Nothacrobeles corbetti* de Grisse, A. 1967. Biol. Jaarb. 35:66-125. 1f-Para.
- Nothacrobeles lepidus* Allen, M. W., & E. M. Noffsinger. 1971. J. Nematol. 3:145-153. f-Holo. UCNC 1217; 1f, 2m-Para.
- Nothacrobeles loofi* de Grisse, A. 1967. Biol. Jaarb. 35:66-125. 2f, 1Y-Para.
- Nothacrobeles macilentum* Raski, D. J., & J. Pinochet. 1976. Nematologica 22:265-276. f-Holo. UCNC 1480; m-Allo; 23f, 1m-Para. (S).
- Nothacrobeles maximus* Allen, M. W., & E. M. Noffsinger. 1971. J. Nematol. 3:145-153. f-Holo. UCNC 1221; 7f-Para.
- Nothacrobeles mubovami* Khan, E., M. L. Chawla, & M. Saha. 1976. Indian J. Nematol. (1975) 5:70-100. 1f-Para.
- Nothacrobeles pasticum* Raski, D. J., & J. Pinochet. 1976. Nematologica 22:265-276. f-Holo. UCNC 1482; m-Allo; 37f, 6m, 9Y-Para. (S).
- Nothacrobeles petasus* (Wu, L-Y. 1965. Can. J. Zool. 43:203-214) de Grisse, A. & P. A. A. Loof. 1965. Meded. Landbouwhogesch. Opzoek. Staat Gent 30:577-603. 1f-Topo. = Ebsary, B. A. 1978. Can. J. Zool. 56:1526-1529.
- Nothacrobeles psammophilum* Krujaic, D., & P. A. A. Loof. 1973. Meded. Fac. Landbouwhogesch. Rijksuniv. Gent 38:73-76. 1f-Para.
- Nothacrobeles sheri* Allen, M. W., & E. M. Noffsinger. 1971. J. Nematol. 3:145-153. f-Holo. UCNC 1211; 8f, 6m, 5Y-Para. (S).
- Nothacrobeles sphagni* (Micoletzky, M. 1925. K. Danske Vidensk. Selsk. Skr. 10:5f-310) de Grisse, A., & P. A. A. Loof. 1965. Meded. Landbouwhogesch. Opzoek. Staat Gent 30:577-603. 20f, 4m, 7Y-Topo. = Raski, D. J., & J. Pinochet. 1976. Nematologica 22:265-276.
- Nothacrobeles spincicaudatum* Raski, D. J., & J. Pinochet. 1976. Nematologica 22:265-276. f-Holo. UCNC 1478; m-Allo; 21f, 1m, 2Y-Para. (S).
- Nothacrobeles subtilus* Allen, M. W., & E. M. Noffsinger. 1971. J. Nematol. 3:145-153. f-Holo. UCNC 1226; 6f, 1Y-Para. (S).
- Nothocriconema acricolum* Raski, D. J., & Pinochet. 1976. Nematologica 22:265-276. 1f-Holo. UCNC 1452.
- Nothocriconema miscanthi* Minagawa, N. 1982. Japan. J. Nematol. 11:24-27. 5f-Para.
- Nothocriconema neopacificum* Mehta, U. K., D. J. Raski, & A. Valenzuela. 1982. Nematologica 28:398-441. 1f-Holo. UCNC 1566; 1m-Allo; 10f, 1m-Para.
- Nothocriconemoides lineolatus* Maas, P. W., P. A. A. Loof, & A. de Grisse. 1971. Meded. Fac. Landbouwhogesch. Rijks-univ. Gent 36:711-715. 1f-Para.
- Nygalaimus christei* Heyns, J. 1968. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 19:1-144. f-Holo. UCNC 833; 3-Allo; 1f-Para.
- Nygalaimus curvidens* Heyns, J. 1968. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 19:1-144. f-Holo. UCNC 830; m-Allo; 2f, 5m-Para.
- Nygalaimus liberiensis* Heyns, J. 1968. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 19:1-144. f-Holo. UCNC 832; 2f-Para.
- Nygalaimus longicaudatus* Heyns, J. 1968. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 19:1-144. f-Holo. UCNC 834; m-Allo.
- Nygalaimus macrobrachyurus* Heyns, J. 1968. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 19:1-144. f-Holo. UCNC 721; m-Allo; 2f, 1Y-Para.
- Nygalaimus neodubius* Heyns, J. 1968. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 19:1-144. f-Holo. UCNC 836; m-Allo; 1f, 1Y-Para.
- Nygalaimus papillicaudatus* Heyns, J. 1968. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 19:1-144. 1968. f-Holo. UCNC 826; m-Allo; 4f-Para.
- Nygalaimus parabrachyuris* Heyns, J. 1968. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 19:1-144. 1968. 1f-Para.
- Octomyomermis troglodytis* Poinar, G. O., Jr., & R. D. Sanders. 1974. Proc. Helminthol. Soc. Wash. 41:37-41. f-Holo. UCNC 1454; m-Allo.
- Ogma andense* Vovlas, N., A. Ciancio, & E. Carbonell-

- Torres. 1990. *Nematol. Medit.* 18:243–252. 3f-Para.
- Ogma cataracticum* (Andrassy, 1979) Raski, D. J., & M. Luc. 1987. *Rev. Nematol.* 10:409–444. 3f-Voucher.
- Ogma floridense* Vovlas, N., R. N. Inserra, & R. P. Esser. 1991. *J. Nematol.* 23:48–57. 1f-Para.
- Ogma hirakuraense* (Minagawa, 1986) Raski, D. J., & M. Luc. 1987. *Bull. Nat. Inst. Agro-Environ. Sci.* 1: 95–126. 2f, 1Y-Para.
- Ogma sagi* Raski, D. J., & A. Valenzuela. 1987. *Nematologica* 23:149–166. 1f-Holo. UCNC 2228.
- Ogma terrestris* Raski, D. J., & A. Valenzuela. 1986. *J. Nematol.* 18:252–266. 1f-Holo. UCNC 2212; 40f, 1m, 28Y-Para.
- Ogma trigonolepidium* Minagawa, N. 1990. *Bull. Nat. Inst. Agro-Environ. Sci.* 9:53–152. 2f-Para.
- Oncholaimium domesticum* Chitwood, B. G. 1960. *Trans. Amer. Microsc. Soc.* 79:347–384. 1m-Syn.
- Oncholaimium sheri* Chitwood, B. G. 1960. *Trans. Amer. Microsc. Soc.* 79:347–384. 1f, 1m-Co.
- Oncholaimus dujardinioides* Chitwood, B. G. 1960. *Trans. Amer. Microsc. Soc.* 79:347–384. 1f, 1m-Syn.
- Oncholaimus shawensis* Ditlevsen, H. 1922. *Vidensk. Medd. Dan. Naturh. Foren. Kbh.* 74:57–67. 1f, 5m-Syn. of Chitwood, B. G. 1960. *Trans. Amer. Microsc. Soc.* 79:347–384.
- Oryctonema pentodoni* Poinar, G. O., Jr., & O. Triggiani. 1979. *Nematol. Medit.* 7:117–121. f-Holo. UCNC 1866; m-Allo.
- Paradraconema antarcticum* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1–133. 1f, 2m-, 2Y-Para. (S).
- Panagrolaimus californicum* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1–133. f-Holo. UCNC 1418; 2f, 1m, 1Y-Para.
- Panagrolaimus davidi* Timm, R. W. 1971. *Proc. Helminthol. Soc. Wash.* 38:42–52. 13f, 10m-Para.
- Panagrolaimus detritophagus* Fuchs, G. 1930. *Zool. Jahr. Abt. Syst. Okol. Geo. der Tiere* 59. 1f, 1m-Voucher of Venette, R. C., & H. Ferris. 1997. *Soil Biol. Biochem.* 29:63–74.
- Panagrolaimus floridense* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1–133. f-Holo. UCNC 1417; 14f, 6m, 19Y-Para.
- Panagrolaimus hopperi* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1–133. m-Holo. UCNC 1421; 11f, 8m, 4Y-Para.
- Panagrolaimus migophilus* Poinar, G. O., Jr., & G. Bai. 1980. *Indian J. Nematol.* 9:1–4. 1f-Holo. UCNC 3467; 1m-Allo.
- Panagrolaimus newelli* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1–133. f-Holo. UCNC 1419; 31f, 21m, 7Y-Para. (S).
- Panagrolaimus singaporensis* Allen, M. W., & E. M. Noffsinger. 1978. *Univ. Calif. Publ. Zool.* 109:1–133. 1978. m-Holo. UCNC 1420; 4f, 3m-Para.
- Paralongidorus hoshi* Khan, E., M. Saha, & A. R. Seshadri. 1972. *Nematologica* 18:38–43. 1f-Para.
- Paralongidorus capensis* Heyns, J. 1967. *Nematologica* (1966) 12:568–574. 2f, 1m-Para.
- Paralongidorus spiralis* Khan, E., M. Saha, & A. R. Seshadri. 1972. *Nematologica* 18:38–43. 1f-Para.
- Paranguina agropyri* Kirjanova, E. S. 1955. *Trudy Zool. Inst. Leningr.* 18:42–52. 54f, 11Y-Topo.
- Paranguina montana* Kirjanova, E. S., & T. S. Ivanova. 1968. *Akad. Nauk Tadzh. SSR.* 2:200–217. 48f, 53m, 110Y-Syn.
- Paranguina varsobica* Kirjanova, E. S., & T. S. Ivanova. 1968. *Akad. Nauk Tadzh. SSR.* 2:200–217. 70f, 65m, 87Y-Syn.
- Paranguina varsobica* (Kirjanova, E. S., & T. S. Ivanova. 1968) Brzeski. 1981. *Rev. Nematol.* 4:23–34. 36f, 30m, 56Y-Syn.
- Paraphanolaimus latescens* Raski, D. J., & A. Coomans. 1991. *Nematologica* 37:44–62. 2f, 2Y-Para.
- Paraphanolaimus tahoense* Raski, D. J., & A. Coomans. 1991. *Nematologica* 37:44–62. f-Holo. UCNC 2276; 1f, 1m, 5Y-Para.
- Paraphanolaimus terrestris* Raski, D. J., & A. Coomans. 1991. *Nematologica* 37:44–62. f-Holo. UCNC 2475; 2f-Para.
- Paraphelenchus anisitsi* Raski, D. J., & A. Coomans. 1991. *Nematologica* 37:44–62. 11f, 18Y-Voucher.
- Pararotylenchus belli* Robbins, R. T. 1983. *J. Nematol.* 15: 353–356. 3f-Para.
- Pararotylenchus blothrotylus* Baldwin, J. G., & A. H. Bell. 1981. *J. Nematol.* 13:111–128. 8f, 4m, 1Y-Para.
- Pararotylenchus colocaudatus* Baldwin, J. G., & A. H. Bell. 1981. *J. Nematol.* 13:111–128. 2f, 2m, 1Y-Para.
- Pararotylenchus megastylyus* Baldwin, J. G., & A. H. Bell. 1981. *J. Nematol.* 13:111–128. 6f-Para.
- Pararotylenchus sphaerocephalus* Baldwin, J. G., & A. H. Bell. 1981. *J. Nematol.* 13:111–128. 15f, 1Y-Para.
- Pararotylenchus spiralis* Baldwin, J. G., & A. H. Bell. 1981. *J. Nematol.* 13:111–128. 6f, 2Y-Para.
- Pararotylenchus truncocephalus* Baldwin, J. G., & A. H. Bell. 1981. *J. Nematol.* 13:111–128. 12f, 1Y-Para.
- Parasitodiplogaster sycophilon* Poinar, G. O., Jr. 1979. *Proc. K. Ned. Akad. Wet. Ser. C. Biol. Med. Sci.* 82:375–381. f-Holo. UCNC 1864; m-Allo.
- Parasitylenchus nearcticus* Poinar, G. O., Jr., J. Jaenibe, & I. Dombeck. 1997. *Fund. Appl. Nematol.* 20:187–190. f-Holo. UCNC 3317; m-Allo.
- Paratrichodorus anthurri* Baujard, P., & C. Germani. 1985. *Rev. Nematol.* 8:35–39. 1f-Para.
- Paratrichodorus (Atlantadorus) grandis* Rodriguez-M. R., & A. H. Bell. 1978. *J. Nematol.* 10:132–141. 2f, 2m, 3Y-Para.
- Paratrichodorus (Nanidorus) renifer* Siddiqi, M. R. 1974. *Nematologica* (1973) 19:259–278. 5f-Para.
- Paratrichodorus (Paratrichodorus) tansaniensis* Siddiqi, M. R. 1974. *Nematologica* (1973) 19:259–278. 3f, 3Y-Para.
- Paratrophurus costarricensis* Lopez, R. 1986. *Nematropica* 16:177–184. 2f-Para.
- Paratylenchoides israelensis* Raski, D. J. 1973. *Proc. Helminthol. Soc. Wash.* 40:230–233. f-Holo. UCNC 1320; 5f, 3Y-Para. (S).
- Paratylenchoides sheri* Raski, D. J. 1973. *Proc. Helminthol. Soc. Wash.* 40:230–233. f-Holo. UCNC 1305; m-Allo; 4f, 2m, 21Y-Para. (S).
- Paratylenchus alleni* Raski, D. J. 1975. *J. Nematol.* 7:15–34. f-Holo. UCNC 1331; m-Allo; 104f, 3Y-Para.
- Paratylenchus amblycephalus* Reuver, I. 1959. *Nematologica* 4:1–15. 11f, 3m-Para.

- Paratylenchus aquaticus* Merny, G. 1966. *Nematologica* 12:385-395. 2f-Para.
- Paratylenchus baldacci* Raski, D. J. 1975. *J. Nematol.* 7: 274-295. m-Holo. UCNC 1393; f-Allo; 8f, 32m, 23Y-Para.
- Paratylenchus breviculus* Raski, D. J. 1975. *J. Nematol.* 7: 15-34. f-Holo. UCNC 1339; m-Para.
- Paratylenchus ciccaronei* Raski, D. J. 1975. *J. Nematol.* 7: 274-295. m-Holo. UCNC 1391; f-Allo; 27f, 24m, 17Y-Para.
- Paratylenchus colbrami* Raski, D. J. 1975. *J. Nematol.* 7:15-34. f-Holo. UCNC 1333; m-Allo; 16f, 3m-Para.(S).
- Paratylenchus fueguensis* Raski, D. J., & A. Valenzuela. 1986. *J. Nematol.* 18:252-266. 1f-Holo. UCNC 2211; 9f, 2m, 2Y-Para.
- Paratylenchus gabrici* Yeates, G. W. 1972. *N. Z. J. Sci.* 15: 673-697. 6f-Para.
- Paratylenchus goldeni* Raski, D. J. 1975. *J. Nematol.* 7:15-34. m-Holo. UCNC 1340; m-Allo; 17f, 2m, 2Y-Para.
- Paratylenchus halophilus* Woutts, W. M. 1966. *N. Z. J. Sci.* 9:281-286. 2f, 2m-Para.
- Paratylenchus holdemani* Raski, D. J. 1975. *J. Nematol.* 7: 274-295. f-Holo. UCNC 1395; m-Allo; 2f-Para.
- Paratylenchus humilis* Raski, D. J. 1975. *J. Nematol.* 7:15-34. f-Holo. UCNC 1343; m-Allo; 4f, 7m-Para.
- Paratylenchus italiensis* Raski, D. J. 1975. *J. Nematol.* 7: 15-34. m-Holo. UCNC 1342; 24f, 14Y-Para.
- Paratylenchus labiosus* Anderson, R. V., & J. Kimpinski. 1977. *Can. J. Zool.* 55:1992-1996. 2f, 1m-Para.
- Paratylenchus leiodermis* Raski, D. J. 1975. *J. Nematol.* 7: 15-34. m-Holo. UCNC 1328; 8f-Para.(S).
- Paratylenchus lepidus* Raski, D. J. 1975. *J. Nematol.* 7:274-295. m-Holo. UCNC 1232; 12f-Para.
- Paratylenchus leptus* Raski, D. J. 1975. *J. Nematol.* 7:15-34. m-Holo. UCNC 1336; 3f-Para.(S).
- Paratylenchus longicaudatus* Raski, D. J. 1975. *J. Nematol.* 7:15-34. m-Holo. UCNC 1337; f-Allo; 33f, 1Y-Para.
- Paratylenchus marylandicus* Jenkins, W. R. 1960. *Nematologica* 5:175-177. 4f-Para.
- Paratylenchus mexicanus* Raski, D. J. 1975. *J. Nematol.* 7: 274-295. f-Holo. UCNC 1235; m-Allo; 23f, 1Y-Para.
- Paratylenchus mimulus* Raski, D. J. 1975. *J. Nematol.* 7: 274-295. f-Holo. UCNC 1233; m-Allo; 62f, 15m, 2Y-Para.
- Paratylenchus minutus* Linford, M. B. 1949 in Linford, M. B., J. M. Oliveira, and M. Ishii. 1949. *Pac. Sci.* 3:111-119. 7f, 1m, 7Y-Topo. = Raski, D. J. 1975. *J. Nematol.* 7:15-34.
- Paratylenchus nanus* Cobb, N. A. 1923. *J. Wash. Acad. Sci.* 13:254-257. 96f-Topo. Raski, D. J. 1975. *J. Nematol.* 7:274-295.
- Paratylenchus neoamblycephalus* Geraert, E. 1965. *Nematologica* 11:301-334. 10f, 1m-Para.
- Paratylenchus obtusicaudatus* Raski, D. J. 1975. *J. Nematol.* 7:15-34. f-Holo. UCNC 1335; 8f-Para.(S).
- Paratylenchus pandus* Pinochet, J., & D. J. Raski. 1977. *J. Nematol.* 9:243-247. f-Holo. UCNC 1562; 2f-Para.
- Paratylenchus perlatus* Raski, D. J. 1975. *J. Nematol.* 7:15-34. f-Holo. UCNC 1344; 3-Allo; 46f, 11m, 6Y-Para.(S).
- Paratylenchus projectus* Jenkins, W. R. 1956. *J. Wash. Acad. Sci.* 46:296-298. 11f, 17Y-Topo. = Raski, D. J. 1975. *J. Nematol.* 7:274-295.
- Paratylenchus rostrocaudatus* Huang, C. S., & D. J. Raski. 1987. *J. Nematol.* 19:69-76. 8f, 2Y-Para.
- Paratylenchus salubris* Raski, D. J. 1975. *J. Nematol.* 7: 274-295. f-Holo. UCNC 1347; m-Allo; 50f, 18m, 2Y-Para.
- Paratylenchus sarissus* Tarjan, A. C. 1960. *Ann. N. Y. Acad. Sci.* 84:329-390. 1f, 1m-Para.
- Paratylenchus serricaudatus* Raski, D. J. 1975. *J. Nematol.* 7:15-34. f-Holo. UCNC 1329; m-Allo; 18f, 7m, 3Y-Para.(S).
- Paratylenchus tui* Orton-Williams, K. J. 1985. *Rec. Austral. Mus.* 37:71-83. 3f-Para.
- Paratylenchus vandenbrandei* de Grisse, A. 1962. *Nematologica* 8:229-232. 5f-Para.
- Paratylenchus variabilis* Raski, D. J. 1975. *J. Nematol.* 7: 15-34. f-Holo. UCNC 1346; m-Allo; 20f, 1Y-Para.
- Pareurystomina atypica* Chitwood, B. G. 1960. *Trans. Amer. Microsc. Soc.* 79:347-384. 1f-Syn.
- Pateracephalanema alticolum* (Colbran, R. C. 1965. *Queensl. J. Agric. Anim. Sci.* 22:83-87) 4f-Para. = Mehta, U. K., & D. J. Raski. 1971. *Indian J. Nematol.* 1:145-198.
- Pateracephalanema australe*^b (Colbran, R. C. 1963. *Queensl. J. Agric. Anim. Sci.* 20:469-474) 3f-Para. = Mehta, U. K., & Raski, D. J. 1971. *Indian J. Nematol.* 1:145-198.
- Pateracephalanema imbricatum*^b (Colbran, R. C. 1965. *Queensl. J. Agric. Anim. Sci.* 22:83-87) 1f-Para. = Mehta, U. K., & D. J. Raski. 1971. *Indian J. Nematol.* 1:145-198.
- Pauroidontella auriculata* Anderson, R. V. 1985. *J. Nematol.* 17:201-205. 2f-Para.
- Peltamigratus abstricaudatus* Bittencourt, C., & C. S. Huang, 1986. *Rev. Nematol.* 9:3-24. 3f, 1m-Para.
- Peltamigratus amazonensis* Bittencourt, C., & C. S. Huang. 1986. *Rev. Nematol.* 9:3-24. 4f, 1Y-Para.
- Peltamigratus areolatus* Bittencourt, C., & C. S. Huang. 1986. *Rev. Nematol.* 9:3-24. 1f-Para.
- Peltamigratus braziliensis* Bittencourt, C., & C. S. Huang. 1986. *Rev. Nematol.* 9:3-24. 2f, 3m-Para.
- Peltamigratus cerradoensis* Bittencourt, C., & C. S. Huang. 1986. *Rev. Nematol.* 9:3-24. 1f-Para.
- Peltamigratus holdemani* Sher, S. A. 1963. *Nematologica* 9:455-467. f-Holo. UCNC 302; m-Allo; 3f, 1m, 14Y-Para.
- Peltamigratus luci* Sher, S. A. 1963. *Nematologica* 9:455-467. f-Holo. UCNC 299; m-Allo; 7f, 4m-Para.
- Peltamigratus macbethi* Sher, S. A. 1963. *Nematologica* 9: 455-467. f-Holo. UCNC 349; m-Allo; 6f, 4m, 1Y-Para.
- Peltamigratus nigeriensis* Sher, S. A. 1963. *Nematologica* 9:455-467. f-Holo. UCNC 351; m-Allo; 5f, 5m-Para.
- Peltamigratus raskii* Bittencourt, C., & C. S. Huang. 1986. *Rev. Nematol.* 9:3-24. 1f-Para.
- Peltamigratus striatus* Smith, J. J. 1971. *Nematologica* 17: 113-126. 15f, 1m-Para.
- Pheromermis myopis* Poinar, G. O., Jr., & R. S. Lane. 1978.

- J. Parasitol. 64:440-444. f-Holo. UCNC 1986; m-Allo.
- Plectus annulatus* Maggenti, A. R. 1961. Proc. Helminthol. Soc. Wash. 28:140-166. f-Holo. UCNC 120; 16f-Para.
- Plectus cornus* Maggenti, A. R. 1961. Proc. Helminthol. Soc. Wash. 28:140-166. f-Holo. UCNC 203.
- Plectus cylindricus* Abdel-Rahman, F. H. 1993. Nematol. Medit. 21:59-62. f-Holo. UCNC 2384; 2f-Para.
- Plectus elongatus* Maggenti, A. R. 1961. Proc. Helminthol. Soc. Wash. 28:140-166. f-Holo. UCNC 118; 10f-Para.
- Plectus globocephalus* Mulk, M. M., & A. Coomans. 1978. Rev. Zool. Afr. 92:593-603. 3f-Para.
- Plectus longicaudatus* Butschli, O. 1873. Nova. Acta Leopold. 36:1-124. f-Neo. UCNC 123 = Maggenti, A. R. 1961. Proc. Helminthol. Soc. Wash. 28:140-166.
- Plectus minutus* Maggenti, P. A., A. R. Maggenti, & F. H. Abdel-Rahman. 1990. Rev. Nematol. 13:89-92. f-Holo. UCNC 2380; 13f, 1Y-Para.
- Plectus palustris* de Man, J. G. 1880. Tijdschr. Ned. Dierk. Vereen. 5:1-104. f-Neo. UCNC 121 = Maggenti, A. R. 1961. Proc. Helminthol. Soc. Wash. 28:140-166.
- Plectus rhizophilus* de Man, J. G. 1880. Tijdschr. Ned. Dierk. Vereen. 5:1-104. f-Neo. UCNC 122 = Maggenti, A. R. 1961. Proc. Helminthol. Soc. Wash. 28:140-166.
- Plectus telekii* Mulk, M. M., & A. Coomans. 1978. Rev. Zool. Afr. 92:593-608. 3f-Para.
- Plectus varians* Maggenti, A. R. 1961. Proc. Helminthol. Soc. Wash. 28:140-166. f-Holo. UCNC 119; 3f-Para.
- Plesiorotylenchus striaticeps* Vovlas, N., P. Castillo, & F. Lamberti. 1993. Nematologica 39:1-11. 1m, 1f-Para.
- Polyonchulus cobbi*^a Mulvey, R. H., & H. J. Jensen. 1967. Can. J. Zool. 45:667-727. 10f-Para.
- Pontonema problematicum* Chitwood, B. G. 1960. Trans. Amer. Microsc. Soc. 79:347-384. 1f-Syn.
- Pratylenchoides bacilisenus* Sher, S. A. 1970. Proc. Helminthol. Soc. Wash. 37:154-166. 1f, 6m, 1Y-Para.
- Pratylenchoides hispaniensis* Troccoli, A., N. Vovlas, & P. Castillo. 1997. J. Nematol. 29:349-355. 1f, 1m-Para.
- Pratylenchoides leiocauda* Sher, S. A. 1970. Proc. Helminthol. Soc. Wash. 37:154-166. 6f, 2m-Para.
- Pratylenchoides ritteri* Sher, S. A. 1970. Proc. Helminthol. Soc. Wash. 37:154-166. 4f, 5m-Para.
- Pratylenchoides sheri* Robbins, R. T. 1985. J. Nematol. 17:107-111. 7f, 3m, 12Y-Para.
- Pratylenchoides variabilis* Sher, S. A. 1970. Proc. Helminthol. Soc. Wash. 37:154-166. 5f, 2m-Para.
- Pratylenchus allenii* Ferris, V. R. 1961. Proc. Helminthol. Soc. Wash. 28:109-111. 6f, 6m-Para.
- Pratylenchus australis* Valenzuela, A., & D. J. Raski. 1985. J. Nematol. 17:330-336. f-Holo (2073).
- Pratylenchus brachyurus* (Godfrey, G. H. 1929. Phytopathology 19:611-629) Filipjev, I. N., & J. H. Schuurmans Stekhoven. 1941. Leiden: E. J. Brill. 1m-Topo. = Sher, S. A., and M. W. Allen. 1953. Univ. Calif. Publ. Zool. 57:441-470. 1f-Voucher.
- Pratylenchus coffeae* (Zimmerman, A. W. P. 1898. Mededeel. Lands Plantentuin (Buitenzorg), 27:1-64) Filipjev, I. N., & J. H. Schuurmans Stekhoven. 1941. Leiden: E. J. Brill. f-Neo. UCNC 23 = Sher, S. A., and M. W. Allen. 1953. Univ. Calif. Publ. Zool. 57:441-470.
- Pratylenchus crenatus* Loof, P. A. A. 1960. 1f-Voucher of L. Al-Banna, V. M. Williamson, & S. L. Gardner. 1997. Molec. Phylogeny Evol. 7:94-102.
- Pratylenchus fallax* Seinhorst, J. W. 1968. Nematologica 14:497-510. 7f, 3m-Para.
- Pratylenchus flakkenensis* Seinhorst, J. W. 1968. Nematologica 14:497-510. 9f, 1m-Para.
- Pratylenchus goodeyi* Sher, S. A., & M. W. Allen. 1953. Univ. Calif. Publ. Zool. 57:441-470. f-Holo. UCNC 29; m-Allo; 1f-Para.
- Pratylenchus irregularis* Loof, P. A. A. 1960. Tijdschr. Plantenziek. 66:29-90. 1f, 5m-Para.
- Pratylenchus minyus* Sher, S. A., & M. W. Allen. 1953. Univ. Calif. Publ. Zool. 57:441-470. f-Holo. UCNC 21; 14f, 4Y-Para; 1f-Voucher.
- Pratylenchus penetrans* (Cobb, N. A. 1917. J. Agric. Res. 11:27-33) Filipjev, I. N. & J. H. Schuurmans Stekhoven. 1941. Leiden: E. J. Brill. f-Neo. UCNC 22 = Sher, S. A., and M. W. Allen. 1953. Univ. Calif. Publ. Zool. 57:441-470.
- Pratylenchus pratensis* (de Man, J. G. 1880. Tijdschr. Ned. Dierk. Vereen. 5:1-104) Filipjev, I. N. 1934. Smithsonian. Misc. Collect. 89:1-63. f-Neo. UCNC 20 = Sher S. A., and M. W. Allen. 1953. Univ. Calif. Publ. Zool. 57:441-470.
- Pratylenchus pseudocoffeae* Mizukubo, T. 1992. Appl. Ent. Zool. 27:437-444. 9f, 1m-Para.
- Pratylenchus pseudofallax* Cafe Filho, A. C., & C. S. Huang. 1989. Rev. Nematol. 12:7-15. 2f, 1m, 1Y-Para.
- Pratylenchus scribneri* Steiner, G. 1943. 1f-Voucher of Al-Banna, L., V. M. Williamson, & S. L. Gardner. 1997. Molec. Phylogeny Evol. 7:94-102.
- Pratylenchus sensillatus* Anderson, R. V., & J. L. Townshend. 1985. Can. J. Zool. 10:2378-2382. 5f-Para.
- Pratylenchus thornei* Sher, S. A., & M. W. Allen. 1953. Univ. Calif. Publ. Zool. 57:441-470. f-Holo. UCNC 27; m-Allo; 34f, 8Y-Para; 1f-Voucher.
- Pratylenchus vulnus* Allen, M. W., & H. J. Jensen. 1951. Proc. Helminthol. Soc. Wash. 18:41-50. f-Lecto. UCNC 26 = Sher, S. A., and M. W. Allen. 1953. Univ. Calif. Publ. Zool. 57:441-470; 1f-Voucher.
- Pratylenchus zaeae* Graham, T. W. 1951. S. C. Agric. Exp. Sta. Bull. 390:1-25. f-Neo. UCNC 25 = Sher S. A., and M. W. Allen. 1953. Univ. Calif. Publ. Zool. 57:441-470.
- Prionchulus cavenessi*^a Mulvey, R. H., & H. J. Jensen. 1967. Can. J. Zool. 45:667-727. 6f-Para.
- Prismatolaimus chilensis* Coomans, A., & D. J. Raski. 1988. J. Nematol. 20:288-303. f-Holo. (2133), 5f-Para.
- Prismatolaimus novoporus* Coomans, A., & D. J. Raski. 1988. J. Nematol. 20:288-303. f-Holo. (2267), 4f-Para.
- Prochaetosoma cayense* Allen, M. W., & E. M. Noffsinger. 1978. Univ. Calif. Publ. Zool. 109:1-133. m-Holo. UCNC 1433; 9f, 6m, 10Y-Para.(S).
- Prochaetosoma mediterranicum* Allen, M. W., & E. M. Noffsinger. 1978. Univ. Calif. Publ. Zool. 109:1-133. f-Holo. UCNC 1435; 2f, 8m, 14Y-Para.(S).

- Prochaetosoma vitielloi* Allen, M. W., & E. M. Noffsinger. 1978. Univ. Calif. Publ. Zool. 109:1-133. f-Holo. UCNC 1434; 42f, 29m, 40Y-Para. (S).
- Progreffiella simplex* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1197; 1f-Para.
- Progreffiella timmi* Schrage, M., & S. A. Gerlach. 1975. Veroff. Inst. Meeresforsch. Bremerhaven 15:37-64. f-Holo UCNC 1415.
- Prototricoma longicauda* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. m-Holo. UCNC 1165.
- Protricoma squamosa* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. m-Holo. UCNC 1166; f-Allo; 3m-Para.
- Protricomoides squamosus* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. m-Holo. UCNC 1170; f-Allo.
- Psammomermis canterburiensis* Poinar, G. O., Jr., & T. A. Jackson. 1992. Fundam. Appl. Nematol. 15:43-47. 1f-Para.
- Psammomermis nitidulensis* Poinar, G. O., Jr. 1991. 1f-Holo. UCNC 3319; 1m-Allo.
- Pseudhalenchus anchilispomus* Tarjan, A. C. 1958. Proc. Helminthol. Soc. Wash. 25:20-25. f-Holo. UCNC 108; 1f-Para.
- Pseudhalenchus minutus* Tarjan, A. C. 1958. Proc. Helminthol. Soc. Wash. 25:20-25. 1f, 1m-Para.
- Pseudocella triaulolaimus* Hope, W. D. 1967. Proc. Helminthol. Soc. Wash. 34:6-12. 2m-Para.
- Pseudonchus kosswigii*^a Murphy, D. G. 1964. Mitt. Hamburg. Zool. Mus. Inst. 113-118. 1f-Holo. UCNC 3532; 1m-Allo.
- Psilenchus duplex* Hagemeyer, J. W., & M. W. Allen. 1952. Proc. Helminthol. Soc. Wash. 19:51-54. f-Holo. UCNC 11; 6f-Para.
- Psilenchus terestremus* Hagemeyer, J. W., & M. W. Allen. 1952. Proc. Helminthol. Soc. Wash. 19:51-54. f-Holo. UCNC 12; m-Allo; 1f-Para.
- Psyllotylenchus viviparus* Poinar, G. O., Jr., & B. C. Nelson. 1973. J. Med. Entomol. 10:349-354. f-Holo. UCNC 1374; 3f-Para.
- Pterygorhabditis panopla* Bernard, E. C. 1979. J. Nematol. 11:344-358. 4f, 4m-Para.
- Quadricoma crassicauda* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1172; m-Allo; 3m-Para.
- Quadricoma crassicornoides* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1178; m-Allo; 2f, 1m-Para.
- Quadricoma curvicauda* Timm, R. W. 1978. Biol. Antarct. Seas VI, Antarct. Res. Ser. 26:225-236. 1f, 2m-Para.
- Quadricoma parva* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1183.
- Rabbium paradoxus* Poinar, G. O., Jr., A. Chabaud, & G. Bain. 1989. Proc. Helm. Soc. Wash. 56:120-124. 1f-Holo. UCNC 3185; 1m-Allo.
- Radopholus magniglans* Sher, S. A. 1968. Proc. Helminthol. Soc. Wash. 35:219-237. 7f-Para.
- Radopholus nigeriensis* Sher, S. A. 1968. Proc. Helminthol. Soc. Wash. 35:219-237. 2f, 8Y-Para.
- Radopholus similis* (Cobb, 1893) Thorne, G. 1949. Proc. Helminthol. Soc. Wash. 16:37-73. 1f-Voucher.
- Radopholus trilineatus* Sher, S. A. 1968. Proc. Helminthol. Soc. Wash. 35:219-237. 7f-Para.
- Reesimeris nielsenii* Tsaf, Y. H., & A. W. Grundmann. 1969. Proc. Helminthol. Soc. Wash. 36:61-67. 1f, 1m-Para.
- Rhabditis blumi* Sudhaus, W. 1974. Teil. Zool. Jahrb. Syst. 101:173-212. 5f-Para.
- Rhabditis cucumeris* (Marcinowski, 1909) Andrassy, I. 1983. 3f-Voucher of Ferris, Eyre, Venette & Lau, 1996. Soil Biol. Biochem. 28:271-280.
- Rhabditis (Caenorhabditis) drosophilae* Ki-ontke, K. 1997. Fund. Appl. Nematol. 20:305-315. 1f, 1m-Para.
- Rhabditis (Oscheius) pherosopsphi* Smart, G. C., & K. B. Nguyen. 1994. J. Nematol. 26: 19-24. 1f, 2m-Para.
- Rhabditis reciproca* Sudhaus, W. 1974. Teil. Zool. Jahrb. Syst. 101:173-212. 5f-Para.
- Rhabditis (Rhabditoides) regina* Schulte, F., & G. O. Poinar, Jr. 1991. Rev. Nematol. 14:165-180. 1f, 4m, 3Y-Para.
- Rhabditis (Caenorhabditis) sonora* Kiontke, K. 1997. Fund. Appl. Nematol. 20:305-315. 1f, 1m-Para.
- Rhabdochona californiensis* Maggenti, A. R., F. H. Abdel-Rahman, & I. Cid del Prado Vera. 1992. J. Nematol. 24:379-390. 1f-Holo. UCNC 2142; 9f, 8m-Para.
- Rhabdochona paxmani* Maggenti, A. R., F. H. Abdel-Rahman, & I. Cid del Prado-Vera. 1992. J. Nematol. 24:379-390. 1m-Holo. UCNC 2139; 8f, 3m-Para.
- Rhabdochona salmonis* Maggenti, A. R., F. H. Abdel-Rahman, & I. Cid del Prado Vera. 1992. J. Nematol. 24:379-390. 1m-Holo. UCNC 2145; 5f, 4m-Para.
- Rhizonema sequoiae* Cid del Prado-Vera, I., B. F. Lownsberry, & A. R. Maggenti, 1983. J. Nematol. 15: 460-467. 1f-Holo. UCNC 2033; 2f, 7m, 7Y-Para.
- Rhodolaimus dimorphus* Bernard, E. C. 1979. J. Nematol. 11:344-358. 3f, 2m-Para.
- Rhodolaimus stephaniae* Bernard, E. C. 1979. J. Nematol. 11:344-358. 6f, 11m, 7Y-Para.
- Rotylenchulus anamictus* Dasgupta, D. R., D. J. Raski, & S. A. Sher. 1968. Proc. Helminthol. Soc. Wash. 35:169-192. f-Holo. UCNC 944; m-Allo; 31f, 6m, 10Y-Para.
- Rotylenchulus borealis* Loof, P. A. A., & M. Oostenbrink. 1962. Nematologica 7:83-90. 4f, 10m-Para.
- Rotylenchulus clavicaudatus* Dasgupta, D. R., D. J. Raski, & S. A. Sher. 1968. Proc. Helminthol. Soc. Wash. 35:169-192. f-Holo. UCNC 970; m-Allo; 3f-Para.
- Rotylenchulus leptus* Dasgupta, D. R., D. J. Raski, & S. A. Sher. 1968. Proc. Helminthol. Soc. Wash. 35: 169-192. f-Holo. UCNC 972; 26f, 15Y-Para.
- Rotylenchulus macrodoratus* Dasgupta, D. R., D. J. Raski, & S. A. Sher. 1968. Proc. Helminthol. Soc. Wash. 35:169-192. f-Holo. UCNC 929; m-Allo; 81f, 14m, 36Y-Para. (S).
- Rotylenchulus macrosomus* Dasgupta, D. R., D. J. Raski, & S. A. Sher. 1968. Proc. Helminthol. Soc. Wash. 35:169-192. f-Holo. UCNC 1010; m-Allo; 45f, 31m, 5Y-Para.
- Rotylenchulus parvus*^b (Williams, J. R. 1960. Mauritius Sugar Ind. Res. Inst. Occas. Pap. 4:1-30) Sher, S. A. 1961. Nematologica 6:155-159. 16f, 8Y-Para. = Dasgupta, D. R., D. J. Raski, and S. A. Sher. 1968. Proc. Helminthol. Soc. Wash. 35: 169-192.

- Rotylenchulus reniformis* Linford, M. B., & J. M. Oliveira. 1940. Proc. Helminthol. Soc. Wash. 7:35-42. f-Neo. UCNC 342; 59f, 15m, 19Y-Topo. = Dasgupta, D. R., D. J. Raski, and S. A. Sher. 1968. Proc. Helminthol. Soc. Wash. 35:169-192.
- Rotylenchulus stakmani* Husain, S. I., & A. M. Khan. 1965. Proc. Helminthol. Soc. Wash. 32:21-23. 9f, 6m-Para.
- Rotylenchulus variabilis* Dasgupta, D. R., D. J. Raski, & S. A. Sher. 1968. Proc. Helminthol. Soc. Wash. 35:169-192. f-Holo. UCNC 988; m-Allo; 42f, 26m, 2Y-Para.
- Rotylenchus breviglians* Sher, S. A. 1965. Nematologica 11: 173-198. f-Holo. UCNC 402; 10f, 15Y-Para.
- Rotylenchus buxophilus* Golden, A. M. 1956. Md. Agric. Exp. Sta. Bull. A-85:1-28. 15f-Para.
- Rotylenchus calvus* Sher, S. A. 1965. Nematologica 11: 173-198. f-Holo. UCNC 403; m-Allo; 25f, 80m, 2Y-Para.
- Rotylenchus caudaphasmiidius* Sher, S. A. 1965. Nematologica 11:173-198. f-Holo. UCNC 400; m-Allo; 14f, 4m-Para.
- Rotylenchus christiei* Golden, A. M., & A. L. Taylor. 1956. Proc. Helminthol. Soc. Wash. 23:109-112. 2f, 2m-Para.
- Rotylenchus incultus* Sher, S. A. 1965. Nematologica 11: 173-198. f-Holo. UCNC 397; m-Allo; 8f, 4m, 3Y-Para.
- Rotylenchus nexus* Ferraz, S. 1980. Syst. Parasitol. 2:21-24. 3f, 2m-Para.
- Rotylenchus pumilus* Perry, V. G. 1959 in Perry, V. G., H. M. Darling, and G. Thorne. 1959. Univ. Wisc. Res. Bull. 207:1-24. 4f, 6m-Para.
- Rotylenchus rugatocuticulatus* Sher, S. A. 1965. Nematologica 11:173-198. f-Holo. UCNC 395; m-Allo; 22f, 5m, 1Y-Para.
- Rotylenchus unisexus* Sher, S. A. 1965. Nematologica 11: 173-198. f-Holo. UCNC 399; 6f, 5Y-Para.
- Rotylenchus wallacei* Nobbs, J. M. 1989. Nematologica 35: 399-412. 3f, 3m-Para.
- Roveaphelenchus jonesi* Nickle, W. R. 1970. Proc. Helminthol. Soc. Wash. 37:105-109. 8f, 7m-Para.
- Sarisodera hydrophila* Wouts, W. M., & S. A. Sher. 1971. J. Nematol. 3:129-144. 34f, 12m, 12Y-Para.
- Sauvtylenchus labiodiscus* Sher, S. A. 1974. J. Nematol. 6:37-40. 4f, 5Y-Para.
- Scapidens perplexus* Heyns, J. 1965. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 10:1-51. f-Holo. UCNC 718; 1Y-Para.
- Scolecophilus mus* Timm, R. W. 1967. Pak. J. Biol. Agric. Sci. 10:22-24. 6Y-Para.
- Scottmema lindsayae* Timm, R. W. 1971. Proc. Helminthol. Soc. Wash. 38:42-52. 7f, 1m, 8Y-Para.
- Scutellonema africanum* Smith, J. J. 1971. Nematologica 17:113-126. 1f, 1m-Para.
- Scutellonema brachyurum* (Steiner, G. 1938. J. Agric. Res. 56:1-8) Andrassy, I. 1958. Nematologica 3:44-56. 8f-Topo. = Sher, S. A. 1963. Nematologica 9:421-443.
- Scutellonema cavenessi* Sher, S. A. 1963. Nematologica 9: 421-443. f-Holo. UCNC 295; m-Allo; 13f, 4m-Para.
- Scutellonema cephalidium* Anderson, R. V., Z. Handoo, & J. L. Townshend. 1982. Can. J. Zool. 62:1091-1094. 5f-Para.
- Scutellonema grande* Sher, S. A. 1963. Nematologica 9: 421-443. f-Holo. UCNC 290; m-Allo; 2f-Para.
- Scutellonema magniphasmus* Sher, S. A. 1963. Nematologica 9:421-443. f-Holo. UCNC 298; 11f-Para.
- Scutellonema minutum* Sher, S. A. 1963. Nematologica 9: 421-443. f-Holo. UCNC 288; m-Allo; 4f, 3m, 1Y-Para.
- Scutellonema siamense* Timm, R. W. 1965. Nematologica 11:370-372. 6f, 1m-Para.
- Scutellonema truncatum* Sher, S. A. 1963. Nematologica 9:421-443. f-Holo. UCNC 294; 9f, 3Y-Para.
- Scutellonema unum* Sher, S. A. 1963. Nematologica 9: 421-443. f-Holo. UCNC 297; 14f, 6Y-Para.
- Scutellonema validum* Sher, S. A. 1963. Nematologica 9: 421-443. f-Holo. UCNC 292; m-Allo; 10f, 6m-Para.
- Sectonema barbatoides* Heyns, J. 1965. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 10:1-51. 1m, 7Y-Para.
- Sectonema mabethi* Heyns, J. 1965. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 10:1-51. f-Holo. UCNC 716; m-Allo.
- Sectonema pseudoventrals* Heyns, J. 1965. S. Afr. Dep. Agric. Tech. Serv. Entomol. Mem. 10:1-51. 2f-Para.
- Seimura celeris* Hechler, H. C., & D. P. Taylor. 1965. Proc. Helminthol. Soc. Wash. 32:205-219. 10f, 1m-Para.
- Seimura demani* Loof, P. A. A., & W. D. Hooper. 1993. Fundam. Appl. Nematol. 16:163-169. 2f, 1m-Neopara.
- Seimura steineri* Hechler, H. C., & D. P. Taylor. 1965. Proc. Helminthol. Soc. Wash. 32:205-219. 12f-Para.
- Senegalonema sorghi* Germani, C., M. Luc, & J. G. Baldwin. 1984. Rev. Nematol. 7:49-56. 2f, 2m-Para.
- Seriespinula alleri* Doucet, M. E. 1981. Nematol. Medit. 9:83-89. 2f-Para.
- Seriespinula impar* Khan, E., M. L. Chawla, & M. Saha. 1976. Indian J. Nematol. (1975) 5:70-100. 1m-Para.
- Seriespinula racemispinos* Mehta, U. K., D. J. Raski, & A. Valenzuela. 1982. Nematologica 28:398-411. 1f-Holo. UCNC 1603.
- Sheraphelencus entomophagus* Nickle, W. R. 1970. Proc. Helminthol. Soc. Wash. 37:105-109. 2f, 2m-Para.
- Sherodera lonicerae* Wouts, W. M. 1973. Nematologica 19: 218-235. 11f, 3m, 7Y-Para.
- Siconemella philippinense* Timm, R. W. 1967. Pak. J. Biol. Agric. Sci. 10:13-21. f-Allo; 4f-Para.
- Sphaeronema arenarium* Raski, D. J. 1956. Proc. Helminthol. Soc. Wash. 23:75-77. f-Holo. UCNC 95; m-Allo.
- Sphaeronema californicum* Raski, D. J., & S. A. Sher. 1952. Proc. Helminthol. Soc. Wash. 19:77-80. f-Holo. UCNC 9; m-Allo; 55f, 43m, 19Y-Para.(S).
- Sphaerotheristus pseudodentatus* Timm, R. W. 1968. Trans. Amer. Microsc. Soc. 87:157-164. 1f, 1m, 3Y-Para.
- Sphaerulariopsis dendroctomi* Massey, C. L. 1956. Proc. Helminthol. Soc. Wash. 23:14-24. 5f, 5m-Para.
- Sporonchulus minutus* Mulvey, R. H. 1963. Can. J. Zool. 41:763-774. f-Holo. UCNC 286; 1f-Para.
- Steinernema intermedium* (Poinar, G. O., Jr. 1985)

- Mamiya, Y. 1988. Rev. Nématol. 8:321-327. 1f-Holo. UCNC 3187; 1m-Allo.
- Steinernema kushidai* Mamiya, Y. 1988. Appl. Ent. Zool. 23:313-320. 3f, 5m, 9Y-Para.
- Steinernema monticolum* Stock, S. P., H. Y. Choo, & H. K. Kaya. 1997. Nematologica 43:15-29. 1f-Holo. UCNC 3312; 1m-Allo; 1f, 1m, 5Y-Para.
- Steinernema neocurtillae* Nguyen, K. B., & G. C. Smart, Jr. 1992. J. Nematol. 24:463-477. 25f, 25m-Para.
- Steinernema oregonense* Liu, J., & R. E. Berry. 1996. J. Invert. Pathol. 19:375-380. 1m-Holo. UCNC 3332; 1f-Allo.
- Steinernema niobrave* Cabanillas, E., Poinar, G. O., Jr., & J. R. Raulston. 1994. Fundam. Appl. Nematol. 17:123-131. 1m-Holo. UCNC 3227; 1f-Allo; 20Y-Para.
- Steinernema scapterisci* Nguyen, K. B., & G. C. Smart, Jr. 1990. J. Nematol. 22:187-199. 1f, 1m, 10Y-Para.
- Sterliadochona pedispicula* Maggenti, A. R., & G. A. Paxman. 1971. Proc. Helminthol. Soc. Wash. 38:210-214. m-Holo. UCNC 182; f-Allo; 185f, 13m-Para.
- Swangeria bisexualis* Hopper, B. E. 1961. Can. J. Zool. 39:69-72. 1f, 1m-Para.
- Synhimantus (Dispharynx) zosteropsi* Cid del Prado-Vera, I., A. R. Maggenti, & C. van Riper. 1985. Proc. Helm. Soc. Wash. 52:247-259. m-Holo. UCNC 2130; 13f, 3m-Para.
- Syro vexillatrix* Orton-Williams, K. J. 1985. Rec. Austral. Mus. 37:71-83. 1f-Para.
- Telotylenchus baoulensis* Netscher, C., & C. Germani. 1969. Nematologica 15:347-352. 1f, 1m-Para.
- Telotylenchus housei* Raski, D. J., S. K. Prasad, & G. Swarup. 1964. Nematologica 10:83-86. 12f, 6m, 2Y-Para.(S).
- Teratorhabditis palmarum* Gerber, K., & R. M. Giblin-Davis. 1990. J. Nematol. 22:337-347. 5f, 4m-Para.
- Tetradonema solenopsis* Nickle, W. R., & D. P. Juvenaz. 1987. J. Nematol. 19:311-313. 1f, 1m-Para.
- Tetylenchus annulatus* Merny, G. 1964. Nematologica 10:425-430. 1f, 1m-Para.
- Thecavermiculatus andinus* Golden, A. M., J. Franco, P. Jatala, & E. Astocaza. 1983. J. Nematol. 15:357-363. 6f, 3m, 4Y-Para.
- Thecavermiculatus carolynae* Robbins, R. T. 1986. J. Nematol. 18:548-555. 1f-Holo. UCNC 2223; m-Allo; 3f, 3m-Para; 18f-Voucher.
- Thecavermiculatus gracilitancea* Robbins, R. T. 1978. J. Nematol. 10:250-254. f-Holo. UCNC 1596; 8f, 319Y-Para.
- Thelastoma endoscolicum* Poinar, G. O., Jr. 1978. Proc. Helminthol. Soc. Wash. 45:92-96. f-Holo. UCNC 1990; m-Allo.
- Thoracostoma microlobatum* Allgen, C. A. 1947. Vidensk. Medd. Dan. Naturhist. Foren. Kbh. 110:65-219. m-Neo. UCNC 496 = Hope, W. D. 1967. Trans. Amer. Microsc. Soc. 86:307-334.
- Thoracostoma trachygaster* Hope, W. D. 1967. Trans. Amer. Microsc. Soc. 86:307-334. f-Holo. UCNC 494; m-Allo.
- Tobrilus africanus* Zullini, A. 1988. Rev. Nématol. 11:279-288. 1f, 3m-Para.
- Trichodorus aequalis* Allen, M. W. 1957. Nematologica 2:32-62. m-Holo. UCNC 77; f-Allo; 1f-Para.
- Trichodorus allius* Jensen, H. J. 1963. Proc. Helminthol. Soc. Wash. 30:157-159. 13f, 1m, 3Y-Para.
- Trichodorus aquitanensis* Baujard, P. 1980. Rev. Nématol. 3:21-27. 2f, 2m-Para.
- Trichodorus atlanticus* Allen, M. W. 1957. Nematologica 2:32-62. m-Holo. UCNC 97; f-Allo; 5f, 3m, 1Y-Para.
- Trichodorus californicus* Allen, M. W. 1957. Nematologica 2:32-62. f-Holo. UCNC 85; m-Allo; 4f, 1m-Para.
- Trichodorus christiei* Allen, M. W. 1957. Nematologica 2:32-62. f-Holo. UCNC 81; m-Allo; 20f, 2m-Para.
- Trichodorus dilatatus* Rodriguez-M. R., & A. H. Bell. 1978. J. Nematol. 10:132-141. 1f, 1m-Para.
- Trichodorus elegans* Allen, M. W. 1957. Nematologica 2:32-62. m-Holo. UCNC 90; f-Allo; 5f, 2m-Para.
- Trichodorus hooperi* Loof, P. A. A. 1973. Nematologica 19:49-61. 1f, 1m-Para.
- Trichodorus intermedius* Rodriguez-M., R., & A. H. Bell. 1978. J. Nematol. 10:132-141. 3f, 2m-Para.
- Trichodorus lusitanicus* Siddiqi, M. R. 1974. Nematologica (1973) 19:259-278. 1f, 1m-Para.
- Trichodorus monahystera* Allen, M. W. 1957. Nematologica 2:32-62. f-Holo. UCNC 92; m-Allo; 9f, 10m, 5Y-Para.
- Trichodorus nanus* Allen, M. W. 1957. Nematologica 2:32-62. f-Holo. UCNC 88; 11f-Para.
- Trichodorus obscurus* Allen, M. W. 1957. Nematologica 2:32-62. f-Holo. UCNC 94; m-Allo; 3f-Para.
- Trichodorus pachydermus* Seinhorst, J. W. 1954. J. Helminthol. 28:111-114. 8f, 4m-Para.
- Trichodorus porosus* Allen, M. W. 1957. Nematologica 2:32-62. m-Holo. UCNC 79; f-Allo; 5f, 13m-Para.
- Trichodorus primitivus* (de Man, J. G. 1880. Tijdschr. Ned. Dierk. Vereen. 5:1-104) Micoletzky, H. 1922. Arch. Naturg. Berlin (1921) 87:1-650. m-Neo. UCNC 87 = Allen, M. W. 1957. Nematologica 2:32-62.
- Trichodorus proximus* Allen, M. W. 1957. Nematologica 2:32-62. f-Holo. UCNC 83; f-Allo; 1f, 1m-Para.
- Trichodorus similis* Seinhorst, J. W. 1963. Nematologica 9:125-130. 5f, 2m-Para.
- Tricoma absidata* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. 1f, 1m-Para.
- Tricoma amydrampnida* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. m-Holo. UCNC 1186; f-Allo; 2f-Para.
- Tricoma fisheri* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1190; m-Allo; 2f, 1m-Para.
- Tricoma globocapitata* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1195.
- Tricoma perparvula* Timm, R. W. 1970. Univ. Calif. Publ. Zool. 93:1-99. f-Holo. UCNC 1196.
- Trophonema arenarium* Raski, D. J. 1957. Nematologica 2:85-90. 6f, 9m, 9Y-Para.
- Trophotylenchulus floridensis* Raski, D. J. 1957. Nematologica 2:85-90. f-Holo. UCNC 99; m-Allo.
- Trophotylenchus piperi* Mohandas, C., V. R. Kusumanchi, & D. J. Raski. 1985. Rev. Nématol. 8:97-102. 1f-Holo. UCNC 2076; 24f, 6m, 92Y-Para.
- Trophurus lomus* Saha, M., M. L. Chawla, & E. Khan. 1974. Indian J. Nematol. (1973) 3:61-63. 1f-Para.
- Trophurus sculptus* Loof, P. A. A. 1956. Versl. Meded.

- Plantenziekten. Dienst. Wageningen (1955) 129:191-195. 1f-Para.
- Tubixaba taxuua* Monteiro, A. R., & L. G. E. Lordello. 1980. Rev. Agric. 55:301-304. 1f, 1m, 1Y-Voucher.
- Tylaphelenchus yamani* Raski, D. J., & A. Valenzuela. 1987. Nematologica 33:149-166. 1f-Holo. UCNC 2229.
- Tylenchocriconema alleni* Raski, D. J., & I. A. Siddiqi. 1975. J. Nematol. 7:247-251. f-Holo. UCNC 1386; m-Allo; 66f, 6m, 3Y-Para. (S).
- Tylencholaimellus cinctus* Orr, C. C., & O. J. Dickerson. 1965. Proc. Helminthol. Soc. Wash. 32:191-193. 2f, 1m, 3Y-Para.
- Tylencholaimus brevicaudatus* (Tarjan, A. C. 1953. Proc. Helminthol. Soc. Wash. 20:49-54) Tarjan, A. C. 1956. Proc. Helminthol. Soc. Wash. 23:88-92. 1f-Para.
- Tylenchorhynchus acutus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 58; 1f-Para.
- Tylenchorhynchus affinis* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 49; m-Allo; 6f, 1m, 1Y-Para.
- Tylenchorhynchus alpinus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 47; m-Allo; 10f-Para.
- Tylenchorhynchus berberidis* Sethi, C. L., & G. Swarup. 1968. Nematologica 14:7-89. 1f, 1m-Para.
- Tylenchorhynchus brevidens* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 37; 20f-Para.
- Tylenchorhynchus capitatus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 40; f-Allo; 29f-Para.
- Tylenchorhynchus clarus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 39; 6f-Para.
- Tylenchorhynchus conicus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 53; m-Allo; 13f, 5m, 5Y-Para.
- Tylenchorhynchus cylindricus* Cobb, N. A. 1913. J. Wash. Acad. Sci. 3:432-444. f-Neo. UCNC 36 = Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165; 1f, 1m-Paralect.
- Tylenchorhynchus dubius* (Butschli, O. 1873. Nova. Acta. Leopold. 36:1-124) Filipjev, I. N. 1936. Proc. Helminthol. Soc. Wash. 3:80-82. f-Neo. UCNC 64 = Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165.
- Tylenchorhynchus eremicus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 43; m-Allo; 5f, 1m-Para.
- Tylenchorhynchus goffarti* Sturhan, D. 1966. Mitt. Biol. Bundesanst. Land. Forst-wirtsch. Berl.-Dahlem 118:82-99. 2f, 1m, 1Y-Para.
- Tylenchorhynchus grandis* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 42; m-Allo; 12f, 9m-Para.
- Tylenchorhynchus hexagrammus* Sturhan, D. 1966. Mitt. Biol. Bundesanst. Land. Forst-wirtsch. Berl.-Dahlem 118:82-99. 1f, 1m-Para.
- Tylenchorhynchus lamelliferus* (de Man, J. G. 1880. Tijdschr. Ned. Dierk. Vereen. 5:1-104) Filipjev, I. N. 1936. Proc. Helminthol. Soc. Wash. 3:80-82. f-Neo. UCNC 70 = Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165.
- Tylenchorhynchus latus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 59; 7f-Para.
- Tylenchorhynchus leptus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 57; 2f-Para.
- Tylenchorhynchus lineatus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 51; m-Allo; 3f, 1m-Para.
- Tylenchorhynchus macrodens* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 62; f-Allo.
- Tylenchorhynchus magnicauda* (Thorne, G. 1935. U.S. Dep. Agric., J. Agric. Res. 51:131-144) Filipjev, I. N. 1936. Proc. Helminthol. Soc. Wash. 3:80-82. f-Holo. UCNC 35 = Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165.
- Tylenchorhynchus maximus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 45; 297, 1Y-Para.
- Tylenchorhynchus nanus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 65; 2f-Para.
- Tylenchorhynchus nilgiriensis* Seshadri, A. R., T. S. Muthakrishnan, & S. Shunmugam. 1967. Curr. Sci. (Bangalore) 36:551-553. 5f-Para.
- Tylenchorhynchus nothus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 72; m-Allo; 6f-Para.
- Tylenchorhynchus novenus* Nobbs, J. M. 1989. Nematologica 35:399-412. 2f, 2m-Para.
- Tylenchorhynchus nudus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 60; m-Allo; 1f, 1m-Para.
- Tylenchorhynchus obscurus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 68; m-Allo; 1f-Para.
- Tylenchorhynchus ornatus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 66; m-Allo; 10f-Para.
- Tylenchorhynchus papyrus* Siddiqi, M. R. 1970. Proc. Helminthol. Soc. Wash. 37:68-77. 1f, 1m-Para.
- Tylenchorhynchus parvus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 46; m-Allo; 18f, 19m-Para.
- Tylenchorhynchus siccus* Nobbs, R. T. 1989. Nematologica 35:399-412. 2f, 2m-Para.
- Tylenchorhynchus striatus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 74; m-Allo; 5f, 11m-Para.
- Tylenchorhynchus superbus* Allen, M. W. 1955. Univ. Calif. Publ. Zool. 61:129-165. f-Holo. UCNC 55; m-Allo; 4f, 2m-Para.
- Tylenchorhynchus tenuicauda* Wouts, W. M., & S. A. Sher. 1981. Nematologica 27:253-257. 4f, 6m, 2Y-Para.
- Tylenchorhynchus tobari* Sauer, M. R., & C. M. Annells. 1981. Nematologica 27:422-431. 5f-Para.
- Tylenchorhynchus uliginosus* Siddiqi, M. R. 1970. Proc. Helminthol. Soc. Wash. 37:68-77. 4f, 2m-Para.
- Tylenchorhynchus velatus* Sauer, M. R., & C. M. Annells. 1981. Nematologica 27:422-431. 3f, 3m-Para.

- Tylenchorhynchus zaei* Sethi, C. L., & G. Swarup. 1968. *Nematologica* 14:77-89. 4f, 2m-Para.
- Tylenchulus graminis* Inserra, R. N., N. Vovlas, J. H. O'Bannon, & R. P. Esser. 1988. 20:266-287. 5f, 6m, 6Y-Para.
- Tylenchulus palustris* Inserra, R. N., N. Vovlas, J. H. O'Bannon, & R. P. Esser. 1988. 17f, 12m, 9Y-Para.
- Tyololaimophorus constrictus* Sauer, M. R. 1968. *Nematologica* 14:211-216. 3f, 5m-Para.
- Tyololaimophorus pugio* Sauer, M. R. 1968. *Nematologica* 14:211-216. 2f, 4m-Para.
- Verutus californicus* Baldwin, J. G., E. C. Bernard, & M. Mundo-Ocampo, 1989. *J. Nematol.* 21:48-68. 5f, 4m, 6Y-Para.
- Verutus mesoangustus* Minagawa, N. 1986. *Appl. Ent. Zool.* 21:277-282. 2f, 1m, 2Y-Para.
- Vexillata armandae* Gardner, S. L., E. B. Fong, L. Albanna, & R. Raymond. 1994. *J. Parasitol.* 80:591-594. 1m-Holo. UCNC 3240; 1f-Allo; 6f, 5m-Para.
- Viguiera hawaiiensis* Cid del Prado-Vera, I., A. R. Maggenti, & C. van Riper. 1985. *Proc. Helminthol. Soc. Wash.* 52:247-259. 1m-Holo. UCNC 2127; 6f, 5m-Para.
- Viscostia papillatoides* Chitwood, B. G. 1960. *Trans. Amer. Microsc. Soc.* 79:347-384. 6f, 3m, 2Y-Syn.
- Xiphinema Algeriense* Luc, M., & A. Kostadinov. 1982. *Bull. Mus. Nat. Hist. Natur.* 2:777-781. 1f-Para.
- Xiphinema amazonensis* Uesugi, C. H., C. S. Huang, & J. E. Cares. 1985. *J. Nematol.* 17:310-313. 1f, 1m, 2Y-Para.
- Xiphinema americanum* Cobb, N. C. 1913. *J. Wash. Acad. Sci.* 3:432-444. 8f-Voucher.
- Xiphinema basilgoodeyi* Coomans, A. 1965. *Nematologica* (1964) 10:581-593. 1m-Para.
- Xiphinema capriviense* Hutsebaut, M., J. Heyns, & A. Coomans. 1989. *Phytophylactica* 21:113-120. 4f-Para.
- Xiphinema clavicaudatum* Huang, C. S., C. H. Uesugi, & D. J. Raski. 1987. *Rev. Nematol.* 10:23-27. 1f, 11Y-Para.
- Xiphinema coomansi* Kruger, J. C. D., & J. Heyns. 1986. *Phytophylactica* 18:71-79. 3f-Para.
- Xiphinema costaricense* Lamberti, F., & A. C. Tarjan. 1974. *Nematologica* 2:1-10. 7f, 1Y-Voucher.
- Xiphinema coxi* Tarjan, A. C. 1964. *Proc. Helminthol. Soc. Wash.* 31:65-76. 1m-Para.
- Xiphinema diversicaudum* (Micoletzky, 1927) Thorne, G. 1939. *Proc. Helminthol. Soc. Wash.* 6:30-32. 5f, 5m, 1Y-Voucher.
- Xiphinema dolosum* Bos, W. S., & P. A. A. Loof. 1984. *Nematologica* 30:395-418. 1f-Para.
- Xiphinema douceti* Luc, M. 1973. *Cah. ORSTOM Biol.* 21:45-65. 2f-Para.
- Xiphinema erriae* Hutsebaut, M., J. Heyns, & A. Coomans. 1987. *Nematologica* 33:127-148. 4f, 1Y-Para.
- Xiphinema fatikae* Bos, W. S., & P. A. A. Loof. 1984. *Nematologica* 30:395-418. 4f-Para.
- Xiphinema fluminense* Huang, C. S., C. H. Uesugi, & D. J. Raski. 1987. *Rev. Nematol.* 10:23-27. 1f, 1m, 3Y-Para.
- Xiphinema hygrophilum* Southey, J., & M. Luc. 1973. *Nematologica* 19:293-307. 2f-Para.
- Xiphinema index* Thorne, G., & M. W. Allen. 1950. *Proc. Helminthol. Soc. Wash.* 17:27-35. 2f-Voucher.
- Xiphinema insigne* Loos, C. A. 1949. *J. Zool. Soc. India* 1:23-29. 4f, 2Y-Voucher.
- Xiphinema israeliae* Luc, M., D. Brown, & J. F. Cohn. 1982. *Rev. Nematol.* 5:233-239. 1f, 1m-Para.
- Xiphinema judex* Hutsebaut, M., J. Heyns, & A. Coomans. 1989. *Phytophylactica* 21:113-120. 3f-Para.
- Xiphinema limbeense* Brown, D., M. Luc, & V. W. Saka. 1983. *Bull. Mus. Nat. Hist. Natur. Sect. A. Zool. Biol. Ecol. Anim.* 5:521-529. 1f-Para.
- Xiphinema magaliesmontanum* Kruger, J. C. D., & J. Heyns. 1986. *Phytophylactica* 18:71-79. 3f-Para.
- Xiphinema majus* Bos, W. S., & P. A. A. Loof. 1984. *Nematologica* 30:395-418. 1f-Para.
- Xiphinema malagasi* Luc, M. 1973. *Cah. ORSTOM Biol.* 21:45-65. 1f, 1Y-Para.
- Xiphinema manubriatum* Luc, M. 1973. *Cah. ORSTOM Biol.* 21:45-65. 2f-Para.
- Xiphinema mediterraneum* Martelli, G. P., & F. Lamberti. 1967. *Phytopathol. Mediterr.* 6:65-85. 4f-Para.
- Xiphinema ornatizulu* Hutsebaut, M., J. Heyns, & A. Coomans. 1989. *Nematologica* 34:373-400. 1f, 1m-Para.
- Xiphinema oryzae* Bos, W. S., & P. A. Loof. 1984. *Nematologica* 30:395-418. 1f-Para.
- Xiphinema phoeniscis* Loof, P. A. A. 1982. *Nematologica* 28:307-317. 1f, 1m-Para.
- Xiphinema pini* Heyns, J. 1965. *Nematologica* 11:87-99. 3f, 1m-Para.
- Xiphinema radicolica* (Goodey, 1936) Cohn, E., & S. A. Sher. 1972. *J. Nematol.* 4:36-65. 4f, 2Y-Voucher.
- Xiphinema ripogranum* Hutsebaut, M., J. Heyns, & A. Coomans. 1989. *Nematologica* 34:373-400. 1f, 1m, 1Y-Para.
- Xiphinema rivesi* Dalmasso, A. 1969. *Mem. Mus. Hist. Nat. Nouv. Serie A. Zool.* 61:33-82. 1f, 1m-Voucher.
- Xiphinema savanicola* Luc, M., & J. F. Southey. 1980. *Rev. Nematol.* 3:243-269. 2f, 1Y-Para.
- Xiphinema simplex* Hutsebaut, M., A. Coomans, & J. Heyns. 1987. *Phytophylactica* 19:35-403 f-Para.
- Xiphinema smoliki* Luc, M., & A. Coomans. 1988. *Rev. Nematol.* 11:137-142. 1f-Para.
- Xiphinema stenocephalum* Luc, M., & P. Baujard. 1983. *Bull. Mus. Nat. Hist. Natur.* 2:515-519. 1f-Para.
- Xiphinema theresiae* Stocker, G., & J. C. Kruger. 1987. *Phytophylactica* 19:405-418. 1Y-Para.
- Xiphinema thorneanum* Luc, M., P. A. A. Loof, & A. Coomans. 1986. *Rev. Nematol.* 9:337-346. 1f, 1m-Para.
- Xiphinema umobae* Heyns, J., & V. W. Spaul. 1979. *Phytophylactica* 11:133-135. 1f, 1m-Para.
- Xiphinema variable* Heyns, J. 1966. *Nematologica* 12:369-384. 1f, 2m, 3Y-Para.
- Xiphinema vuittenezi* Luc, M., M. B. Lima, B. Weischer, & J. J. M. Flegg. 1964. *Nematologica* 10:151-163. 2f-Para.
- Xiphinema vulgare* Tarjan, A. C. 1964. *Proc. Helminthol. Soc. Wash.* 31:65-76. 4m-Para.
- Zelandodera coxi* Wouts, W. M. 1973. *Nematologica* 19:218-235. 3f, 1m, 6Y-Para.
- Zelandodera nothophagi* Wouts, W. M. 1973. *Nematologica* 19:218-235. 2f, 2m, 8Y-Para.

- Zelandodera podocarpi* Wouts, W. M. 1973. *Nematologica* 19:218-235. 7f, 1m, 8Y-Para.
- Zeldia acuta* Allen, M. W., & E. M. Noffsinger. 1972. *Proc. Helminthol. Soc. Wash.* 39:206-223. f-Holo. UCNC 1260; 4f-Para.
- Zeldia feria* Allen, M. W., & E. M. Noffsinger. 1972. *Proc. Helminthol. Soc. Wash.* 39:206-223. f-Holo. UCNC 1291; 2f-Para.
- Zeldia minor* Allen, M. W., & E. M. Noffsinger. 1972. *Proc. Helminthol. Soc. Wash.* 39:206-223. f-Holo. UCNC 1259.
- Zeldia neoacuta* Allen, M. W., & E. M. Noffsinger. 1972. *Proc. Helminthol. Soc. Wash.* 39:206-223. m-Holo. UCNC 1258; 4f-Para.
- Zeldia solata* Allen, M. W., & E. M. Noffsinger. 1972. *Proc. Helminthol. Soc. Wash.* 39:206-223. f-Holo. UCNC 1261; 12f, 1m, 7Y-Para. (S).
- Zeldia spinula* Allen, M. W., & E. M. Noffsinger. 1972. *Proc. Helminthol. Soc. Wash.* 39:206-223. f-Holo. UCNC 1255; 5f, 1Y-Para.
- Zeldia tridentata* Allen, M. W., & E. M. Noffsinger. 1972. *Proc. Helminthol. Soc. Wash.* 39:206-223. f-Holo. UCNC 1256; 5f, 6Y-Para. (S).

LITERATURE CITED

Maggenti, A. R. 1991. *Nemata: Higher classification*. Pp. 147-187 in W. R. Nickle, ed. *Manual of agricultural nematology*. New York: Marcel Dekker.

Noffsinger, E. M. 1982. Type specimens on deposit at the University of California Davis Nematode Collection. *Journal of Nematology* 14:131-141.

Raski, D. J., and M. Luc. 1987. A reappraisal of Tylenchina (Nemata) 10. The superfamily Criconematoidea Taylor, 1936. *Revue de Nématologie* 10:409-444.

Ride, W. D., C. W. Sabrosky, G. Bernardi, and R. V. Melville. 1985. *International code of zoological nomenclature*. Huddersfield, UK: Charlesworth.