

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Insecta Mundi

Center for Systematic Entomology, Gainesville,
Florida

5-10-2013

First report of *Desmiphora hirticollis* (Olivier) (Coleoptera: Cerambycidae) on *Wigandia urens* (Ruiz and Pavón) H.B.K. (Hydrophilaceae) in Mexico

José Antonio Sánchez García

CIIDIR Oaxaca, Instituto Politécnico Nacional, Área de Control biológico, Braconido2@yahoo.com

Roselia Jarquín López

CIIDIR Oaxaca, Instituto Politécnico Nacional, Área de Control biológico

Jesus Romero-Napoles

Colegio de Postgraduados, jnapoles@colpos.mx

José Isaac Figueroa de la Rosa

Universidad Michoacana de San Nicolás de Hidalgo, figueroaji@yahoo.com

Follow this and additional works at: <https://digitalcommons.unl.edu/insectamundi>

Sánchez García, José Antonio; Jarquín López, Roselia; Romero-Napoles, Jesus; and Figueroa de la Rosa, José Isaac, "First report of *Desmiphora hirticollis* (Olivier) (Coleoptera: Cerambycidae) on *Wigandia urens* (Ruiz and Pavón) H.B.K. (Hydrophilaceae) in Mexico" (2013). *Insecta Mundi*. 804.

<https://digitalcommons.unl.edu/insectamundi/804>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Insecta Mundi by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

INSECTA MUNDI

A Journal of World Insect Systematics

0299

First report of *Desmiphora hirticollis* (Olivier) (Coleoptera:
Cerambycidae) on *Wigandia urens* (Ruiz and Pavón) H.B.K.
(Hydrophilaceae) in Mexico

José Antonio Sánchez García and Roselia Jarquín López
CIIDIR Oaxaca, Instituto Politécnico Nacional, Área de Control biológico,
Hornos #1003, Santa Cruz Xoxocotlán, Oaxaca, C.P. 71230, México.

Jesús Romero Nápoles
Instituto de Fitosanidad, Colegio de Postgraduados,
km 36.5 carr. fed. México-Texcoco
Montecillo, Estado de México, C.P. 56230, México.

José Isaac Figueroa de la Rosa
Instituto de Investigaciones Agropecuarias y Forestales,
Universidad Michoacana de San Nicolás de Hidalgo,
Km. 9.5 carretera Morelia-Zinapécuaro
Tarímbaro, Michoacán, C.P. 58880, México.

Date of Issue: May 10, 2013

José Antonio Sánchez García, Roselia Jarquín López, Jesús Romero Nápoles, and José Isaac Figueroa de la Rosa
First report of *Desmiphora hirticollis* (Olivier) (Coleoptera: Cerambycidae) on *Wigandia urens* (Ruiz and Pavón) H.B.K. (Hydrophilaceae) in Mexico
Insecta Mundi 0299: 1-4

ZooBank Registered: urn:lsid:zoobank.org:pub:50D229E8-B098-4759-982A-BC660025E089

Published in 2013 by

Center for Systematic Entomology, Inc.
P. O. Box 141874
Gainesville, FL 32614-1874 USA
<http://www.centerforsystematicentomology.org/>

Insecta Mundi is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. **Insecta Mundi** will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. **Insecta Mundi** publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

Insecta Mundi is referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc. **Insecta Mundi** is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology. Manuscript preparation guidelines are available at the CSE website.

Managing editor: Paul E. Skelley, e-mail: insectamundi@gmail.com

Production editor: Michael C. Thomas, Brian Armitage, Ian Stocks

Editorial board: J. H. Frank, M. J. Paulsen

Subject editors: G.B. Edwards, J. Eger, A. Rasmussen, F. Shockley, G. Steck, Ian Stocks, A. Van Pelt, J. Zaspel

Spanish editors: Julieta Brambila, Angélico Asenjo

Printed copies (ISSN 0749-6737) annually deposited in libraries:

CSIRO, Canberra, ACT, Australia
Museu de Zoologia, São Paulo, Brazil
Agriculture and Agrifood Canada, Ottawa, ON, Canada
The Natural History Museum, London, Great Britain
Muzeum i Instytut Zoologiczny PAN, Warsaw, Poland
National Taiwan University, Taipei, Taiwan
California Academy of Sciences, San Francisco, CA, USA
Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA
Field Museum of Natural History, Chicago, IL, USA
National Museum of Natural History, Smithsonian Institution, Washington, DC, USA
Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

Electronic copies (On-Line ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format:

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.
Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>
University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>
Goethe-Universität, Frankfurt am Main: <http://edocs.ub.uni-frankfurt.de/volltexte/2010/14363/>

Author instructions available on the Insecta Mundi page at:

<http://www.centerforsystematicentomology.org/insectamundi/>

Copyright held by the author(s). This is an open access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

First report of *Desmiphora hirticollis* (Olivier) (Coleoptera: Cerambycidae) on *Wigandia urens* (Ruiz and Pavón) H.B.K. (Hydrophilaceae) in Mexico

José Antonio Sánchez García and Roselia Jarquín López
CIIDIR Oaxaca, Instituto Politécnico Nacional, Área de Control biológico,
Hornos #1003, Santa Cruz Xoxocotlán, Oaxaca, C.P. 71230, México.
Braconido2@yahoo.com

Jesús Romero Nápoles
Instituto de Fitosanidad, Colegio de Postgraduados,
km 36.5 carr. fed. México-Texcoco
Montecillo, Estado de México, C.P. 56230, México.
jnapoles@colpos.mx

José Isaac Figueroa de la Rosa
Instituto de Investigaciones Agropecuarias y Forestales,
Universidad Michoacana de San Nicolás de Hidalgo,
Km. 9.5 carretera Morelia-Zinapécuaro, Tarímbaro, Michoacán, C.P. 58880, México.
figueroaji@yahoo.com

ABSTRACT. *Desmiphora hirticollis* (Olivier) (Coleoptera: Cerambycidae) was found in Oaxaca, Mexico, feeding in the stems of *Wigandia urens* (Ruiz and Pavón) H.B.K. (Hydrophilaceae), a new host record. Information about damage in the plant stems and some observations of the insect's biology are provided.


RESUMEN. Se reporta por primera vez en México la presencia del cerambícido *Desmiphora hirticollis* (Olivier) (Coleoptera: Cerambycidae) alimentándose de los tallos de *Wigandia urens* (Ruiz and Pavón) H.B.K. (Hydrophilaceae). Se proporciona información sobre los daños que provoca este insecto a los tallos de la planta, así como algunas observaciones biológicas del insecto.

Discussion

Desmiphora Audinet-Serville (Coleoptera: Cerambycidae) is a Neotropical genus, according to Monné (2005) including 68 species belonging to two subgenera (*Desmiphora* and *Antennifora* Breuning). Of these species, seven have been reported from Mexico: *D. bijuba* Giesbert, *D. canescens* Bates, *D. chemsaki* Giesbert, *D. cirrosa* Erichson, *D. fasciculata* (Olivier), *D. hirticollis* (Olivier) and *D. variola* Giesbert (Giesbert 1998; Monné and Bezark 2012).

Desmiphora hirticollis has been recorded from the USA (southern Texas; Vogt 1949, Rice et al. 1985, Hovore et al. 1987), Argentina, Belize, Bolivia, Brazil, Colombia, Costa Rica, Cuba, French Guiana, Galapagos Islands, Grenada, Curaçao, Guatemala, Honduras, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico, St. Vincent, and Venezuela (Giesbert 1998; Monné and Bezark 2012). In Mexico this species has been recorded in Guerrero (Giesbert 1998), Jalisco (Chemsak and Noguera 1993), Oaxaca (Giesbert 1998), Puebla (Noguera and Chemsak 1996), Sonora (Noguera et al. 2009), Veracruz (Noguera and Chemsak 1996) and Quintana Roo (Giesbert 1998).

Monné (2002) reported *D. hirticollis* on *Cordia alliodora* (Ruiz and Pavón), *C. boissieri* (A. DC.), *C. eleagnoides* (A. DC.), *Ehretia anacua* (Berl.) (Boraginaceae), and *Sapium acuparium* Jacq., and Duffy (1960) reported larvae of this beetle in *Sapium* sp. (Euphorbiaceae). *Desmiphora hirticollis* has been reared from *C. eleagnoides* (A. DC.) (Chemsak and Noguera 1993); MacRae (2012) found *D. hirticollis* on logs of "guayabi" (*Patagonula americana* L., Boraginaceae) in Argentina, and suggested that it served as a larval host due to the number of adult specimens observed on it; however, he did not observe any feeding damage on those logs.



Figures 1-2. *Desmiphora hirticollis*. 1) Lateral view. 2) Dorsal view. a) male, b) female.

From May 2011 to November 2012 we collected 71 males (Fig. 1a, 2a) and 68 females (Fig. 1b, 2b) of *D. hirticollis* on *Wigandia urens* (Ruiz and Pavón) H.B.K. (Hydrophilaceae) in Santa Cruz Xoxocotlán, Cuilapam, Jalpan, and Zaachila, Oaxaca (Fig. 3); adults preferred dried leaves or young buds, apparently to avoid detection (Fig. 4). According to MacRae (2012), *D. hirticollis* is nocturnal; in contrast, we observed adults during the day and hypothesize that the beetles' coloration and distinct tufts of setae play a role in cryptic coloration. Adults were occasionally observed within hollowed stems. In March 2012 we collected 10 larvae and obtained three pupae and adults of *D. hirticollis* from branches of *W. urens* (Fig. 5). Larvae caused damage to stems and branches when feeding, resulting in their drying out. Cano and Oyama (1994) reported 14 species of insects on *W. urens* in La Reserva del Pedregal de San Angel, Mexico City, but he did not cite *D. hirticollis*. Our study is the first report of *D. hirticollis* on *W. urens* and the first report of the family Hydrophilaceae as a host plant. *Wigandia urens* has been used for medicinal, ornamental and ceremonial purposes (Rzedowski and Rzedowski 2001) and has biological importance for many species of insects (Cano and Oyama 1994).

Acknowledgments

We thank Eugenio H. Nearn and Thomas H. Atkinson for reviewing the manuscript.

Literature Cited

- Cano, S. Z., and K. Oyama. 1994. *Wigandia urens* (Hydrophyllaceae): un mosaico de recursos para sus insectos herbívoros. *Acta Botánica Mexicana* 28: 29-39.
- Chemsak, J. A., and F. A. Noguera. 1993. Annotated checklist of the Cerambycidae of the Estación de Biología Chamela, Jalisco, México (Coleoptera), with descriptions of new genera and species. *Folia Entomológica Mexicana* 89: 55-102.



Figures 3-5. *Wigandia urens* (Ruiz and Pavón) H.B.K. with *Desmiphora hirticollis*. **3)** Host plant. **4)** Mating pair. **5)** Larva in host stem.

Duffy, E. A. J. 1960. A monograph of the immature stages of Neotropical timber beetles (Cerambycidae). British Museum of Natural History; London. 327 p.

Giesbert, E. F. 1998. A review of the genus *Desmiphora* Audinet-Serville (Coleoptera: Cerambycidae: Lamiinae: Desmiphorini) in North America, Mexico and Central America. Occasional Papers of the Consortium Coleopterorum 2(1): 27–43.

Hovore, F. T., R. L. Penrose, and R. W. Neck. 1987. The Cerambycidae, or longhorned beetles, of southern Texas: a faunal survey. Proceedings of the California Academy of Sciences 44(13): 283-344.

MacRae, T. C. 2012. *Desmiphora hirticollis*—crypsis or mimicry? Beetles in the Bush. <http://beetlesinthebush.wordpress.com/2012/05/07/desmiphora-hirticollis-crypsis-or-mimicry/> (accessed on October/20/2012).

Monné, M. A. 2002. Catalogue of the Neotropical Cerambycidae (Coleoptera) with known host plant — Part IV: Subfamily Lamiinae, Tribes Batocerini to Xenofreini. Publicações Avulsas do Museu Nacional 94: 1–92.

Monné, M. A. 2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part II. Subfamily Lamiinae. Zootaxa 1023: 1-760.

Monné, M.A. and L. G. Bezark. 2012. Checklist of the Oxypeltidae, Vesperidae, Disteniidae and Cerambycidae, (Coleoptera) of the Western Hemisphere. Available from: <http://plant.cdpa.ca.gov/byciddb/> (accessed on February/14/2013)

Noguera, F. A. and J. A. Chemsak. 1996. Cerambycidae (Coleoptera). P. 381–409. In: Jorge Llorente Bousquets, Alfonso N. Gracia Aldrete y Enrique González Sorianto (Eds). Biodiversidad taxonomía,

y biogeografía de artrópodos de México: Hacia una síntesis de su conocimiento. Universidad Nacional Autónoma de México; México, D. F. 660 p.

Noguera, F. A., M. A. Ortega H., S. Zaragoza C., E. Ramírez G., and E. González S. 2009. A faunal study of Cerambycidae (Coleoptera) from one region with Tropical Dry Forest in México: San Javier, Sonora. *Pan-Pacific Entomologist* 85:70-90.

Rice, M. E., R. H. Turnbow, Jr., and F. T. Hovore. 1985. Biological and distributional observations on Cerambycidae from the southwestern United States (Coleoptera). *Coleopterists Bulletin* 39(1):18–24.

Rzedowski, G. C., and J. Rzedowski. 2005. Flora fanerogámica del Valle de México. 2a ed. Instituto de Ecología y Comisión Nacional para el Conocimiento y Uso de la Biodiversidad. Pátzcuaro, Michoacán, México. 1406 p. [see p. 601-602]

Vogt, B. G. 1949. Notes on Cerambycidae of the lower Rio Grande Valley, Texas. *Pan Pacific Entomologist* 25(3): 137-144.

Received March 21, 2013; Accepted April 19, 2013.