

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

---

Insecta Mundi

Center for Systematic Entomology, Gainesville,  
Florida

---

9-12-2013

## Additions to the known Vesperidae and Cerambycidae (Coleoptera) of Bolivia

James E. Wappes

American Coleoptera Museum, San Antonio, TX, [wappes@earthlink.net](mailto:wappes@earthlink.net)

Steven W. Lingafelter

USDA Systematic Entomology Laboratory, [steve.lingafelter@ars.usda.gov](mailto:steve.lingafelter@ars.usda.gov)

Miguel A. Monné

Universidade Federal do Rio de Janeiro, [monne@uol.com.br](mailto:monne@uol.com.br)

Julieta Ledezma Arias

Universidad Autonoma "Gabriel Rene Moreno", [jledezma@museonoelkempff.org](mailto:jledezma@museonoelkempff.org)

Follow this and additional works at: <https://digitalcommons.unl.edu/insectamundi>

---

Wappes, James E.; Lingafelter, Steven W.; Monné, Miguel A.; and Arias, Julieta Ledezma, "Additions to the known Vesperidae and Cerambycidae (Coleoptera) of Bolivia" (2013). *Insecta Mundi*. 824.

<https://digitalcommons.unl.edu/insectamundi/824>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Insecta Mundi by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

# INSECTA MUNDI

A Journal of World Insect Systematics

---

0319

Additions to the known Vesperidae and Cerambycidae  
(Coleoptera) of Bolivia

James E. Wappes  
American Coleoptera Museum  
8734 Paisano Pass  
San Antonio, TX 78255-3523

Steven W. Lingafelter  
Systematic Entomology Laboratory  
Agriculture Research Service  
United States Department of Agriculture  
National Museum of Natural History  
Washington, DC 20013-7012

Miguel A. Monné  
Museu Nacional, Universidade Federal do Rio de Janeiro  
Quinta da Boa Vista, s/n, CEP 20940-040  
Rio de Janeiro, RJ, Brazil

Julieta Ledezma Arias  
Museo de Historia Natural, Noel Kempff Mercado  
Universidad Autónoma "Gabriel René Moreno"  
Santa Cruz de la Sierra, Bolivia

Date of Issue: September 12, 2013

James E. Wappes, Steven W. Lingafelter, Miguel A. Monné, and Julieta Ledezma Arias  
Additions to the known Vesperidae and Cerambycidae (Coleoptera) of Bolivia  
*Insecta Mundi* 0319: 1-25

ZooBank Registered: urn:lsid:zoobank.org:pub:E144D183-FDE3-4DE4-8B9A-5F1AC6DE62EA

**Published in 2013 by**

Center for Systematic Entomology, Inc.  
P. O. Box 141874  
Gainesville, FL 32614-1874 USA  
<http://www.centerforsystematicentomology.org/>

**Insecta Mundi** is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. **Insecta Mundi** will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. **Insecta Mundi** publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

**Insecta Mundi** is referenced or abstracted by several sources including the Zoological Record, CAB Abstracts, etc. **Insecta Mundi** is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology. Manuscript preparation guidelines are available at the CSE website.

**Managing editor:** Paul E. Skelley, e-mail: [insectamundi@gmail.com](mailto:insectamundi@gmail.com)

**Production editor:** Michael C. Thomas, Brian Armitage, Ian Stocks

**Editorial board:** J. H. Frank, M. J. Paulsen

**Subject editors:** G.B. Edwards, J. Eger, A. Rasmussen, G. Steck, Ian Stocks, A. Van Pelt, J. Zaspel

**Spanish editors:** Julieta Brambila, Angélico Asenjo

**Printed copies (ISSN 0749-6737) annually deposited in libraries:**

CSIRO, Canberra, ACT, Australia  
Museu de Zoologia, São Paulo, Brazil  
Agriculture and Agrifood Canada, Ottawa, ON, Canada  
The Natural History Museum, London, Great Britain  
Muzeum i Instytut Zoologii PAN, Warsaw, Poland  
National Taiwan University, Taipei, Taiwan  
California Academy of Sciences, San Francisco, CA, USA  
Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA  
Field Museum of Natural History, Chicago, IL, USA  
National Museum of Natural History, Smithsonian Institution, Washington, DC, USA  
Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

**Electronic copies (On-Line ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format:**

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.  
Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>  
University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>  
Goethe-Universität, Frankfurt am Main: <http://edocs.ub.uni-frankfurt.de/volltexte/2010/14363/>

**Author instructions** available on the *Insecta Mundi* page at:

<http://www.centerforsystematicentomology.org/insectamundi/>

Copyright held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

Additions to the known Vesperidae and Cerambycidae  
(Coleoptera) of Bolivia

James E. Wappes

American Coleoptera Museum  
8734 Paisano Pass  
San Antonio, TX 78255-3523  
wappes@earthlink.net

Steven W. Lingafelter

Systematic Entomology Laboratory  
Agriculture Research Service  
United States Department of Agriculture  
National Museum of Natural History  
Washington, DC 20013-7012  
steve.lingafelter@ars.usda.gov

Miguel A. Monné

Museu Nacional, Universidade Federal do Rio de Janeiro  
Quinta da Boa Vista, s/n, CEP 20940-040  
Rio de Janeiro, RJ, Brazil  
monne@uol.com.br

Julieta Ledezma Arias

Museo de Historia Natural, Noel Kempff Mercado  
Universidad Autónoma "Gabriel René Moreno"  
Santa Cruz de la Sierra, Bolivia  
jledezma@museonoelkempff.org

**Abstract.** Seventy-nine Cerambycidae and two Vesperidae species not previously recorded from Bolivia are listed along with the department where they were collected, and are thus added to the known fauna. An additional 22 species from existing publications, but whose Bolivian distribution is not recorded in the 2013 version of Bezark and Monné (2013), are listed separately to assist inclusion in this important reference. These records, along with the 60 new species described (through February, 2013) since Wappes et al. (2011), brings the total number of Cerambycidae and, closely related families Disteniidae, Oxypeltidae and Vesperidae, to 1,717 species known from Bolivia. New departmental records for another 254 species are listed. Color illustrations for 80 of the 81 species newly recorded from Bolivia are provided. Among the new records for Bolivia is *Lathroeus oreoderoides* Thomson, 1864 previously known only from South America without exact locality, hence this is its first recorded distribution. A male of *Myzomorphus* Dejean, 1835 collected at the same time and locality as a female *Myzomorphus amabilis* (Tippmann, 1960) is likely the previously unknown male of the species. Both sexes are illustrated.

**Keywords.** Coleoptera, distribution, endemic species, faunal survey, new country records, Bolivia Cerambycidae project (BCP).

**Resumen.** Setenta y nueve especies de Cerambycidae y dos especies de Vesperidae no registradas previamente de Bolivia se enumeran junto con el departamento en el que se capturaron, y así se agregan a la fauna conocida. Adicionalmente, 22 especies tomadas de las publicaciones existentes, pero cuya distribución en Bolivia no se registra en la versión 2013 de Bezark y Monné (2013), se enumeran por separado para ayudar a su inclusión en esta importante referencia. Estos registros, junto con las 60 nuevas especies descritas (hasta febrero de 2013), desde Wappes et al. (2011), hacen que el número total de Cerambycidae y familias relacionadas Disteniidae, Oxypeltidae y Vesperidae, suba a 1,717 especies ya conocidas de Bolivia. Nuevos registros de departamento de otras 254 especies están incluidas y se proveen fotos a color para 80 de las 81 especies que se agregan. Uno de los nuevos registros para Bolivia es *Lathroeus oreoderoides* Thomson, 1864. Este es el primer registro para el país y localidad de la especie. Un macho de *Myzomorphus* Dejean, 1835 capturado al mismo tiempo y en la misma localidad como que una hembra de *Myzomorphus*

*amabilis* (Tippmann, 1960) es probablemente el macho previamente desconocido de la especie. Ambos sexos se ilustran.

**Palabras claves.** Coleoptera, distribución, especies endémicas, listado de fauna, nuevos registros de país, proyecto Cerambycidae de Bolivia (BCP).

## Introduction

Collecting by participants in the Bolivian Cerambycidae Project (details on the project can be found in Wappes et al. 2011), continues to result in numerous new country and departmental records for cerambycid species, and the closely related families Disteniidae, Oxypeltidae and Vesperidae. Until recently most of the Bolivian Cerambycidae Project (BCP) survey effort has been in Santa Cruz Department. Although new records are still being found there, particularly in the southern “Chaco” area, much of the field survey effort has been expanded to include other departments. Several survey trips to the Villamontes area of Tarija, to Villa Tunari and higher elevations in Cochabamba, and most recently to the border area of Beni and Pando near Riberalta, have led to dozens of new records for Bolivia. Project participants will continue to expand the survey into new areas, while also revisiting prime habitats during different times of the year, in anticipation of finding additional species new to Bolivia or the department.

## Materials and Methods

We follow Svacha et al. (1997) who divided the Cerambycidae into four families (Cerambycidae plus Disteniidae, Oxypeltidae and Vesperidae). We also follow Svacha et al. (1997) in using the term “cerambyciform lineage” to collectively represent them. In the species lists the departments where the species was collected, or has been recorded in the literature, are abbreviated as follows: BN = Beni; CO = Cochabamba; CQ = Chuquisaca; LP = La Paz; OR = Oruro; PN = Pando; PT = Potosi; SC = Santa Cruz and TR = Tarija. In a few cases only Bolivia is recorded and is abbreviated as BO. New country records in the species listing of “New country and departmental records” have the species name and departmental abbreviation in bold print. All other listed species are new departmental records. Most of the dorsal habitus color photographs (Figures 1-85) were taken with a Syncroscopy AutoMontage® system attached to a Leica Z16 APO microscope at the Division of Plant Industry, Florida State Collection of Arthropods Gainesville, FL. Some images have been edited using Adobe Photoshop® and the plates were assembled using Adobe Photoshop CS6. Specimens from which the new country records are based are deposited in the following collections:

**ACMT** – American Coleoptera Museum (James E. Wappes), San Antonio, TX, USA

**FWSC** – Fred W. Skillman, Jr., Pearce, AZ, USA

**MNKM** – Museu de Historia Natural Noel Kempff Mercado, Santa Cruz de la Sierra, BO

**RFMC** – Roy F. Morris, II, Lakeland, FL, USA

**SWLC** – Steven W. Lingafelter, North Potomac, MD, USA

## Discussion

Collectively, the 81 species new for Bolivia have 91 departmental distribution records, with 53 from SC (mainly from “Chaco” areas in the south), 22 from TR, 6 from PN, 5 from BN, and 5 from CO. The disparity in number of records between departments is primarily a result of collecting bias and should not be construed to be indicative of the fauna in any individual department. Collectively, there are 380 distributional records for the 357 species included in this paper, 131 (34.5 % of the 380 distributional records) are from SC, 104 (27.4 %) from TR, 92 (24.2 %) from CO, 30 (7.9 %) from BN, 20 (5.3 %) from PN and 3 (0.8 %) from LP. Collecting bias is further evident in the recorded species data from each of the nine Bolivia departments. Santa Cruz with 1,390 species recorded (81 % of the 1,717 known) is the overwhelming leader followed by CO with 168, BN with 135, TR with 111, LP with 88, PN with 31, CQ with 5 and both OR and PT none. Additionally, 183 species are recorded from Bolivia without department

data. As the above numbers indicate there is still a significant amount of survey work to do before we can speak authoritatively about species composition and distribution of the cerambyciform lineage fauna in Bolivia.

Since Wappes et al. (2011), 60 new species have been described through February, 2013 whose distribution includes Bolivia. Of these 53 are known only from Bolivia. When added to the 347 previously recorded endemic species (Wappes et al. 2011) there are now 400 cerambyciform lineage species known only from Bolivia. This is nearly one-fourth of the recorded fauna and likely the highest endemic percentage for the fauna of any Western Hemisphere country.

An especially noteworthy species collection occurred on the grounds of the El Puente Hotel on the northwestern side of Villa Tunari, CO in September, 2012. A female *Myzomorphus amabilis* (Tippmann, 1960) (Figure 1) was collected at a MV+UV light sheet by Caroli Hamel and Paul Skelley in grassy lawn next to forest. Another specimen was collected at an incandescent porch light of the cabin next to the forest edge of the same lawn. This second smaller specimen of Anacolini, we believe to be the previously unknown male (Figure 2) of the same species.



Figures 1-2. Polymorphic prionine, *Myzomorphus amabilis* (Tippmann). 1) female. 2) male.

Another especially important collection is *Lathroeus oreoderoides* Thomson, 1864 described from a single South American specimen without locality information. An example of this species (Figure 46) was taken log-picking at night by Fred Skillman near Cristal Mayu, CO in October, 2011 making it the first known locality and country record for the species.

During the last few years (2009-2013) there have been numerous papers published describing new Cerambycidae which included Bolivian species. All make important contributions to our knowledge of the Bolivian fauna. However, several of them deserve special mention because they provide a synopsis of only Bolivian species, thus making it much easier to determine specimens in that group. These papers include: Robin Clarke’s series on the Rhinotragini of BO (Clarke 2009a, 2009b, 2010, 2011, 2012), with numerous new genera and species; Monné and Monné (2010) synopsis of Bolivian *Colobothea* Lepeletier and Audinet-Serville, 1825 providing a key to, and color illustrations of, all 24 species (two newly described); and their review (Monné and Monné 2012) of BO *Tropidozineus* Monné and Martins, 1976, three species with one new, and *Ozineus* Bates, 1863, nine species with four new ; and Galileo and Martin’s (2013) review of *Gorybia* Pascoe, 1866 species occurring in Bolivia, describing nine new species, with illustrations of the new ones and including a key to all 16 of the Bolivian species. We encourage cerambycid workers interested in studying the Bolivian fauna to do similar works.

New country and departmental records

VESPERIDAE

DEPARTMENT

**Subfamily Anoplodermatinae**

Tribe Anoplodermatini

*Anoploderma breueri* Lameere

TR

Tribe Mysteriini

*Pathocerus wagneri* Waterhouse

TR

CERAMBYCIDAEDEPARTMENT**Subfamily Parandrinae**

## Tribe Parandrini

*Parandra glabra* (De Geer)

CO

*Parandra polita* Say

SC

**Subfamily Prioninae**

## Tribe Anacolini

*Myzomorphus amabilis* (Tippmann)

CO

## Tribe Callipogonini

*Chorenta reticulata* (Dalman)

SC

*Enoplocerus armillatus* (Linnaeus)

BN

*Orthomegas cinnamomeus* (Linnaeus)

BN, LP, SC

*Orthomegas frischeiseni* (Lackerbeck)

BN

## Tribe Macrotomini

***Allomallodon popelairi* (Lameere)**

SC

*Mallodon baiulum* (Erichson)

BN, CO

*Mallodon spinibarbe* (Linnaeus)

TR

*Strongylaspis boliviana* Monné and Santos-Silva

SC

## Tribe Meroscelisini

*Sarifer flavirameus* Kirsch

SC

## Tribe Prionini

*Psalidognathus friendii friendii* Gray

CO

**Subfamily Lepturinae**

## Tribe Lepturini

*Strangalia bivittata* (Bates)

SC

*Strangalia flavocincta* (Thomson)

SC

**Subfamily Cerambycinae**

## Tribe Achrysonini

*Achryson immaculipenne* Gounelle

CO

*Achryson surinamum* (Linnaeus)

CO

## Tribe Callichromatini

*Callichroma sericeum* (Fabricius)

BN

*Mionochroma electrinum* (Gounelle)

TR

## Tribe Cerambycini

*Amphelictus scabrosus* Eya and Chemsak

SC

*Butherium erythropus* (Lucas)

SC

*Coleoxestia femorata* (Gounelle)

CO

*Criodion torticolle* Bates

BN

*Juiaparus batus batus* (Linnaeus)

BN

<b><i>Juiaparus batus lacordairei</i> (Gahan)</b>	SC, TR
<i>Metacriodion pictum</i> (Waterhouse)	SC
<i>Plocaederus glabricollis</i> (Bates)	CO
<i>Plocaederus plicatus</i> (Olivier)	CO
<i>Poeciloxestia hirsutiventris</i> Fragoso	CO
<i>Sphallotrichus puncticolle puncticolle</i> (Bates)	SC
Tribe Clytini	
<i>Itaclytus tumulifer</i> (Aurivillius)	SC
<i>Mecometopus wallacei</i> (White)	CO
<i>Megacyllene proxima</i> (Laporte and Gory)	CO
<i>Miriclytus triangularis</i> Martins and Galileo	SC
<i>Neoclytus rufus</i> (Olivier)	SC
Tribe Compsocerini	
<i>Goatacara boliviana</i> Napp and Martins	SC
<i>Orthostoma abdominalis</i> (Gyllenhal)	TR
Tribe Eburini	
<i>Cupanoscelis heteroclita</i> Gounelle	TR
<i>Dioridium borgmeieri</i> (Lane)	CO
<b><i>Eburia sordida</i> Burmeister</b>	SC, TR
<i>Eburodacrys apua</i> Martins and Galileo	CO
<i>Eburodacrys cunusaia</i> Martins	TR
<i>Eburodacrys fortunata</i> Lameere	SC
<i>Eburodacrys longilineata</i> White	SC
<i>Eburodacrys nemorivaga</i> Gounelle	TR
<i>Eburodacrystola pickeli</i> Melzer	SC
<i>Uncieburia nigricans</i> (Gounelle)	TR
Tribe Ectenessini	
<i>Bomarion carenatum</i> Martins	CO
<i>Ectenessa villardi</i> Belon	TR
Tribe Elaphidiini	
<i>Aetheibidion hirtellum</i> (Gounelle)	TR
<i>Ambonus albomaculatus</i> (Burmeister)	TR
<i>Ambonus distinctus</i> (Newman)	TR
<i>Ambonus electus</i> (Gahan)	TR
<i>Ambonus interrogationis</i> (Blanchard)	TR
<i>Amorupi fulvoterminata</i> (Berg)	SC
<i>Anelaphus cerussatus</i> (Newman)	TR
<i>Apyrauna annulicornis</i> Martins	SC
<i>Atharsus nigricauda</i> Bates	CO
<i>Clausirion comptum</i> Martins and Napp	CO
<b><i>Mallocera glauca</i> Audinet-Serville</b>	SC
<b><i>Mallocera simplex</i> White</b>	SC
<i>Mallocera umbrosa</i> Gounelle	TR
<b><i>Mephritis guttatus</i> Napp and Martins</b>	SC
<b><i>Morphaneplus prolixus</i> Martins and Napp</b>	SC, TR
<i>Periboeum paucispinum</i> Lameere	TR
<i>Piezophidion intricatum</i> Galileo and Martins	TR
<i>Sphaerion inerme</i> White	TR
<i>Sphaerion lentiginosum</i> Berg	TR



<i>Sphaerion sladeni</i> Gahan	TR
<b><i>Stizocera asyka</i> Galileo and Martins</b>	<b>TR</b>
<b><i>Stizocera nigroflava</i> Zajciw</b>	<b>SC</b>
<i>Stizocera plicicollis</i> (Germar)	TR
<i>Stizocera spinicornis</i> Fairmaire	TR
<i>Stizocera tristis</i> (Guérin-Méneville)	TR
Tribe Hesperophanini	
<i>Hespereburia brachypa</i> (Bates)	SC
Tribe Heteropsini	
<b><i>Allodemus tricolor</i> (Perty)</b>	<b>SC</b>
<i>Chrysoprasis airi</i> Napp and Martins	SC
<b><i>Chrysoprasis aurata</i> Aurivillius</b>	<b>TR</b>
<i>Chrysoprasis aurigena aurigena</i> (Germar)	TR
<i>Chrysoprasis hypocrita</i> Erichson	TR
<b><i>Chrysoprasis ibaca</i> Napp and Martins</b>	<b>BN</b>
<i>Chrysoprasis ritcheri</i> Gounelle	SC, TR
<b><i>Erythrochiton jucundum</i> (Gounelle)</b>	<b>SC, TR</b>
<i>Mallosoma zonatum</i> (Sahlberg)	TR
Tribe Hexoplini	
<b><i>Glyptoceridion quincunx</i> (Thomson)</b>	<b>PN</b>
<b><i>Gnomidolon brethesi</i> Bruch</b>	<b>TR</b>
<i>Gnomidolon conjugatum</i> (White)	CO
<i>Gnomidolon varians varians</i> Gounelle	SC
<i>Gnomidolon wappesi</i> Martins	SC
<i>Notosphaeridion scabrosum</i> (Gounelle)	TR
<i>Stenygra conspicua</i> (Perty)	PN
<i>Tetraibidion concolor</i> Martins	SC
Tribe Lissonotini	
<b><i>Lissonotus andalgalensis</i> Bruch</b>	<b>TR</b>
Tribe Neczydalopsini	
<b><i>Neozodes signatus</i> Zajciw</b>	<b>SC</b>
<i>Ozodes malthinoides</i> Bates	CO
Tribe Neocorini	
<i>Aleiphaquilon castaneum</i> (Gounelle)	TR
<i>Neocorus diversipennis</i> Belon	SC
<i>Neocorus ibidionoides</i> (Audinet-Serville)	TR
Tribe Neoibidionini	
Subtribe Compsina	
<i>Heterachthes congener</i> Martins	SC
<i>Heterachthes similis</i> Martins	SC
<i>Heterachthes unituberosus</i> Martins and Galileo	SC
<i>Heterachthes xyleus</i> Martins	SC
<b><i>Heterocompsa formosa</i> (Martins)</b>	<b>TR</b>
<i>Stenoidion corallinum</i> (Bates)	CO
Subtribe Neoibidionina	
<b><i>Coleroidion cingulum</i> Martins</b>	<b>TR</b>

<i>Compsibidion campestre</i> (Gounelle)	TR
<i>Compsibidion graphicum</i> (Thomson)	TR
<b><i>Compsibidion ytu</i> Martins, Galileo and Oliveira</b>	<b>SC</b>
<i>Prothoracibidion xanthopterum</i> Martins	CO
Subtribe Tropidiina	
<i>Diasporidion argentinense</i> (Martins)	TR
<i>Gnomibidion fulvipes</i> (Thomson)	TR
<i>Thoracibidion fasciiferum</i> (Berg)	CO
<i>Thoracibidion flavopictum</i> (Perty)	TR
<i>Thoracibidion insigne</i> Martins	SC
<i>Tropidion castaneum</i> Martins	SC
<i>Tropidion contortum</i> Martins	TR
<i>Tropidion fuscipenne</i> (Gounelle)	TR
<i>Tropidion intermedium</i> (Martins)	SC
<b><i>Tropidion persimile</i> (Martins)</b>	<b>BN</b>
<b><i>Tropidion rusticum</i> (Gounelle)</b>	<b>TR</b>
Tribe O브리ini	
<b><i>Obrium clavijoi</i> Joly</b>	<b>SC</b>
Tribe Oemini	
<i>Argentinoeme schulzi</i> Bruch	TR
<i>Neoeme annulicornis</i> (Buquet)	CO
<b><i>Temnopsis martinezi</i> Martins</b>	<b>SC</b>
Tribe Piezocerini	
<i>Gorybia tuberosa</i> Galileo and Martins	SC
<i>Thyellocerus fulgidipennis</i> (Gounelle)	TR
Tribe Rhinotragini	
<i>Acyphoderes abdominalis</i> (Olivier)	BN
<i>Acyphoderes rubrohirsutotibialis</i> Tippmann	SC
<i>Agaone peruviana</i> (Fisher)	SC
<i>Epimelitta debilis</i> (Gounelle)	BO
<i>Isthmiade planifrons</i> Zajciw	TR
<i>Neophygopoda tibialis</i> Melzer	SC, TR
<i>Odontocera chrysostetha</i> Bates	SC
<i>Odontocera septemtuberculata</i> Zajciw	TR
<i>Pseudagaone suturafissa</i> Tippmann	SC
<i>Rhinotragus lucasii</i> Thomson	SC
<i>Rhopalessa pilosicollis</i> (Zajciw)	TR
Tribe Rhopalophorini	
<b><i>Brachylophora auricollis</i> (Bruch)</b>	<b>SC, TR</b>
<i>Coremia plumipes</i> (Pallas)	SC
<i>Cosmisoma ammiralis</i> (Linnaeus)	SC
<i>Cosmisoma argyreum</i> Bates	CO
<b><i>Cosmisoma brullei</i> (Mulsant)</b>	<b>SC, TR</b>
<b><i>Cosmisoma cyaneum rubriventre</i> Monné and Magno</b>	<b>SC</b>
<i>Cosmisoma ochraceum</i> (Perty)	SC
<i>Cynoderus barbatus</i> Gounelle	SC
<i>Dihammaphora gracicollis</i> (Chevrolat)	SC, TR
<b><i>Dihammaphora perforata</i> (Klug)</b>	<b>SC</b>

<i>Dirocoremia simplicipes</i> (Gounelle)	SC, TR
<i>Ischionodonta iridipennis</i> (Chevrolat)	TR
<i>Ischionodonta versicolor</i> (Chevrolat)	TR
<i>Lathusia ferruginea</i> (Bruch)	SC, TR
<i>Rhopalophora collaris</i> (Germar)	TR
Tribe Torneutini	
<b><i>Coccoderus novempunctatus</i> (Germar)</b>	<b>SC, TR</b>
<i>Diploschema weyrauchi</i> Lane	CO
<i>Praxithea derourei</i> (Chabrillac)	TR
<i>Psigmatocerus wagleri</i> Perty	SC
Tribe Trachyderini	
<i>Andraegoidus variegatus</i> (Perty)	BN
<i>Batus barbicornis</i> (Linnaeus)	BN
<i>Callancyla tucumana</i> Viana	SC
<i>Ceralocyna fulvipes</i> Viana	TR
<i>Chevrolatella tripunctata</i> (Chevrolat)	TR
<i>Chydarteres striatus schaeferi</i> (Bosq)	SC
<i>Dorcacerus barbatus</i> (Olivier)	BN
<i>Eriphus dimidiatus</i> White	CO
<i>Eriphus longicollis</i> Zajciw	SC
<b><i>Lissonoschema macrocolum</i> Martins and Monné</b>	<b>CO</b>
<i>Neochrysopraxis zajciwi</i> Franz	TR
<i>Oxymerus basalis</i> (Dalman)	TR
<i>Oxymerus aculeatus meridionalis</i> Huedepohl	TR
<i>Oxymerus luteus occidentalis</i> Huedepohl	SC
<i>Trachyderes cingulatus</i> Klug	BN, PN
<i>Trachyderes succinctus succinctus</i> (Linnaeus)	PN
<b>Subfamily Lamiinae</b>	
Tribe Acanthocinini	
<b><i>Alcathousites superstes</i> (Erichson)</b>	<b>SC</b>
<i>Amniscites pictipes</i> (Bates)	CO
<i>Anisopodus affinis</i> Martins	PN
<i>Anisopodus elongatus</i> Bates	CO
<i>Anisopodus humeralis</i> Bates	CO
<i>Anisopodus melzeri</i> Gilmour	PN
<i>Atrypanius implexus</i> (Erichson)	CO
<i>Atrypanius irrorellus</i> Bates	CO
<i>Atrypanius remissus</i> (Erichson)	CO
<i>Brevoxathres x-littera</i> (Melzer)	CO, SC
<i>Carphina elliptica</i> (Germar)	SC
<b><i>Eucharitolus spilotus</i> Botero and Monné</b>	<b>SC</b>
<i>Eutrypanus triangulifer</i> Erichson	CO
<i>Hylettus seniculus</i> (Germar)	TR
<i>Hyperplatys pusillus pusillus</i> (Bates)	CO, SC
<i>Lathroeus oreoderoides</i> Thomson	CO
<i>Leiopus pleuriticus</i> White	CO
<i>Lepturges canocinctus</i> Gilmour	TR
<i>Lepturges complanatus</i> Bates	CO
<i>Lepturges comptus</i> Melzer	TR
<i>Lepturges curvilinea</i> Gilmour	CO

<i>Lepturges epagogus</i> Monné	CO, SC
<i>Lepturges inscriptus</i> Bates	TR
<i>Lepturges insignis</i> Melzer	SC
<i>Lepturges limpidus</i> Bates	TR
<i>Lepturges virgatus</i> Monné	PN
<i>Lepturges zonula</i> Monné	CO
<i>Lophopoeum bruchi</i> Monné and Martins	TR
<b><i>Lophopoeum timbouvae</i> Lameere</b>	<b>SC</b>
<i>Nealcidion badium</i> Monné and Delfino	SC
<i>Nealcidion cristulatum</i> Monné and Delfino	SC
<i>Nealcidion emeritum</i> (Erichson)	CO
<i>Neoeutrypanus generosus</i> (Monné and Martins)	SC
<i>Neoeutrypanus nobilis</i> (Bates)	BN
<i>Nyssocarinus humeralis</i> Monné	CO
<i>Nyssodrysis lineata</i> Gilmour	PN
<i>Nyssodrysisina scutellata</i> (Bates)	CO
<i>Nyssodrysisina spreta</i> (Bates)	CO
<i>Nyssodrysternum caudatum</i> (Bates)	BN
<i>Nyssodrysternum conspicillare</i> (Erichson)	CO, PN
<i>Nyssodrysternum proximum</i> Monné and Tavakilian	BN
<i>Nyssodrysternum ptericoptum</i> (Bates)	BN, TR
<i>Nyssodrysternum serpentinum</i> (Erichson)	CO
<i>Nyssodrysternum signiferum</i> (Bates)	CO
<b><i>Nyssodrysternum spilotum</i> Monné</b>	<b>SC</b>
<i>Oedopeza ocellator</i> (Fabricius)	CO
<i>Onalcidion fibrosum</i> Monné and Martins	SC
<i>Oxathres maculosa</i> Monné and Tavakilian	SC
<i>Ozineus striatus</i> (Gilmour)	SC
<i>Palame crassimana</i> Bates	PN
<b><i>Paralcidion bilineatum</i> Gilmour</b>	<b>SC</b>
<b><i>Pattalinus mirificus</i> (Gilmour)</b>	<b>SC</b>
<i>Pentheochaetes apicalis</i> Melzer	TR
<b><i>Trichonyssodrys aureopilosus</i> Monné</b>	<b>SC</b>
<i>Tropidozineus vicinus</i> (Melzer)	PN
<i>Trypanidius andicola</i> Blanchard	CO
<i>Urgleptes ovalis</i> (Bates)	SC
<b><i>Xylergates elaineae</i> Gilmour</b>	<b>PN</b>
<i>Xylergates lacteus</i> Bates	BN, PN
Tribe Acanthoderini	
<b><i>Anoreina piara</i> Martins and Galileo</b>	<b>SC</b>
<i>Eupromerella clavator</i> (Fabricius)	CO
<i>Exalphus guaraniticus</i> (Lane)	TR
<i>Itajutinga difficilis</i> Martins	SC
<i>Macropophora accentifer</i> (Olivier)	BN
<i>Myoxomorpha funesta</i> (Erichson)	BN
<i>Nesozineus simile</i> Martins and Galileo	TR
<i>Nesozineus triviale</i> Galileo and Martins	TR
<i>Oreodera g. glauca</i> (Linnaeus)	TR
<i>Oreodera occulta</i> Monné and Fragoso	TR
<i>Oreodera paulista</i> Tippmann	CO
<i>Oreodera semiporosa</i> Tippmann	CO
<i>Psapharochrus jaspideus</i> (Germar)	TR
<i>Psapharochrus lateralis</i> (Bates)	CO

<i>Psapharochrus maculatissimus</i> (Bates)	CO
<i>Psapharochrus nigroocellatus</i> (Tippmann)	CO
<i>Psapharochrus nigropunctatus</i> (Tippmann)	CO
<i>Psapharochrus pseudopropinquus</i> (Fuchs)	TR
<i>Psapharochrus satellinus</i> (Erichson)	CO
<i>Steirastoma breve</i> (Sulzer)	CO
<i>Steirastoma coenosa</i> Bates	CO, SC
Tribe Aerenicini	
<b><i>Antodice pinima</i> Martins and Galileo</b>	<b>SC, TR</b>
<i>Holoaerenica bistriata</i> Lane	SC, TR
Tribe Acrocini	
<i>Acrocinus longimanus</i> (Linnaeus)	BN
Tribe Agapanthiini	
<i>Hippopsis fractilinea</i> Bates	CO
<i>Pachypeza joda</i> Dillon and Dillon	CO
Tribe Anisocerini	
<i>Cyclopeplus lacordairei</i> Thomson	SC
<i>Onychocerus crassus</i> (Voet)	CO
Tribe Apomecynini	
<b><i>Acestrilla minima</i> Bates</b>	<b>SC</b>
<i>Adetus abruptus</i> Belon	BN
<i>Adetus analis</i> (Haldeman)	PN
<i>Adetus cylindricus</i> Bates	BN, CO
<i>Amphicnaeia tate</i> Galileo and Martins	SC
<i>Bisaltes fuscodiscalis</i> Breuning	BO
<i>Dorcasta implicata</i> Melzer	TR
<i>Ptericoptus acuminatus</i> (Fabricius)	PN
Tribe Calliini	
<i>Callia argodi</i> Belon	CO
<i>Callia boliviana</i> Belon	CO
<i>Callia fulvocincta</i> Bates	TR
<i>Callia pulchra</i> Melzer	SC, TR
<i>Drycothaea maculata</i> Martins and Galileo	CO
<i>Graminea annulata</i> Galileo and Martins	CO
<i>Mimolaia varicornis</i> (Belon)	CO
Tribe Colobothheini	
<i>Colobothea appendiculata</i> Aurivillius	CO
<i>Colobothea bisignata</i> Bates	PN
<i>Colobothea meleagrina</i> Erichson	CO
<i>Colobothea pictilis</i> Bates	CO
<i>Colobothea rubroornata</i> Zajciw	CO
<i>Colobothea sublunulata</i> Zajciw	CO
Tribe Compsomatini	
<i>Aerenea flavolineata</i> Melzer	CO

## Tribe Desmiphorini

<i>Acaua exotica</i> Martins and Galileo	TR
<i>Ceiupaba lineata</i> Martins and Galileo	SC
<i>Cicatrixestola flavicans</i> Breuning	TR
<i>Cicuiara striata</i> (Bates)	SC
<i>Desmiphora cirrosa</i> Erichson	TR
<i>Desmiphora compta</i> Martins and Galileo	CO
<i>Desmiphora cucullata</i> Thomson	SC
<i>Desmiphora intonsa</i> (Germar)	SC
<i>Estola albicans</i> Breuning	CO
<i>Estola basiflava</i> Breuning	TR
<i>Estola nodicollis</i> Breuning	CO
<b><i>Estola obscuroides</i> Breuning</b>	<b>SC</b>
<i>Estola subannulicornis</i> Breuning	CO
<i>Mimasyngenes lepidotus</i> Clarke	SC, TR
<i>Mimasyngenes multisetosus</i> Clarke	SC

## Tribe Forsteriini

<i>Bactriola paupercula</i> Bates	CO
-----------------------------------	----

## Tribe Hemilophini

<i>Canarana seminigra</i> (Bates)	SC
<i>Malacosylus cinctulus</i> Bates	SC
<i>Phoebe bicornis</i> (Olivier)	SC
<i>Phoebe spegazzinii</i> Bruch	TR
<i>Tyrinthia capillata</i> Bates	SC

## Tribe Mauesiini

<i>Coroicoia ligata</i> (Schwarzer)	SC
-------------------------------------	----

## Tribe Monochamini

<i>Pseudotaeniotes mimus</i> (Dillon and Dillon)	SC
<i>Taeniotes chapini</i> Dillon and Dillon	SC
<i>Taeniotes monnei</i> Martins and Santos-Silva	BN, SC
<b><i>Taeniotes praeclarus</i> Bates</b>	<b>SC</b>
<i>Taeniotes pulverulentus</i> Olivier	SC

## Tribe Onciderini

<i>Cacostola volvula</i> (Fabricius)	CO, PN
<i>Cipriscola fasciata</i> (Thomson)	TR
<i>Euthima rodens</i> (Bates)	CO
<i>Hesychotypa aeropa</i> Dillon and Dillon	SC
<i>Hesychotypa lirissa</i> Dillon and Dillon	CO
<i>Jamesia globifera</i> (Fabricius)	CO
<i>Lochmaeocles consobrinus bolivianus</i> Dillon and Dillon	BN, TR
<i>Lochmaeocles pulcher</i> Dillon and Dillon	BN
<i>Lochmaeocles sladeni</i> (Gahan)	SC, TR
<i>Neolampedula obliquator</i> (Fabricius)	PN
<i>Oncideres minuta</i> Thomson	CO
<i>Trestonia turbula</i> Monné and Fragoso	CO
<b><i>Tulcoides tibialis</i> Martins and Galileo</b>	<b>SC</b>

Tribe Polyrhaphidini		
<i>Polyrhaphis argentina</i> Lane		BN
Tribe Phacellini		
<i>Neobrachychilus consobrinus</i> (Lane)		TR
<i>Piola quiabentiae</i> Marinoni		TR
Tribe Pteropliini		
<i>Anobrium oberthuri</i> Belon		CO
<i>Ataxia obscura</i> (Fabricius)		PN
<b><i>Rhaphiptera nodifera</i> Audinet-Serville</b>		SC
Tribe Tapeinini		
<i>Tapeina rudifrons</i> Marinoni		TR
Tribe Xenofreini		
<i>Xenofrea obscura</i> Galileo and Martins		CO
<i>Xenofrea zischkai</i> Galileo and Martins		BN

We provide the following list of species, which are recorded from Bolivia in published records (the reference where they were recorded is shown in parentheses after the name), because they were not recorded from Bolivia in the 2013 version of “Checklist of the Oxypeltidae, Vesperidae, Disteniidae and Cerambycidae (Coleoptera) of the Western Hemisphere”, by L. G. Bezark and M. A. Monné (2013). This extremely important resource is certainly the most widely referenced New World checklist. As publications are received its online version is regularly updated by the authors thereby providing users with the most current information on species distributions for countries in the New World. Inclusion of these records in the checklist will help to more accurately reflect the recorded diversity of Bolivia’s fauna.

CERAMBYCIDAEDEPARTMENT**Subfamily Parandrinae**

Tribe Parandrini		
<i>Birandra silvaini</i> (Tavakilian) (Wappes et al. 2006)		SC

**Subfamily Prioninae**

Tribe Callipogonini		
<i>Orthomegas pehlkei</i> (Lameere) (Audureau 2011)		CO
Tribe Prionini		
<i>Titanus giganteus</i> (Linnaeus) (Monné 2006)		BO

**Subfamily Cerambycinae**

Tribe Achrysonini		
<i>Achryson quadrimaculatum</i> (Fabricius) (Martins 1976)		SC
Tribe Callichromatini		
<i>Callichroma auricomum</i> (Linnaeus) (Aurivillius 1908; Napp and Martins 2009)		BO
<i>Callichroma velutinum</i> (Fabricius) (Napp and Martins 2009)		LP
Tribe Clytini		
<i>Pirangoclytus granulipennis</i> (Zajciw) (Wappes et al. 2006)		CO, LP

<i>Pirangoclytus laetus</i> (Fabricius) (Wappes et al. 2006)	PN, SC
Tribe Compsocerini	
<i>Aglaoschema basale</i> (Melzer) (Napp 2007)	SC
<i>Aglaoschema dulce</i> (Napp and Martins) (Napp 2007)	BO
Tribe Elaphidiini	
<i>Appula undulans</i> (White) (Martins 2005)	SC
Tribe Heteropsini	
<i>Chrysoprasia aeneiventris</i> Bates (Napp and Martins 1997)	SC, TR
Tribe Rhinotragini	
<i>Acatina quinque maculata</i> (Zajciw) (Clarke 2010)	SC
Tribe Trachyderini	
<i>Trachyderes succinctus duponti</i> Aurivillius (H depohl 1985)	BO
<b>Subfamily Lamiinae</b>	
Tribe Acanthocinini	
<i>Lagocheirus aeraneiformis fulvescens</i> Dillon (Monné 1995)	BO
<i>Ozineus striatus</i> (Gilmour) (Monné and Monné 2012)	SC
Tribe Acanthoderini	
<i>Oreodera simplex</i> Bates (Machado and Monné 2011)	CO
<i>Sorelia ferruginea</i> (Fuchs) (Fuchs 1964)	BO
Tribe Aerenicini	
<i>Recchia hirticornis</i> (Klug) (Martins and Galileo 1998)	BN, SC
Tribe Desmiphorini	
<i>Estola hirsuta</i> (De Geer) (Aurivillius 1922)	BO
<i>Mimasyngenes quiuira</i> (Galileo and Martins) (Clarke 2007)	SC
Tribe Xenofreini	
<i>Xenofrea zonata</i> Bates (Galileo and Martins 2005)	BO

### Acknowledgments

We thank and acknowledge the many individuals who have participated in the BCP and contributed data from their collected specimens to be included in this paper. They include: Jose Luis Aramayo, Tiziano Bettella, Antonio Bonaso, Robin Clarke, Caroli Hamel, Andrés Garzón-Moreno, Roy Morris, Robert Perger, José Romero, Paul Skelley, Fred Skillman and Norm Woodley. We also extend special thanks to Professor Eliazar Loras Peña, Docente Carrera Ing. Forestal, Universidad Autónoma del Beni “JB” and Vincent Vos, Riberalta, Beni. They kindly provided access to the Universidad Autónoma del Beni collection which contained a number of the new Beni distribution records included in this paper. Special thanks to our Brazilian colleagues; Maria Helena Galileo, Ubirajara Martins, Marcela Monné, Dilma Solange Napp, and Antonio Santos-Silva, who continue to assist us with troublesome identifications and special literature needs. While it is a pleasure to see papers that include distribution data and/or new species descriptions of Bolivian species, we do not forget or fail to appreciate the relentless work carried on by Larry Bezark (2013) to keep the checklist of the New World Cerambycidae up to date and available on line. This indispensable resource makes staying current an easy task for those who share our interest. We appreciate Paul Skelley and Mike Thomas for sharing their vast editorial experience and



for assisting us with use of the FSCA Syncroscopy AutoMontage® system. Special thanks to Charyn Micheli for the Spanish translation of the Abstract and Keywords. Reviews of early drafts of the manuscript were provided by Juan Pablo Botero, Rio de Janeiro, Brazil, Antonio Santos-Silva, São Paulo, Brazil, Don Thomas, Weslaco, TX and Norm Woodley, Washington D.C. All provided edits and suggestions that improved this publication. The encouragement and cooperation of our partners at the Museo de Historia Natural Noel Kempff Mercado, Santa Cruz de la Sierra is also especially appreciated. Special thanks to the Museum Director, Dr. Patricia Herrera de Pinto, without whose valuable assistance our work in Bolivia would be much more difficult, if not impossible.

## Literature Cited


- Audureau, A. 2011.** Révision du genre *Orthomegas* Audinet-Serville, 1832 (Coleoptera, Cerambycidae, Prionidae). Les Cahiers Magellanes (N. S.) 6: 63-96.
- Aurivillius, C. 1908.** Cerambyciden aus den Granzgebieten zwischen Peru und Bolivien gesammelt von Dr. Nils Holmgren. Arkiv för Zoologi 5(1): 1-13.
- Aurivillius, C. 1922.** Cerambycidae: Lamiinae. Coleopterorum Catalogus, pars 73: 1-322.
- Bezark, L. G. 2013.** A photographic catalog of the Cerambycidae of the World. <http://plant.cd.gov/byciddb/default.asp> [last accessed March, 2013].
- Bezark, L. G., and M. A. Monné. 2013.** Checklist of the Oxypeltidae, Vesperidae, Disteniidae and Cerambycidae, (Coleoptera) of the Western Hemisphere (updated through 31 December, 2012). 2013 Edition. BioQuip Publication; Rancho Dominguez, CA. 483p.
- Clarke, R. O. S. 2007.** Synopsis of the Bolivian species of *Mimasyngenes* Breuning, 1850 (Coleoptera, Cerambycidae, Desmiphorini) with two new species. Papéis Avulsos de Zoologia 47(26): 359-368.
- Clarke, R. O. S. 2009a.** Bolivian Rhinotragini I: New species of *Ecliptoides* Tavakilian & Peñaherrera-Leiva, 2005 new status, and *Cleptoides* new genus (Coleoptera, Cerambycidae). Papéis Avulsos de Zoologia 49(43): 563-576.
- Clarke, R. O. S. 2009b.** Rhinotragini II: *Isthmiade* Thomson, 1864 (Coleoptera, Cerambycidae), with two new species. Papéis Avulsos de Zoologia 49(44): 577-591.
- Clarke, R. O. S. 2010.** Bolivian Rhinotragini III: New genera and species (Coleoptera, Cerambycidae). Papéis Avulsos de Zoologia 50 (16): 239-267.
- Clarke, R. O. S. 2011.** Bolivian Rhinotragini IV: *Paraeclipta* gen. nov. (Coleoptera, Cerambycidae), new species and new combinations. Papéis Avulsos de Zoologia 51(15): 233-251.
- Clarke, R. O. S. 2012.** Bolivian Rhinotragini V: New Species of *Erythroplatys* White, 1855, *Rhinotragus* Germar, 1824, *Ornistomus* Thomson, 1864, and *Aechmutes* Bates, 1867 (Coleoptera, Cerambycidae). Papéis Avulsos de Zoologia 52(5): 55-79.
- Fuchs E. 1964.** 6. Beitrag zur Kenntnis der neotropischen Cerambyciden. Koleopterologische Rundschau 42: 6-10.
- Galileo, M. H. M., and U. R. Martins. 2005.** Novas espécies e novas ocorrências de *Xenofrea* (Coleoptera, Cerambycidae, Lamiinae). Iheringia, Zoologia, 95(4): 383-388.
- Galileo, M. H. M., and U. R. Martins. 2013.** Espécies de *Gorybia* Pascoe (Coleoptera, Cerambycidae, Piezocerini) ocorentes na Bolívia. Revista Brasileira de Entomologia 57(1): 1-8.
- Huedepohl, K. E. 1985.** Revision der Trachyderini. Entomologische Arbeiten aus dem Museum G. Frey 33/34: 1-167.
- Machado, V. S., and M. L. Monné. 2011.** Revision of *Anoreina* Bates (Coleoptera, Cerambycidae, Lamiinae). Zootaxa, 2970: 1-32.
- Martins, U. R. 1976.** Notas sobre *Achryson* Serville, 1833 (Coleoptera, Cerambycidae). Revista Brasileira de Entomologia, 20(2): 73-78.
- Martins, U. R. 2005.** Tribo Elaphidionini., In: U. R. Martins (Org.). Cerambycidae Sul-Americanos (Coleoptera) Taxonomia. Sociedade Brasileira de Entomologia, Curitiba, 7: 1-393.
- Martins, U. R., and M. H. M. Galileo. 1998.** Revisão da Tribo Aerenicini Lacordaire, 1872. Arquivos de Zoologia, 35(1): 1-133.

- Monné, M. A. 1995.** Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part XVIII. Subfamily Lamiinae: Tribe Acanthocinini. Sociedade Brasileira de Entomologia; São Paulo. 196p.
- Monné, M. A. 2006.** Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part III. Subfamilies Parandrinae, Prioninae, Anoplodermatinae, Aseminae, Spondylinae, Lepturinae, Oxypeltinae, and addenda to the Cerambycinae and Lamiinae. *Zootaxa* 1212: 1-244.
- Monné, M. A., and M. L. Monné. 2010.** Synopsis of the genus *Colobothea* Lepeletier & Audinet-Serville in Bolivia, with descriptions of two new species and new country records (Coleoptera, Cerambycidae). *Zootaxa* 2542: 33-47.
- Monné, M. A. and M. L. Monné. 2012.** The genera *Tropidozinius* Monné and Martins, 1976 and *Ozineus* Bates, 1863 in Bolivia (Coleoptera: Cerambycidae: Lamiinae): six new species and a new synonym. *Zootaxa* 3557: 59-68.
- Napp, D. S. 2007.** Revisão do gênero *Aglaoschema* Napp (Coleoptera, Cerambycidae). *Revista Brasileiro de Zoologia* 24(3): 793-816.
- Napp, D. S., and U. R. Martins. 1997.** Revisão do gênero *Chrysoprasis* A.-Serville, 1834 (Coleoptera, Cerambycidae, Cerambycinae, Heteropsini). III. grupo *chalybea*. *Revista Brasileira de Entomologia*, 41(1): 17-41.
- Napp, D. S., and U. R. Martins. 2009.** Tribo Callichromatini. p. 223-353. *In*: U. R. Martins (org.). *Cerambycidae Sul-Americanos* (Coleoptera) Taxonomia. Sociedade Brasileira de Entomologia, Curitiba, 10: 1-373.
- Svacha, P., Wang, J-J., and S-C. Chen. 1997.** Larval morphology and biology of *Philus antennatus* and *Heterophilus punctulatus*, and systematic position of the Philinae (Cerambycidae and Vesperidae). *Annales de la Société Entomologique de France* (N. S.): 1997, 33(3): 323-369.
- Wappes, J. E., R. F. Morris II, E. H. Nearns, and M. C. Thomas. 2006.** Preliminary checklist of Bolivian Cerambycidae (Coleoptera). *Insecta Mundi* 20 (1-2): 1-45.
- Wappes, J. E., S. W. Lingafelter, and R. Perger. 2011.** Additions and deletions to the known Cerambycidae (Coleoptera) of Bolivia. *Insecta Mundi* 0150: 1-8.


**Received July 18, 2013; Accepted August 4, 2013.**




**Figures 3-11.** New country and departmental records for Bolivian Cerambycidae. **3)** *Acestrilla minima* Bates. **4)** *Alcathousites superstes* (Erichson). **5)** *Allomallodon popelairi* (Lameere). **6)** *Amorupi fulvoterminata* (Berg). **7)** *Amphicnaeia tate* Galileo and Martins. **8)** *Anoreina piara* Martins and Galileo. **9)** *Antodice pinima* Martins and Galileo. **10)** *Apyrauna annulicornis* Martins. **11)** *Ataxia obscura* (Fabricius).




**Figures 12-20.** New country and departmental records for Bolivian Cerambycidae. **12)** *Bisaltes fuscodiscalis* Breuning. **13)** *Brachylophora auricollis* (Bruch). **14)** *Butherium erythropus* (Lucas). **15)** *Callancyla tucumana* Viana. **16)** *Carphina elliptica* (Germar). **17)** *Ceiupaba lineata* Martins and Galileo. **18)** *Ceralocyna fulvipes* Viana. **19)** *Chrysoprasis aurata* Aurivillius. **20)** *Chrysoprasis ibaca* Napp and Martins.




**Figures 21-29.** New country and departmental records for Bolivian Cerambycidae. **21** *Chrysoprasia ritcheri* Gounelle. **22** *Clausirion comptum* Martins and Napp. **23** *Coccoderus novempunctatus* (Germar). **24** *Coleroidion cingulum* Martins. **25** *Compsibidion ytu* Martins, Galileo and Oliveira. **26** *Cosmisoma brullei* (Mulsant). **27** *Cosmisoma cyaneum rubriventre* Monné and Magno, male. **28** *Cosmisoma cyaneum rubriventre* Monné and Magno, female. **29** *Cynoderus barbatus* Gounelle.



**Figures 30-38.** New country and departmental records for Bolivian Cerambycidae. **30** *Desmiphora cucullata* Thomson. **31** *Dihammaphora perforata* (Klug). **32** *Dioridium borgmeieri* (Lane). **33** *Eburia sordida* Burmeister. **34** *Eburodacrys cunusaia* Martins. **35** *Eburodacrys longilineata* White. **36** *Eburodacrystola pickeli* Melzer. **37** *Epimelitta debilis* (Gounelle) phenotype “a”. **38** *Epimelitta debilis* (Gounelle) phenotype “b”.




**Figures 39-47.** New country and departmental records for Bolivian Cerambycidae. **39)** *Erythrochiton jucundum* (Gounelle), female. **40)** *Erythrochiton jucundum* (Gounelle), male. **41)** *Estola obscuroides* Breuning. **42)** *Eucharitolus spilotus* Botero and Monné. **43)** *Glyptoceridion quincunx* (Thomson). **44)** *Gnomidolon brethesi* Bruch. **45)** *Heterocompsa formosa* (Martins). **46)** *Hyperplatys pusillus pusillus* (Bates). **47)** *Juiaparus batus lacordairei* (Gahan).




**Figures 48-56.** New country and departmental records for Bolivian Cerambycidae. **48)** *Lathroeus oreoderoides* Thomson. **49)** *Lissonoschema macrocolum* Martins and Monné. **50)** *Lissonotus andalgalensis* Bruch. **51)** *Lochmaeocles pulcher* Dillon and Dillon. **52)** *Lophopoeum bruchi* Monné and Martins. **53)** *Lophopoeum timbouwae* Lameere. **54)** *Malloccera glauca* Audinet-Serville. **55)** *Malloccera simplex* White. **56)** *Mephritis guttatus* Napp and Martins.






**Figures 57-65.** New country and departmental records for Bolivian Cerambycidae. **57)** *Morphaneplus prolixus* Martins and Napp. **58)** *Neoclytus rufus* (Olivier). **59)** *Neoeutrypanus nobilis* (Bates). **60)** *Neophygopoda tibialis* Melzer. **61)** *Neozodes signatus* Zajciw. **62)** *Nyssodrysilla lineata* Gilmour. **63)** *Nyssodrysternum spilotum* Monné. **64)** *Obrium clavijoi* Joly. **65)** *Odontocera septemtuberculata* Zajciw.



**Figures 66-74.** New country and departmental records for Bolivian Cerambycidae. **66)** *Ozineus striatus* Gilmour. **67)** *Palame crassimana* Bates. **68)** *Paralcidion bilineatum* Gilmour. **69)** *Pattalinus mirificus* (Gilmour). **70)** *Rhaphiptera nodifera* Audinet-Serville. **71)** *Sphallotrichus puncticolle puncticolle* (Bates). **72)** *Stenygra conspicua* (Perty). **73)** *Stizocera asyka* Galileo and Martins. **74)** *Stizocera nigroflava* Zajciw.



**Figures 75-83.** New country and departmental records for Bolivian Cerambycidae. **75)** *Stizocera spinicornis* (Fairmaire). **76)** *Taeniotes monnei* Martins and Santos-Silva. **77)** *Taeniotes praeclarus* Bates. **78)** *Temnopsis martinezi* Martins. **79)** *Trichonyssodryus aureopilosus* Monné. **80)** *Tropidion intermedium* (Martins). **81)** *Tropidion persimile* (Martins). **82)** *Tropidion rusticum* (Gounelle). **83)** *Tulcoides tibialis* Martins and Galileo.



**Figures 84-85.** New country and departmental records for Bolivian Cerambycidae. **84**) *Urgleptes ovalis* (Bates). **85**) *Xylergates elaineae* Gilmour.

