

Stellingen behorende bij het proefschrift

Pain unheard?

Postoperative pain assessment in neonates and infants

Stellingen

- 1 It is difficult to accept that an observer, no matter how experienced, could ever measure another person's pain. (*EC Huskisson, 1974; Lancet; 2:1127-1131.*)
- 2 It seems unnecessary to develop new pain instruments unless new indicators for pain are added. (*This thesis*)
- 3 The steady flow of new pain instruments reflects the dissatisfaction with the available ones. (*This thesis*)
- 4 Children may lie still in bed not because they are comfortable but because they hurt too much to move or they are afraid to move. (*CB Berde, 1989; Pediatric Clinics of North America; 36:921-940*)
- 5 'Time cures all things' does not seem to apply to rats who have been tortured at neonatal age.
- 6 "Less is more" : In any given investigation that isn't explicitly exploratory, we should be studying few independent variables and even fewer dependent variables. (*J Cohen, 1990; American Psychologist; 45:1304-1312*)
- 7 "Simple is better": We sometimes learn more from what we see than from what we compute. (*J Cohen, 1990; American Psychologist; 45:1304-1312*)
- 8 The proposition 'Statistical significance does not necessarily mean clinical relevance' could not be emphasised often enough.
- 9 Children also need quantity next to 'quality time', if only to have enough time to quarrel with their parents in peace.
- 10 The endless chatter between male sports correspondents and soccer coaches, would never have been accepted or given such attention when they had been women.

Stellingen

- 1 Het is moeilijk te accepteren dat een waarnemer, maakt niet uit hoe ervaren, ooit de pijn van iemand anders zou kunnen meten. (*EC Huskisson, 1974; Lancet; 2:1127-1131*)
- 2 Het lijkt nutteloos om nieuwe pijninstrumenten te ontwikkelen tenzij nieuwe pijnindicatoren toegevoegd worden. (*Dit proefschrift*)
- 3 De gestage stroom van nieuwe pijninstrumenten weerspiegelt de onvrede met de beschikbare instrumenten. (*Dit proefschrift*)
- 4 Kinderen kunnen stil in bed liggen en niet omdat ze comfortabel zijn, maar omdat ze teveel pijn hebben of bang zijn om te bewegen. (*CB Berde, 1989; Pediatric Clinics of North America; 36:921-940*)
- 5 ‘Tijd heelt alle wonden’ lijkt vooralsnog niet op te gaan voor ratten die op neonatale leeftijd zijn gepijnigd.
- 6 ‘Minder is meer’: In elk onderzoek dat niet expliciet exploratief is, zouden we weinig voorspellende en nog minder uitkomstvariabelen moeten bestuderen. (*J Cohen, 1990; American Psychologist; 45:1304-1312*)
- 7 ‘Eenvoud is het ware’: We leren soms meer van wat we zien dan van wat we berekenen. (*J Cohen, 1990; American Psychologist; 45:1304-1312*)
- 8 De stelling ‘ Statistische significantie betekent niet perse klinische relevantie’ kan niet vaak genoeg herhaald worden.
- 9 Kinderen hebben ook behoefte aan kwantiteit naast de zgn. ‘kwaliteitsuurtjes’, al was het maar om genoeg tijd te hebben om ongestoord ruzie te maken met hun ouders.
- 10 Het tomeloze geneuzel tussen mannelijke sportjournalisten en voetbaltrainers zou van vrouwen nooit geaccepteerd worden en zoveel aandacht krijgen.