## Aberystwyth University

## Department of Sport and Exercise Science

# The Role of Vitamin D and Physical Activity in Glycaemic Homeostasis

By Ffion Curtis

December 2013

A thesis submitted to the Department of Sport and
Exercise Science in partial fulfilment of the
requirements for the degree of Doctor of Philosophy

## **DECLARATION**

This work has not	previously been	accepted in	substance for	r any degree	and is not
being concurrently	y submitted in ca	indidature for	any degree.		

Signed (candidate)
Date
STATEMENT 1
This thesis is the result of my own investigations, except where otherwise stated. Where *correction services have been used, the extent and nature of the correction is clearly marked in a footnote(s).
Other sources are acknowledged by footnotes giving explicit references. A bibliography is appended.
Signed (candidate)
Date
[*this refers to the extent to which the text has been corrected by others]
STATEMENT 2
I hereby give consent for my thesis, if accepted, to be available for photocopying and for inter-library loan, and for the title and summary to be made available to outside organisations.
Signed (candidate)
Date

#### **Acknowledgments**

I would like to thank all those who contributed towards the completion of this thesis....

My PhD supervisors; Dr Rhys Thatcher, Dr Glen Davison and Dr Sam Rice all of whom brought something special and unique to the project. A special thank you to Mr Jones and Dan the Man who ensured my time in SES was so enjoyable – even on the "just not today days". Members of the local community, the Diabetes Healthcare team at Bronglais Hospital and the local Diabetes UK support group, who all contributed massively when recruiting for the studies. I would also like to thank all those who helped with project development, data collection and sample analyses; this includes colleagues within the department, the Diabetes Research Network Wales, Merthyr Tydfil biochemistry laboratories, and Healthspan who donated the vitamin D tablets.

Thank you to Toni and Will for all their continued support and patience, and to my dearest friend Abi, who alongside Toni, looked after Will for the last 4 years! Diolch

And last but not least I would like to thank Chris, who during those final days inspired me to reach out for perfect...

This PhD Project was funded through a Knowledge Economy Skills Scholarship in collaboration with Hywel Dda University Health Board.

### Contents

	Page
Abstract	1
Chapter 1: Literature Review	2
1.1 Context	2
1.2 Vitamin D	4
1.3 Type 2 Diabetes (Pathogenesis, Diagnosis and Treatment)	15
1.4 Vitamin D and Glucose Control	20
1.5 Physical Activity and Glucose Control	46
1.6 Physical Activity, Vitamin D and Glucose Control	49
1.7 Thesis aims and objectives	52
1.8 Rationale for Methods	54
Chapter 2: General Methods and Recruitment	65
2.1 General Methods	65
2.2 Ethics	65
2.3 Procedures	66
2.4 Blood sampling	66
2.5 Analyses	68
2.6 Recruitment Process	73
2.7 Development of analytical methods	77
Chapter 3: Study 1	79
3.1 Introduction	79
3.2 Methods	81
3.3 Results	84
3.4 Discussion	92
Chapter 4: Study 2	97

4.1 Introduction	97
4.2 Methods	99
4.3 Results	101
4.4 Discussion	116
Chapter 5: Study 3	122
5.1 Introduction	122
5.2 Methods	125
5.3 Results	134
5.4 Discussion	155
Chapter 6: Concluding Remarks	159
6.1 Concluding Remarks	158
6.2 In Conclusion	169
References	173

## List of Figures

Page
Figure 1.1: Metabolic pathway of vitamin D (Zitterman, 2003)5
Figure 1.2: Pathophysiology of hyperglycaemia and increased circulating fatty acids in type 2 diabetes (Stumvoll et al., 2010)17
Figure 1.3: Hypothesized mechanisms underlying the interrelationships among vitamin D deficiency, insulin homeostasis and T2D (Song & Manson, 2010)
Figure 1.4: seasonal fluctuations in HbA1c in 285,705 US diabetic veterans over 2 years (Tseng et al., 2005)29
Figure 1.5: Seasonal variation in vitamin D over 1.5 years in the 1958 British cohort (males $n = 3725$ , females $n = 3712$ ) (Hyppönen & Power, 2007)29
Figure 1.6: Individual changes in C-peptide and specific insulin (30 minute OGTT concentrations) pre and post vitamin D supplementation in 22 participants with no diabetes but considered high risk for diabetes (Boucher et al., 1995)45
Figure 2.1: Geographical locations of participants recruited for Studies 1 and 276
Figure 3.1: Flow diagram of participant recruitment and retention81
Figure 3.2: 25(OH)D concentrations in the 3 groups; group 1: FPG $\leq$ 6 mmol/l, group 2: FPG $\geq$ 6.1 – 6.9 mmol/l and group 3: $\geq$ 7 mmol/l85
Figure 3.3: Difference between groups (FPG ≤ 6mmol/l vs ≥ 6.1mmol/l) in 25(OH)D concentrations
Figure 3.4: The relationship between 25(OH)D and FPG (r =224, n = 101, p = 0.02)
Figure 3.5: The relationship between 25(OH)D and FPI (r =242, n = 98, p = 0.01)
Figure 3.6: The relationship between 25(OH)D and insulin sensitivity, (r = .256 , n = 93, p = 0.01)89
Figure 3.7: The relationship between 25(OH)D and HOMA (r =233, n = 93, p = 0.02)89
Figure 4.1: 25(OH)D concentration at the different time points: 0 months (winter), 6 months (summer) and 12 months (winter)
Figure 4.2: Fasting plasma insulin concentration at the different time points: 0 months (winter) 6 months (summer) and 12 months (winter) 104

Figure 4.3: β-cell function at the different time points: 0 months (winter), 6 months (summer) and 12 months (winter)
Figure 4.4: 25(OH)D concentration at the different time points in normal and high FPG groups (FPG $\leq$ 6 mmol/l vs $\geq$ 6.1 mmol/l)107
Figure 4.5: 25(OH)D concentration (mean $\pm$ SD) in groups (< 48 mmol/mol vs $\geq$ 48 mmol/mol) at the three data collection points
Figure 4.6: The relationship between 25(OH)D at 0 months (winter) and 25(OH)D at 12 months (winter)
Figure 4.7: The relationship between 25(OH)D at 0 months (winter) and HbA1c at 12 months (winter)
Figure 4.8: The relationship between 25(OH)D at 0 months (winter) and Fasting plasma insulin at 12 months (winter)111
Figure 4.9: The relationship between 25(OH)D and FPI at 6 months (summer)114
Figure 4.10: The relationship between 25(OH)D and HOMA-IR at 6 months (summer)
Figure 4.11: The relationship between 25(OH)D and insulin sensitivity at 6 months (summer)
Figure 5.1: Participant recruitment process including details of study withdrawal rates
Figure 5.2: Exercise test schedule for all participants and exercise intervention protocol for the exercise groups (Ex+VitD and Ex+Pla)
Figure 5.3: calculation for HR reserve
Figure 5.4: Change values from pre to post intervention for fasting plasma glucose
Figure 5.5: Change values from pre to post intervention for HbA1c147
Figure 5.6: Change values from pre to post intervention for fasting plasma insulin
Figure 5.7: Change values from pre to post intervention for OGTT glucose at 0 minutes
Figure 5.8: Change values from pre to post intervention for OGTT glucose at 20 minutes

Figure 5.9: Change values from pre to post intervention for OGTT glucose at 40 minutes
Figure 5.10: Change values from pre to post intervention for OGTT glucose at 60 minutes
Figure 5.11: Change values from pre to post intervention for OGTT glucose at 80 minutes
Figure 5.12: Change values from pre to post intervention for OGTT glucose at 100 minutes
Figure 5.13: Change values from pre to post intervention for OGTT glucose at 120 minutes
Figure 5.14: Change values from pre to post intervention for total area under the curve
Figure 5.15: Change values from pre to post intervention for trunk fat (DXA)153
Figure 5.16: Change values from pre to post intervention for total fat153
Figure 5.17: Change values from pre to post intervention for lean mass154
Figure 7.1: Significant results reported in Studies 1 and 2160
Figure 7.2: Proposed mechanistic support from studies 1 & 2. Original diagram Song, & Manson (2010)161
Figure 7.3: Seasonal and geographical variation in the prevalence of hypovitaminosis in the UK (25(OH)D < 40 nmol/l)164

## **List of Tables**

Page
Table 1.1: Serum 25-Hydroxyvitamin D [25(OH)D] Concentrations and Health8
Table 1.2: Recommended cut-off values to define vitamin D sufficiency9
Table 1.3: Serum 25-hydroxyvitamin D concentrations, status and management11
Table 1.4: Summary of research studies that have investigated the effect of vitamin D on glycaemia41
Table 1.5: HbA1c in old units (%) and new (mmol/mol)60
Table 2.1: D-10 HbA1c analyser inter-assay precision:69
Table 2.2: HbA1c analyser intra-assay precision69
Table 2.3: Insulin inter-assay precision:70
Table 2.4: Glucose inter-assay precision:71
Table 2.5: 25(OH)D inter-assay precision:72
Table 2.6: 25(OH)D intra-assay precision:73
Table 2.7: Distance from participants home addresses to Aberystwyth University76
Table 3.1: participant characteristics (mean ± SD)82
Table 3.2: Descriptive data for non-normally distributed statistics84
Table 3.3: Mean rank sum of 25(OH)D concentrations shown per FPG quartile87
Table 3.4: Non-significant relationships when exploring relationship between 25(OH)D and other variables90
Table 3.5: Medication list for participants with T2D90
Table 4.1: Participant Characteristics99
Table 4.2: Values for 25(OH)D concentration and measures of glycaemia in participants at all three time points
Table 4.3: Non significant results from Friedman tests for complete data sets at the three different time points

Table 4.4: Non-significant relationships between 25(OH)D at 0 months and other variables at 12 months111
Table 4.5: Results for non-significant statistics when exploring the relationship between change in 25(OH)D and changes in all other variables over 6 months (winter to summer)
Table 4.6: Non-significant results for relationships between changes in 25(OH)D and changes in all other measures (0 – 12 months)113
Table 4.7: Non-significant relationships when exploring relationship between 25(OH)D and other variables at 6 months (summer)
Table 5.1: Pre and post intervention values for measures of glycaemia: FPG, HbA1c & FPI (mean±SD)135
Table 5.2: Pre and post intervention values for measures of glycaemia (OGTT)
Table 5.3: Exercise test HR for participants in the four groups (mean ± SD)139
Table 5.4: RPE values for participants in the 4 experimental groups141
Table 5.5: Pre and Post values for body composition142
Table 5.6: 25(OH)D concentrations in the vitamin D and placebo groups143
Table 5.7: Adherence to exercise sessions over the 15-week cycling intervention