Engineering Conferences International ECI Digital Archives

Cell Culture Engineering XV

Proceedings

Spring 5-9-2016

Omics approach for generating a high-yield CHO cell line producing monoclonal antibodies

Wei Chi Development Center for Biotechnology, weikchi@dcb.org.tw

Hsuan-Pu Chen Development Center for Biotechnology

Dalton Chen Development Center for Biotechnology

Hsin-Lin Lu Development Center for Biotechnology

Bor-Shiun Chen Development Center for Biotechnology

See next page for additional authors

Follow this and additional works at: http://dc.engconfintl.org/cellculture_xv Part of the <u>Biomedical Engineering and Bioengineering Commons</u>

Recommended Citation

Wei Chi, Hsuan-Pu Chen, Dalton Chen, Hsin-Lin Lu, Bor-Shiun Chen, Chao Yi Teng, Chien-I Lin, Hsueh-Lin Lu, Chi-Chen Hsu, and Sheng Jie Huang, "Omics approach for generating a high-yield CHO cell line producing monoclonal antibodies" in "Cell Culture Engineering XV", Robert Kiss, Genentech Sarah Harcum, Clemson University Jeff Chalmers, Ohio State University Eds, ECI Symposium Series, (2016). http://dc.engconfintl.org/cellculture_xv/9

This Abstract is brought to you for free and open access by the Proceedings at ECI Digital Archives. It has been accepted for inclusion in Cell Culture Engineering XV by an authorized administrator of ECI Digital Archives. For more information, please contact franco@bepress.com.

Authors

Wei Chi, Hsuan-Pu Chen, Dalton Chen, Hsin-Lin Lu, Bor-Shiun Chen, Chao Yi Teng, Chien-I Lin, Hsueh-Lin Lu, Chi-Chen Hsu, and Sheng Jie Huang

OMICS APPROACH FOR GENERATING HIGH-YIELD CHO CELL LINES PRODUCING MONOCLONAL ANTIBODIES

Wei-Kuang Chi, Development Center for Biotechnology weikchi@dcb.org.tw
Hsuan-Pu Chen, Development Center for Biotechnology Dalton Chen, Development Center for Biotechnology
Bor-Shiun Chen, Development Center for Biotechnology
Bor-Shiun Chen, Development Center for Biotechnology
Chao-Yi Teng, Development Center for Biotechnology
Chien-I Lin, Development Center for Biotechnology
Hsueh-Lin Lu, Development Center for Biotechnology
Chien-Hsu, Development Center for Biotechnology
Chien Hsu, Development Center for Biotechnology
Sheng Jie Huang, Development Center for Biotechnology

Key Words: CHO, microarray, monoclonal antibody, integration site, genome editing

Chinese hamster ovary (CHO) cells are extensively used for the industrial manufacture of therapeutic antibodies. Generating high producing cell lines for secretory protein production requires knowing the bottleneck in the cellular machinery for protein expression. Integration site of gene of interest (GOI) is one of the important factors that influence the protein productivity. Even though screening of cells randomly integrated GOI can select high producing cells, the selected cell might not stable due to the chromosome instability. Here, we would like to look for host integration sites where GOI is high yield and stable by screening a single copy integration system. We developed several methods to identify integration sites including PCR based, whole genome sequencing based, and a platform to integrate a single copy of GOI into host genome. By determining the integration sites of the high producing clones, we can elucidate the major high yield sites for target gene expression. We have also employed the genome-editing tool, TALEN and CRISPR/cas9 to specifically integrate the vector with an antibody gene into two integration sites of CHO genome. Our data showed, IS1 and IS2 integration sites can be actively edited and specifically integrated an antibody expression vector of 15kb by either TALEN or CRISPR/Cas9. We successfully established site specifically integrated cell pools and expanded the FACS-sorted single cell into a cell line. Each single cell derived cell lines was confirmed by junction-PCR and sequence analysis. Furthermore, these single cells derived CHO cell lines are shown to express antibody gene with high titer. With the combination of omics knowledge and toolbox, including CHO genomics, transcriptomics and CHO specific microarray, GOI can be stably and highly produced.