

# Singapore Management University Institutional Knowledge at Singapore Management University

Research Collection School Of Information Systems

School of Information Systems

2013

## Regret based Robust Solutions for Uncertain Markov Decision Processes

Asrar AHMED

Singapore Management University, [masrara@smu.edu.sg](mailto:masrara@smu.edu.sg)

Pradeep Reddy VARAKANTHAM

Singapore Management University, [pradeepv@smu.edu.sg](mailto:pradeepv@smu.edu.sg)

Yossiri Adulyasak

MIT

Patrick Jaillet

SMART, NUS

Follow this and additional works at: [https://ink.library.smu.edu.sg/sis\\_research](https://ink.library.smu.edu.sg/sis_research)



Part of the [Artificial Intelligence and Robotics Commons](#), [Business Commons](#), and the [Operations Research, Systems Engineering and Industrial Engineering Commons](#)

### Citation

AHMED, Asrar; VARAKANTHAM, Pradeep Reddy; Adulyasak, Yossiri; and Jaillet, Patrick. Regret based Robust Solutions for Uncertain Markov Decision Processes. (2013). *Advances in Neural Information Processing Systems (NIPS)*. Research Collection School Of Information Systems.

**Available at:** [https://ink.library.smu.edu.sg/sis\\_research/1932](https://ink.library.smu.edu.sg/sis_research/1932)

This Conference Paper is brought to you for free and open access by the School of Information Systems at Institutional Knowledge at Singapore Management University. It has been accepted for inclusion in Research Collection School Of Information Systems by an authorized administrator of Institutional Knowledge at Singapore Management University. For more information, please email [libIR@smu.edu.sg](mailto:libIR@smu.edu.sg).

---

# Regret based Robust Solutions for Uncertain Markov Decision Processes

---

Asrar Ahmed, Pradeep Varakantham, Yossiri Adulyasak, Patrick Jaillet  
{masrara,pradeepv}@smu.edu.sg,yossiri@smart.mit.edu,jaillet@mit.edu

## Abstract

In this paper, we seek robust policies for uncertain Markov Decision Processes (MDPs). Most robust optimization approaches for these problems have focussed on the computation of *maximin* policies which maximize the value corresponding to the worst realization of the uncertainty. Recent work has proposed *minimax* regret as a suitable alternative to the *maximin* objective for robust optimization. However, existing algorithms for handling *minimax* regret are restricted to models with uncertainty over rewards only. We provide algorithms that employ sampling to improve across multiple dimensions: (a) Handle uncertainties over both transition and reward models; (b) Dependence of model uncertainties across state, action pairs and decision epochs; (c) Scalability and quality bounds. Finally, to demonstrate the empirical effectiveness of our sampling approaches, we provide comparisons against benchmark algorithms on two domains from literature. We also provide a Sample Average Approximation (SAA) analysis to compute a posteriori error bounds.

## Introduction

Motivated by the difficulty in exact specification of reward and transition models, researchers have proposed the uncertain Markov Decision Process (MDP) model and robustness objectives in solving these models. Given the uncertainty over the reward and transition models, a robust solution can typically provide some guarantees on the worst case performance. Most of the research in computing robust solutions has assumed a *maximin* objective, where one computes a policy that maximizes the value corresponding to the worst case realization [8, 4, 3, 1, 7]. This line of work has developed scalable algorithms by exploiting independence of uncertainties across states and convexity of uncertainty sets. Recently, techniques have been proposed to deal with dependence of uncertainties [15, 6].

Regan *et al.* [11] and Xu *et al.* [16] have proposed *minimax* regret criterion [13] as a suitable alternative to *maximin* objective for uncertain MDPs. We also focus on this *minimax* notion of robustness and also provide a new myopic variant of regret called Cumulative Expected Regret (CER) that allows for development of scalable algorithms.

Due to the complexity of computing optimal *minimax* regret policies [16], existing algorithms [12] are restricted to handling uncertainty only in reward models and the uncertainties are independent across states. Recent research has shown that sampling based techniques [5, 9] are not only efficient but also provide a priori (Chernoff and Hoeffding bounds) and a posteriori [14] quality bounds for planning under uncertainty.

In this paper, we also employ sampling based approaches to address restrictions of existing approaches for obtaining regret based solutions for uncertain MDPs. More specifically, we make the following contributions: (a) An approximate Mixed Integer Linear Programming (MILP) formulation with error bounds for computing minimum regret solutions for uncertain MDPs, where the uncertainties across states are dependent. We further provide enhancements and error bounds to improve applicability. (b) We introduce a new myopic concept of regret, referred to as Cumulative Expected Regret (CER) that is intuitive and that allows for development of scalable approaches.

(c) Finally, we perform a Sample Average Approximation (SAA) analysis to provide experimental bounds for our approaches on benchmark problems from literature.

## Preliminaries

We now formally define the two regret criterion that will be employed in this paper. In the definitions below, we assume an underlying MDP,  $\mathcal{M} = \langle \mathcal{S}, \mathcal{A}, T, R \rangle$  where a policy is represented as:  $\bar{\pi}^t = \{\pi^t, \pi^{t+1}, \dots, \pi^{H-1}\}$ , the optimal policy as  $\bar{\pi}^*$  and the optimal expected value as  $v^0(\bar{\pi}^*)$ . The maximum reward in any state  $s$  is denoted as  $R^*(s) (= \max_a R(s, a))$ . Throughout the paper, we use  $\alpha(s)$  to denote the starting state distribution in state  $s$  and  $\gamma$  to represent the discount factor.

**Definition 1** *Regret for any policy  $\bar{\pi}^0$  is denoted by  $reg(\bar{\pi}^0)$  and is defined as:*

$$reg(\bar{\pi}^0) = v^0(\bar{\pi}^*) - v^0(\bar{\pi}^0), \text{ where } v^0(\bar{\pi}^0) = \sum_s \alpha(s) \cdot v^0(s, \bar{\pi}^0),$$

$$v^t(s, \bar{\pi}^t) = \sum_a \pi^t(s, a) \cdot \left[ R(s, a) + \gamma \sum_{s'} T(s, a, s') \cdot v^{t+1}(s', \bar{\pi}^{t+1}) \right]$$

Extending the definitions of simple and cumulative regret in stochastic multi-armed bandit problems [2], we now define a new variant of regret called Cumulative Expected Regret (CER).

**Definition 2** *CER for policy  $\bar{\pi}^0$  is denoted by  $creg(\bar{\pi}^0)$  and is defined as:*

$$creg(\bar{\pi}^0) = \sum_s \alpha(s) \cdot creg^0(s, \bar{\pi}^0), \text{ where}$$

$$creg^t(s, \bar{\pi}^t) = \sum_a \pi^t(s, a) \cdot \left[ R^*(s) - R(s, a) + \gamma \sum_{s'} T(s, a, s') \cdot creg^{t+1}(s', \bar{\pi}^{t+1}) \right] \quad (1)$$

The following properties highlight the dependencies between regret and CER.

**Proposition 1** *For a policy  $\bar{\pi}^0 : 0 \leq reg(\bar{\pi}^0) - creg(\bar{\pi}^0) \leq \left[ \max_s R^*(s) - \min_s R^*(s) \right] \cdot \frac{(1-\gamma^H)}{1-\gamma}$*

**Proof Sketch**<sup>1</sup> By rewriting Equation (1) as  $creg(\bar{\pi}^0) = v^{0,\#}(\bar{\pi}^0) - v^0(\bar{\pi}^0)$ , we provide the proof.

**Corollary 1** *If  $\forall s, s' \in \mathcal{S} : R^*(s) = R^*(s')$ , then  $\forall \bar{\pi}^0 : creg(\bar{\pi}^0) = reg(\bar{\pi}^0)$ .*

**Proof.** Substituting  $\max_s R^*(s) = \min_s R^*(s)$  in the result of Propostion 1, we have  $creg(\bar{\pi}^0) = reg(\bar{\pi}^0)$ . ■

## Uncertain MDP

A finite horizon uncertain MDP is defined as the tuple of  $\langle \mathcal{S}, \mathcal{A}, \mathbf{T}, \mathbf{R}, H \rangle$ .  $\mathcal{S}$  denotes the set of states and  $\mathcal{A}$  denotes the set of actions.  $\mathbf{T} = \Delta^\tau(\mathcal{T})$  denotes a distribution over the set of transition functions  $\mathcal{T}$ , where  $\mathcal{T}_k^t(s, a, s')$  denotes the probability of transitioning from state  $s (\in \mathcal{S})$  to state  $s' (\in \mathcal{S})$  on taking action  $a (\in \mathcal{A})$  at time step  $t$  according to the  $k$ th element in  $\mathcal{T}$ . Similarly,  $\mathbf{R} = \Delta^\rho(\mathcal{R})$  denotes the distribution over the set of reward functions  $\mathcal{R}$ , where  $\mathcal{R}_k^t(s, a, s')$  is the reinforcement obtained on taking action  $a$  in state  $s$  and transitioning to state  $s'$  at time  $t$  according to  $k$ th element in  $\mathcal{R}$ . Both  $\mathcal{T}$  and  $\mathcal{R}$  sets can have infinite elements. Finally,  $H$  is the time horizon.

In the above representation, every element of  $\mathcal{T}$  and  $\mathcal{R}$  represent uncertainty over the entire horizon and hence this representation captures dependence in uncertainty distributions across states. We now provide a formal definition for the independence of uncertainty distributions that is equivalent to the rectangularity property introduced in Iyengar *et al.* [4].

<sup>1</sup>Detailed proof provided in supplement under Proposition 1.

**Definition 3** An uncertainty distribution  $\Delta^\tau$  over the set of transition functions,  $\mathcal{T}$  is independent over state action pairs at various decision epochs if

$$\Delta^\tau(\mathcal{T}) = \times_{s \in \mathcal{S}, a \in \mathcal{A}, t \leq H} \Delta_{s,a}^{\tau,t}(\mathcal{T}_{s,a}^t), \text{ i.e. } \forall k, Pr_{\Delta^\tau}(\mathcal{T}^k) = \prod_{s,a,t} Pr_{\Delta_{s,a}^{\tau,t}}(\mathcal{T}_{s,a}^t)$$

where  $\mathcal{T} = \times_{s,a,t} \mathcal{T}_{s,a}^t$ ,  $\mathcal{T}_{s,a}^t$  is the set of transition functions for  $s, a, t$ ;  $\Delta_{s,a}^{\tau,t}$  is the distribution over the set  $\mathcal{T}_{s,a}^t$  and  $Pr_{\Delta^\tau}(\mathcal{T}^k)$  is the probability of the transition function  $\mathcal{T}^k$  given the distribution  $\Delta^\tau$ .

We can provide a similar definition for the independence of uncertainty distributions over the reward functions. In the following definitions, we include transition,  $T$  and reward,  $R$  models as subscripts to indicate value ( $v$ ), regret ( $reg$ ) and CER ( $creg$ ) functions corresponding to a specific MDP. Existing works on computation of *maximin* policies have the following objective:

$$\pi^{maximin} = \arg \max_{\bar{\pi}^0} \min_{T \in \mathcal{T}, R \in \mathcal{R}} \sum_s \alpha(s) \cdot v_{T,R}^0(s, \bar{\pi}^0)$$

Our goal is to compute policies that minimize the maximum regret or cumulative regret over possible models of transitional and reward uncertainty.

$$\pi^{reg} = \arg \min_{\bar{\pi}^0} \max_{T \in \mathcal{T}, R \in \mathcal{R}} reg_{T,R}(\bar{\pi}^0); \pi^{creg} = \arg \min_{\bar{\pi}^0} \max_{T \in \mathcal{T}, R \in \mathcal{R}} creg_{T,R}(\bar{\pi}^0)$$

## Regret Minimizing Solution

We will first consider the more general case of dependent uncertainty distributions. Our approach to obtaining regret minimizing solution relies on sampling the uncertainty distributions over the transition and reward models. We formulate the regret minimization problem over the sample set as an optimization problem and then approximate it as a Mixed Integer Linear Program (MILP).

We now describe the representation of a sample and the definition of optimal expected value for a sample, a key component in the computation of regret. Since there are dependencies amongst uncertainties, we can only sample from  $\Delta^\tau$ ,  $\Delta^\rho$  and not from  $\Delta_{s,a}^{\tau,t}$ ,  $\Delta_{s,a}^{\rho,t}$ . Thus, a sample is:

$$\xi_q = \{\langle \mathcal{T}_q^0, \mathcal{R}_q^0 \rangle, \langle \mathcal{T}_q^1, \mathcal{R}_q^1 \rangle, \dots, \langle \mathcal{T}_q^{H-1}, \mathcal{R}_q^{H-1} \rangle\}$$

where  $\mathcal{T}_q^t$  and  $\mathcal{R}_q^t$  refer to the transition and reward model respectively at time step  $t$  in sample  $q$ . Let  $\bar{\pi}^t$  represent the policy for each time step from  $t$  to  $H - 1$  and the set of samples be denoted by  $\xi$ . Intuitively, that corresponds to  $|\xi|$  number of discrete MDPs and our goal is to compute *one* policy that minimizes the regret over all the  $|\xi|$  MDPs, i.e.

$$\pi^{reg} = \arg \min_{\bar{\pi}^0} \max_{\xi_q \in \xi} \sum_s \alpha(s) \cdot [v_{\xi_q}^*(s) - v_{\xi_q}^0(s, \bar{\pi}^0)]$$

where  $v_{\xi_q}^*$  and  $v_{\xi_q}^0(s, \bar{\pi}^0)$  denote the optimal expected value and expected value for policy  $\bar{\pi}^0$  respectively of the sample  $\xi_q$ .

Let,  $\bar{\pi}^0$  be any policy corresponding to the sample  $\xi_q$ , then the expected value is defined as follows:

$$v_{\xi_q}^t(s, \bar{\pi}^t) = \sum_a \pi^t(s, a) \cdot v_{\xi_q}^t(s, a, \bar{\pi}^t), \text{ where } v_{\xi_q}^t(s, a, \bar{\pi}^t) = \mathcal{R}_q^t(s, a) + \gamma \sum_{s'} v_{\xi_q}^{t+1}(s', \bar{\pi}^{t+1}) \cdot \mathcal{T}_q^t(s, a, s')$$

The optimization problem for computing the regret minimizing policy corresponding to sample set  $\xi$  is then defined as follows:

$$\min_{\bar{\pi}^0} reg(\bar{\pi}^0)$$

$$\text{s.t. } reg(\bar{\pi}^0) \geq v_{\xi_q}^* - \sum_s \alpha(s) \cdot v_{\xi_q}^0(s, \bar{\pi}^0) \quad \forall \xi_q \quad (2)$$

$$v_{\xi_q}^t(s, \bar{\pi}^t) = \sum_a \pi^t(s, a) \cdot v_{\xi_q}^t(s, a, \bar{\pi}^t) \quad \forall s, \xi_q, t \quad (3)$$

$$v_{\xi_q}^t(s, a, \bar{\pi}^t) = \mathcal{R}_q^t(s, a) + \gamma \sum_{s'} v_{\xi_q}^{t+1}(s', \bar{\pi}^{t+1}) \cdot \mathcal{T}_q^t(s, a, s') \quad \forall s, a, \xi_q, t \quad (4)$$

The value function expression in Equation (3) is a product of two variables,  $\pi^t(s, a)$  and  $v_{\xi_q}^t(s, a, \bar{\pi}^t)$ , which hampers scalability significantly. We now linearize these nonlinear terms.

162 **Mixed Integer Linear Program**

163  
164 The optimal policy for minimizing maximum regret in the general case is randomized. However, to  
165 account for domains which only allow for deterministic policies, we provide linearization separately  
166 for the two cases of deterministic and randomized policies.

167 **Deterministic Policy:** In case of deterministic policies, we replace Equation (3) with the following  
168 equivalent integer linear constraints:

$$169 \quad v_{\xi_q}^t(s, \bar{\pi}^t) \leq v_{\xi_q}^t(s, a, \bar{\pi}^t); v_{\xi_q}^t(s, \bar{\pi}^t) \leq \pi^t(s, a) \cdot M$$

$$170 \quad v_{\xi_q}^t(s, \bar{\pi}^t) \geq v_{\xi_q}^t(s, a, \bar{\pi}^t) - (1 - \pi^t(s, a)) \cdot M \quad (5)$$

171  
172  $M$  is a large positive constant that is an upper bound on  $v_{\xi_q}^t(s, a, \bar{\pi}^t)$ . Equivalence to the product  
173 terms in Equation (3) can be verified by considering all values of  $\pi^t(s, a)$ .

174  
175 **Randomized Policy:** When  $\bar{\pi}^0$  is a randomized policy, we have a product of two continuous vari-  
176 ables. We provide a mixed integer linear approximation to address the product terms above. Let,

$$177 \quad A_{\xi_q}^t(s, a, \bar{\pi}^t) = \frac{v_{\xi_q}^t(s, a, \bar{\pi}^t) + \pi^t(s, a)}{2}; B_{\xi_q}^t(s, a, \bar{\pi}^t) = \frac{v_{\xi_q}^t(s, a, \bar{\pi}^t) - \pi^t(s, a)}{2}$$

178  
179 Equation (3) can then be rewritten as:

$$180 \quad v_{\xi_q}^t(s, \bar{\pi}^t) = \sum_a [A_{\xi_q}^t(s, a, \bar{\pi}^t)^2 - B_{\xi_q}^t(s, a, \bar{\pi}^t)^2] \quad (6)$$

181  
182 As discussed in the next subsection on "Pruning dominated actions", we can compute upper and  
183 lower bounds for  $v_{\xi_q}^t(s, a, \bar{\pi}^t)$  and hence for  $A_{\xi_q}^t(s, a, \bar{\pi}^t)$  and  $B_{\xi_q}^t(s, a, \bar{\pi}^t)$ . We approximate the  
184 squared terms by using piecewise linear components that provide an upper bound on the squared  
185 terms. We employ a standard method from literature of dividing the variable range into multiple  
186 break points. More specifically, we divide the overall range of  $A_{\xi_q}^t(s, a, \bar{\pi}^t)$  (or  $B_{\xi_q}^t(s, a, \bar{\pi}^t)$ ), say  
187  $[br_0, br_r]$  into  $r$  intervals by using  $r + 1$  points namely  $\langle br_0, br_1, \dots, br_r \rangle$ . We associate a linear vari-  
188 able,  $\lambda_{\xi_q}^t(s, a, w)$  with each break point  $w$  and then approximate  $A_{\xi_q}^t(s, a, \bar{\pi}^t)^2$  (and  $B_{\xi_q}^t(s, a, \bar{\pi}^t)^2$ )  
189 as follows:

$$190 \quad A_{\xi_q}^t(s, a, \bar{\pi}^t) = \sum_w \lambda_{\xi_q}^t(s, a, w) \cdot br_w, \quad \forall s, a, \xi_q, t \quad (7)$$

$$191 \quad A_{\xi_q}^t(s, a, \bar{\pi}^t)^2 = \sum_w \lambda_{\xi_q}^t(s, a, w) \cdot (br_w)^2, \quad \forall s, a, \xi_q, t \quad (8)$$

$$192 \quad \sum_w \lambda_{\xi_q}^t(s, a, w) = 1, \quad \forall s, a, \xi_q, t \quad (9)$$

$$193 \quad SOS2_{\xi_q}^{s,a,t}(\{\lambda_{\xi_q}^t(s, a, w)\}_{w \leq r}), \quad \forall s, a, \xi_q, t$$

194  
195 where  $SOS2$  is a construct which is associated with a set of variables of which at most two variables  
196 can be non-zero and if two variables are non-zero they must be adjacent. Since any number in the  
197 range lies between at most two adjacent points, we have the above constructs for the  $\lambda_{\xi_q}^t(s, a, w)$   
198 variables. We implement the above adjacency constraints on  $\lambda_{\xi_q}^t(s, a, w)$  using the CPLEX Special  
199 Ordered Sets (SOS) type 2<sup>2</sup>.

200  
201 **Proposition 2** Let  $[c, d]$  denote the range of values for  $A_{\xi_q}^t(s, a, \bar{\pi}^t)$  and assume we have  $r + 1$   
202 points that divide  $A_{\xi_q}^t(s, a, \bar{\pi}^t)^2$  into  $r$  equal intervals of size  $\epsilon$  ( $= \frac{d^2 - c^2}{r}$ ) then the approximation  
203 error  $\delta < \frac{\epsilon}{4}$ .

204  
205 **Proof:** Let the  $r + 1$  points be  $br_0, \dots, br_r$ . By definition, we have  $(br_w)^2 = (br_{w-1})^2 + \epsilon$ . Because  
206 of the convexity of  $x^2$  function, the maximum approximation error in any interval  $[br_{w-1}, br_w]$   
207 occurs at its mid-point<sup>3</sup>. Hence, approximation error  $\delta$  is given by:

$$208 \quad \delta \leq \frac{(br_w)^2 + (br_{w-1})^2}{2} - \left[ \frac{br_w + br_{w-1}}{2} \right]^2 = \frac{\epsilon + 2 \cdot br_{w-1} \cdot (br_{w-1} - br_w)}{4} < \frac{\epsilon}{4} \quad \blacksquare$$

209  
210 <sup>2</sup>Using CPLEX SOS-2 considerably improves runtime compared to a binary variables formulation.

211 <sup>3</sup>Proposition and proof provided in supplement as Footnote 3

**Proposition 3** Let  $\hat{v}_{\xi_q}^t(s, \bar{\pi}^t)$  denote the approximation of  $v_{\xi_q}^t(s, \bar{\pi}^t)$ . Then

$$v_{\xi_q}^t(s, \bar{\pi}^t) - \frac{|\mathcal{A}| \cdot \epsilon \cdot (1 - \gamma^{H-1})}{4 \cdot (1 - \gamma)} \leq \hat{v}_{\xi_q}^t(s, \bar{\pi}^t) \leq v_{\xi_q}^t(s, \bar{\pi}^t) + \frac{|\mathcal{A}| \cdot \epsilon \cdot (1 - \gamma^{H-1})}{4 \cdot (1 - \gamma)}$$

**Proof Sketch**<sup>4</sup>: We use the approximation error provided in Proposition 2 and propagate it through the value function update. ■

**Corollary 2** The positive and negative errors in regret are bounded by  $\frac{|\mathcal{A}| \cdot \epsilon \cdot (1 - \gamma^{H-1})}{4 \cdot (1 - \gamma)}$

**Proof.** From Equation (2) and Proposition 3, we have the proof. ■

Since the break points are fixed before hand, we can find tighter bounds (refer to Proof of Proposition 2). Also, we can further improve on the performance (both run-time and solution quality) of the MILP by pruning out dominated actions and adopting clever sampling strategies as discussed in the next subsections.

### Pruning dominated actions

We now introduce a pruning approach<sup>5</sup> to remove actions that will never be assigned a positive probability in a regret minimization strategy. For every state action pair at each time step, we define a minimum and maximum value function as follows:

$$\begin{aligned} v_{\xi_q}^{t, \min}(s, a) &= \mathcal{R}_q^t(s, a) + \gamma \sum_{s'} \mathcal{T}_q^t(s, a, s') \cdot v_{\xi_q}^{t+1, \min}(s'); & v_{\xi_q}^{t, \min}(s) &= \min_a \left\{ v_{\xi_q}^{t, \min}(s, a) \right\} \\ v_{\xi_q}^{t, \max}(s, a) &= \mathcal{R}_q^t(s, a) + \gamma \sum_{s'} \mathcal{T}_q^t(s, a, s') \cdot v_{\xi_q}^{t+1, \max}(s'); & v_{\xi_q}^{t, \max}(s) &= \max_a \left\{ v_{\xi_q}^{t, \max}(s, a) \right\} \end{aligned}$$

An action  $a'$  is pruned if there exists the same action  $a$  over all samples  $\xi_q$ , such that

$$v_{\xi_q}^{t, \min}(s, a) \geq v_{\xi_q}^{t, \max}(s, a') \exists a, \forall \xi_q$$

The above pruning step follows from the observation that an action whose best case payoff is less than the worst case payoff of another action  $a$  cannot be part of the regret optimal strategy, since we could switch from  $a'$  to  $a$  without increasing the regret value. It should be noted that an action that is not optimal for any of the samples cannot be pruned.

### Greedy sampling

The scalability of the MILP formulation above is constrained by the number of samples  $Q$ . So, instead of generating only the fixed set of  $Q$  samples from the uncertainty distribution over models, we generate more than  $Q$  samples and then pick a set of size  $Q$  so that samples are ‘‘as far apart’’ as possible. The key intuition in selecting the samples is to consider distance among samples as being equivalent to entropy in the optimal policies for the MDPs in the samples. For each decision epoch,  $t$ , each state  $s$  and action  $a$ , we define  $Pr_{\xi}^{s, a, t}(\pi_{\xi}^{*t}(s, a) = 1)$  to be the probability that  $a$  is the optimal action in state  $s$  at time  $t$ . Similarly, we define  $Pr_{\xi}^{s, a, t}(\pi_{\xi}^{*t}(s, a) = 0)$ :

$$Pr_{\xi}^{s, a, t}(\pi_{\xi}^{*t}(s, a) = 1) = \frac{\sum_{\xi_q} \pi_{\xi_q}^{*t}(s, a)}{Q}; Pr_{\xi}^{s, a, t}(\pi_{\xi}^{*t}(s, a) = 0) = \frac{\sum_{\xi_q} (1 - \pi_{\xi_q}^{*t}(s, a))}{Q}$$

Let the total entropy of sample set,  $\xi$  ( $|\xi| = Q$ ) be represented as  $\Delta S(\xi)$ , then

$$\Delta S(\xi) = - \sum_{t, s, a} \sum_{z \in \{0, 1\}} Pr_{\xi}^{s, a, t}(\pi_{\xi}^{*t}(s, a) = z) \cdot \ln(Pr_{\xi}^{s, a, t}(\pi_{\xi}^{*t}(s, a) = z))$$

We use a greedy strategy to select the  $Q$  samples, i.e. we iteratively add samples that maximize entropy of the sample set in that iteration.

It is possible to provide bounds on the number of samples required for a given error using the methods suggested by Shapiro *et al.* [14]. However these bounds are conservative and as we show in the experimental results section, typically, we only require a small number of samples.

<sup>4</sup>Detailed proof in supplement under Proposition 3

<sup>5</sup>Pseudo code provided in the supplement under ‘‘Pruning dominated actions’’ section.

## CER Minimizing Solution

The MILP based approach mentioned in the previous section can easily be adapted to minimize the maximum cumulative regret over all samples when uncertainties across states are dependent:

$$\begin{aligned}
& \min_{\bar{\pi}^0} \text{creg}(\bar{\pi}^0) \\
& \text{s.t. } \text{creg}(\bar{\pi}^0) \geq \sum_s \alpha(s) \cdot \text{creg}_{\xi_q}^0(s, \bar{\pi}^t), \quad \forall \xi_q \\
& \text{creg}_{\xi_q}^t(s, \bar{\pi}^t) = \sum_a \pi^t(s, a) \cdot \text{creg}_{\xi_q}^t(s, a, \bar{\pi}^t), \quad \forall s, t, \xi_q \quad (10) \\
& \text{creg}_{\xi_q}^t(s, a, \bar{\pi}^t) = \mathcal{R}_q^{*,t}(s) - \mathcal{R}_q^t(s, a) + \gamma \sum_{s'} \mathcal{T}_q^t(s, a, s') \cdot \text{creg}_{\xi_q}^{t+1}(s', \bar{\pi}^{t+1}), \quad \forall s, a, t, \xi_q \quad (11)
\end{aligned}$$

where the product term  $\pi^t(s, a) \cdot \text{creg}_{\xi_q}^t(s, a, \bar{\pi}^t)$  is approximated as described earlier.

While we were unable to exploit the independence of uncertainty distributions across states with *minimax* regret, we are able to exploit the independence with *minimax* CER. In fact, a key advantage of the CER robustness concept in the context of independent uncertainties is that it has the *optimal substructure* over time steps and hence a Dynamic Programming(DP) algorithm can be used to solve it.

In the case of independent uncertainties, samples at each time step can be drawn independently and we now introduce a formal notation to account for samples drawn at each time step. Let  $\xi^t$  denote the set of samples at time step  $t$ , then  $\xi = \times_{t \leq H-1} \xi^t$ . Further, we use  $\bar{\xi}^t$  to indicate cross product of samples from  $t$  to  $H-1$ , i.e.  $\bar{\xi}^t = \times_{t \leq e \leq H-1} \xi^e$ . Thus,  $\bar{\xi}^0 = \xi$ . To indicate the entire horizon samples corresponding to a sample  $p$  from time step  $t$ , we have  $\bar{\xi}_p^t = \xi_p^t \times \bar{\xi}^{t+1}$ .

For notational compactness, we use  $\Delta \mathcal{R}_p^{t-1}(s, a) = \mathcal{R}_p^{*,t-1}(s) - \mathcal{R}_p^{t-1}(s, a)$ . Because of independence in uncertainties across time steps, for a sample set  $\bar{\xi}_p^{t-1} = \xi_p^{t-1} \times \bar{\xi}^t$ , we have the following:

$$\begin{aligned}
\max_{\bar{\xi}_p^{t-1}} \text{creg}_{\bar{\xi}_p^{t-1}}^{t-1}(s, \bar{\pi}^{t-1}) &= \max_{\xi_p^{t-1} \times \bar{\xi}_p^t} \sum_a \pi^{t-1}(s, a) \left[ \Delta \mathcal{R}_p^{t-1}(s, a) + \gamma \sum_{s'} \mathcal{T}_p^t(s, a, s') \cdot \text{creg}_{\bar{\xi}_t}^t(s', \bar{\pi}^t) \right] \\
&= \max_{\xi_p^{t-1}} \sum_a \pi^{t-1}(s, a) \left[ \Delta \mathcal{R}_p^{t-1}(s, a) + \gamma \sum_{s'} \mathcal{T}_p^t(s, a, s') \cdot \max_{\bar{\xi}_t \in \bar{\xi}^t} \text{creg}_{\bar{\xi}_t}^t(s', \bar{\pi}^t) \right] \quad (12)
\end{aligned}$$

**Proposition 4** *At time step  $t-1$ , the CER corresponding to any policy  $\pi^{t-1}$  will have least regret if it includes CER minimizing policy from  $t$ . Formally, if  $\bar{\pi}^{*,t}$  represents the CER minimizing policy from  $t$  and  $\bar{\pi}^t$  represents any arbitrary policy, then:*

$$\forall s : \max_{\bar{\xi}_p^{t-1} \in \bar{\xi}^{t-1}} \text{creg}_{\bar{\xi}_p^{t-1}}^{t-1}(s, \langle \pi^{t-1}, \bar{\pi}^{*,t} \rangle) \leq \max_{\bar{\xi}_p^{t-1} \in \bar{\xi}^{t-1}} \text{creg}_{\bar{\xi}_p^{t-1}}^{t-1}(s, \langle \pi^{t-1}, \bar{\pi}^t \rangle) \quad (13)$$

$$\text{if, } \forall s : \max_{\bar{\xi}_q^t \in \bar{\xi}^t} \text{creg}_{\bar{\xi}_q^t}^t(s, \bar{\pi}^{*,t}) \leq \max_{\bar{\xi}_q^t \in \bar{\xi}^t} \text{creg}_{\bar{\xi}_q^t}^t(s, \bar{\pi}^t) \quad (14)$$

**Proof Sketch**<sup>6</sup> We prove this by using Equations (14) and (12) in LHS of Equation (13). ■

It is easy to show that minimizing CER also has an optimal substructure:

$$\min_{\bar{\pi}^0} \max_{\bar{\xi}_p^0} \sum_s \alpha(s) \cdot \text{creg}_{\bar{\xi}_p^0}^0(s, \bar{\pi}^0) \implies \min_{\bar{\pi}^0} \sum_s \alpha(s) \cdot \left[ \max_{\bar{\xi}_p^0} \text{creg}_{\bar{\xi}_p^0}^0(s, \bar{\pi}^0) \right] \quad (15)$$

In Proposition 4 (extending the reasoning to  $t=1$ ), we have already shown that  $\max_{\bar{\xi}_p^0} \text{creg}_{\bar{\xi}_p^0}^0(s, \bar{\pi}^0)$  has an optimal substructure. Thus, Equation (15) can also exploit the optimal substructure.

MINIMIZECER function below provides the pseudo code for a DP algorithm that exploits this structure. At each stage,  $t$  we calculate the *creg* for each state action pair corresponding to each of the samples at that stage, i.e.  $\xi^t$  (lines 6-9). Once these are computed, we obtain the maximum *creg* and

<sup>6</sup>Detailed proof in supplement under Proposition 4.

the policy corresponding to it (line 10) using the GETCER() function. In the next iteration,  $creg$  computed at  $t$  is then used in the computation of  $creg$  at  $t - 1$  using the same update step (lines 6-9).

#### MINIMIZECER()

```

1: for all  $t \leq H - 1$  do
2:    $\xi^t \leftarrow \text{GENSAMPLES}(\mathbf{T}, \mathbf{R})$ 
3: for all  $s \in \mathcal{S}$  do
4:    $creg^H(s) \leftarrow 0$ 
5: while  $t \geq 0$  do
6:   for all  $s \in \mathcal{S}$  do
7:     for all  $\xi_q^t \in \xi^t, a \in \mathcal{A}$  do
8:        $creg_{\xi_q^t}^t(s, a) \leftarrow \Delta R_q^t(s, a) +$ 
9:          $\gamma \sum_{s'} \mathcal{T}_q^t(s, a, s') \cdot creg^{t+1}(s')$ 
10:       $\langle \pi^t, creg^t(s) \rangle \leftarrow \text{GETCER}(s, \{creg_{\xi_q^t}^t(s, a)\})$ 
11:    $t \leftarrow t - 1$ 
return  $(\bar{creg}^0, \bar{\pi}^0)$ 

```

#### GETCER( $s, \{creg_{\xi_q^t}^t(s, a)\}$ )

$$\min_{\pi} creg^t(s)$$

$$creg^t(s) \geq \sum_a \pi^t(s, a) \cdot creg_{\xi_q^t}^t(s, a), \forall t, \xi_q^t$$

$$\sum_a \pi^t(s, a) = 1$$

$$0 \leq \pi^t(s, a) \leq 1, \forall a$$

It can be noted that MINIMIZECER() makes only  $H \cdot |\mathcal{S}|$  calls to the LP in GETCER() function, each of which has only  $|\mathcal{A}|$  continuous variables and at most  $[1 + \max_t |\xi^t|]$  number of constraints. Thus, the overall complexity of MinimizeCER() is polynomial in the number of samples given fixed values of other attributes.

Let  $creg^{*,H-1}(s, a)$  denote the optimal cumulative regret at time step  $H - 1$  for taking action  $a$  in state  $s$  and  $creg_{\xi}^{*,H-1}(s, a)$  denote the optimal cumulative regret over the sample set  $\xi$ . Let indicator

random variable,  $X$  be defined as follows:  $X = \begin{cases} 1 & \text{if } creg^{*,H-1}(s, a) - creg_{\xi}^{*,H-1}(s, a) \leq \lambda \\ 0 & \text{otherwise} \end{cases}$

By using Chernoff and Hoeffding bounds on  $X$ , it is possible to provide bounds on deviation from mean and on the number of samples at  $H - 1$ . This can then be propagated to  $H - 2$  and so on. However, these bounds can be very loose and they do not exploit the properties of  $creg$  functions. Bounds developed on spacings of order statistics can help exploit the properties of  $creg$  functions. We will leave this for future work.

## Experimental Results

In this section, we provide performance comparison of various algorithms introduced in previous sections over two domains. MILP-Regret refers to the randomized policy variant of the MILP approximation algorithm for solving uncertain MDPs with dependent uncertainties. Similar one for minimizing CER is referred to as MILP-CER. We refer to the dynamic programming algorithm for minimizing CER in the independent uncertainty case as DP-CER and finally, we refer to the *maximin* value algorithm as “Maximin”. All the algorithms finished within 15 minutes on all the problems. DP-CER was much faster than other algorithms and finished within a minute on the largest problems. While there are some patterns in run-time, we will focus on the more interesting results on the performance with respect to simulated regret and expected value.

We provide the following results in this section:

- (1) Performance comparison of Greedy sampling and Random sampling strategies in the context of MILP-Regret as we increase the number of samples.
- (2) SAA analysis of the results obtained using MILP-Regret.
- (3) Comparison of MILP-Regret and MILP-CER policies with respect to simulated regret.
- (4) Comparison of DP-CER and Maximin.

The first three comparisons correspond to the dependent uncertainties case and the results are based on a path planning problem that is motivated by disaster rescue and is a modification of the one employed in Bagnell *et al.* [1]. On top of normal transitional uncertainty, we have uncertainty over transition and reward models due to random obstacles and random reward cells. Furthermore, these uncertainties are dependent on each other due to patterns in terrains. Each sample of the various uncertainties represents an individual map and can be modelled as an MDP. We experimented with a grid world of size 4x4 while varying numbers of obstacles, reward cells, horizon and the number of break points employed (3-6).



378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431




Figure 1: In (a),(b) we have  $4 \times 4$  grid,  $H = 5$ . In (c), the maximum inventory size ( $X$ ) = 50,  $H = 20$ ,  $|\xi^t| = 50$ . The normal distribution mean  $\mu = \{0.3, 0.4, 0.5\} \cdot X$  and  $\sigma \leq \frac{\min\{\mu, X-\mu\}}{3}$

In Figure 1a, we show the effect of using greedy sampling strategy on the MILP-Regret policy. On X-axis, we represent the number of samples used for computation of policy (learning set). The test set from which the samples were selected consisted of 250 samples. We then obtained the policies using MILP-Regret corresponding to the sample sets (referred to as learning set) generated by using the two sampling strategies. On Y-axis, we show the percentage difference between simulated regret values on test and learning sample sets. We observe that for a fixed difference, the number of samples required by greedy is significantly lower in comparison to random. Furthermore, the variance in difference is also much lower for greedy. A key result from this graph is that even with just 25 samples, the difference with actual regret is less than 10%.

Our result (2) shows that even the gap obtained using SAA analysis<sup>7</sup> is near zero ( $< 0.1$ ) with 25 samples. Figure 1b shows this result. We have shown the gap and variance on the gap over three different settings of uncertainty labeled 1,2 and 3. Setting 3 has the highest uncertainty over the models and Setting 1 has the least uncertainty. The variance over the gap was higher for higher uncertainty settings.

While MILP-CER obtained a simulated regret value (over 250 samples) within the bound provided in Proposition 1, we were unable to find any correlation in the simulated regret values of MILP-Regret and MILP-CER policies as the samples were increased. We have not yet ascertained a reason for there being no correlation in performance.

In the last result shown in Figure 1c, we employ the well known single product finite horizon stochastic inventory control problem [10]. We compare DP-CER against the widely used benchmark algorithm on this domain, Maximin. Also, we were unable to scale the MILP-Regret or MILP-CER approaches to solve this very large problem, where we employed 50 samples at each time step for a 20 time step problem. The demand values at each decision epoch were taken from a normal distribution. We considered three different settings of mean and variance of the demand. As expected, the DP-CER approach provides much higher values than maximin and the difference between the two reduced as the cost to revenue ratio increased. We obtained similar results when the demands were taken from other distributions (uniform and bi-modal).

## Conclusions

We have introduced scalable sampling based mechanisms for optimizing regret and a new variant of regret called CER in uncertain MDPs with dependent and independent uncertainties across states. We have provided a variety of theoretical results that indicate the connection between regret and CER, quality bounds on regret in case of MILP-Regret, optimal substructure in optimizing CER for independent uncertainty case and run-time performance for MinimizeCER. In the future, we hope to better understand the correlation between regret and CER, while also understanding the properties of CER policies.

**Acknowledgement** This research was supported in part by the National Research Foundation Singapore through the Singapore MIT Alliance for Research and Technologys Future Urban Mobility research programme. The last author was also supported by ONR grant N00014-12-1-0999.

<sup>7</sup>We have provided the method for performing SAA analysis in the supplement.

432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485

## References

- [1] J. Andrew Bagnell, Andrew Y. Ng, and Jeff G. Schneider. Solving uncertain markov decision processes. Technical report, Carnegie Mellon University, 2001.
- [2] Sébastien Bubeck, Rémi Munos, and Gilles Stoltz. Pure exploration in multi-armed bandits problems. In *Proceedings of the 20th international conference on Algorithmic learning theory*, Algorithmic Learning Theory, 2009.
- [3] Robert Givan, Sonia Leach, and Thomas Dean. Bounded-parameter markov decision processes. *Artificial Intelligence*, 122, 2000.
- [4] G. Iyengar. Robust dynamic programming. *Mathematics of Operations Research*, 30, 2004.
- [5] Michael Kearns, Yishay Mansour, and Andrew Y. Ng. A sparse sampling algorithm for near-optimal planning in large markov decision processes. *Machine Learning*, 49, 2002.
- [6] Shie Mannor, Ofir Mebel, and Huan Xu. Lightning does not strike twice: Robust MDPs with coupled uncertainty. In *International Conference on Machine Learning (ICML)*, 2012.
- [7] Andrew Mastin and Patrick Jaillet. Loss bounds for uncertain transition probabilities in markov decision processes. In *IEEE Annual Conference on Decision and Control (CDC), 2012*, 2012.
- [8] Arnab Nilim and Laurent El Ghaoui. Ghaoui, l.: Robust control of markov decision processes with uncertain transition matrices. *Operations Research*, 2005.
- [9] Joelle Pineau, Geoffrey J. Gordon, and Sebastian Thrun. Point-based value iteration: An anytime algorithm for POMDPs. In *International Joint Conference on Artificial Intelligence*, 2003.
- [10] Martin Puterman. *Markov Decision Processes: Discrete Stochastic Dynamic Programming*. John Wiley and Sons, 1994.
- [11] Kevin Regan and Craig Boutilier. Regret-based reward elicitation for markov decision processes. In *Uncertainty in Artificial Intelligence*, 2009.
- [12] Kevin Regan and Craig Boutilier. Robust policy computation in reward-uncertain MDPs using nondominated policies. In *National Conference on Artificial Intelligence (AAAI)*, 2010.
- [13] Leonard Savage. *The Foundations of Statistics*. Wiley, 1954.
- [14] A. Shapiro. Monte carlo sampling methods. In *Stochastic Programming*, volume 10 of *Handbooks in Operations Research and Management Science*. Elsevier, 2003.
- [15] Wolfram Wiesemann, Daniel Kuhn, and Ber Rustem. Robust markov decision processes. *Mathematics of Operations Research*, 38(1), 2013.
- [16] Huan Xu and Shie Mannor. Parametric regret in uncertain markov decision processes. In *IEEE Conference on Decision and Control, CDC*, 2009.