

Supplementary Table 1. Sensitivity analyses of temporal and regional trends in <i>Acinetobacter</i> and in ACB (number of isolates, resistance rates)								
	All laboratories				Laboratories sending data since 2005			
	All <i>Acinetobacter</i>		Only ACB isolates		All <i>Acinetobacter</i>		Only ACB isolates	
Number of laboratories	23		22		14		14	
Total number of isolates	632		299		495		236	
Number of resistant isolates	58		55		58		48	
Global resistance rate	9.2%		18.4%		11.7%		20.3%	
Mean number of isolates sent per year per region	4.83 (2.13)		4.58 (2.11)		4.25 (1.71)		4.0 (1.71)	
Factors affecting the number of resistant isolates per year per region^a								
	IRR (95% CI)		P value		IRR (95% CI)		P value	
Year	1.00 (0.96-1.04)		0.979		1.00 (0.95-1.04)		0.909	
Centre East	1.00 (-)		-		1.00 (-)		-	
Centre West	1.00 (0.94-1.06)		0.979		1 (0.93-1.07)		0.910	
East	1.00 (0.96-1.04)		0.979		1.00 (0.95-1.04)		0.910	
Geneva	1.17 (0.91-1.50)		0.226		1.16 (0.91-1.48)		0.240	
North East	2.00 (1.35-2.98)		0.001		2.19 (1.46-3.28)		<0.001	
North West	1.00 (0.97-1.03)		0.979		1.00 (0.95-1.05)		0.912	
Tessin	1.00 (0.95-1.05)		0.979		1.00 (0.95-1.06)		0.910	
West	1.17 (0.90-1.51)		0.245		1.16 (0.89-1.52)		0.259	
Mean resistant rate:								
per region (sd)	8.4% (6.98%)				15.3% (9.61%)			
per region per year (sd)	8.4% (13.9%)				15.4% (26.1%)			
Factors affecting resistant rates per year per region^b								
	OR (95%CI)		P value		OR (95%CI)		P value	
Year	1.06 (0.98-1.16)		0.155		1.08 (0.99- 1.19)		0.096	
Centre East	1.00 (-)		-		1.00 (-)		-	
Centre West	1.27 (0.28-8.91)		0.780		1.27 (0.26- 9.34)		0.782	
East	0.43 (0.02-4.70)		0.501		0.36 (0.02- 4.15)		0.425	
Geneva	2.51 (0.57-17.41)		0.265		2.12 (0.45-15.49)		0.383	
North East	6.75 (1.88-43.32)		0.012		4.95 (1.24-33.34)		0.045	
North West	2.05 (0.47-14.20)		0.383		1.60 (0.32-11.82)		0.592	
Tessin	1.45 (0.27-10.78)		0.677		0.87 (0.15- 6.74)		0.878	
West	1.76 (0.40-12.17)		0.492		1.50 (0.31-10.92)		0.637	
^a IRR: incident rate ratio from Poisson regression; 95% confidence intervals for the estimates are provided in parentheses ^b OR: Odds Ratio from logistic regression; 95% confidence intervals for the estimates are provided in parentheses. "-"category was used as reference category for factor "region"; "NA" not available due to the lack of data.								