

1 Supporting Information to the paper Laczkó, L., Lukács, B.A., Mesterházy, A., Molnár V., A. & Sramkó, G.

2 Is *Nymphaea lotus* var. *thermalis* a Tertiary relict in Europe? Aquatic Botany.

3 **Table S1.** Details of samples collected for this study including taxon name, geographic region and exact locality. Short name refers to code we used
4 during the haplotype network reconstruction (**Fig. 1.**).

Taxon	Region	Locality	Collector	Sample ID
<i>Nymphaea lotus</i> var. <i>thermalis</i>	Europe	Romania: Lake Pețea	Gábor Sramkó, Attila Molnár V., Balázs A. Lukács	thePet
<i>Nymphaea lotus</i> subsp. <i>lotus</i>	North Africa	Egypt: Nile Delta	Balázs A. Lukács	lotEgy
<i>Nymphaea lotus</i> subsp. <i>lotus</i>	East Africa	Ethiopia: Lake Ziway	Balázs A. Lukács	lotZiw
<i>Nymphaea lotus</i> subsp. <i>lotus</i>	South Africa	South Africa: Nylsvley Nature Reserve	Jacques Gerber	lotNyl
<i>Nymphaea lotus</i> (zenkeri)	West Africa	Ivory Coast: Grand Bassam	Attila Mesterházy	zenBuss

5 **Table S2.** Primers used to amplify DNA regions for the study with references and primer
6 sequences.

DNA region	Primer Name	Sequence	Reference
nrITS	ITS1A	GACGTCGGAGAAGTCCA	Gulyás et al., 2005
	ITS4	TCCTCCGCTTATTGATATGC	White et al., 1990
<i>rpl32-trnL</i>	rpl32F	CAGTTCCAAAAAAACGTACTTC	Shaw et al., 2007
	trnLR	CTGCTTCCTAACGAGCAGCGT	Shaw et al., 2007
<i>psbM-trnD</i>	psbMF	AGCAATAAATGCRAGAACATTTACTTCCAT	Shaw et al., 2005
	trnD ^{GUC} R	GGGATTGTAGYTCATTGGT	Shaw et al., 2005
<i>trnT-trnL</i>	TabA	CATTACAAATGCGATGCTCT	Taberlet et al., 1991
	TabC	CGAAATCGGTAGACGCTACG	Taberlet et al., 1991

7

8 Shaw, J., Lickey, E.B., Beck, J.T., Farmer, S.B., Liu, W., Miller, J., Siripun, K.C., Winder, C.T.,
9 Schilling, E.E., Small, R.L., 2005. The tortoise and the hare II: Relative utility of 21 noncoding
10 chloroplast DNA sequences for phylogenetic analysis. Am. J. Bot. 92, 142–166.
11 <https://doi.org/10.3732/ajb.92.1.142>

12 Shaw, J., Lickey, E.B., Schilling, E.E., Small, R.L., 2007. Comparison of whole chloroplast genome
13 sequences to choose noncoding regions for phylogenetic studies in angiosperms: The Tortoise
14 and the hare III. Am. J. Bot. 94, 275–288. <https://doi.org/10.3732/ajb.94.3.275>

15 P. Taberlet, L. Gielly, G. Pautou, B.G., 1991. Universal primers for amplification of three non-
16 coding regions of chloroplast DNA. Plant Molecular Biology 17, 1105–1109.
17 <https://doi.org/10.1007/BF00037152>

18 Gulyás, G., Sramkó, G., Molnár V., A., Rudnóy, S., Illyés, Z., Balázs, T., Bratek, Z., 2005. Nuclear
19 ribosomal DNA: Its paralogs as evidence of recent interspecific hybridization in the genus
20 Ophrys (Orchidaceae). Acta Biol. Cracoviensia Ser. Bot. 47, 61–67.

21 White, T.J., Bruns, T., Lee, S., Taylor, J., 1990. Amplification and Direct Sequencing of Fungal
22 Ribosomal RNA Genes for Phylogenetics. PCR Protoc. <https://doi.org/10.1016/B978-0-12-372180-8.50042-1>

24 **Table S3.** Details of additional sequences of taxa downloaded from the NCBI Nucleotide Database for the analyses including Accession Numbers and
 25 Reference paper. Accession Numbers of sequences generated for this study are also listed at the bottom of the table. Abbreviations: lotNyl: South
 26 Africa, Nylovley Nature Reserve; lotZiw: Ethiopia, Lake Ziway; lotEgy: Egypt, Nile delta; thePet: Romania, Lake Pețea; zenBuss: Ivory Coast, Grand
 27 Bussam; NA: not available (i.e. not used in the referred study).

Taxon	Sample ID	nrITS	trnT-L	psbM-trnD	rpl32-trnL	Reference
<i>Nymphaea pubescens</i>		FJ597743	AM422043	NA	NA	Borsch et al., 2007; Dkhar et al., 2010
<i>Nymphaea petersiana</i>		FM242156	AM422053	NA	NA	Borsch et al., 2007; Borsch et al., 2008
<i>Nymphaea oxypetala</i>		FM242150	AM422035	NA	NA	Borsch et al., 2013; Borsch et al., 2008
<i>Nymphaea jamesoniana</i>		FM242152	AM422033	NA	NA	Borsch et al., 2013; Borsch et al., 2008
<i>Nymphaea gracilis</i>		FR717586	AM422050	NA	NA	Borsch et al., 2013; Borsch et al., 2011
<i>Nymphaea alba</i>		HG518072	AM422067	NA	NA	Borsch et al., 2013; Borsch et al., 2014
<i>Nymphaea elleniae</i>		FJ026562	AM422057	NA	NA	Borsch et al., 2013; Löhne et al., 2008a
<i>Nymphaea odorata</i>		LN59003	AY771858	NA	NA	Borsch et al., 2014; Woods et al., 2005
<i>Euryale ferox</i>		FM242144	AM422020	NA	NA	Borsch et al., 2013; Borsch et al., 2008
<i>Victoria cruziana</i>		FM242157	AM422024	NA	NA	Borsch et al., 2013; Borsch et al., 2008
<i>Nymphaea amazonum</i>		FM242149	AM422026	NA	NA	Borsch et al., 2013; Borsch et al., 2008
<i>Nymphaea novogranatensis</i>		FM242154	AM422034	NA	NA	Borsch et al., 2013; Borsch et al., 2008
<i>Nymphaea lotus</i> var. <i>thermalis</i>	thePet	MK452744		MK452749	MK452754	This study
			MK452759			
<i>Nymphaea lotus</i> subsp. <i>lotus</i>	lotEgy	MK452746	MK452761	MK452751	MK452756	This study
<i>Nymphaea lotus</i> subsp. <i>lotus</i>	lotZiw	MK452745	MK452760	MK452750	MK452755	This study
<i>Nymphaea lotus</i> subsp. <i>lotus</i>	lotNyl	MK452742	MK452757	MK452747	MK452752	This study
<i>Nymphaea lotus</i> (<i>zenkeri</i>)	zenBuss	MK452743	MK452758	MK452748	MK452753	This study

- 29 Borsch, T., H. Wiersema, J., Hellquist, C.B., Löhne, C., Govers, K., 2014. Speciation in North American water lilies: Evidence for the hybrid origin of
30 the newly discovered Canadian endemic *Nymphaea lorianae* sp. nov. (Nymphaeaceae) in a past contact zone. Botany 92(12), 867–882.
31 <https://doi.org/10.1139/cjb-2014-0060>.
- 32 Borsch, T., Hilu, K.W., Wiersema, J.H., Lo, Cornelia Löhne, Wilhelm Bartlott, V.W., 2013. Phylogeny of *Nymphaea* (Nymphaeaceae): Evidence from
33 substitutions and microstructural changes in the chloroplast trnT – trnF region. Int. J. Plant Sci. 168, 639–671.
- 34 Borsch, T., Löhne, C., Mbaye, M., Wiersema, J., 2011. Towards a complete species tree of *Nymphaea*: Shedding further light on subg. Brachyceras
35 and its relationships to the Australian water-lilies. Telopea 13(1–2), 193–217. <https://doi.org/10.7751/telopea20116014>
- 36 Borsch, T., Löhne, C., Wiersema, J., 2008. Phylogeny and evolutionary patterns in Nymphaeales: Integrating genes, genomes and morphology. Taxon
37 57, 1052–1081. <https://doi.org/10.2307/27756765>.
- 38 Dkhar, J., Kumaria, S., Rao, S.R., Tandon, P., 2010. Molecular phylogenetics and taxonomic reassessment of four Indian representatives of the genus
39 *Nymphaea*. Aquat. Bot. 93, 135–139. <https://doi.org/10.1016/j.aquabot.2010.03.010>
- 40 Löhne, C., Borsch, T., W.L. Jacobs, S., Hellquist, C.B., H. Wiersema, J., 2008a. Nuclear and plastid DNA sequences reveal complex reticulate patterns
41 in Australian water-lilies (*Nymphaea* subgenus Anecphya, Nymphaeaceae), Aust. Syst. Bot. 21, 229–250. <https://doi.org/10.1071/SB07010>
- 42 Woods, K., Hilu, K.W., Borsch, T., Wiersema, J.H., 2005. Pattern of variation and systematics of *Nymphaea odorata*: II. Sequence information from
43 ITS and trnL-trnF. Syst. Bot. 30, 481–493. <https://doi.org/10.1600/0363644054782143>
- 44