

DAFTAR PUSTAKA

- Abdillah, A. A., Murfi, H., & Satria, Y. (2015). Uji Kinerja Learning to Rank dengan metode Support Vector Machine Regression. *IndoMS Journal on Industrial and Applied Mathematics*, 15-25.
- Adekoya, B., Chukwuma, V., Bakare, N., & David, T. (2012). Effects of Geomagnetic Storm on Middle Latitude Ionospheric F2 During Storm of 2-6 April 2004. *Indian Journal of Radio and Space*, 606-616.
- Admiranto, A. (2009). *Menjelajahi Tata Surya*. Yogyakarta: KANISIUS.
- Ai, N. S. (2012). Evolusi Fotosintesis pada Tumbuhan. *Jurnal Ilmiah Sains*, 28-34.
- Andriyas, T., & Andriyas, S. (2017). Use of Multivariate Relevance Vector Machines in Forecasting Multiple Geomagnetic Indices. *Journal of Atmosphere and Star-Terrestrial Physics*, 21-32.
- Archive. (2016). *Archive.is*. Retrieved from Comprehensive Modelling of The Geomagnetic Field: <http://archive.li/jCNHT>
- Babu, A. (2014). *Coronal Mass Ejection from the Sun - Propagation and Near Earth Effects*. Indian Institute of Science Education and Research Pune.
- Braake, H. A., & Strate, G. v. (1995). Random activation weight neural net (RAWN) for fast non-iterative training. *Engineering Applications of Artificial Intelligence*, 8(1), 71-80.
- CACTUS. (2011, 5 31). *Details and graphs for CME0123*. Retrieved from CACTUS: http://sidc.oma.be/cactus/catalog/LASCO/2_5_0/qkl/2011/05/CME0123/CME.html
- Cambria, E. (2013, 11-12). Extreme Learning Machines. *IEEE Intelligent Systems*, pp. 30-59.
- Carlsson, M., & Stein, R. (1997). Formation of Solar Calcium H and K Bright Grains. *The Astrophysical Journal*, 500-514.
- Casswell, J. (2014). A Nonlinear Autoregressive Approach to Statistical Prediction of Disturbance Storm Time Geomagnetic Fluctuations Using Solar Daa. *Journal of Signal and Information Processing*, 42-53.

- Chacko, B., Vimal, K., Raju, G., & Babu, A. (2012). Handwritten character recognition using wavelet energy and extreme learning machine. *Neural Comput Appl*, 417-425.
- Chandorkar, M., Camporeale, E., & Wing, S. (1997). Gaussian Processes Autoregressive Models for Forecasting the Disturbance Storm Index. *Journal of Space Weather and Space Climate*.
- Chaveliar, A. (2011, 5 19). *Introduction to Solar Anatomy*. Retrieved from Bright Hub: <http://www.brighthub.com/science/space/articles/48322.aspx>
- Choi, S., Moon, Y., Vien, N., & Park, Y. (2012). Application of support vector machine to prediction of geo-effective halo CMES. *Journal of the Korean Astronomical Society*, 31-38.
- Cliver, E., & Svalgaard, L. (2004). The 1859 Solar-Terrestrial Disturbance and The Current Limits of Extreme Space Weather Activity. *Solar Physics*, 224.
- Conlon, P. (2009). *Fields, Fractals and Flares: Characterising Magnetic Complexity in Solar Active Regions*. Dublin: University of Dublin, Trinity College.
- Dayan, P. (1999). Unsupervised Learning. *The MIT Encyclopedia of the Cognitive Sciences*. .
- DePontieu, Erdelyi, & James. (2004). Solar chromospheric spicules from the leakage of photospheric oscillations and flows. *Letters to Nature*, 536-539.
- Ding, S., Xu, X., & Ru, N. (2013). Extreme Learning Machine, algorithm, theory and application. *Neural computing & applications*.
- Domingos, P. (2012). A Few Useful Things to Know About Machine Learning. *Communication of the ACM*, 78-87.
- Fréney, B., & Verleysen, M. (2010). Using SVMs with randomised feature spaces: an extreme learning approach. *ESANN 2010: 18th European Symposium on Artificial Neural Networks, Computational Intelligence and Machine Learning*, (pp. 315-320).
- Garg, S., & Sharma, A. K. (2013). Comparative Analysis of Data Mining Techniques on Educational Dataset. *International Journal of Computer Applications* , 1-5.

- Glaser, P. (1968). Power from the Sun: Its Future. *SCIENCE*, 857-861.
- Gopalswamy. (2006). PROPERTIES OF INTERPLANETARY CORONAL MASS EJECTIONS. *Space Science Review*.
- Habirun. (2005). Identifikasi Model Fluktuasi Indeks K Harian Menggunakan Model ARIMA. *Jurnal Sains Dirgantara*, 100-110.
- Habirun. (2005). Identifikasi Model Fluktuasi Indeks K Harian Menggunakan Model ARIMA. *Jurnal Sains Dirgantara*, 100-110.
- Habirun. (2007). Identifikasi Model Indeks K Geomagnet Berdasarkan Sifat Stokastik. *Jurnal Sains Dirgantara*, 150-157.
- Habirun, Setiawati, T., & Karyanto, Y. (2007). Pengembangan Model Prediksi Indeks K Geomagnet. *Jurnal Sains Dirgantara*, 74-90.
- Hathaway, D. H. (2015, 10 1). *The Solar Interiors*. Retrieved from Solar Physics: <https://solarscience.msfc.nasa.gov/interior.shtml>
- He, Q., Shang, T., & Zhuang, F. (2013). Parallel Extreme Learning Machine for regressio based on MapReduce. *Neurocomputing*, 52-58.
- Hecht-Nielsen, R. (1990). *Neurocomputing*. Addison-Wesley Publishing Company.
- Huang. (2006). Extreme learning machine theory and applications. *Science Direct*, 490.
- Huang. (2006). Extreme learning machine Theory and applications. *Science Direct*, 490.
- Huang, G. (2013). *MATLAB Codes of ELM Algorithm*. Retrieved from NTU: http://www.ntu.edu.sg/home/egbhuang/elm_kernel.html
- Huang, G., & Chen, L. (2007). Convex incremental extreme learning machine. *Neurocomputing*, 3056-3062.
- Huang, G., Ding, X., & Zhou, H. (2010). Optimization method based extreme learning machine for classification. *Neurcomputing*, 74(1-3), 155-163.
- Huang, G., Zhou, H., Ding, X., & Zhang, R. (2012). Extreme Learning Machine for Regression and Multiclass Classiifcation. *IEEE*, 513-529.
- Huang, G., Zhu, Q., & Siew, C. (2006). Extreme Learning Machine: A New Learning Scheme of Feedforward Neural Networks. *International Joint Conference On Neural Networks*, (pp. 489-501). Budapest.

- Huang, G.-B. (2006). Universal Approximation Using Incremental Networks with Random Hidden Nodes. *Transactions on Neural Networks*, 879-892.
- Huang, G.-B., & Babri, H. (1998). Upper bounds on the number of hidden neurons in feedforward network with arbitrary bounded nonlinear activation functions. *IEEE Trans. Neural networks*, 224-229.
- Huang, G.-B., Chen, L., & Siew, C.-K. (2006). Universal approximation using incremental constructive feedforward networks with random hidden nodes. *IEEE Transactions on Neural Networks*, 17(4), 879-892.
- Huang, G.-B., Chen, Y.-Q., & Babri, H. (2000). Classification ability of single hidden layer feedforward neural networks. *IEEE Trans. Neural Networks*, 799-801.
- Huang, G.-B., Zhu, Q.-Y., & Siew, C.-K. (2005). Extreme Learning Machine; Theory and Applications. *Science Direct*, 489-501.
- Huang, G.-B., Zhu, Q.-Y., Siew, C.-K., Saratchandran, P., & Sundararajan, N. (2006). Can treshold network be trained directly? *IEEE Trans. Circuits Syst*, 187-191.
- Hung-yu, C. (2009, 12). *Hong Kong Observatory*. Retrieved from Shock Wave: http://www.hko.gov.hk/m/article_e.htm?title=ele_00419
- Ihaka, R., & Gentleman, R. (1996). R: A language for data analysis and graphics. *Journal of Computational and Graphical Statistics*, 5(3), 299-314.
- Ihaka, R., & Gentleman, R. (1996). R: A Language for Data Analysis and Graphics. *Journal of Computational and Graphical Statistis*, 299-314.
- Jacobs, C. (2007). *Magnetohydrodynamic modelling of the solar wind and coronal mass ejections*. katholieke Universiteit Leuven.
- Kaelbling, L. P., Littman, M. L., & Moore, A. W. (1996). Reinforcement Learning: A Survey. *Journal of Artificial Intelligence Research*, 237-285.
- Karpagachelvi, S., Arthanari, M., & Silvakumar, M. (2012). Classification of electrocardiogram signals with support vector machines. *Neural Compute Appl*, 1331-1339.
- Kasun, L. L., Zhou, H., Huang, G.-B., & Vong, C. M. (2013). Representational Learning with Extreme Learning Machine for Big Data. *IEEE Intelligent Systems*, 28(6), 31-34.

- Kim, J., Shin, H., & Shin, K. L. (2009). Robust algorithm for arrhythmia classification in ECG using extreme learning machine. *Biomed Eng.*
- Kompas. (2012, 12 07). *Aktivitas Matahari Mencapai Puncak Medio 2013*. Retrieved from Kompas.com: <http://nasional.kompas.com/read/2012/12/07/02322319/aktivitas.matahari.mencapai.puncak.medio.2013>
- Kuyuk, H., Yildirim, E., Dogan, E., & Horasan, G. (2011). An unsupervised learning algorithm: application to the discrimination of seismic events and quarry blasts in the vicinity of Istanbul. *Natural Hazards and Earth System Sciences*, 93-100.
- Lakhina, G., Alex, S., Tsurutani, B., & Gonzalez, D. (2004). Research on Historical Records of Geomagnetic Storms. *Proceedings of The International Astronomical Union*, (pp. 3-15).
- Lan, Y., Hu, J., Soh, Y., & Huang, G. (2013). An extreme learning machine approach for speaker recognition. *Neural Comput Appl*, 417-425.
- lauron, M., & Pabico, J. (2016). Improved Sampling Techniques for Learning an Imbalanced Data Set. *Philippine Computing Science Congress*.
- Lazzus, J., Lopez-Caraballo, C., Rojas, P., Salfate, I., Rivera, M., & Palma-Chilla, L. (2016). Forecasting of DST index from auroral electrojet indices using time-delay neural network + particle swarm optimization. *Journal of Physic*, 1-7.
- Lee, Y., H., L., K. J., Shin, H., & Lee, M. (2009). Classification of BMI control commands from rat's neural signals using extreme learning machine. *Biomed Eng*, 803-810.
- Li, G., & Niu, P. (2013). An enhanced extreme learning machine based on ridge regression for regression. *Neural Comput Appl*, 803-810.
- Liu, L., & Hsu, H. (2012). Inversion and Normalization of Time-Frequency Transform. *Applied Mathematics & Information Sciences*, 67-74.
- Liu, X., Wang, L., Huang, G.-B., Zhang, J., & Yin, J. (2015). Multiple kernel extreme learning machine. *Neurocomputing*, 149, 253-264.
- Loewe, C., & Prolss, G. (1997). Classification and Mean Behavior of Magnetic Storms. *Journal of Geophysical Research*, 209-213.

- Lopes, P. A., & Camargo, A. H. (2011). Semi-supervised Clustering in Fuzzy Rule Generation.
- Lugaz, Manchester, & Gombosi. (2005). THE EVOLUTION OF CORONAL MASS EJECTION DENSITY STRUCTURES. *Astrophysical Journal*, 1019-1030.
- Lyatsky, W., & Tan, A. (2003). Solar wind disturbances responsible for geomagnetic storms. *JOURNAL OF GEOPHYSICAL RESEARCH*, 1-7.
- Martiningrum, D. R., Purwono, A., Nuraeni, F., & Muhamad, J. (2012). *Fenomena Cuaca Antariksa*. Bandung: Pusat Sains Antariksa Lapan.
- Minhas, R., Baradarani, A., Seifzadeh, S., & Jonathan, W. (2010). Human action recognition using extreme learning machine based on visual vocabularies. *Neurocomputing*, 1906-1917.
- Mirmomeni, M., Kamaliha, E., Shafiee, M., & Lucas, C. (2009). Long-term prediction of solar and geomagnetic activity daily time series using singular spectrum analysis and fuzzy descriptor models. *Earth Planet Space*, 1089-1101.
- MIT. (2005, 12). *Resource for Energy Research*. Retrieved from MIT Institute Archives & Special Collections: <http://libraries.mit.edu/archives/exhibits/glaser/>
- Mitchell, T. (1997). *Machine Learning*. McGraw Hill.
- Mobberley, M. (2007). Total Solar Eclipses and How to Observer Them. *Springer*, 115.
- Mohammed, A., Minhas, R., Jonathan, W., & Sid-Ahmed, M. (2011). Human face recognition based on multidimensional PCA and extreme learning machine. *Pattern Recognition*, 2588-2597.
- Mohri, M., Rostamizadeh, A., & Talwalkar, A. (2012). *Foundations of Machine Learning*. The MIT Press.
- Moschou, S. (2016). *Dynamics of the Solar Atmosphere and Solar Wind Modeling*. Belgium: Arenberg Doctoral School.
- Moschou, S.-P. (2016). *Dynamiss of The Solar Atmosphere and solar wind modeling*. Arenberg Doctoral School.

- Muhammad, I., & Yan, Z. (2015). Supervised Machine Learning Approaches: A Survey. *IJSC*, 946-952.
- Murphy, K. (1998). *A brief introduction to reinforcement learning*. Retrieved from UBC Computer Science: <https://www.cs.ubc.ca/~murphyk/Bayes/pomdp.html>
- Mursula, K., Holappa, L., & Karinen, A. (2008). Correct Normalization of the Dst index. *Astrophysic and Space Sciences Transactions*, 41-45.
- NASA. (2012, 6 6). Retrieved from https://www.nasa.gov/multimedia/imagegallery/image_feature_2268.html
- NASA. (2015, 10 11). *Solar System Exploration NASA Science*. Retrieved from Sun: In Depth: <https://solarsystem.nasa.gov/planets/sun/indepth>
- Nian, R., He, B., & Lendasse, A. (2013). 3D object recognition based on a geometrical topology model and extreme learning machine. *Nueral CComput Appl*, 427-433.
- NOAA. (2014, 12 27). *Geomagnetic Storms*. Retrieved from Space Weather Prediction Center National Oceanic and Atmospheric Administration: <http://www.swpc.noaa.gov/phenomena/geomagnetic-storms>
- NOAA. (2014, 1 10). *NOAA / Space Weather Prediction Center*. Retrieved from The K-index: <http://www.swpc.noaa.gov/sites/default/files/images/u2/TheK-index.pdf>
- NOAA. (2014, 12 17). *NOAA SPACE WEATHER SCALES*. Retrieved from Space Weather Prediction Center: <http://www.swpc.noaa.gov/noaa-scales-explanation>
- O'Neill, I. (2006). *Quiscent Coronal Loops Heated by Turbulance*. Wales: University of Wales.
- Pallochia, G., Amata, E., Consolini, G., Marcucci, M., & Bertello, I. (2006). Recent Observations and Simulations of the Sun-Earth System, Recent Observations and Simulations of the Sun-Earth System (ISROSES). *Journal of Atmospheric and Solar-Terrestrial Physics*, 193-686.
- Pao, Y.-H., & Takefuji, Y. (1992). Functional-link net computing: theory, system architecture, and functionalities. *Computer*, 25(5), 76-79.

- Pao, Y.-H., Park, G.-H., & Sobajic, D. J. (1994). Learning and generalization characteristics of the random vector functional-link net. *Neurocomputing*, 6(2), 163-180.
- Paradis, E. (2005). *R for Beginners*. Universit e Montpellier II.
- parker, E. (1955). Hydromagnetics Dynamo Models. *ApJ*, 293-314.
- Parsapoor, M., Bilstrup, U., & Svensson, B. (2014). Neuro-fuzzy Models for Geomagnetic Storms Prediction: Using the Auroral Electrojet Index. *10th International Conference on Natural Computation (ICNC)* (pp. 12-17). Piscataway: IEEE Press.
- Peng, R. D. (2015). *R Programming for Data Science*. Lean Publishing.
- Pierrard, V. (2012). Kinetic Models of Solar Wind Electrons. *Intech Open Science*, 221-241.
- Poole, I. (2002, 9). Understanding Solar Indices. *G3YWX*, pp. 38-40.
- Portugal, I., Alencar, P., & Cowan, D. (2016). The Use of Machine Learning Algorithms in Recommender Systems: A Systematic Review.
- Prakash, V., & Nithya, L. (2014). A Survey On Semi-Supervised Learning Techniques. *International Journal of Computer Trends and Technology*, 25-29.
- Prialnik, D. (2000). *An Introduction to the Theory of Stellar Structure and Evolution*. London: Cambridge University Press.
- Priest, E. (2014). *Magnetohydrodynamics of the sun*. Cambridge: Cambridge University Press.
- Pulkkinen, Palmroth, Tanskanen, Ganushkina, Shukhtina, & Dmitrieva. (2007). Solar wind—magnetosphere coupling: A review of recent results. *Atmospheric and Solar Terrestrial Physics*, 256-264.
- Quebec, H. (2012, 3 9). *In March 1989, Quebec experienced a blackout caused by a solar storm*. Retrieved from Hydro Quebec: <http://www.hydroquebec.com/learning/notions-de-base/tempete-mars-1989.html>
- Ramageri, B. M. (2011). Data Mining Techniques and applications. *Indian Journal of Computer Science and Engineering*, 301-305.

- Randle, O., Ogunduyile, O., Zuva, T., & Fashola, N. (2013). A Comparism of the Performance of Supervised and Unsupervised Machine Learning Techniques in Evolving Awale/Mancala/Ayo Game Player. *International Journal of Game Theory and Technology (IJGTT)*, 9-18.
- Rastatter, L., Kuznetsova, M., Glocer, A., Welling, D., Meng, X., Raeder, J., . . . Gannon, J. (2013). Geospace Environment Modelling 2008-2009 Challenge: Dst Index. *Space Weather International Journal*, 187-205.
- Road, B., & Houndmills, B. H. (2001). *ENCYCLOPEDIA OF ASTRONOMY AND ASTROPHYSICS*. Bristol: Nature Publishing Group.
- Rossant, C. (2014, 10 8). *Introduction to Machine Learning in Python with scikit-learn*. Retrieved from ipython: <http://ipython-books.github.io/featured-04/>
- Rumelhart, D. E., Hinton, G. E., & Williams, R. J. (1986). Learning representations by back-propagating errors. *Nature*, 323, 533-536.
- Russell, R. (2010, 03 29). *Geomagnetic Storms*. Retrieved from Windows to The Universe:
http://www.windows2universe.org/glossary/geomagnetic_storms.html
- Santoso, A., Nurmalo, D., Juangsih, M., Rusnadi, I., Ekawati, S., Winarko, A., & Filawati, S. (2016). ANALISIS PENGARUH BADAI GEOMAGNET TERHADAP RESPON foF2 IONOSFER DI BPAA SUMEDANG. *Seminar Nasioanl Sains Antariksa* (pp. 121-129). Bandung: LAPAN.
- Sari, M. C. (2014, 01 23). *Denomena Cuaca Antariksa*. Retrieved from Kafe Astronomi: <http://kafeastronomi.com/fenomena-cuaca-antariksa.html>
- Schmidt, W., Kraaijveld, M., & Duin, R. (1992). Feedforward neural networks with random weights. *In Proceedings., 11th IAPR International Conference on Pattern Recognition. Vol II. Conference B: Pattern Recognition Methodology and Systems*, (pp. 1-4).
- Schrijver, C., & Zwaan, C. (2008). *Solar and Stellar Magnetic Activity*. London: Cambridge University Press.
- Solanki, S., Inhester, B., & Schussler, M. (2006). *The Solar Magnetic Field*. Katlenburg-Lindau: Institute of Physics.
- SPACE. (2017, 8). *Head-On Crash Spotted Between Solar Wind and Earth's Magnetic Field*. Retrieved from SPACE.COM:

- <https://www.space.com/8961-head-crash-spotted-solar-wind-earth-magnetic-field.html>
- SpaceWeatherLive. (2014, 1 15). *The Kp-index*. Retrieved from SpaceWeatherLive.com: <https://www.spaceweatherlive.com/en/help/the-kp-index>
- Stallings, W. (2014). *Cryptography and Network Security*. United States: Pearson Education Inc.
- Stern, D. (2001, 11 25). *The Magnetopause*. Retrieved from Phy6: <http://www.phy6.org/Education/wmpause.html>
- Sugiura, M., & Kamei, T. (1991). Equatorial Dst Index 1957-1986. *International Council of Scientific Unions*, 6-14.
- Sugiyono. (2007). *Pendekatan Kuantitatif*. Bandung: Alfabeta.
- Swami, R. (2012). Solar Cell. *International Hournal of Scientific and Research Publication*, 1-5.
- SWRI. (2001, 1 21). *Bow Shock*. Retrieved from Southwest Research Institute: http://pluto.space.swri.edu/image/glossary/bow_shock.html
- Tsutomu, N. (2002). Geomagnetic Storms. *Journal of The Communications Research Laboratory*, 139-154.
- Wellyanita, V., & Kesumaningrum, R. (2016, Januari). Pengaruh Awan Magbet Terhadap Badai Magnet. *Buletin Cuaca Antariksa*, pp. 7-9.
- Widrow, B., Greenblatt, A., Kim, Y., & Park, D. (2013). The No-Prop algorithm: A new learning algorithm for multilayer neural networks. *Neural Networks*, 37, 182-188.
- Winarko, A. (2016, April-Juni). Sekilas Review Akurasi Prediksi Aktivitas Geomagnet pada SWIFtS 2015. *Buletin Cuaca Antariksa*, pp. 22-23.
- Winarko, A. (2017, Juli). CME geoeftif. (I. Prawira, Interviewer)
- Winarko, A., & Santoso, A. (2016). PENGARUH ORIENTASI MEDAN MAGNET ANTARPLANET PADA GANGGUAN GEOMAGNET DI LINTANG RENDAH. *Jurnal Sains Dirgantara*, 73-86.
- Wu, J.-G., & Lundstedt, H. (1997). Geomagnetic storm predictions from solar wind data with the use of dynamic neural networks. *Journal of geophysical research*, 255-268.

- Yam, Y. F., & Chow, T. W. (1995). Determining initial weights of feedforward neural networks based on least squares method. *Neural Processing Letters*, 2(2), 13-17.
- Yam, Y. F., Chow, T. W., & Leung, C. T. (1997). A new method in determining initial weights of feedforward neural networks for training enhancement. *Neurocomputing*, 16, 23-32.
- Yang, J., Jiao, Y., & Xiong, N. (2013). Fast face gender recognition by using local ternary pattern and extreme learning machine. *KSII Trans Intern Inf Syst*, 1705-1720.
- Yang, J., Xie, S., & Yoon, S. (2013). Fingerprint matching based on extreme learning machine. *Neural Comput*, 435-445.
- Zhang, Y., Ding, S., Xu, X., Zhao, H., & Xing, W. (2013). An Algorithm Research for Prediction of Extreme Learning Machine Based on Rough Sets. *Journal of Computers*, 1335-1342.
- Zong, W., & Huang, G. (2011). Face recognition based on extreme learning machine. *Neurocomput*, 2541-2551.