

DAFTAR PUSTAKA

- Abdullah, J. (2012). City Competitiveness and Urban Sprawl: Their Implications to Socio-Economic and Cultural Life in Malaysian Cities. *Procedia - Social and Behavioral Sciences*, 50(July), 20–29.
<https://doi.org/10.1016/j.sbspro.2012.08.012>
- Aburas, M. M., Ho, Y. M., Ramli, M. F., & Ash'aari, Z. H. (2016). The simulation and prediction of spatio-temporal urban growth trends using cellular automata models: A review. *International Journal of Applied Earth Observation and Geoinformation*, 52, 380–389.
<https://doi.org/10.1016/j.jag.2016.07.007>
- Aburas, M. M., Ho, Y. M., Ramli, M. F., & Ash'aari, Z. H. (2017). Improving the capability of an integrated CA-Markov model to simulate spatio-temporal urban growth trends using an Analytical Hierarchy Process and Frequency Ratio. *International Journal of Applied Earth Observation and Geoinformation*, 59, 65–78. <https://doi.org/10.1016/j.jag.2017.03.006>
- Akintunde, J. A., Adzandeh, E. A., & Fabiyi, O. O. (2016). Spatio-temporal pattern of urban growth in Jos Metropolis, Nigeria. *Remote Sensing Applications: Society and Environment*, 4, 44–54.
<https://doi.org/10.1016/j.rsase.2016.04.003>
- Algancı, U., Besol, B., & Sertel, E. (2018). Accuracy Assessment of Different Digital Surface Models. *ISPRS International Journal of Geo-Information*, 7(3), 114. <https://doi.org/10.3390/ijgi7030114>
- Ali, M., Hadi, S., & Sulistyantara, B. (2016). Study on Land Cover Change of Ciliwung Downstream Watershed with Spatial Dynamic Approach. *Procedia - Social and Behavioral Sciences*, 227(November 2015), 52–59.
<https://doi.org/10.1016/j.sbspro.2016.06.042>
- Allen, J., & Lu, K. S. (2003). Modeling and prediction of future urban growth in the Charleston region of South Carolina: a GIS-based integrated approach. *Conservation Ecology* 8(2): 2., 18. Retrieved from <http://www.consecol.org/vol8/iss2/art2/>
- Antaranews. (2013). *Kerugian akibat banjir Jakarta diperkirakan Rp20 triliun.* <https://www.antaranews.com/berita/354430/kerugian-akibat-banjir-jakarta-diperkirakan-rp20-triliun>. Diakses tanggal 20 Maret 2018
- Apriani, I., Kosar, M., & Rosalina, L. (2015). Intip Hutan: Nasib Hutan Alam Indonesia. *Forest Watch Indonesia*, 1–48. Retrieved from fwi.or.id/wp-content/uploads/2015/03/intip_hutan_HR.pdf
- Archer, R. W. (1994). Urban land consolidation for metropolitan Jakarta expansion, 1990-2010. *Habitat International*, 18(4), 37–52.
[https://doi.org/10.1016/0197-3975\(94\)90016-7](https://doi.org/10.1016/0197-3975(94)90016-7)

- Arifasihati, Y. (2016). *Analysis of land use and cover changes in Ciliwung and Cisadane Watershed in three decades*, 33, 465–469.
<https://doi.org/10.1016/j.proenv.2016.03.098>
- Asdak, C. (2014). *Hidrologi dan Pengelolaan Daerah Aliran Sungai*. Yogyakarta : UGM Press Cetakan ke-6
- As-syakur, A. R., Adnyana, I. W. S., Arthana, I. W., & Nuarsa, I. W. (2012). Enhanced built-UP and bareness index (EBBI) for mapping built-UP and bare land in an urban area. *Remote Sensing*, 4(10), 2957–2970.
<https://doi.org/10.3390/rs4102957>
- Badan Pusat Statistik Kabupaten Bekasi. (2018). *Kabupaten Bekasi Dalam Angka 2018*. Bekasi
- Badan Pusat Statistik Provinsi DKI Jakarta. (2017). *DKI Jakarta Dalam Angka 2016*. Jakarta
- Bagheri, B., & Tousi, S. N. (2017). An explanation of urban sprawl phenomenon in Shiraz Metropolitan Area (SMA). *Cities*, (October), 1–20.
<https://doi.org/10.1016/j.cities.2017.10.011>
- Bannari, A., Asalhi, H., & Teillet, P. M. (2002). Transformed Difference Vegetation Index (TDVI) for Vegetation Cover Mapping. *IEEE IGARSS International Geoscience and Remote Sensing Symposium*, 5(C), 3053–3055.
<https://doi.org/10.1109/IGARSS.2002.1026867>
- Bekalo, M. T. (2009). *Spatial metrics and landsat data for urban landuse change detection in Addis Ababa , Ethiopia*, 1–75
- Bhat, P. A., Shafiq, M. ul, Mir, A. A., & Ahmed, P. (2017). Urban sprawl and its impact on landuse/land cover dynamics of Dehradun City, India. *International Journal of Sustainable Built Environment*, 6(2), 513–521.
<https://doi.org/10.1016/j.ijsbe.2017.10.003>
- Bhatta, B. (2010). Causes and Consequences of Urban Growth and Sprawl. In *Analysis of Urban Growth and Sprawl from Remote Sensing Data* (pp. 17–37). Berlin: Springer-Verlag Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-05299-6>
- Birth, G. S., & McVey, G. R. (1968). Measuring the Color of Growing Turf with a Reflectance Spectrophotometer1. *Agronomy Journal*, 60(6), 640.
<https://doi.org/10.2134/agronj1968.00021962006000060016x>
- Boongaling, C. G. K., Faustino-Eslava, D. V., & Lansigan, F. P. (2018). Modeling land use change impacts on hydrology and the use of landscape metrics as tools for watershed management: The case of an ungauged catchment in the Philippines. *Land Use Policy*, 72(August 2016), 116–128.
<https://doi.org/10.1016/j.landusepol.2017.12.042>

- Bruegmann, R. (2005). *Sprawl: a Compact History*. Chicago: The University of Chicago.
- Carlsen, W. S., Trautmann, N. M., Krasny, M. E., & Cunningham, C. M. (2004). *Watershed dynamics. Cornell scientific inquiry series* (Vol. Teacher ed).
- Chen, J., Li, M., Liu, Y., Shen, C., & Hu, W. (2010). Extract residential areas automatically by new built-up index. *2010 18th International Conference on Geoinformatics, Geoinformatics 2010*, (40701117). <https://doi.org/10.1109/GEOINFORMATICS.2010.5567823>
- Clarke, K. C., Couclelis, H., & Clarke, K. C. (2005). The role of spatial metrics in the analysis and modeling of urban land use change. *Computers, Environment and Urban Systems*, 29(4), 369–399. <https://doi.org/10.1016/j.compenvurbsys.2003.12.001>
- Crippen, R. E. (1990). Calculating the vegetation index faster. *Remote Sensing of Environment*, 34(1), 71–73. [https://doi.org/10.1016/0034-4257\(90\)90085-Z](https://doi.org/10.1016/0034-4257(90)90085-Z)
- Dahal, K. R., Benner, S., & Lindquist, E. (2017). Urban hypotheses and spatiotemporal characterization of urban growth in the Treasure Valley of Idaho, USA. *Applied Geography*, 79, 11–25. <https://doi.org/10.1016/j.apgeog.2016.12.002>
- Danoedoro Projo. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta : C.V. Andi Offset
- Dasgupta, A., Kumar, U., & Ramachandra, T. V. (2010). Urban Landscape analysis through Spatial metrics. *International Conference on Infrastructure, Sustainable Transportation and Urban Planning*, 1–9.
- Dietzel, C., Oguz, H., Hemphill, J. J., Clarke, K. C., & Gazulis, N. (2005). Diffusion and coalescence of the Houston Metropolitan Area: Evidence supporting a new urban theory. *Environment and Planning B: Planning and Design*, 32(2), 231–246. <https://doi.org/10.1068/b31148>
- Di Gregorio, A., and Jansen, L. J. M. (2000). Land Cover Classification System (LCCS): Classification Concepts and User Manual. *Fao*, 53(May), 179. <https://doi.org/10.1017/CBO9781107415324.004>
- Dong, L., Xiong, L., Lall, U., & Wang, J. (2015). The effects of land use change and precipitation change on direct runoff in Wei River watershed, China. *Water Science and Technology*, 71(2), 289–295. <https://doi.org/10.2166/wst.2014.510>
- Douglas Ramsey, R., Falconer, A., & Jensen, J. R. (1995). The relationship between NOAA-AVHRR NDVI and ecoregions in Utah. *Remote Sensing of Environment*, 53(3), 188–198. [https://doi.org/10.1016/0034-4257\(95\)00019-W](https://doi.org/10.1016/0034-4257(95)00019-W)

- Eko, Trigus. 2012. *Perubahan Penggunaan Lahan Dan Kesesuaianya Terhadap RDTR Wilayah Peri Urban. Studi Kasus Kecamatan Mlati*. Program Studi Magister Pembangunan Wilayah dan Kota, Universitas Diponegoro, Semarang
- ENVI. (2009). *Atmospheric Correction Module: QUAC and FLAASH User's Guide*. ITT Visual Information Solutions.
- Estoque, R. C., & Murayama, Y. (2015). Classification and change detection of built-up lands from Landsat-7 ETM+ and Landsat-8 OLI/TIRS imageries: A comparative assessment of various spectral indices. *Ecological Indicators*, 56, 205–217. <https://doi.org/10.1016/j.ecolind.2015.03.037>
- European Environment Agency. (2006). *Urban sprawl in Europe: The ignored challenge. EEA report* (Vol. 10). Copenhagen. <https://doi.org/10.1080/02697451003740312>
- Firdaus, N., Sudomo, A., Suhaendah, E., Widyaningsih, T. S., Kuswantoro, D. P., Gintings, A. N., ... Ciamis, R. (2013). *Status Riset Agroforestri di Indonesia* (Vol. 62). Ciamis: Balai Penelitian Teknologi Agroforestry.
- Fitriani, R., & Sumarminingsih, E. (2015). Determination of spatial extent of land use in the fringe of Jakarta metropolitan: A Semivariogram analysis. *Theoretical and Empirical Researches in Urban Management*, 10(1), 43–54. <https://doi.org/10.1016/j.apcbee.2014.10.038>
- Forman, R. T. T. (1995). *Land mosaics: The ecology of landscapes and regions*. Cambridge: Cambridge University Press.
- Gardner, M. (1970). Mathematical games: The fantastic combinations of John Conway's new solitaire game "life." *Scientific American*, 223(October), 120–123. <https://doi.org/10.1038/scientificamerican0169-116>
- Geneletti, D. (2013). Assessing the impact of alternative land-use zoning policies on future ecosystem services. *Environmental Impact Assessment Review*, 40, 25–35. <https://doi.org/10.1016/j.eiar.2012.12.003>
- Giri, C. P. (2012). *Remote Sensing of Land Use and Land Cover: Principles and Applications*. Indiana: CRC Press.
- Halmy, M. W. A., Gessler, P. E., Hicke, J. A., & Salem, B. B. (2015). Land use/land cover change detection and prediction in the north-western coastal desert of Egypt using Markov-CA. *Applied Geography*, 63, 101–112. <https://doi.org/10.1016/j.apgeog.2015.06.015>
- Han, M., Yang, X., & Jiang, E. (2016). An Extreme Learning Machine based on Cellular Automata of edge detection for remote sensing images. *Neurocomputing*, 198, 27–34. <https://doi.org/10.1016/j.neucom.2015.08.121>

- Han, Y., & Jia, H. (2017). Simulating the spatial dynamics of urban growth with an integrated modeling approach: A case study of Foshan, China. *Ecological Modelling*, 353, 107–116. <https://doi.org/10.1016/j.ecolmodel.2016.04.005>
- Hansen, M. C., & DeFries, R. S. (2004). Detecting long-term global forest change using continuous fields of tree-cover maps from 8-km Advanced Very High Resolution Radiometer (AVHRR) data for the years 1982-99. *Ecosystems*, 7(7), 695–716. <https://doi.org/10.1007/s10021-004-0243-3>
- Hao, R., Su, W., & Yu, D. (2012). Quantifying the type of urban sprawl and dynamic changes in Shenzhen. In *International Conference on Computer and Computing Technologies in Agriculture* (pp. 407-415). Springer, Berlin, Heidelberg.
- Harta, M. S. (2016). *Pemanfaatan Citra Satelit Landsat Multitemporal Untuk Prediksi Perkembangan Kota Dengan Menggunakan Cellular Automata (Kasus di Kota Surabaya, Jawa Timur)*. Yogyakarta: Program Pascasarjana Penginderaan Jauh, Fakultas Geografi, Universitas Gadjah Mada.
- Hongmei Zhao, & Xiaoling Chen. (2005). Use of normalized difference bareness index in quickly mapping bare areas from TM/ETM+. *Proceedings. 2005 IEEE International Geoscience and Remote Sensing Symposium, 2005. IGARSS '05.*, 3, 1666–1668. <https://doi.org/10.1109/IGARSS.2005.1526319>
- Hudalah, D., & Firman, T. (2012). Beyond property: Industrial estates and post-suburban transformation in Jakarta Metropolitan Region. *Cities*, 29(1), 40–48. <https://doi.org/10.1016/j.cities.2011.07.003>
- Jiang, Z., Huete, A. R., Chen, J., Chen, Y., Li, J., Yan, G., & Zhang, X. (2006). Analysis of NDVI and scaled difference vegetation index retrievals of vegetation fraction. *Remote Sensing of Environment*, 101(3), 366–378. <https://doi.org/10.1016/j.rse.2006.01.003>
- Karakayaci, Z. (2016). The Concept of Urban Sprawl and Its Causes. *The Journal of International Social Research*, 9(45), 815–818. <https://doi.org/10.17719/jisr.20164520658>
- Kawamura, M., Jayamanna, S., & Tsujiko, Y. (1996). Relation between social and environmental conditions in Colombo Sri Lanka and the urban index estimated by satellite remote sensing data. *International Archives of Photogrammetry and Remote Sensing*.
- Kementerian Kehutanan. (2009). *Peraturan Menteri Kehutanan Republik Indonesia No: P.32/Menhet-II/2009 tentang Tata Cara Penyusunan Rencana Teknik Rehabilitasi Hutan Dan Lahan Daerah Aliran Sungai (RTkRHL-DAS)*. Jakarta.
- Kementerian Kehutanan. (2013). *Laporan Penyusunan Rencana Detil Penanganan Banjir Di Wilayah Jabodetabekjur*. Bogor.


- Kementerian Lingkungan Hidup dan Kehutanan. (2015). *Deforestasi Indonesia Tahun 2013 - 2014*. Jakarta.
- Kementerian Lingkungan Hidup dan Kehutanan. (2018). *Angka Deforestasi Tahun 2016-2017 Menurun*. <http://www.menlhk.go.id/siaran-78-angka-deforestasi-tahun-20162017-menurun.html>. Diakses tanggal 26 Juni 2018
- Kundu, S., Khare, D., & Mondal, A. (2017). Past, present and future land use changes and their impact on water balance. *Journal of Environmental Management*, 197, 582–596. <https://doi.org/10.1016/j.jenvman.2017.04.018>
- Lal, K., Kumar, D., & Kumar, A. (2017). Spatio-temporal landscape modeling of urban growth patterns in Dhanbad Urban Agglomeration, India using geoinformatics techniques. *Egyptian Journal of Remote Sensing and Space Science*, 20(1), 91–102. <https://doi.org/10.1016/j.ejrs.2017.01.003>
- Lambin, E. F., & Meyfroidt, P. (2011). Global land use change, economic globalization, and the looming land scarcity. *Proceedings of the National Academy of Sciences*, 108(9), 3465–3472. <https://doi.org/10.1073/pnas.1100480108>
- Landis, J. R., & Koch, G. G. (1977). The Measurement of Observer Agreement for Categorical Data. *Biometrics*, 33(1), 159. <https://doi.org/10.2307/2529310>
- Leisch, H. (2002). Gated communities in Indonesia. *Cities*, 19,341e350.
- Lillesand, T. M., & Kiefer, R. W. (1999). *Remote Sensing and Image Interpretation* (Third Edis, Vol. 4rd). New York: Jhon Wiley & Son, Inc.
- Liu, Y. (2009). *Modelling Urban Development with Geographical Information Systems and Cellular Automata*. USA: Taylor & Francis. Retrieved from <http://www.crcpress.com>
- Liu, Y., He, Q., Tan, R., Liu, Y., & Yin, C. (2016). Modeling different urban growth patterns based on the evolution of urban form: A case study from Huangpi, Central China. *Applied Geography*, 66, 109–118. <https://doi.org/10.1016/j.apgeog.2015.11.012>
- Liu, Y., Hu, Y., Long, S., Liu, L., & Liu, X. (2017). Analysis of the effectiveness of urban land-use-change models based on the measurement of spatio-temporal, dynamic urban growth: A cellular automata case study. *Sustainability (Switzerland)*, 9(5), 1–15. <https://doi.org/10.3390/su9050796>
- Manijo. (2013). *Evaluasi Risiko Banjir dan Pola Ruang di Daerah Aliran Sungai Cisadane*. Bogor: Sekolah Pascasarjana, Institute Pertanian Bogor.
- Mathew, M.W., Adler-Golden, S.M., Berk, A., Felde, G., Anderson, G.P., Gorodetsky, D., Paswaters, S., Shippert, M.. (2003). *Atmospheric correction of spectral imagery: evaluation of the FLAASH algorithm with AVIRIS data*. Spectral Sciences, Inc.

- Metrotvnews. (2018). *11.824 warga di DKI Jakarta mengungsi akibat banjir.* <http://news.metrotvnews.com/read/2018/02/08/828208/11-824-warga-di-dki-jakarta-mengungsi-akibat-banjir>. Diakses tanggal 20 Maret 2018
- McGarigal, K., Cushman, S. A., & Ene, E. (2012). *FRAGSTATS v4: Spatial pattern analysis program for categorical and continuous maps*. Computer software program produced by the authors at the University of Massachusetts. Amherst. Accessed from: <http://www.umass.edu/landeco/research/fragstats/fragstats.html>.
- Miller, S. N., Kepner, W. G., Mehaffey, M. H., Hernandez, M., Miller, R. C., Goodrich, D. C., ... Miller, W. P. (2002). Integrating landscape assessment and hydrologic modeling for land cover change analysis. *Journal of the American Water Resources Association*, 38(4), 915–929. <https://doi.org/10.1111/j.1752-1688.2002.tb05534.x>
- Mosammam, H. M., Nia, J. T., Khani, H., Teymouri, A., & Kazemi, M. (2017). Monitoring land use change and measuring urban sprawl based on its spatial forms: The case of Qom city. *Egyptian Journal of Remote Sensing and Space Science*, 20(1), 103–116. <https://doi.org/10.1016/j.ejrs.2016.08.002>
- Muchsin, F., Fibriawati, L., & Pradhono, K. A. (2017). Model Koreksi Atmosfer Citra Landsat-7 (Atmospheric Correction Models of Landsat-7 Imagery). *Jurnal Penginderaan Jauh*, 14(2), 101–110
- Mumford, L. (1938). *The Culture of Cities*. Harcourt Brace Jovanovich.Inc. Orlando, Florida: Harcourt Brace Jovanovich.Inc.
- Mundia, C. N., & Murayama, Y. (2010). Modeling Spatial Processes of Urban Growth in African Cities: A Case Study of Nairobi City. *Urban Geography*, 31(2), 259–272. <https://doi.org/10.2747/0272-3638.31.2.259>
- Pratomoatmojo, N.A., (2016). *LanduseSimPractice: spatial modeling of settlement and industrial growth by means of cellular automata and Geographic Information System*. Surabaya : Urban and Regional Planning Department, Sepuluh Nopember Institute of Technology
- Ratna Reddy, V., Saharawat, Y. S., & George, B. (2017). Watershed management in South Asia: A synoptic review. *Journal of Hydrology*, 551(May), 4–13. <https://doi.org/10.1016/j.jhydrol.2017.05.043>
- Reis, J. P., Silva, E. A., & Pinho, P. (2016). Spatial metrics to study urban patterns in growing and shrinking cities. *Urban Geography*, 37(2), 246–271. <https://doi.org/10.1080/02723638.2015.1096118>
- Republik Indonesia. (2008). *Peraturan Pemerintah Nomor 26 Tahun 2008 tentang Rencana Tata Ruang Wilayah Nasional*. Jakarta.
- Republik Indonesia. (2008). *Peraturan Presiden Nomor 54 Tahun 2008 tentang Penataan Ruang Kawasan Jakarta, Bogor, Depok, Tangerang, Bekasi, Puncak, Cianjur*. Jakarta.

- Republik Indonesia. (2012). *Peraturan Pemerintah nomor 37 tahun 2012 tentang pengelolaan Daerah aliran sungai (DAS)*. Jakarta.
- Rautner, M., Leggett, M., & Davis, F. (2013). *Buku Kecil Pendorong Besar Deforestasi*. Global Canopy Programme: Oxford.
- Remondi, F., Burlando, P., & Vollmer, D. (2016). Exploring the hydrological impact of increasing urbanisation on a tropical river catchment of the metropolitan Jakarta, Indonesia. *Sustainable Cities and Society*, 20, 210–221. <https://doi.org/10.1016/j.scs.2015.10.001>
- Rouse, J. W., Hass, R. H., Schell, J. A., & Deering, D. W. (1973). Monitoring vegetation systems in the great plains with ERTS. *Third Earth Resources Technology Satellite (ERTS) Symposium*, 1, 309–317. <https://doi.org/citeulike-article-id:12009708>
- Ruspandi, D., Hadi, S., & Rusdiana, O. (2013). Kajian perubahan penutupan lahan pada DAS Ciliwung Hulu dengan pendekatan spasial dinamik. *Jurnal Lanskap Indonesia*, 5(2), 1–5.
- Saifudin, I. (2017). *Kajian Respon Perubahan Penggunaan Lahan Terhadap Karakteristik Hidrologi DAS Garang*. Semarang: Sekolah Pascasarjana, Universitas Diponegoro.
- Sajikumar, N., & Remya, R. S. (2015). Impact of land cover and land use change on runoff characteristics. *Journal of Environmental Management*, 161, 460–468. <https://doi.org/10.1016/j.jenman.2014.12.041>
- Schneider, A., & Woodcock, C. E. (2008). Compact, dispersed, fragmented, extensive? A comparison of urban growth in twenty-five global cities using remotely sensed data, pattern metrics and census information. *Urban Studies*, 45(3), 659–692. <https://doi.org/10.1177/0042098007087340>
- Sevilla, C. G. et. al. (1960). *Research Methods*. Quezon City: Rex Printing Company.
- Shi, Y., Sun, X., Zhu, X., Li, Y., & Mei, L. (2012). Characterizing growth types and analyzing growth density distribution in response to urban growth patterns in peri-urban areas of Lianyungang City. *Landscape and Urban Planning*, 105(4), 425–433. <https://doi.org/10.1016/j.landurbplan.2012.01.017>
- Sun, C., Wu, Z. F., Lv, Z. Q., Yao, N., & Wei, J. B. (2012). Quantifying different types of urban growth and the change dynamic in Guangzhou using multi-temporal remote sensing data. *International Journal of Applied Earth Observation and Geoinformation*, 21(1), 409–417. <https://doi.org/10.1016/j.jag.2011.12.012>
- Tempo. (2015a). *Apa beda banjir Jakarta 2007, 2013, 2014 dan 2015*. <https://metro.tempo.co/read/641933/apa-beda-banjir-jakarta-2007-2013-2014-dan-2015>. Diakses tanggal 20 Maret 2018

- Tempo. (2015b). *Banjir Jakarta, Kerugian Sehari Capai Rp 1,5 T.*
<https://metro.tempo.co/read/641596/banjir-jakarta-kerugian-sehari-capai-rp-15-t>. Diakses tanggal 20 Maret 2018
- Tempo. (2018). *Ditanya Naturalisasi Anies Baswedan, Kadis SDA DKI Jawab Begini.* <https://metro.tempo.co/read/1059133/ditanya-naturalisasi-anies-baswedan-kadis-sda-dki-jawab-begini>. Diakses tanggal 20 Maret 2018
- Toffoli, T., & Margolus, N. (1987). *Cellular Automata Machines: A New Environment for Modeling.* Cambridge, Massachussetts: The MIT Press.
- Tucker, C. J. (1979). Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*, 8(2), 127–150.
[https://doi.org/10.1016/0034-4257\(79\)90013-0](https://doi.org/10.1016/0034-4257(79)90013-0)
- Tuo, Y., Duan, Z., Disse, M., & Chiogna, G. (2016). Evaluation of precipitation input for SWAT modeling in Alpine catchment: A case study in the Adige river basin (Italy). *Science of the Total Environment*, 573, 66–82.
<https://doi.org/10.1016/j.scitotenv.2016.08.034>
- Weisstein, E. W. (2002). *Concise Encyclopedia of Mathematics.* CRC Press LLC.
- Wijaya, Sufwandika. 2012. *Integrasi Model Spasial Cellular Automata dan regresi logistic biner untuk pemodelan dinamika perkembangan lahan terbangun (studi kasus kota salatiga).* Fakultas Geografi, Universitas Gadjah Mada, Yogyakarta
- Winarso, H., Hudalah, D., & Firman, T. (2015). Peri-urban transformation in the Jakarta metropolitan area. *Habitat International*, 49, 221–229.
<https://doi.org/10.1016/j.habitatint.2015.05.024>
- Winarso, H., & Sari, M. (2007). Transformasi Sosial Ekonomi Masyarakat Peri-Urban di Sekitar Pengembangan Lahan Skala Besar: kasus Bumi Serpong Damai. *Journal of Regional and City Planning*, 18(1), 1e30.
- Wolfram, S. (1984). *Cellular automata as models of complexity.* New Jersey, USA: Nature, 311, pp. 419-424.
- Wolfram, S. (2002). *A New Kind of Science.* Illinois: Wolfram Media, Inc.
- Worldbank. (2016). *Population, total.* Diperoleh 5 oktober 2017.
<https://data.worldbank.org/indicator/SP.POP.TOTL>
- Xu, H. (2008). A new index for delineating built-up land features in satellite imagery. *International Journal of Remote Sensing*, 29(14), 4269–4276.
<https://doi.org/10.1080/01431160802039957>
- Yunus, H.S. (2000). *Struktur Tata Ruang Kota.* Yogyakarta. Pustaka Pelajar
- Yusuf, Syarifuddin. (2007). “*Evaluasi Pemanfaatan Ruang di Kecamatan Umbulharjo Kota Yogyakarta*”. Semarang : Program Studi Magister Pembangunan Wilayah dan Kota, Universitas Diponegoro.

- Yusuf, A. M. (2016). *Metode Penelitian Kuantitatif, Kualitatif & Penelitian Gabungan*. Prenada Media
- Zha, Y., Gao, J., & Ni, S. (2003). Use of normalized difference built-up index in automatically mapping urban areas from TM imagery. *International Journal of Remote Sensing*, 24(3), 583–594. <https://doi.org/10.1080/01431160304987>
- Zhang, B. (2004). *Study on Urban Growth Management in China*. China: Xinhua Press.
- Zhang, K., Ross, M., & Gann, D. (2016). Remote sensing of seasonal changes and disturbances in mangrove forest : a case study from South Florida -. *Ecosphere*, 7(June), 1–23. <https://doi.org/10.1002/ecs2.1366>
- Zhou, Z., Plauborg, F., Thomsen, A. G., & Andersen, M. N. (2017). A RVI/LAI-reference curve to detect N stress and guide N fertigation using combined information from spectral reflectance and leaf area measurements in potato. *European Journal of Agronomy*, 87(November 2016), 1–7. <https://doi.org/10.1016/j.eja.2017.04.002>



Sekolah Pascasarjana
Magister Ilmu Lingkungan
Universitas Diponegoro